BURSTEIN LUNDQVIST

F/227 B972

PLENUM

F 227 B072

Tunneling Phenomena in Solids

Lectures presented at the 1967 NATO Advanced Study Institute at Risö, Denmark

Edited by ELIAS BURSTEIN

Department of Physics University of Pennsylvania Philadelphia, Pennsylvania

and

STIG LUNDQVIST

Institute of Theoretical Physics Chalmers Tekniska Högskola Güttborg Sweden

Library of Congress Catalog Card Number 69-12528

© 1969 Plenum Press A Division of Plenum Publishing Corporation 227 West 17 Street, New York, N.Y. 10011

 $All\ rights\ reserved$

No part of this publication may be reproduced in any form without written permission from the publisher

Printed in the United States of America

Foreword

The aim of this volume is to provide advanced predoctoral students and young postdoctoral physicists with an opportunity to study the concepts of tunneling phenomena in solids and the theoretical and experimental techniques for their investigation. The contributions are primarily tutorial in nature, covering theoretical and experimental aspects of electron tunneling in semiconductors, metals, and superconductors, and atomic tunneling in solids.

The work is based upon the lectures delivered at the Advanced Study Institute on "Tunneling Phenomena in Solids," held at the Danish A.E.C. Research Establishment, Risö, Denmark, June 19–30, 1967. Sponsored by the Danish Atomic Energy Commission, the Nordic Institute for Theoretical Physics (NORDITA), and the Science Affairs Division of NATO, with the cooperation of the University of Copenhagen, the Technical University of Denmark, Chalmers Institute of Technology, and the University of Pennsylvania, the lectures were presented by a distinguished panel of scientists who have made major contributions in the field. The relatively large number of lecturers was, in part, made possible by the close coordination of the Advanced Study Institute with the Second International Conference on Electron Tunneling in Solids, which was held at Risö on June 29, 30 and July 1, 1967, under the sponsorship of the U.S. Army Research Office-Durham. We are indebted to I. Giaever, E. O. Kane, J. Rowell, and J. R. Schrieffer for advice and assistance in planning the lecture program of the Institute.

The Institute was made possible through the active interest of an organizing group consisting of H. Højgard Jensen, A. Mackintosh, N. I. Meyer, M. Nielsen, and K. Saermark. The Danish Atomic Energy Commission supported the Institute financially and made available its facilities at the Risö Research Establishment. We take this opportunity to thank the Danish AEC officials for their gracious cooperation. In particular, we would like to express our gratitude to the Director of the Research Establishment, Professor T. Bjerge, for his kind interest and for being a generous and excellent host.

The heavy burden of making all the arrangements for the Institute

vi Foreword

was very ably undertaken by M. Nielsen and by the Information Officer of the Research Establishment, Mrs. J. Starcke. Dr. Nielsen and Mrs. Starcke kept the secretariat running smoothly at all times and helped the Directors of the Institute, as well as the participants, in solving the many problems that arose. We would like to express our warmest thanks to them for their patient and efficient work in following as closely as possible our intentions along a rather winding course toward a successful end.

October 20, 1968

E. BURSTEIN, Director of the Institute S. LUNDQVIST, Associate Director of the Institute



Contents

Chapter 1	
Basic Concepts of Tunneling	
by E. O. Kane	1
Chapter 2	
WKB Methods	
by W. Franz	13
Chapter 3	
Metal-Insulator-Metal Tunneling	
by I. Giaever	19
Chapter 4	
Theory of Metal-Barrier-Metal Tunneling	
by C. B. Duke	31
Chapter 5	
Tunneling	
by L. Esaki	47
Chapter 6	
Interband Tunneling	
by E. O. Kane and E. I. Blount	79
Chapter 7	
Interband Tunneling—Theory	
by R. T. Shuey	93
Chapter 8	
Tunneling in Schottky Barrier Rectifiers	
by R. Stratton	105
Chapter 9	
Some Properties of Exponentially Damped Wave Functions	
by C. A. Mead	127

			٠
v	ı	1	1
v	۰	•	•

Chapter 10	
Image Force in Metal-Oxide-Metal Tunnel Junctions by J. G. Simmons	135
	133
Chapter 11	
Phonon-Assisted Semiconductor Tunneling	
by R. A. Logan	149
Chapter 12	
Effect of Stress on Interband Tunneling in Semiconductors	
by H. Fritzsche	167
Chapter 13	
Phonon-Assisted Tunneling in Semiconductors	
by L. Kleinman	181
Chapter 14	
Excess Currents in Semiconductor Tunneling	
by C. T. Sah	193
Chapter 15	
Phonon-Assisted Tunneling (Franz-Keldysh Effect)	
by W. Franz	207
Chapter 16	
Magnetotunneling Effects in Semiconductors	
by W. Zawadzki	219
Chapter 17	
Molecular Excitations in Barriers. I	
by J. Lambe and R. C. Jaklevic	233
Chapter 18	
Molecular Excitations in Barriers. II	
by R. C. Jaklevic and J. Lambe	243
Chapter 19	
Tunneling Between Superconductors	
by I. Giaever	255

Contents ix

Tunneling Density of States—Experiment by J. M. Rowell Chapter 21 Single-Particle Tunneling in Superconductors by J. R. Schrieffer Chapter 22 Many-Body Theory of Tunneling: Polarons in Schottky Junctions by G. D. Mahan	273 287
Chapter 21 Single-Particle Tunneling in Superconductors by J. R. Schrieffer	
Single-Particle Tunneling in Superconductors by J. R. Schrieffer	287
by J. R. Schrieffer	287
Chapter 22 Many-Body Theory of Tunneling: Polarons in Schottky Junctions	287
Many-Body Theory of Tunneling: Polarons in Schottky Junctions	
by G. D. Mahan	
	305
Chapter 23	
Geometrical Resonances in the Tunneling Characteristics of Thick	
Superconducting Films	
by W. J. Tomasch	315
Chapter 24	
Multiparticle Tunneling	
by J. W. Wilkins	333
Chapter 25	
Photon-Assisted Single-Particle Tunneling Between Superconductors	
by G. E. Everett	353
Chapter 26	
Phonon Generation and Detection by Single-Particle Tunneling in	
Superconductors	
by W. Eisenmenger	371
Chapter 27	
Tunneling Anomalies	
by J. M. Rowell	385
Chapter 28	
A Unified Theory of Zero-Bias Anomalies and Energy-Loss Mecha-	
nisms in the Barrier	
by C. B. Duke	

Chapter 29	
Gapless Superconducting Tunneling—Theory	
by P. Fulde 4	27
Chapter 30	
Gapless Superconductor Tunneling—Experiment	
by T. Claeson	143
Chapter 31	
DC Josephson Effects	
by J. E. Mercereau	61
Chapter 32	
The Theory of Josephson Tunneling	
by D. J. Scalapino 4	177
Chapter 33	
AC Josephson Tunneling—Experiment	
by D. N. Langenberg	519
Chapter 34	
Weakly Coupled Superconductors	
by A. F. G. Wyatt	541
Chapter 35	
Atomic Tunneling in Solids	
by J. A. Krumhansl	551
Chapter 36	
The Detection of Atomic Tunneling in Solids	
by Y. Imry	563
Subject Index	577

Chapter 1

Basic Concepts of Tunneling

E. O. Kane

Bell Telephone Laboratories Murray Hill, New Jersey

A great many of the features of tunneling phenomena in solids are essentially of a one-dimensional nature. If the tunneling barrier extends in the x direction, the momentum in the y and z directions can usually be taken to be constants of the motion, and hence are merely fixed parameters.

In this introductory chapter we will describe some of the basic concepts of tunneling by studying purely one-dimensional problems, and we may anticipate that most of our results will have a wider range of applicability to real situations than one-dimensional problems usually have.

We will, in fact, study the simplest of all one-dimensional problems, namely, square barriers and square wells in one dimension. The Schrödinger equation will have the simple form

$$\left(\frac{p^2}{2m}+V\right)\psi=E\psi,\tag{1}$$

where V is a constant in a given region. The general solution of Eq. (1) has the well-known form


$$\psi(x) = ae^{ikx} + be^{-ikx},\tag{2}$$

$$\hbar^2 k^2 / 2m = E - V. \tag{3}$$

When E - V > 0 the wave functions are plane waves. When E - V < 0 we will write $k = i\kappa$ and

$$\psi(x) = ae^{-\kappa x} + be^{\kappa x}.$$
(4)

The wave functions are now exponentially growing and decaying waves characteristic of barrier penetration problems. In the "square barrier" and



"square well" problem which we will discuss V changes abruptly from one constant value to another. The overall wave function is then constructed out of pieces having the form of Eq. (2) by matching ψ and $d\psi/dx$ at the discontinuities of V.

The basic matching problem can be done at a potential step as shown in Fig. 1. The matching conditions are then conveniently described as a 2×2 matrix R operating on the two-dimensional vectors

$$\begin{pmatrix} a_1 \\ b_1 \end{pmatrix}$$
 and $\begin{pmatrix} a_2 \\ b_2 \end{pmatrix}$


which describe the wave function in regions I and II, respectively. We may write

$$\begin{pmatrix} a_1 \\ b_1 \end{pmatrix} = R_1 \begin{pmatrix} a_2 \\ b_2 \end{pmatrix}, \tag{5}$$

$$R_{1} = \frac{1}{2k_{1}} \begin{pmatrix} (k_{1} + k_{2}) \exp[i(-k_{1} + k_{2})x_{1}] & (k_{1} - k_{2}) \exp[i(-k_{1} - k_{2})x_{1}] \\ (k_{1} - k_{2}) \exp[i(k_{1} + k_{2})x_{1}] & (k_{1} + k_{2}) \exp[i(k_{1} - k_{2})x_{1}] \end{pmatrix}.$$
(6)

Of course, Eqs. (5) and (6) are valid for either real or imaginary values of k. The general problem of any number of square barriers or wells may then be succinctly described in terms of a chain of operators of the form R_j .

We turn first to the square barrier problem of Fig. 2. We may write the solution



$$\binom{a_1}{b_1} = R_1 R_2 \binom{a_3}{b_3}.$$
 (7)

Let us study the boundary condition of an electron incident from the left. There will be a reflected wave in region 1 but only a transmitted wave in region 3; hence $b_3 = 0$. We want a_3 in terms of a_1 . Equation (7) then gives

$$a_1 = (R_1 R_2)_{11} a_3. (8)$$

Explicit evaluation of (8) with the use of (6) results in

$$(R_1 R_2)_{11} = [\exp(ik_3 x_2 - ik_1 x_1)](k_1^2 + \kappa_2^2)^{1/2}(k_3^2 + \kappa_2^2)^{1/2}$$

$$\times (e^{ix} e^{\kappa_2 w} - e^{-ix} e^{-\kappa_2 w})/(4ik_1 \kappa_2)$$
(9)

$$\alpha = \tan^{-1}(\kappa_2/k_1) + \tan^{-1}(\kappa_2/k_3)$$

$$\kappa_2 = ik_2 \qquad w = \kappa_2 - \kappa_1$$
(10)

We are assuming real plane waves in regions 1 and 3 and tunneling in region 2. To simplify the formula, we will neglect $e^{\kappa_2 w}$ in comparison to $e^{\kappa_2 w}$; in other words, we consider only a strongly attenuating barrier. Then we have

$$a_3 = \frac{4k_1 \varkappa_2 \varphi e^{-\varkappa_2 w}}{(k_1^2 + \varkappa_2^2)^{1/2} (k_3^2 + \varkappa_2^2)^{1/2}} a_1, \tag{11}$$

$$\varphi = ie^{-i\alpha} \exp(ik_1x_1 - ik_3x_2); \tag{12}$$

 φ is a phase factor of absolute value 1, which we ignore for the moment. The quantity of physical interest that we wish to compute is the ratio of the transmitted current j_3 to the incident current j_1 ,

$$j_1 = (\hbar k_1/m) \mid a_1 \mid^2; \qquad j_3 = \hbar k_3/m \mid a_3 \mid^2.$$
 (13)

We find

$$\frac{j_3}{j_1} = \frac{16k_1k_3\varkappa_2^2}{(k_1^2 + \varkappa_2^2)(k_3^2 + \varkappa_2^2)} e^{-2\varkappa_2 w},$$
 (14)

$$\hbar^2 \kappa_2^2 / 2m = V_2 - E. \tag{15}$$

The dominant feature of Eq. (14) is, of course, the barrier penetration factor $e^{-2\varkappa_2 w}$. In typical problems of interest this factor may be $10^{-5}-10^{-10}$, so that it tends to dominate the prefactor. In more realistic problems this factor can seldom be calculated accurately, so that usually any experimental determination of the prefactor is doubtful or impossible.

Tunneling is one of the simplest examples of a truly quantum mechanical phenomenon. In classical physics a particle whose energy is less than the height of a potential barrier can never pass through it.

We note that Eq. (14) shows that the barrier transmission is symmetric in the indices 1 and 3. This means that the barrier transmission is the same for currents incident from the right or left, as we would expect. We may also compute the incident current per unit energy if we assume that the states on the left and right are quantized in a box and occupied with an occupancy factor f(E). The incident current is given by

$$\Delta j_1(E) = |a|^2 \frac{\hbar k_1}{m} \frac{dn}{dE} \Delta E f_1(E). \tag{16}$$

Box normalization gives $|a|^2 = 1/L_1$, where L_1 is the length of the box. The density of states in one dimension without spin is

$$dn/dE = mL_1/2\pi\hbar^2k_1; (17)$$

hence (16) becomes

$$\Delta j_1(E) = [f_1(E)/2\pi\hbar] \Delta E. \tag{18}$$

In equilibrium $f_1(E) = f_3(E)$; hence the current per unit energy incident on the barrier from either side of the barrier is the same. By the symmetry of Eq. (14), the transmitted currents per unit energy are also the same, and equilibrium is maintained, as we should expect.

We may also note that Eq. (14) shows that the transmitted current goes continuously to zero as either k_1 or k_3 approaches zero. This is in contrast to simple calculations of tunneling in p-n junctions, which showed a discontinuous change in the transmitted current at the band edge (1). A more careful treatment by Shuey (2) showed that in the junction problem also the current goes continuously to zero at the band edge.

We now investigate a little more closely the character of the attenuating states $ae^{-\kappa x}$ and $be^{+\kappa x}$ in the barrier. We use the expression for the particle current operator

$$j(x) = \frac{-i\hbar}{2m} \left(\psi^*(x) \frac{d\psi}{dx} - \psi(x) \frac{d\psi^*}{dx} \right). \tag{19}$$

We see immediately that $ae^{-\kappa x}$ or $be^{\kappa x}$ by themselves carry zero current. In combination

$$j(x) = (i\hbar \varkappa/m)(ab^* - ba^*). \tag{20}$$

We can use this property to develop an effective Hamiltonian theory of tunneling in a manner first described by Bardeen (3).

The smallness of the right-hand sides of Eqs. (11) or (14) suggests that a perturbation treatment of tunneling would be very appropriate. However, there is no obvious way of introducing a term in the Hamiltonian which can be treated as small. Bardeen took a different approach. Instead of introducing states which are the exact solutions of an approximate Hamiltonian, he introduced approximate solutions of the exact Hamiltonian. Following Bardeen, we choose the states

$$\psi_{r}(x) = b_{2r}e^{\kappa_2 x}; \qquad x \le x_2, \tag{21}$$

$$\psi_2(x) = a_{2l}e^{-\kappa_2 x}; \qquad x \ge x_1; \tag{22}$$

 ψ_r is to be matched to the correct solution for $x \ge x_2$ but is to decay in the region $x \le x_1$ instead of satisfying the Schrödinger equation. Similarly, ψ_l continues to decay for $x \ge x_2$. Then ψ_r is a correct solution of H for $x \ge x_1$ and ψ_l is correct for $x \le x_2$. We assume an electron is initially in ψ_l and compute its transition rate into state ψ_r . We write

$$\psi = c(t)\psi_l e^{-iE_l t} + d(t)\psi_r e^{-iE_r t}$$
(23)

and substitute in the Schrödinger equation

$$i\dot{c}\psi_{l}e^{-iE_{l}t} + c\psi_{l}E_{l}e^{-iE_{l}t} + i\dot{d}\psi_{r}e^{-iE_{r}t} + d\psi_{r}E_{r}e^{-iE_{r}t}$$

$$= ce^{-iE_{l}t}H\psi_{l} + de^{-iE_{r}t}H\psi_{r}. \tag{24}$$

Since $c \approx 1$, $d \approx 0$, we will set d = 0, $\dot{c} = 0$, c = 1 in Eq. (24) [$\dot{c} \approx 0$ follows from normalization, $(d/dt)(cc^* + dd^*) = 0$]. Equation (24) then becomes

$$i\dot{d}\psi_r e^{-iE_r t} = (H - E_l)\psi_l e^{-iE_l t}, \tag{25}$$

or

$$i\dot{d} = \int \psi_r^* (H - E_l) \psi_l \, dx \exp[i(E_r - E_l)t]. \tag{26}$$

We assume ψ_l and ψ_r are normalized.

If $H=H_0+H_1$, as in ordinary perturbation theory, and $H_0\psi_l=E_l\psi_l$, we have

$$\int \psi_r^* (H - E_l) \psi_l \, dx = \int \psi_r^* H_1 \psi_l \, dx. \tag{27}$$

E. O. Kane

Accordingly, we identify

$$T_{\tau l} = \int \psi_{\tau}^* (H - E_l) \psi_l \, dx \tag{28}$$

as the effective matrix element for tunneling.

The integral in Eq. (28) gives a nonzero contribution only for $x > x_2$. We can symmetrize Eq. (28) by writing

$$T_{rl} = \int_{x_B}^{\infty} \psi_r^* (H - E_l) \psi_l - \psi_l (H - E_r) \psi_r^* dx, \qquad x_1 \le x_B \le x_2, \quad (29)$$

since the added term is zero for the range of integration $x \ge x_1$. The lower limit of the integral can take any value in the barrier since the integrand is zero there. Integrating Eq. (29) by parts gives

$$T_{rl} = -\frac{\hbar^2}{2m} \left(\psi_r^* \frac{d\psi_l}{dx} - \psi_l \frac{d\psi_r^*}{dx} \right)_{x_p}, \tag{30}$$

or

6

$$T_{rl} = -i\hbar j_{rl},\tag{31}$$

where j_{rl} is the current operator as given in Eq. (19) evaluated at any point in the barrier. Using Eqs. (21) and (22), we have

$$T_{rl} = (\hbar^2 \kappa_2 / m) b_{2r}^* a_{2l}. \tag{32}$$

We will now use this tunneling matrix element to calculate the tunnel current from the effective Hamiltonian viewpoint. Noting that $a_{2r} = b_{2l} = 0$, we use Eq. (5) to relate a_{1l} to a_{2l} and b_{2r} to a_{3r} . This gives

$$|T_{rl}|^2 = \frac{\hbar^4 \kappa_2^2}{m^2} \frac{16k_1^2 k_3^2 |a_{1l}|^2 |a_{3r}|^2 e^{-2\kappa_2 w}}{(k_1^2 + \kappa_2^2)(k_3^2 + \kappa_2^2)}.$$
 (33)

The current incident on the barrier, j_l , is

$$j_l = (\hbar k_1/m) \mid a_{1l} \mid^2. \tag{34}$$

The transmitted current, j_t , is given by

$$j_t = w = \frac{2\pi}{\hbar} |T_{rl}|^2 \frac{dn}{dE_r},$$
 (35)

using the "golden rule" of first-order time-dependent perturbation theory. Using Eq. (17) we have

$$|a_{3r}|^2 \frac{dn}{dE_r} = \frac{m}{2\pi\hbar^2 k_3}.$$
 (36)

Substituting (33), (34), and (36) in (35), we verify that we obtain Eq. (14). Hence the effective Hamiltonian approach gives the same result for the tunnel current as the simple matching procedure.

The "effective tunneling Hamiltonian" provides a justification for the often-quoted assumption that the tunnel current is proportional to the density of states. However, we see from the matrix element of Eq. (33) that other terms in the exponential prefactor are equally important, so that the final result in Eq. (14) does not bear any simple relation to the density of states in Eq. (36). Hence the use of tunneling measurements as a quantitative probe of the density of states must be regarded with caution. However, it is a well-known fact that superconducting tunneling does quite accurately reflect the density of states. This has been justified theoretically, using the effective tunneling Hamiltonian, by Bardeen and others. This is discussed a great deal more elsewhere in this book.

We turn now to the much discussed question of how long it takes an electron to tunnel through a barrier. We refer to Fig. 2 and represent the electron in region 1 by a wave packet with average momentum k_1 and energy $E_1 = E(k_1)$:

$$\psi_i(x, t) = \exp[i(k_1 x - E_1 t)/\hbar]$$

$$\times \int_{-\infty}^{\infty} \exp[i(k - k_1)(x - v_1 t)] \exp[-(k - k_1)^2] dk, \quad (37)$$

where we have used

$$E(k) \approx E(k_1) + (k - k_1)(dE/dk)_{k_1},$$
 (38)

$$v \equiv \frac{1}{\hbar} \frac{dE}{dk} = \frac{\hbar k}{m}.$$
 (39)

Equation (39) is the usual definition of the group velocity. Carrying out the integration in Eq. (37) gives

$$\psi_i(x,t) = \exp[i(k_1 x - E_1 t)/\hbar] \exp[-\frac{1}{4}(x - vt)^2]. \tag{40}$$

Equation (40) shows that the packet moves with group velocity v, in agreement with what we expect from the classical limit. Since the kinetic energy of the wave packet is clearly positive, we cannot use it to localize the electron in the barrier region because the electron would then automatically have an energy greater than the barrier height. What we can do is look at the packet in region 3 beyond the barrier and compute its time dependence there. We use Eq. (11) to get the transmitted packet in terms of the incident

8 E. O. Kane

packet. To simplify matters, we set $k_3 = k_1$. Then Eq. (12) shows that the plane wave $\exp\{i[kx - E(k)t/\hbar]\}$ on the left of the junction has the form $Aie^{-i\alpha}\exp\{i[k(x-w) - E(k)t/\hbar]\}$ on the right. Ignoring the phase term $ie^{-i\alpha}$, which does not depend on the junction thickness, we see that the electron has "lost," or rather failed to accumulate, the phase ikw in passing through the barrier. This is, of course, due to the real character of the x dependence in the barrier region as given in Eq. (4). If we ignore the k dependence of $Ae^{-i\alpha}$, the transmitted wave packet ψ_t can be written

$$\psi_t(x_1 t) = A \exp\{i[k_1(x-w) - Et/\hbar]\} \exp[-\frac{1}{4}(x-w-vt)^2].$$
 (41)

The lack of phase change in traversing the barrier has advanced the transmitted packet by the junction width w relative to the incident packet. In other words, it appears that the packet has traversed the barrier in zero time or with infinite velocity.

There is no contradiction between this relation and relativistic limitations, because it was derived from the Schrödinger equation, which is only exact if the speed of light is made to approach infinity. This curious result is another way in which tunneling defies classical analogy.

It should not be concluded from this result that tunneling is a very rapid process. It is, in fact, very slow, as indicated by the very weak tunneling matrix element in Eq. (33). We can indicate the slowness of the tunneling process by solving the two-well problem shown in Fig. 3.

We use Eqs. (5) and (6) to write

$$\begin{pmatrix} a_1 \\ b_1 \end{pmatrix} = R_1 R_2 R_3 R_4 \begin{pmatrix} a_5 \\ b_5 \end{pmatrix}.$$
 (42)

The eigenvalue condition results from the requirement that only attenuating states exist in regions 1 and 5. That is, $a_1 = b_5 = 0$. This gives the eigenvalue equation

$$(R_1 R_2 R_3 R_4)_{11} = 0. (43)$$

