

# 铁路动车组 英德汉双译术语

A ENGLISH-DEUTSCHE-CHINESE &  
CHINESE-ENGLISH-DEUTSCHE TERMINOLOGY DICTIONARY  
OF ELECTRICAL MULTIPLE UNITS ON RAILWAY

铁道出版社

中国铁道出版社

中英德汉双译术语

# 铁路动车组英德汉双译术语

A ENGLISH-DEUTSCH-CHINESE &  
CHINESE-ENGLISH-DEUTSCH TERMINOLOGY  
DICTIONARY OF ELECTRICAL MULTIPLE UNITS  
ON RAILWAY

刘汝让 朱 莉 编

中英德汉双译手册：各  
种 果 味 酸：味  
酸：味 味：味  
味：味 味：味  
味：味 味：味

中英德汉双译手册：各  
种 果 味 酸：味  
酸：味 味：味  
味：味 味：味  
味：味 味：味

中英德汉双译手册：各  
种 果 味 酸：味  
酸：味 味：味  
味：味 味：味  
味：味 味：味

中国铁道出版社

(邮发代号102511 102512 102513 102514)

2010·北京

## 图书在版编目(CIP)数据

铁路动车组英德汉双译术语/刘汝让,朱莉编. —北京:  
中国铁道出版社,2010.7

ISBN 978-7-113-11549-4

I. ①铁… II. ①刘… ②朱莉… III. ①高速列车: 动车—名词  
术语—英、德、汉 IV. ①U266-61

中国版本图书馆 CIP 数据核字(2010)第 117214 号

书 名: 铁路动车组英德汉双译术语  
作 者: 刘汝让 朱 莉

责任编辑: 吴 军  
封面设计: 崔丽芳  
责任校对: 张玉华  
责任印制: 陆 宁

出版发行: 中国铁道出版社(100054, 北京市宣武区右安门西街 8 号)

网 址: <http://www.tdpress.com>  
印 刷: 北京鑫正大印刷有限公司  
版 本: 2010 年 7 月第 1 版 2010 年 7 月第 1 次印刷  
开 本: 880mm×1 230mm 1/32 印张: 19.25 字数: 941 千  
印 数: 1~3 500 册  
书 号: ISBN 978-7-113-11549-4  
定 价: 88.00 元

版权所有 侵权必究

凡购买铁道版的图书, 如有缺页、倒页、脱页者, 请与本社读者服务部调换。

电 话: 市电(010)51873170, 路电(021)73170(发行部)

打击盗版举报电话: 市电(010)63549504, 路电(021)73187


## 致读者

亲爱的读者：

根据国务院批准的《中长期铁路网规划》，到 2012 年，我国铁路营业里程将达到 11 万公里以上，其中新建高速铁路 1.3 万公里。中国的高速铁路建设，始终瞄准世界最先进水平，走的是一条原始创新、集成创新和引进消化吸收再创新的成功道路。在高速动车组方面，相继发展了 CRH<sub>1</sub>、CRH<sub>2</sub>、CRH<sub>3</sub>、CRH<sub>5</sub> 型动车组，这些都是我国铁路工作者努力奋斗的结晶。

很高兴向您推荐此书。作为技术工作者，需要有专业的知识和经验，同时又要具备一定的外语水平。这是参与高速铁路建设的素质要求。现场亟待一本实用的工具书，能够对学习国外先进技术提供帮助。

本书作者是一位长期从事高速铁路管理工作的专业技术人员，通过对大量技术资料的收集、整理、查询、汇总，倾注了大量心血，集成了此书。希望能够对您的学习和工作有所帮助，愿此书成为您的良师益友。



2010 年 5 月 17 日

## 前　　言

《铁路动车组英德汉双译术语》是一部工具书,笔者根据自己多年铁路工作经验和知识积累,并大量研读了CRH3型和CRH5型动车组“随车说明书”和“维修手册”等相关资料,参考了相关高铁和地铁的标书内容,编写而成。笔者还从动车组专业术语向整个高速铁路各专业术语进行了扩展,并辅以少量的动词短语,使本书内容比较全面。

为方便读者使用,本书特编成了双译形式,以便从中、外文双向查找。共收集了铁路动车组英汉(汉英)术语各1.4万余条,铁路动车组德汉(汉德)术语各1400余条。书后更以附录的形式列出铁路动车组英汉缩略语近1300条、铁路动车组德汉缩略语近80条以及高速铁路动车组常用国际标准索引。

本书以实用为目的,可供从事高速铁路和动车组工作的设计人员、管理人员、技术人员、涉外工作者、对外招投标人员、大学师生、现场工人使用。

本书不作标准使用,仅供参考。对存在的不足,敬请指正。

## 使 用 说 明

1. 本《术语》均按数字1~9和外文字母(或汉语拼音)顺序排列。
2. 本《术语》英汉、德汉部分,同条外文,汉语意思相同或相近列为一条;汉语意思较远且应用处所不同,不列为一条。一词多义者需在具体语境中判断。汉英、汉德部分类同。
3. 本《术语》词条中“( )”内为可省略的字或词。
4. 本《术语》对单词、词汇及缩略语,都标明了易出现的部位、处所或车型等应用处所,在词条后用“[ ]”注明。应用处所不是唯一的。本《术语》中“辅变”指辅助变流器。
5. 本《术语》在附录中对英文缩略语列出了英文全名和中文全名。对德文缩略语还列出了相应的英文缩略语。

# 目 录

铁路动车组英汉术语汇编 .....	1
铁路动车组汉英术语汇编 .....	251
铁路动车组德汉术语汇编 .....	507
铁路动车组汉德术语汇编 .....	531
附录 .....	555
附录 1 铁路动车组英汉缩略语汇编 .....	557
附录 2 铁路动车组德汉缩略语汇编 .....	586
附录 3 铁路动车组国际标准 .....	589

---

---

# 铁路动车组英汉术语汇编



- 0~9 [CRH<sub>5</sub>] 0~9
- 0% slope track 0%的平直轨道 [CRH<sub>5</sub>]  
型高压 [CRH<sub>5</sub>]
- 1 generic message data 1类信息数据 [CRH<sub>5</sub>]
- 100 % traction 100% 牵引力 [CRH<sub>3</sub>]
- 110 V voltage measurement test 110 V 电压测试 [地铁]
- 12-digit drawing number 12位的图纸号 [CRH<sub>3</sub>]
- 12-pin plug connector 12插针插头连接器 [CRH<sub>3</sub>]
- 16 Mb code memory 16兆位代码存储器 [Sibase]
- 18 V threshold 18伏阈值 [CRH<sub>5</sub>]
- 18-pole UIC wires 18极 UIC 导线 [CRH<sub>3</sub>]
- 2 bit long 2比特长 [CRH<sub>3</sub>]
- 2 couples 2组 [CRH<sub>5</sub> 牵引及辅变]
- 2 couples of triangular carriers 2组三角载波 [CRH<sub>5</sub> 牵引及辅变]
- 2/2 way solenoid valve 2位2通电磁阀 [水箱]
- 24 Vdc/Vac 50~60 Hz 24 V 直流/交流 50~60 Hz [暖通空调]
- 24 V power supply 24 V 电源 [牵引变流器]
- 2-hours rest 放置2小时 [蓄电池]
- 2-methoxy 2-甲氧基 [有害物质]
- 2nd class non smoker 2等舱无烟区 [CRH<sub>3</sub>]
- 2nd sequence 第二个程序序列 [厨房设备]
- 3 consecutive fan faults 3次连续的风扇故障 [CRH<sub>5</sub>]
- 3 ways valve 三通阀 [CRH<sub>5</sub>]
- 3.0% incline 3.0%斜坡 [CRH<sub>3</sub>]
- 3/2 way solenoid 3/2路电磁阀 [卫生间]
- 3/2-way cock 二位三通塞门 [CRH<sub>5</sub> 型制动]
- 32 MHz clock frequency 32 MHz 时钟
- 频率 [Sibase] [CRH<sub>5</sub>]  
32-pin plug connector 32针插头连接器 [Sibase]
- 3-layer paintwork 3层油漆作业 [双辅助变流器]
- 3-phase squirrel cage asynchronous type 三相异步鼠笼电动机 [高铁]
- 3-pin plug of the sensor 传感器的3芯插头 [自动过分相]
- 3-pole male connector 阳性连接器 [工作站灯]
- 3-pole tension spring terminal 3插针弹簧接线端子 [灯模块]
- 4 QC1 module 4 QC1 模块 [CRH<sub>5</sub> 牵引及辅变]
- 4 quadrants 4个象限 [CRH<sub>5</sub> 牵引及辅变]
- 440 V 3 AC 440 V 3相交流 [CRH<sub>3</sub>]
- 4-core shielded wire 4芯屏蔽线 [CRH<sub>5</sub> 牵引及辅变]
- 4QC-Converter 4QC-变流器 [牵引变流器]
- 5 digits password 5位数的密码 [屏幕界面]
- 5/2 directional valve 5/2通方向阀 [整体维护]
- 5/2 way valve 5/2通阀门 [整体维护]
- 5/2-magnet valve 5/2-电磁阀 [受电弓]
- 5/2-way magnetic valve 5/2-通电磁阀 [受电弓]
- 5-character extension 5个符号扩展 [CRH<sub>3</sub>]
- 6-layer artwork design 6层工艺设计 [CRH<sub>3</sub>]
- 7 segment indication 7段显示 [CRH<sub>3</sub>]
- 7-segment display 7段码显示器 [Sibase]
- 8 Mb service memory 8兆位服务存储器 [Sibase]
- 8-bit input port 8位输入断开 [Sibase]
- 9 o'clock position 9点钟位置 [暖通空调]
- a cyclicity of 20 ms 以20毫秒为周期

## A

- [CRH<sub>5</sub> 牵引及辅变]  [李群英译]  
**A-key operated switch** A 钥匙操纵开关  
 [CRH<sub>3</sub>]  
**A-key-lock switch** A 钥匙锁定开关  
 [CRH<sub>3</sub>]  
**a train of impulses** 一串脉冲 [CRH<sub>5</sub> 牵引及辅变]  
**A/D conversion** 模拟/数字转换 [CRH<sub>3</sub>]  
**A/D converter** 交直流变流器 [CRH<sub>3</sub>]  
**A2-key** A2-钥匙 [CRH<sub>3</sub>]  
**AAR** 美国铁道协会 [总体]  
**abbreviation** 缩略语 [其他]  
**ability to withstand vibrations and shocks**  
 振动和冲击承受能力 [主断路器]  
**abnormal noises** 反常的噪声 [齿轮箱]  
**abort** 干扰, 中断, 失败, 受干扰 [综合]  
**aborted** 失败, 干扰, 失效 [CRH<sub>5</sub>]  
**abortion of inputs** 终止输入 [机师综合]  
**above and below** 上层和下层 [CRH<sub>3</sub>]  
**above sea level** 海拔高度 [牵引变流器]  
**abrade (dress)** 打磨(修整) [CRH<sub>5</sub> 型轮对]  
**abraded material** 剥蚀材料 [齿轮箱]  
**abrasions** 擦破 [真空单元]  
**abrasive** 研磨剂 [司机室墙板]  
**abrasive blasting cabin** 打沙间(仓) [高铁]  
**abrasive paper** 砂纸 [内墙板]  
**abrasive substances** 研磨材料 [避雷器]  
**abrasives** 磨蚀剂, 研磨剂 [整体维护]  
**absence** 不应有 [CRH<sub>5</sub> 型轮对]  
**absence of voltage** 存在电压 [限压电阻]  
**absolute** 绝对 [主变压器]  
**absolute limit values** 绝对极限值 [速度表]  
**absolute maximum volume** 绝对最大音量 [机师综合]  
**absolute-value generators** 绝对值发生器 [Sibase]  
**absorb surge voltage** 吸收冲击电压 [双辅助变流器]  
**absorbed** 吸收 [暖通空调]  
**absorbed elastically** 弹性地吸收 [CRH<sub>5</sub>]  
**absorbed substance** 吸附材料 [有害物质]  
**absorbent material** 吸收剂材质 [变流器冷却单元]  
**absorption capacity** 吸收能力 [总体]  
**absorption characteristic** 吸收特性 [主变压器]  
**absorption signal** 吸合信号 [开水炉]  
**absorption through the skin** 通过皮肤吸收 [有害物质]  
**AC** 交流 [综合]  
**AC contractor** 交流接触器 [开水炉]  
**AC line current transducer** AC 线电流传感器 [CRH<sub>5</sub> 牵引及辅变]  
**AC main circuit breaker** 交流主断路器 [主断路器]  
**AC on-board power supply operational** 车载 AC 电源可用 [机师综合]  
**AC power supply** 交流电源 [暖通空调]  
**AC voltage definition** 交流电压的定义 [双辅助变流器]  
**accelerated corrosion test** 加速腐蚀试验 [冷却液]  
**accelerating the oil** 加速油 [总体]  
**acceleration** 加速度 [综合]  
**acceleration distance-time diagram** 加速距离—时间图 [CRH<sub>3</sub>]  
**acceleration from 0 to maximum operating speed with 15 km/h headwind** 15 km/h 逆风时从 0 到最大运行速度的加速度 [CRH<sub>3</sub>]  
**acceleration jerk** 加速度冲击 [CRH<sub>3</sub>]  
**acceleration of piston** 活塞的加速度 [主断路器]  
**acceleration sensor** 加速度传感器 [CRH<sub>3</sub>]  
**accelerometer** 加速度计 [CRH<sub>5</sub>]  
**acceptable roll angle between car body and bogie** 车辆箱体和转向架之间允许的摆动角度 [CRH<sub>5</sub> 型制动]  
**access** 权限, 通过, 接近 [烟火报警]  
**access control panel** 检查口控制板 [暖通空调]  
**access cover** 检查口盖板 [暖通空调]

- access cover filter 检查口盖板过滤器  
 [暖通空调]
- access cover of the evaporator unit 蒸发器装置检查口盖板 [暖通空调]
- access door 通道门 [内墙板]
- access memory 存取存储器
- access return air door cover subassembly 回流空气风门检查口盖板分组件 [暖通空调]
- access this menu 调出这个菜单 [屏幕界面]
- access to 接通 [其他]
- access to other screens 访问其他界面 [机师综合]
- access to the adjustment plate under WB / WC 洗脸盆下的检查门板/卫生间 [卫生间]
- access to the terminal 接触到接线柱 [转向架诊断]
- accessibility 接触 [卫生间]
- accessible parts 牵引电机的所有 [牵引电机]
- accessing the fault overview 访问故障总览 [总体]
- accessing vehicle-specific information 读取列车特定信息 [机师综合]
- accessory 配件,附件 [蓄电池]
- accident 事故 [综合]
- accident prevention 事故预防 [其他]
- accident prevention regulation 事故预防规程 [牵引电机风扇]
- accidental release measures 事故应急处理措施 [变流器冷却单元]
- accidentally spilling 意外溢出 [卫生间]
- accommodates 容纳 [开水炉]
- accomplish 完成 [CRH<sub>5</sub> 牵引及辅变]
- according 根据 [综合]
- according time interval 对应的时间间隔 [其他]
- according to the fault severity 根据其错误严重性 [CRH<sub>3</sub>]
- account being taken 被考虑到 [CRH<sub>3</sub>]
- accumulate 积累 [主变压器]
- accumulated dirt 沉积脏物 [暖通空调]
- accumulation 沉积,积累 [暖通空调]
- accumulation of metal 金属堆积 [CRH<sub>5</sub> 型轮对]
- accuracy 精确度 [综合]
- accuracy category 精度类别 [牵引电机风扇]
- accuracy of level positioning 水平位置的准确度 [CRH<sub>5</sub> 型制动]
- acetone 丙酮 [线路电流互感器]
- acetylene 乙炔 [主变压器]
- achieve sufficient freedom of movement 有充分的自由移动空间 [其他]
- acid 酸 [有害物质]
- acid binder 酸性黏接剂 [变流器冷却单元]
- acid free 无酸 [受电弓]
- acid-free grease 无酸润滑脂 [主变压器冷却单元]
- acid proof gloves 耐酸手套 [污物箱]
- acid rain 酸雨 [受电弓]
- acid test kit 酸性试验工具 [暖通空调]
- acidic organic material 酸性有机材料 [主变压器]
- acidity 酸度 [暖通空调]
- acknowledge 应答 [综合]
- acknowledged 确认 [机师综合]
- acknowledged events 应答事件 [CRH<sub>3</sub>]
- acknowledgement of faults 确认故障 [机师综合]
- acknowledgement signals for firing pulses 触发脉冲的确认信号 [CRH<sub>3</sub>]
- acoustic 声学 [综合]
- acoustic horn 风笛,鸣笛 [CRH<sub>5</sub>]
- acoustic and visual 声音和视觉 [机师综合]
- acoustic and visual alarm signal 声音和视觉报警信号 [总体]
- acoustic check 声测 [整体维护]
- acoustic information facility 声学的信息工具 [整体维护/CRH<sub>3</sub>]
- acoustic passenger information system 声音乘客信息系统 [机师综合]

## A

acoustic signaling devices 听觉信号装置  
 [整体维护] 整体维护 noise management  
 acoustic warning signal 声音警报信号  
 [机师综合] 驾驶室声学警报声学综合  
 acquires 获取 [CRH<sub>3</sub>] 获得 information acquisition  
 acquisition 获得,采集值,采集 [CRH<sub>5</sub>]  
 牵引及辅变] 牵引及辅变 traction and auxiliary power supply  
 acquisition of logical inputs 采集逻辑输出 [CRH<sub>5</sub> 牵引及辅变] 逻辑输入 logic input  
 act for the time 作用一段时间 [主变压器冷却单元] 作用时间 cooling time  
 action 操作,动作 [综合] 操作 action  
 activate 激活,启动 [综合] 激活 activate  
 activate alternately 交替激活 [CRH<sub>5</sub> 牵引及辅变] 交替激活 alternating activation  
 activate the heating stages 启动加热级  
 [暖通空调] 暖通空调 heating and ventilation system  
 activated simultaneously 同时激活 [其他] 同时激活 simultaneous activation  
 activating the auxiliary driver's brake system 激发司机辅助制动系统 [CRH<sub>3</sub>] 辅助制动系统 auxiliary driver's brake system  
 activating the horn 启动喇叭 [总体] 启动喇叭 start the horn  
 activating the mechanism 激活机构 [主断路器] 激活机构 activation of the mechanism  
 activation mode 激活方式,激活模式 [CRH<sub>3</sub>] 激活模式 activation mode  
 activation of a lamp test 启动灯测试  
 [厨房设备] 启动灯测试 lamp test  
 activation of the train 启动列车 [CRH<sub>3</sub>] 启动列车 start the train  
 activator 活化剂 [牵引电机] 活化剂 activator  
 active 主动的,有源的,工作中 [综合] 主动的 active  
 active and non-active alarm signals 激活及未激活警报信号 [烟火报警] 激活及未激活警报信号 active and non-active alarm signals  
 active branch 有源支线 [CRH<sub>5</sub> 牵引及辅变] 有源支线 active branch  
 active command level 激活的命令等级 [机师综合] 激活的命令等级 active command level  
 active gateway 有源网关 [CRH<sub>3</sub>] 有源网关 active gateway  
 active inhibit signal 有效抑制(禁止)信号 [Sibase] 有效抑制(禁止)信号 active inhibit signal  
 active mass 有效重量 [限压电阻] 有效重量 active mass  
 active material 活性材料 [限压电阻] 活性材料 active material  
 active program 激活的程序 [CRH<sub>3</sub>] 激活的程序 active program  
 active resonance 源谐振 [CRH<sub>5</sub> 牵引及辅变] 源谐振 active resonance

及辅变] 及辅变 traction and auxiliary power supply  
 active signal 有效信号 [CRH<sub>3</sub>] 有效信号 active signal  
 active surface area 有效表面积 [限压电阻] 有效表面积 active surface area  
 active type 有源型 [CRH<sub>5</sub> 牵引及辅变] 有源型 active type  
 activity description 工作说明 [轮对] 工作说明 activity description  
 actual Cv-pressure 实际 Cv-压力 [CRH<sub>5</sub>] 实际 Cv-压力 actual Cv-pressure  
 actual ratio 实际传动比 [齿轮箱] 实际传动比 actual ratio  
 actual screen content 实际显示内容 [机师综合] 实际显示内容 actual screen content  
 actual temperature 实际温度 [厨房设备] 实际温度 actual temperature  
 actual value preprocessing 实际值处理 [其他] 实际值处理 actual value preprocessing  
 actuator 使执行,使动作,激励,操纵 [综合] 使执行 actuator  
 actual valve control 实际电子管控制 [CRH<sub>3</sub>] 实际电子管控制 actual valve control  
 actually occur 实际所产生 [其他] 实际所产生 actually occur  
 actuate 使执行,使动作,激励,操纵 [综合] 使执行 actuate  
 activates the pump 启动泵 [总体] 启动泵 activate the pump  
 actuating lever 操纵杆 [CRH<sub>5</sub> 型制动] 操纵杆 actuating lever  
 actuating signal 控制信号 [CRH<sub>3</sub>] 控制信号 actuating signal  
 actuation motor 启动电机 [CRH<sub>3</sub>] 启动电机 actuation motor  
 actuation pressure 作动压力 [暖通空调] 作动压力 actuation pressure  
 actuator 执行器 [CRH<sub>3</sub>] 执行器 actuator  
 acute dermal toxicity 急性皮肤毒性 [变流器冷却单元] 急性皮肤毒性 acute dermal toxicity  
 acute effect 急性反应 [有害物质] 急性反应 acute effect  
 acute inhalation toxicity 急性吸入毒性 [变流器冷却单元] 急性吸入毒性 acute inhalation toxicity  
 acute oral toxicity 急性口服毒性 [变流器冷却单元] 急性口服毒性 acute oral toxicity  
 acute toxicity 急性中毒 [有害物质] 急性中毒 acute toxicity  
 acute toxicity aquatic invertebrates 对水中无脊椎动物的急性毒性 [有害物质] 急性毒性 acute toxicity  
 acyclic 非循环的 [综合] 非循环的 acyclic  
 adapt 符合 [主断路器] 符合 adapt  
 adaptation 适应,匹配 [综合] 适应 adaptation  
 adapter 联轴套管,适配器,接合件 [烟火报警] 联轴套管 adapter  
 adapter angle position 安装座角度位置 [行李架] 安装座角度位置 adapter angle position  
 adapter box 匹配(适配器、工具)箱 [司机座椅] 匹配(适配器、工具)箱 adapter box

- adapter converter** 附加变频器 [CRH<sub>3</sub>]  
**adapter coupler** 接合车钩(过渡钩),接合器(鸳鸯钩) [CRH<sub>3</sub>]  
**adapter F-M** 适配器 F-M [CRH<sub>5</sub> 牵引及辅变]  
**adapter for gap cover** 间隙盖板的安装座 [行李架]  
**adapter for hinges** 用于铰链的安装座 [行李架]  
**adaptor ring** 配接环 [联轴器]  
**ADD** 自动下降装置(受电弓) [受电弓]  
**ADD intervention** ADD 干涉 [CRH<sub>5</sub>]  
**add-on part** 附件,附件 [联轴器]  
**added bulk for rotary part** 外加旋转零件 [CRH<sub>5</sub> 牵引及辅变]  
**addition** 参加物 [CRH<sub>3</sub>]  
**additional advice** 附加建议 [有害物质]  
**additional air volume** 额外的空气 [拖车转向架]  
**additional circuitry** 附加电路 [Sibase]  
**additional clean cover over the package** 在包装上加装干净的遮盖物 [蓄电池]  
**additional equipment** 附加设备 [CRH<sub>5</sub> 型制动]  
**additional function** 附加功能 [可视化系统]  
**additional information** 附加信息 [变流器冷却单元]  
**additional interface** 附加接口 [双辅助变流器]  
**additional optocoupler** 附加的光耦合器 [CRH<sub>3</sub>]  
**additional or excessive stress** 额外或过多的应力 [总体]  
**additional register** 附加寄存器 [可视化系统]  
**additional rubber buffer** 附加橡胶缓冲器 [动力转向架]  
**additional spring** 附加弹簧 [空气弹簧]  
**additional start** 再次启动 [卫生间]  
**additional volume** 附加体积 [CRH<sub>5</sub> 型制动]  
**additive** 添加剂 [蓄电池、暖通空调]  
**address** 地址 [综合]  
**address bits** 地址位 [CRH<sub>3</sub>]  
**address bus** 地址总线 [CRH<sub>3</sub>]  
**addressed bus participant** 有地址的总线参与者 [CRH<sub>3</sub>]  
**addressed receiver** 确定地址的接收器 [CRH<sub>3</sub>]  
**addressing** 选址 [CRH<sub>3</sub>]  
**adequate** 合适的 [综合]  
**adequate airway** 充分的通风 [有害物质]  
**adequate level of electrolyte** 具有适当的电解液液位 [蓄电池]  
**adequate redevelopment of the track section** 轨道段适当的改造 [轮轴定位]  
**adequate ride quality** 运行平稳性良好 [CRH<sub>3</sub>]  
**adequate standard torque** 合适的标准扭矩 [转向架诊断]  
**adequate tool** 适当的工具 [导流罩]  
**adequately protect the packing of the accessories against rotting** 采取充分措施防止配件包装腐烂 [主变压器]  
**adequately secure** 可靠固定 [牵引电机组]  
**adequately stable** 足够坚固 [主变压器]  
**adhere** 粘连 [暖通空调]  
**adhere strictly** 严格遵守 [其他]  
**adhere to short waiting time** 遵守短的等待时间 [齿轮箱]  
**adhere to skin** 冻结到皮肤上 [暖通空调]  
**adhere to the sequence** 遵守安装顺序 [限压电阻]  
**adhere to the shut-down procedures** 遵守关闭程序 [牵引电机风扇]  
**adhere to the tolerances** 遵守容差值 [司机室内墙]  
**adhered** 遵守 [主变压器]  
**adhered to** 取决于 [总体]  
**adherence risk** 具有连带风险 [轮对]  
**adhesion** 黏附力(轮轨黏着力) [综合]  
**adhesion coefficient** 黏着系数 [高铁]  
**adhesive** 可黏合,活化剂 [动力转向架]

## A

- adhesive cloth tape 胶带 [动力转向架]  
 adhesive joints on bogie 转向架上的黏合剂 [拖车转向架]  
 adhesive strips 黏性胶带 [CRH<sub>3</sub>]  
 adhesive surface 黏结面 [卫生间]  
 adhesive tape 胶带 [行李架]  
 adjacent 相邻的 [综合]  
 adjacent car 相邻的车厢 [厨房设备]  
 adjacent luggage racks 相邻行李架 [行李架]  
 adjacent parts 邻近部件 [牵引电机风扇]  
 adjacent phase 相邻相位 [CRH<sub>5</sub> 牵引及辅变]  
 adjacent surfaces 相邻表面 [暖通空调]  
 adjacent traction unit 相邻的牵引单元 [CRH<sub>3</sub>]  
 adjoin 接合部 [内墙板]  
 adjoin the glass partitions 邻接玻璃隔板 [内墙板]  
 adjust position of coupler head above top of rail 调整车钩头距轨面距离 [整体维护]  
 adjust sanding equipment 调整撒砂设备 [撒砂]  
 adjust the contacts 调整接触件 [隔离开关]  
 adjust the coupling rod 调节连杆 [受电弓]  
 adjust the door 调整舱门 [司机室内墙]  
 adjust the front bar 调整前杆 [行李架]  
 adjustable filter 可调滤波器 [Sibase]  
 adjustable floor bearing 地板可调轴承 [司机室内墙]  
 adjustable gain 增益可调整 [CRH<sub>3</sub>]  
 adjustable gain (R) and time delay (C) 增益(R)和时间延迟(C)可调整 [CRH<sub>3</sub>]  
 adjustable gain and time delay 可调增益和延时 [Sibase]  
 adjustable input voltage level 可调输入电压电平 [CRH<sub>3</sub>]  
 adjustable threshold 可调节阈值 [Sibase]  
 adjusted incorrectly 不正确地调整 [撒砂]  
 adjusting nut 调整螺母 [行李架]  
 adjusting one pump stroke 调节泵冲程 [总体]  
 adjusting ring 调节环 [顶板射灯]  
 adjusting shim 调整垫片 [牵引变流器]  
 adjustment flap 检查门板 [卫生间]  
 adjustment mechanism 调整机构 [司机座椅]  
 adjustment mechanisms of the seat 座椅的调整机构 [司机座椅]  
 adjustment of the antennae 天线的调整 [整体维护]  
 adjustment opening 调节开口 [卫生间]  
 adjustment plate 调节板 [齿轮箱]  
 adjustment plate above uni WC 通用卫生间顶板检查门 [卫生间]  
 adjustment point of the filter voltage 滤波器电压的调节点 [CRH<sub>5</sub> 牵引及辅变]  
 adjustment screw 调节螺丝 [CRH<sub>5</sub> 型制动]  
 administer 实施 [有害物质]  
 administration 管理,管理局 [综合]  
 administration of cyclical events classes 管理循环事件等级 [CRH<sub>3</sub>]  
 administrative voice communication system 行政语音通讯系统 [高铁]  
 administrator 管理器 [CRH<sub>3</sub>]  
 admissible frequency (voltage) variation 容许频率(电压)变化 [暖通空调]  
 adsorptive 吸附 [总体]  
 adsorptive desiccant 吸附型干燥剂 [总体]  
 advance announcement of neutral sections 提前发出分相段通知 [司机]  
 advantage deriving 得到的好处 [CRH<sub>5</sub> 牵引及辅变]  
 adverse 不利条件 [CRH<sub>5</sub> 牵引及辅变]  
 adverse effect 副作用 [有害物质]  
 adverse effect on the surrounding 周围环境产生负面影响 [主变压器]  
 adverse health effect 带来健康伤害 [有

- 害物质 [厨房设备]
- adverse weather condition** 外部不利气候  
环境 [CRH<sub>5</sub> 牵引及辅变]  
adversely affect the life 影响使用寿命  
[厨房设备]
- aerodynamic** 空气动力学 [过压保护罩]  
**aerodynamic factor** 空气动力学系数  
[CRH<sub>5</sub> 牵引及辅变]
- aerodynamic type code** 空气动力类型代码 [牵引电机风扇]
- aerosol** 悬浮微粒, 气溶胶 [有害物质]
- AEU (audio entertainment unit)** 音频娱乐装置 [机师综合]
- AEU config** AEU 配置 [屏幕界面]
- AEU controller** AEU 控制器 [整车]
- AEU MMI part for wall and seat mounting** 墙和座椅安装用的 AEU MMI 零件  
[整车]
- AEU status** AEU 状态 [屏幕界面]
- affect** 影响 [综合]
- affect the accuracy of the temperature control** 影响温度控制的精确度 [厨房设备]
- affected car** 受影响的车厢 [机师综合]
- affix** 粘贴 [机师综合]
- affix label** 粘贴标签 [机师综合]
- after contact with eyes** 与眼睛接触 [变压器冷却单元]
- after installation of the transformer mounting frame to the vehicle** 在将变压器安装框架安装到车辆上之后 [主变压器冷却单元]
- against** 防止 [综合]
- against inadvertent switching on** 确保它不会被无意打开 [牵引电机风扇]
- against neg. ground** 相对于负地 [卫生间]
- against plus** 防止正 [CRH<sub>3</sub>]  
**against reverse polarity** 防止极性相反  
[水箱]
- against the ratchets** 抵住棘轮 [总体]
- aged** 过期, 老化 [主变压器]
- aged silicagel** 过期硅胶 [主变压器]
- ageing of mineral oil** 矿物油老化 [主变压器]  
**ageing process of the rubber** 橡胶的老化过程 [转向架诊断]
- ageing stability** 老化稳定性 [主变压器]
- agent** 制剂 [牵引电机]
- aggressive** 腐蚀性的 [综合]
- aggressive acid** 侵蚀性酸液 [真空单元]
- aggressive exhalations** 腐蚀性气体 [CRH<sub>3</sub>]
- aging** 老化 [主变压器]
- aging material** 老化材料 [主变压器]
- aging of insulation material** 绝缘材料老化 [主变压器]
- aging of the oil** 油的老化 [主变压器]
- aid** 帮助 [综合]
- aid to commissioning** 调试帮助 [其他]
- air conditioning** 空调 [CRH<sub>3</sub>]
- air spring** 空气弹簧 [CRH<sub>3</sub>]
- air bellow lifting device** 气囊提升装置  
[受电弓]
- air bellows** 气囊 [受电弓]
- air blast dust** 采用气冲击法去除灰尘  
[双辅助变流器]
- air bleeder** 放气阀 [齿轮箱]
- air bubbles** 气泡 [主变压器冷却单元]
- air compressor check** 空压机检查 [地铁]
- air compressor unit** 空气压缩机组  
[CRH<sub>3</sub>]
- air conditioning** 空调装置 [CRH<sub>3</sub>]
- air conditioning-adjusting panel** 空调调节面板 [CRH<sub>3</sub>]
- air-conditioning cabinet** 空调机柜  
[CRH<sub>3</sub>]
- air conditioning contactor** 空调接触器  
[CRH<sub>3</sub>]
- air conditioning control program upload** 空调控制系统程序上载 [地铁]
- air-conditioning emergency off** 空调(紧急关闭) [CRH<sub>3</sub>]
- air-conditioning facilities** 空调设施  
[CRH<sub>3</sub>]

## A

- air-conditioning off** 空调关闭 [CRH<sub>3</sub>]  
**air-conditioning on** 空调工作 [CRH<sub>3</sub>]  
**air conditioning saloon** 空调舱,客室空调 [CRH<sub>3</sub>]  
**air conditioning screen** 空调控制屏 [显示屏]  
**air-conditioning system** 空调系统 [司机综合]  
**air-conditioning system test** 空调系统试验 [地铁]  
**air conditioning unit** 空调机组 [总体]  
**air-conditioning unit cab** 司机室空调装置 [CRH<sub>3</sub>]  
**air-conditioning unit saloon** 客室空调装置 [CRH<sub>3</sub>]  
**air connection** 空气连接器 [受电弓]  
**air consumption** 耗气量 [主断路器]  
**air-current** 气流 [过压保护罩]  
**air cylinder** 气缸 [车顶隔离开关]  
**air dampening** 空气阻尼 [主断路器]  
**air damper** 空气节气阀 [暖通空调]  
**air delivery and pressure regulation** 风量与压力调节 [整体维护]  
**air direction** 气流方向 [暖通空调]  
**air disappear** 气体消散 [主变压器]  
**air distribution box** 空气分配箱 [CRH<sub>3</sub>]  
**air distribution box damper** 空气分配箱调节器 [CRH<sub>3</sub>]  
**air door assembly** 风门盖板组件 [暖通空调]  
**air dryer** 空气干燥器 [CRH<sub>3</sub>]  
**air dryer unit** 空气干燥装置 [总体]  
**air drying system** 空气干燥系统 [总体]  
**air duct** 风道,导气管 [动力转向架]  
**air duct grid plates** 风道隔栅条 [CRH<sub>3</sub>]  
**air ducting and distribution** 空气的输送和分配 [CRH<sub>3</sub>]  
**air ducting system** 风道系统 [CRH<sub>3</sub>]  
**air /water exchanger** 空气/水交换器 [CRH<sub>5</sub> 牵引及辅变]  
**air filling** 充气装置 [CRH<sub>5</sub> 牵引及辅变]  
**air filter** 空气过滤器 [整体维护]  
**air filter assembly** 空气过滤器组件 [暖通空调]  
**air filter or the oil filter** 空气过滤器或油过滤器 [CRH<sub>5</sub>]  
**air fin** 空气散热片 [暖通空调]  
**air flow/airflow** 空气流量,气流 [暖通空调]  
**air flow failure** 气流失效 [CRH<sub>3</sub>]  
**air-flow pressure switch** 气流压力开关 [暖通空调]  
**air flow restrictions** 气流受阻 [暖通空调]  
**air foil** 空气薄片,翼片,翅片 [整体维护]  
**air heater** 空气(预热器)加热器 [CRH<sub>3</sub>]  
**air heater breaker** 空气加热器断路器 [CRH<sub>5</sub>]  
**air humidity** 空气湿度 [CRH<sub>3</sub>]  
**air inlet** 进气口 [CRH<sub>5</sub> 型制动]  
**air inlet filer** 进气口过滤器 [整体维护]  
**air inlet grille** 进气口护栅 [双辅助变流器]  
**air inlet port** 进气口 [CRH<sub>5</sub> 型制动]  
**air intake** 进风口 [整体维护]  
**air intake grille** 进气栅格 [单辅变]  
**air intake openings** 进气口 [厨房设备]  
**air jet** 喷射气流 [暖通空调]  
**air lever** 空气杠杆(高度阀调整杆) [受电弓]  
**air outlet** 排风口,出风口 [单辅变]  
**air outlet area** 排气口区域 [牵引电机]  
**air outlet grid** 出风口栅格 [牵引电机]  
**air outlet in the bottom cover** 底盖板上的排风口 [单辅变]  
**air outlet port** 出气口 [CRH<sub>5</sub> 型制动]  
**air outlet to regeneration air reservoir** 再生风缸中的出气口 [CRH<sub>5</sub> 型制动]  
**air pipe connection** 气管连接 [CRH<sub>3</sub>]  
**air pipe from the air suspension** 空气悬挂压缩空气管道 [CRH<sub>5</sub> 型制动]  
**air pipe from the auxiliary reservoir** 辅助风缸压缩空气管道 [CRH<sub>5</sub> 型制动]  
**air pipe to the brake cylinder** 制动缸压