

Statistical field theory

VOLUME 1

FROM BROWNIAN MOTION TO RENORMALIZATION
AND LATTICE GAUGE THEORY

CLAUDE ITZYKSON & JEAN-MICHEL DROUFFE

CAMBRIDGE MONOGRAPHS ON
MATHEMATICAL PHYSICS

统计场论

第1卷

CAMBRIDGE

世界图书出版公司

QUANTUM FIELD THEORY

Volume 1

From Brownian motion to renormalization
and lattice gauge theory

CLAUDE ITZYKSON

JEAN-MICHEL DROUFFE

*Commissariat à l'Energie Atomique
Centre d'Etudes Nucléaires de Saclay
Service de Physique Théorique*

CAMBRIDGE
UNIVERSITY PRESS

世界图书出版公司

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS
The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1989

This book is in copyright. Subject to statutory exception
and to the provisions of relevant collective licensing agreements,
no reproduction of any part may take place without
the written permission of Cambridge University Press.

First published 1989
First paperback edition 1991
Reprinted 1992, 1994, 1997

Typeset in Century School

A catalogue record for this book is available from the British Library

Library of Congress Cataloguing-in-Publication Data is available

ISBN 0-521-34058-6 hardback
ISBN 0-521-40805-9 paperback

Transferred to digital printing 2001

This reprint edition is published with the permission of the Syndicate of the Press of the
University of Cambridge, Cambridge, England.

THIS EDITION IS LICENSED FOR DISTRIBUTION AND SALE IN THE PEOPLE'S
REPUBLIC OF CHINA ONLY, EXCLUDING TAIWAN, HONG KONG AND MACAO
AND MAY NOT BE DISTRIBUTED AND SOLD ELSEWHERE.

书 名: Statistical Field Theory Vol.1
作 者: Claude Itzykson & Jean-Michel Drouffe
中译名: 统计场论 第1卷
出 版 者: 世界图书出版公司北京公司
印 刷 者: 北京世图印刷厂
发 行: 世界图书出版公司北京公司 (北京朝内大街 137 号 100010)
联系电话: 010-64015659, 64038347
电子信箱: kjsk@vip.sina.com
开 本: 24 印 张: 18
出版年代: 2004 年 11 月
书 号: 7-5062-6642-3/O · 491
版权登记: 图字:01-2004-5394
定 价: 72.00 元

世界图书出版公司北京公司已获得 Cambridge University Press 授权在中国大陆
独家重印发行。

CAMBRIDGE MONOGRAPHS ON
MATHEMATICAL PHYSICS

General editors: P.V. Landshoff, D.R. Nelson, D.W. Sciama, S. Weinberg

STATISTICAL FIELD THEORY

Volume 1: From Brownian motion to renormalization
and lattice gauge theory

Preface

Some ten years ago, when completing with J.-B. Zuber a previous text on *Quantum Field Theory*, the senior author was painfully aware that little mention was made that methods in statistical physics and Euclidean field theory were coming closer and closer, with common tools based on the use of path integrals and the renormalization group giving insights on global structures. It was partly to fill this gap that the present book was undertaken. Alas, over the five years that it took to come to life, both subjects have undergone a new evolution. Disordered media, growth patterns, complex dynamical systems or spin glasses are among the new important topics in statistical mechanics, while superstring theory has turned to the study of extended systems, Kaluza-Klein theories in higher dimensions, anticommuting coordinates ... in an attempt to formulate a unified model including all known interactions. New and sophisticated techniques have invaded statistical physics, ranging from algebraic methods in integrable systems to fractal sets or random surfaces. Powerful computers or special devices provide “experimental” means for a new brand of theoretical physicists. In quantum field theory, applications of differential topology, geometry, Riemannian manifolds, operator theory ... require a deeper background in mathematics and a knowledge of some of its most recent developments. As a result, when surveying what has been included in the present volume in an attempt to uncover the basic unity of these subjects, the authors have the same unsatisfactory feeling of not being able to bring the reader really up to date. It is presumably the fate of such endeavours to always come short of accomplishing their purpose.

With these shortcomings fully admitted, we have tried to present to the reader an overview of the main themes which justify the title “Statistical field theory.” This interpretation of Euclidean field theory offers a new language, effective computing means, as

well as a natural and consistent short-distance cutoff. In other words, it allows one to give a global meaning to path integrals, to discover possible anomalies arising from integration measures, or to understand in simple terms systems with redundant variables such as gauge models. The theory of continuous phase transitions provides a bridge between probabilistic mechanics and continuous field theory, using the renormalization group to filter out relevant operators and interactions. Many authors contributed to these views, culminating in the work of K. Wilson and his collaborators and followers, which promoted the renormalization group as a universal tool to analyse the large-distance behaviour. It still retains its value, while new developments take place, particularly with conformal, or local scale invariance coming to prominence in the study of two-dimensional systems.

The content of this book is naturally divided into two parts. The first six chapters describe in succession Brownian motion, its anti-commutative counterpart in the guise of Onsager's solution to the two-dimensional Ising model, the mean-field or Landau approximation, scaling ideas exemplified by the Kosterlitz-Thouless theory for the XY -transition, the continuous renormalization group applied to the standard φ^4 theory, the simplest typical case, and lattice gauge theory as an attempt to understand quark confinement in chromodynamics.

The next five chapters (in volume 2) cover more diverse subjects. We give an introduction to strong coupling expansions and various means of analyzing them. We then briefly introduce Monte Carlo simulations with an emphasis on the applications to gauge theories. Next we turn to the significant advances in two-dimensional conformal field theory, with a lengthy presentation of the methods as well as early results. A chapter on simple disordered systems includes sample applications of fermionic techniques with no pretence at completeness. The final chapter is devoted to random geometry and an introduction to the Polyakov model of random surfaces which illustrates the relations between string theory and statistical physics.

At the price of being perhaps a bit repetitive, we have tried in the first part to introduce the subject in an elementary fashion. It is, however, assumed that the reader has some familiarity with thermodynamics as well as with quantum field theory. We often switch from one to the other interpretation, assuming that it will

not be disturbing once it is realized that the exponential of the action plays the role of the Boltzmann-Gibbs statistical weight. The last chapters cover subjects still in fast evolution.

Many important subjects could unfortunately not be covered. In random order they include dynamical critical phenomena, renormalization of σ -models or non-Abelian gauge fields except for a mention of lowest order results, topological aspects, classical solutions, instantons, monopoles, anomalies (except for the conformal one). Integrable systems are missing apart from the two-dimensional Ising model. Quantum gravity *à la Regge* is only mentioned. The list could, of course, be made much longer. Our involvement in some of the topics has certainly produced obvious biases and overemphases in certain instances. We have tried, as much as possible, to correct for these defects as well as for the numerous omissions by including at the end of each chapter a section entitled "Notes." Here we quote our sources, original articles, reviews, books and complementary material. These notes are purposely scattered through the volume, as we are sure that our quotations are very incomplete. A fair bibliography in such a large domain is beyond human capacities. Should any one feel that his or her work has not been reported or not properly mentioned, he or she is certainly right and we present our most sincere apologies. On the other hand we did not hesitate to use and sometimes follow very closely some articles or reviews which served our purpose. For instance chapter 5 is built around the definitive contributions of E. Brézin, J.-C. Le Guillou, J. Zinn-Justin and G. Parisi. Except for some further elaboration by the authors themselves, it was futile to try to improve on their work. Further examples are mentioned in the notes. It is the very nature of a survey such as this one to be inspired largely by other people's works. We hope that we did not distort or caricature them.

A book might give the illusion, especially to students, that some knowledge has become definitive and that the authors understand every part of it. This is a completely false view. No one can really fully master even his own subject, and this is luckily a source of progress. It is in the process of learning, of objecting, of finding misprints and errors, in rediscovering for oneself, that one gets the real benefits. It is very likely that, in spite of our care, many errors have crept in here and there. We welcome gladly comments and criticisms.

It was very hard to keep uniform notation throughout the text, even sometimes in the same chapter. This is a standard difficulty, especially when traditional notation in a given domain comes into conflict with those used in another one, and a compromise is necessary. We hope that this will not be a source of confusion for the reader.

We have added appendices which generally gather material in very concise form. They should be supplemented by further reading. For instance appendix C of chapter 9 is obviously insufficient to describe finite and infinite Lie algebras and their representations. This appendix is, rather, meant to induce the interested reader to study the subject further. This is also the nature of several sections where the degree of mathematical sophistication seems to increase beyond the standard background, reflecting recent trends. It was felt difficult to omit these developments but also impossible to give a proper complete introduction.

Included in small type here and there are comments, exercises and short complements . . . It was felt inappropriate to develop a scholarly set of problems. In this respect the whole text can be read as a problem book.

One of the "heroes" of the whole subject of statistical physics, in one guise or another, is still to this day our old friend the Ising model. We keep a few bottles of good old French wine for the lucky person who solves it in three dimensions. It would seem appropriate to create in the theoretical physics community a prize for its solution, analogous to the one founded at the beginning of the century for the proof of Fermat's theorem. Both subjects have a similar flavour, being elementary to formulate. While it is to be presumed that the answer itself is to a large extent inessential, they motivated creative efforts (and still do) which go largely beyond the goal of solving the problem itself.

Among the many books which either overlap or amply complement the present one, the foremost are of course those in the series edited by C. Domb and M.S. Green and now J. Lebowitz, entitled *Phase transitions and critical phenomena* and published through the years by Academic Press (New York). We freely refer to this series in the notes. Let us also quote here a few others, again without pretence at exhaustivity. On the statistical side, K. Huang, *Statistical mechanics*, Wiley, New York (1963); H.E. Stanley, *In-*

troduction to phase transitions and critical phenomena, Oxford University Press (1971); S.K. Ma, *Modern theory of critical phenomena*, Benjamin, New York (1976) and *Statistical mechanics*, World Scientific, Singapore (1985); D.J. Amit, *Field theory, the renormalization group and critical phenomena*, 2nd edition, World Scientific, Singapore (1984).

Books on the path integral approach to field theory are by now numerous. Among them, the classical one is R.P. Feynman and A.R. Hibbs, *Quantum mechanics and path integrals*, McGraw Hill, New York (1965). Further aspects are covered in C. Itzykson and J.-B. Zuber, *Quantum field theory*, McGraw Hill, New York (1980); P. Ramond, *Field theory, a modern primer*, Benjamin/Cummings, Reading, Mass. (1981); J. Glimm and A. Jaffe, *Quantum physics*, Springer, New York (1981). To fill some gaps on other developments in field theory, see S. Coleman, *Aspects of symmetries*, Cambridge University Press (1985); S. Treiman, R. Jackiw, B. Zumino, E. Witten *Current algebra and anomalies*, World Scientific, Singapore (1985), and to learn about integrable systems, R. Baxter *Exactly solved models in statistical mechanics*, Academic Press, New York (1982), and M. Gaudin *La fonction d'onde de Bethe*, Masson, Paris (1983). Of course, many more books are mentioned in the notes. We are also aware that several important texts are either in preparation or will appear in the near future.

Our knowledge of English remains to this day very primitive and we apologize for our cumbersome use of a foreign language. This lack of fluency has prevented us of any attempt at humour which would have been sometimes more than welcome.

We would have never undertaken writing, were it not for the teaching opportunities that we were given by several universities and schools. One of the authors (C.I.) is grateful to his colleagues from the "Troisième cycle de Suisse Romande" in Lausanne and Geneva, from the "Département de Physique de l'Université de Louvain La Neuve" and from the "Troisième cycle de physique théorique" in Marseille for giving him the possibility to teach what became parts of this text, as well as to the staff of these institutions for providing secretarial help in preparing a French unpublished manuscript. The other author (J.M.D.) acknowledges similar opportunities afforded by the "Troisième cycle de physique théorique" in Paris.

The final and certainly most pleasant duty is, of course, to thank all those, friends, colleagues, collaborators, students and secretaries who have helped us through the years. A complete list should include all the members of the Saclay "Service de physique théorique", together with its numerous visitors and the members of the many departments, institutions and meetings which offered us generous hospitality and stimulation.

Particular thanks go to our very long time friends and colleagues R. Balian, M. Bander, M. Bauer, D. Bessis, E. Brézin, A. Cappelli, A. Coste, F. David, J. des Cloizeaux, C. De Dominicis, E. Gardner, M. Gaudin, B. Derrida, J.-M. Luck, A. Morel, P. Moussa, H. Orland, G. Parisi, Y. Pomeau, R. Lacaze, H. Saleur, R. Stora, J. Zinn-Justin, and J.-B. Zuber for friendly collaborations, endless discussions and generous advice. The final form of the manuscript owes a great deal to Dany Bunel. Let her receive here our warmest thanks for her tireless help. We are also very grateful to M. Porneuf and to the documentation staff, M. Féron, J. Delouvrier and F. Chétivaux.

Last but not least, we thank the Commissariat à l'Energie Atomique, the Institut de Recherche Fondamentale and the Service de Physique Théorique for their support.

Saclay, 1988

Contents

<i>Contents of Volume 2</i>	<i>ix</i>
<i>Preface</i>	<i>xi</i>
1 From Brownian motion to Euclidean fields	1
1.1 Brownian motion	1
1.1.1 Random walks	1
1.1.2 The sum over paths	9
1.1.3 The dimension two of Brownian curves	12
1.2 Euclidean fields	21
1.2.1 Free fields	22
1.2.2 Interacting fields and random walks	25
1.2.3 Self-avoiding walks and the limit $n \rightarrow 0$	31
1.2.4 Comparison with the high temperature expansion	33
1.2.5 The one-dimensional case	37
1.A Lattices	43
Notes	47
2 Grassmannian integrals and the two-dimensional Ising model	48
2.1 Grassmannian integrals	48
2.1.1 Anticommuting variables	48
2.1.2 Integrals	52
2.2 The two-dimensional Ising model	58
2.2.1 Duality	59
2.2.2 Transfer matrix	62
2.2.3 Fermionic representation	63
2.2.4 Free energy	67
2.2.5 Spontaneous magnetization	72
2.2.6 Correlation function in the high temperature phase	78
2.2.7 Surface tension	85

2.3	Critical continuous theory	91
2.3.1	Effective action	91
2.3.2	Correlation functions	95
2.A	Quadratic differences and Painlevé equations	98
	Notes	104
3	Spontaneous symmetry breaking, mean field	107
3.1	Mean field approximation	108
3.1.1	Dielectric constant of a polarizable medium	108
3.1.2	Classical spin model with a finite symmetry group	112
3.1.3	Continuous symmetry group	118
3.1.4	The Bethe approximation	121
3.1.5	Critical exponents	125
3.2	Lee–Yang zeroes	131
3.2.1	The Lee–Yang theorem	132
3.2.2	The one-dimensional case	135
3.2.3	General properties	136
3.2.4	Zeroes in the temperature plane	139
3.3	Large n limit	140
3.3.1	Saddle point method	141
3.3.2	Factorization	145
3.3.3	Coupling to an external field	148
3.4	Corrections to mean field	151
3.4.1	Laplace transform	153
	Notes	159
4	Scaling transformations and the XY-model	162
4.1	Scaling laws. Real space renormalization	162
4.1.1	Homogeneity and scale invariance	162
4.1.2	Recurrence relations in real space	168
4.1.3	Examples and approximations	176
4.2	The XY-model	193
4.2.1	High temperature behaviour	195
4.2.2	Low temperature expansion. Vortices	197
4.2.3	The Villain action	204
4.2.4	Correlations	207
4.2.5	Renormalization flow	213
4.A	Two-dimensional systems with continuous symmetry	219
4.A.1	Magnetization inequality	219
4.A.2	Correlation inequality	222

4.B	Phenomenological renormalization	224
	Notes	230
5	Continuous field theory and the renormalization group	233
5.1	The Lagrangian and dimensional analysis	233
5.1.1	Introduction	233
5.1.2	Generating functionals and dimensional analysis	236
5.2	The perturbative method	242
5.2.1	Diagrammatic series	242
5.2.2	Loop expansion	246
5.2.3	Evaluation of integrals and dimensional continuation	250
5.2.4	Group theoretical factors	259
5.2.5	Power counting	261
5.2.6	Perturbative renormalization	264
5.3	The renormalization group	270
5.3.1	Renormalization flow	270
5.3.2	Critical exponents	280
5.3.3	From the Gaussian ultraviolet fixed point to the infrared critical point in dimension less than four	282
5.3.4	Correlation functions at the critical point	284
5.3.5	Expansion near the critical point	290
5.3.6	Scaling laws below the critical temperature	296
5.4	Corrections to scaling laws	301
5.4.1	Deviation from the critical point in dimension lower than four	301
5.4.2	Logarithmic corrections in dimension four	303
5.4.3	Irrelevant operators	307
5.5	Numerical results	310
5.5.1	ε -expansion of critical exponents	311
5.5.2	Equation of state	313
5.5.3	Amplitude ratios	314
5.5.4	Three-dimensional results	317
5.A	Multicritical points	317
	Notes	326
6	Lattice gauge fields	328
6.1	Generalities	328

6.1.1	Presentation	328
6.1.2	The continuous limit	332
6.1.3	Order parameter and Elitzur's theorem	341
6.1.4	Duality	345
6.2	Structure of the phase diagram	352
6.2.1	Mean field approximation	352
6.2.2	Corrections to mean field and restoration of gauge invariance	359
6.2.3	Discrete groups: $1/d$ expansion	362
6.2.4	Continuous groups: computation of corrections	365
6.3	Strong coupling expansions	371
6.3.1	Convergence	371
6.3.2	Character expansions	374
6.3.3	Free energy	380
6.3.4	String tension and roughening transition	385
6.3.5	Mass spectrum	390
6.4	Lattice fermions	393
6.4.1	The doubling problem	393
6.4.2	The Nielsen–Ninomiya theorem	396
6.4.3	Staggered fermions	399
	Notes	401
	<i>Index</i>	

Contents of Volume 2

7	Diagrammatic methods	405
8	Numerical simulations	456
9	Conformal invariance	501
10	Disordered systems and fermionic methods	646
11	Random geometry	738

FROM BROWNIAN MOTION TO EUCLIDEAN FIELDS

It may seem surprising to start our study with a description of Brownian motion. However, this offers an interesting introduction to the concept of Euclidean quantum field, and an intuitive understanding of the role of dimensionality. The effective (or Hausdorff) dimension two of Brownian curves is particularly significant. It means that two such curves fail to intersect, hence to interact, in dimension higher than four. This is illustrated in the first section of this chapter, which also discusses the transition from a discrete to a continuous walk. A similar analysis for interacting fields, pioneered by K. Symanzik, is presented in the second section. It is related to strong coupling, or high temperature, expansions, to be studied later, in particular in chapter 6 of this volume and chapter 7 of volume 2. The introduction of n -component fields provides the means to incorporate “self-avoiding” walks in the limit $n \rightarrow 0$. We conclude this chapter with an analysis of elementary one-dimensional systems. This enables us to introduce the useful concept of transfer matrix.

1.1 Brownian motion

1.1.1 Random walks

We begin with a discussion of random walks on a regular, infinite lattice in d -dimensional Euclidean space. Each site has q neighbours, where q is called the *coordination number* of the lattice. At regular time intervals, separated by an amount $\Delta t = 1$, a walker jumps from one site towards a neighbouring one, chosen at random. The probability of landing on any particular adjacent site is $1/q$. Successive jumps are considered to be statistically independent events. We choose a (hyper)-cubic lattice generated