

原色^{中藥}原植物圖鑑(下)



蕭培根·連文琰 主編

中國醫學科學院藥用植物資源開發研究所

台北 南天書局 出版

原 色 中藥原植物圖鑑(下)

蕭培根・連文琰 主編

中國醫學科學院藥用植物資源開發研究所



台北南天書局出版

國家圖書館出版品預行編目資料

原色中藥原植物圖鑑（下冊）／蕭培根・連文琰主編．--初版．--臺北市：南天，1998[民87]
冊； 公分．--（南天圖鑑系列；13）
含索引
ISBN 957-638-493-1（一套：精裝）
ISBN 957-638-495-8（下冊：精裝）

1.藥用植物—圖錄 2.藥材—圖錄

414.31025

87011874

南天圖鑑系列⑬原色中藥原植物圖鑑 下冊

定價新台幣1000元

一九九八年十月初版一刷發行

主編者：蕭培根・連文琰
發行者：魏德文
發行所：南天書局有限公司
中華民國台北市羅斯福路3段283巷14弄14號
☎ (02) 2362-0190 Fax: (02) 2362-3834
郵政劃撥帳戶 0108053-8 號
局版臺業字第1436號

製版者：名亮彩色製版有限公司
☎ 2952-5477 板橋市中山路2段400號2樓
印刷者：皇甫彩藝印刷有限公司
☎ 2303-5871 台北市長泰街297巷14號

ISBN 957-638-493-1（套）
ISBN 957-638-495-8（下冊）

本書由台北・南天書局與北京・中國農業出版社合作出版

主編	蕭培根	連文琰		
副主編	劉玉琇			
編者	連文琰	劉玉琇	顧志平	林余霖
	彭勇			
攝影	劉玉琇	顧志平	林余霖	彭治章
	鄭漢巨	鄔家林	孫祖基	吳光弟
	李延輝	嚴仲鎧	高士賢	張效杰
	巫金華	郭紹榮	魏德文	邱年永
責任編輯	徐暉	孫林		
出版策劃	魏德文			
美術編輯	徐慶芸	魏崢媛		



主 編 序

人類即將進入21世紀，但人口膨脹、資源匱乏、環境惡化等難題依然困惑著人們，「人類要回歸大自然」的呼聲日益高漲，在這種思潮的影響下，人們又重新重視天然藥物和傳統草藥，因而「綠色藥品」又受到了青睞和普遍關注。

炎黃子孫應用傳統藥物已經有十分悠久的歷史，中草藥作為防治疾病的有效手段和一門知識，人們十分渴望了解這些中草藥的形態特徵如何？它們生長在哪裡？含有什麼成分？具有哪些作用？臨床上對哪些病症有效等等。基於這個目的，《原色中藥原植物圖鑒》在作者們的緊密合作下，終於和廣大讀者見面了。

這部圖鑒，共收載了常用和較常用的中草藥600種，每種均附有一幅形態逼真的彩色照片，並對其有正名、別名、來源、形態、分布、採製、成分、藥理、功效以及臨床應用等內容作了簡要的文字敘述。這些資料對從事中藥科研、教學、生產、經營等人員將具有很好的參考作用。

需要指出的是，這部著作不是以指導臨床應用為主要目的，因而讀者在具體應用時，必須在醫生的指導下方能進行，以避免誤用，產生不良後果。

最後，我們衷心歡迎廣大讀者在使用過程中，對本書不吝指正。

蕭 培 根 教授

中國工程院 院士

中國醫學科學院藥用植物研究所 所長

世界衛生組織傳統醫學合作中心 主任

1996年11月10日

THE ILLUSTRATED MEDICINAL PLANTS OF CHINA

VOL. 2

Edited by

Xiao Peigen · Lian Wenyan

Institute of Medicinal Plant Development

Chinese Academy of Medical Sciences

300 Color Photographs

SMC PUBLISHING INC.

Taipei

First Published 1998

Copyright © 1998 by SMC Publishing Inc.

SMC PUBLISHING INC.

P.O. Box 13-342, Taipei 106

Taiwan, ROC

Tel (886-2) 2362-0190

Fax (886-2) 2362-3834

All rights reserved. No part of this book may be reproduced in any form, by printed or any other means without written permissions from the publisher.

ISBN 957-638-493-1 (set)

ISBN 957-638-495-8 (vol.2)

PRINTED IN TAIWAN

EDITOR'S PREFACE

We are about to enter the twenty-first century and we are puzzled by such difficult problems as rapid increases in population, shortages of resources, and the deterioration of the environment. With each day, cries for "humankind to return to nature" increase, and with this idea in mind, people are again paying attention to natural medicines and traditional medicinal plants. "Green medicines" have received widespread favor and attention.

The Chinese people already have a relatively long history of using traditional medicines. Chinese medicinal plants have provided an effective means of preventing and treating illnesses and are an important facet of knowledge. The general public yearns to know what are the special characteristics of these Chinese medicinal plants? Where do they grow? What ingredients do they contain? How can they be used? And, in clinical terms, which diseases are they effective in treating? With this purpose in mind, *The Illustrated Medicinal Plants of China* has finally become available to the reading public through the close collaboration of the authors.

The Illustrated Medicinal Plants of China includes information on six hundred commonly and less commonly used Chinese medicinal plants. A full-color photograph is provided for each plant and a brief outline that describes official names, alternate names, origins, characteristics, geographic distribution, collection and processing, constituents, medicinal properties and pharmacological actions, and clinical applications is also included. This information will provide valuable reference for those engaged in scientific research on and teaching and in the production and marketing of Chinese medicines.

It is worth pointing out that the primary purpose of this book is not to provide guidance for clinical use. The reader must actually use these medicines as prescribed by a doctor in order to avoid misuse and the ill effects that might result.

Finally, we wholeheartedly welcome suggestions and comments from all readers as they make use of this book.

Professor Xiao Peigen
November 10th, 1996

凡 例

1. 《原色中藥原植物圖鑒》全書收藏我國中草藥600種，全部採用各種中草藥自然生長環境下的彩色照片，並附有中文描述，以便廣大讀者對該中草藥能更加深入的了解。
2. 本書收載的中草藥按科歸類，科的順序依據《中國高等植物圖鑑》，從低等到高等進行排列；科內植物屬和屬內各種中草藥，均按拉丁學名 A、B、C 字母順序排列。
3. 每種中草藥的描述，包括正名、別名、來源、形態、分布、採製、成分、藥理、功效及臨床應用等項內容。
4. 本書所述正名，一般選用中草藥的常用名稱，如地黃、桔梗、甘草等；如某種中草藥為多來源的，則正名用各來源植物的植物名，其後括註中藥名，如桃(桃仁)、山桃(桃仁)，又如，一把傘南星(天南星)，掌葉半夏(天南星)；若某植物的根或果實，根莖或塊根均作中藥應用，則以一藥作正名，另一藥附在括弧內，說明一種植物的不同部位作兩種中藥使用，如槐米(附槐角)；如是民間草藥，則用民間常用藥名或採用通用的植物名。
5. 別名。收載我國各地該中草藥的民間俗用名，由於篇幅有限，只收主要別名。
6. 來源。科學地記載各種中草藥原植物的科名、植物學名及其藥用部位。
7. 形態。較詳細地描述各種中草藥原植物及藥用部分的形態特徵。
8. 分布。記述該植物在野生狀態下的生長環境或其栽培狀況，及其在我國境內的分布概況，分布的種列至大區，如長江以南各省(區)及東北、西南等，但多以省(區)為主。
9. 採製。記述各種中草藥的採收季節及採收方法，以及該中草藥的加工、炮製等加工方法。
10. 成分。收載各種中草藥所含的主要化學成分及其活性成分。
11. 藥理。收載各種中草藥的不同製劑，提取物或其活性成分對動物的藥理作用。
12. 功效。記述各種中草藥的味、性、功能及主治、用法、用量等，並注意記載其毒性及禁忌等內容。
13. 臨床應用。記述各種中草藥用於治療某種疾病所採用的傳統方劑或現代臨床上應用的概況，以及民間應用的經驗。
14. 書前附有全書的目錄，書後附有各種中草藥的拉丁學名和中名筆畫、拼音索引，以便檢索。

EXPLANATORY NOTE

1. *The Illustrated Medicinal Plants of China* contains information on 600 species of plants used in the preparation of Chinese medicines. In order to help the reader gain a deeper understanding of these plants, each entry includes a color illustration of a plant in its natural habitat and a description of the plant in Chinese.

2. The Chinese medicines described in this book are grouped according to family. The families are ordered after the *Iconographia Cormoithytorum Siniscrum* from lower to higher level. Within each family, plants are organized alphabetically according to the Latin spelling of the scientific names of their genus and species.

3. The description of each Chinese medicine includes its official name, alternate names, origins, characteristics, geographic distribution, collection and processing, constituents, pharmacological actions, indications, and clinical applications.

4. The official names given in this book are, in general, taken from the commonly used name for each Chinese medicine, such as *Rehmanniae Radix*, *Platycodonis Radix*, *Glycyrrhizae Radix*, and so on. If a kind of Chinese medicine has multiple origins, then the botanical name of each source plant is given and the name of the Chinese medicine follows in parentheses, e.g.: *Prunus persica* (Persicae semen), *Prunus davidiana* (Persicae semen), or *Arisaema erubescens* (Arisaematis rhizoma) and *Pinellia pedatisecta* (Arisaematis rhizoma). If a plant's roots, fruit, rhizomes, and tubers are all used to make Chinese medicines, they are listed under one official name and subsidiary names are included in parentheses, thus explaining that the different parts of one plant are used to produce more than one kind of Chinese medicine, e.g. *Sophorae Flos Immaturus* (*Sophorae Fructus*). In the case of popular remedies, either the popular name or the commonly-known plant name is used.

5. Alternate names. Common alternate names from different parts of China for each medicinal plant are provided, though space constraints limits these to the most common names only.

6. Origins. Scientifically records the family and botanical name of each plant and indicates the part or parts used for medicine.

7. Characteristics. Describes in morphological detail the plant from which each Chinese medicine is taken and the special characteristics of the parts that are used.

8. Geographic distribution. Records the growing environment in the wild for each plant or conditions for cultivation, as well as a summary of its geographic distribution in China. Geographic distribution is divided into major regions such

原色中藥原植物圖鑑／目錄

◎ 上 冊 ◎

海帶科	Laminariaceae	
1 海 帶	<i>Laminaria japonica</i> Aresch.	1
翅藻科	Alariaceae	
2 裙 帶 菜	<i>Undaria pinnatifida</i> (Harv.) Sur.	2
馬尾藻科	Sargassaceae	
3 洋 栖 菜	<i>Sargassum fusiforme</i> (Harv.) Setchell	3
4 海 蒿 子	<i>Sargassum pallidum</i> (Turn.) C. Ag.	4
麥角科	Clavicipitaceae	
5 冬 蟲 夏 草	<i>Cordyceps sinensis</i> (Berk.) Sacc.	5
銀耳科	Tremellaceae	
6 銀 耳	<i>Tremella fuciformis</i> Berk.	6
多孔菌科	Polyporaceae	
7 赤 芝	<i>Ganoderma lucidum</i> (Leyss. ex Fr.) Karsten	7
8 紫 芝	<i>Ganoderma sinensis</i> Zhao, Xu et Zhang	8
9 雷 丸	<i>Polyporus mylittae</i> Cooke et Mass.	9
10 豬 苓	<i>Polyporus umbellatus</i> (Pers.) Fr.	10
11 茯 苓	<i>Poria cocos</i> (Schw.) Wolf	11
灰包科	Lycoperdaceae	
12 大 馬 勃	<i>Clavatia gigantea</i> (Batsch ex Pers.) Lloyd	12
石松科	Lycopodiaceae	
13 石 松	<i>Lycopodium japonicum</i> Thunb.	13
卷柏科	Selaginellaceae	
14 卷 柏	<i>Selaginella tamariscina</i> (Beauv.) Spring	14
木賊科	Equisetaceae	
15 木 賊	<i>Equisetum hiemale</i> L.	15
紫萁蕨科	Osmundaceae	
16 紫 萁 貫 眾	<i>Osmunda japonica</i> Thunb.	16
海金沙科	Lygodiaceae	
17 海 金 沙	<i>Lygodium japonicum</i> (Thunb.) Sw.	17
蚌殼蕨科	Dicksoniaceae	
18 狗 脊	<i>Cibotium barometz</i> (L.) J. Smith	18
鳳尾草科	Pteridaceae	
19 鳳 尾 草	<i>Pteris multifida</i> Poir.	19

水龍骨科			
20	槲		蕨
21	北	京	石
22	有	柄	石
23	廬	山	石
銀杏科			
24	白		果
松科			
25	華	山	松
26	馬	尾	松
27	油		松
28	雲	南	松
柏科			
29	側		柏
羅漢松科			
30	短	葉	羅
三尖杉科			
31	粗		榧
紅豆杉科			
32	榧		子
麻黃科			
33	木	賊	麻
34	草	麻	黃
三白草科			
35	魚	腥	草
36	三	白	草
胡椒科			
37	蒟		醬
38	山		蒟
39	萆		菰
40	胡		椒
41	石	楠	藤
楊柳科			
42	垂		柳
胡桃科			
43	胡	桃	仁
榆科			
44	榆		樹
桑科			
45	楮	實	子
46	火	麻	仁
47	無	花	果
48	薔		荔
49	啤	酒	花

Polypodiaceae	
<i>Drynaria fortunei</i> (Kunze) J. Smith	20
<i>Pyrrosia davidii</i> (Bak.) Ching	21
<i>Pyrrosia petiolosa</i> (Christ) Ching	22
<i>Pyrrosia shearerii</i> (Bak.) Ching	23
Ginkgoaceae	
<i>Ginkgo biloba</i> L.	24
Pinaceae	
<i>Pinus armandii</i> Franch.	25
<i>Pinus massoniana</i> Lamb.	26
<i>Pinus tabulaeformis</i> Carr.	27
<i>Pinus yunnanensis</i> Franch.	28
Cupressaceae	
<i>Platycladus orientalis</i> (L.) France.	29
Podocarpaceae	
<i>Podocarpus macrophyllus</i> (Thunb.) D. Don var. <i>maki</i> Endl. ..	30
Cephalotaxaceae	
<i>Cephalotaxus sinensis</i> (Rehd. et Wils.) Li	31
Taxaceae	
<i>Torreya grandis</i> Fort. et Lindl.	32
Ephedraceae	
<i>Ephedra equisetina</i> Bge.	33
<i>Ephedra sinica</i> Stapf	34
Saururaceae	
<i>Houttuynia cordata</i> Thunb.	35
<i>Saururus chinensis</i> (Lour.) Baill.	36
Piperaceae	
<i>Piper betle</i> L.	37
<i>Piper hancei</i> Maxim.	38
<i>Piper longum</i> L.	39
<i>Piper nigrum</i> L.	40
<i>Piper wallichii</i> (Miq.) Hand.-Mazz.	41
Salicaceae	
<i>Salix babylonica</i> L.	42
Juglandaceae	
<i>Juglans regia</i> L.	43
Ulmaceae	
<i>Ulmus pumila</i> L.	44
Moraceae	
<i>Broussonetia papyrifera</i> (L.) Vent.	45
<i>Cannabis sativa</i> L.	46
<i>Ficus carica</i> L.	47
<i>Ficus pumila</i> L.	48
<i>Humulus lupulus</i> L.	49

50	葎	草
51	桑	白皮
蕁麻科		
52	苧	麻根
檀香科		
53	檀	香
馬兜鈴科		
54	北馬兜鈴	
55	青木香	
56	廣防己	
57	尋骨風	
58	杜衡	
59	細辛	
60	關木通	
蓼科		
61	金蕎麥	
62	蕎麥	
63	篇蓄	
64	拳參	
65	火炭母	
66	虎杖	
67	何首烏	
68	水紅花子	
69	杠板歸	
70	大青葉	
71	華北大黃	
72	藥用大黃	
藜科		
73	地膚子	
莧科		
74	牛膝	
75	青葙子	
76	雞冠花	
77	川牛膝	
78	千日紅	
紫茉莉科		
79	紫茉莉	
商陸科		
80	商陸	
81	美洲商陸	
馬齒莧科		
82	馬齒莧	
石竹科		
83	石竹	

<i>Humulus scandens</i> (Lour.) Merr.	50
<i>Morus alba</i> L.	51
Urticaceae	
<i>Boehmeria nivea</i> (L.) Gaud.	52
Santalaceae	
<i>Santalum album</i> L.	53
Aristolochiaceae	
<i>Aristolochia contorta</i> Bge.	54
<i>Aristolochia debilis</i> Sieb. et Zucc.	55
<i>Aristolochia fangchi</i> Y.C. Wu et Chow et Hwang	56
<i>Aristolochia mollissima</i> Hance	57
<i>Asarum forbesii</i> Maxim.	58
<i>Asarum sieboldii</i> Miq.	59
<i>Hocquartia manshuriensis</i> (Komar.) Naki	60
Polygonaceae	
<i>Fagopyrum dibotrys</i> (D. Don) Hara	61
<i>Fagopyrum esculentum</i> Moench	62
<i>Polygonum aviculare</i> L.	63
<i>Polygonum bistorta</i> L.	64
<i>Polygonum chinense</i> L.	65
<i>Polygonum cuspidatum</i> Sieb. et Zucc.	66
<i>Polygonum multiflorum</i> Thunb.	67
<i>Polygonum orientale</i> L.	68
<i>Polygonum perfoliatum</i> L.	69
<i>Polygonum tinctorium</i> Lour.	70
<i>Rheum franzenbachii</i> Munt.	71
<i>Rheum officinale</i> Baill.	72
Chenopodiaceae	
<i>Kochia scoparia</i> (L.) Schrad.	73
Amaranthaceae	
<i>Achyranthes bidentata</i> Bl.	74
<i>Celosia argentea</i> L.	75
<i>Celosia cristata</i> L.	76
<i>Cyathula officinalis</i> Kuan	77
<i>Gomphrena globosa</i> L.	78
Nyctaginaceae	
<i>Mirabilis jalapa</i> L.	79
Phytolaccaceae	
<i>Phytolacca acinosa</i> Roxb.	80
<i>Phytolacca americana</i> L.	81
Portulacaceae	
<i>Portulaca oleracea</i> L.	82
Caryophyllaceae	
<i>Dianthus chinensis</i> L.	83

84	瞿	麥	<i>Dianthus superbus</i> L.	84
85	太	子	<i>Pseudostellaria heterophylla</i> (Miq.) Pax ex Pax et Hoffm.	85
86	銀	柴	<i>Stellaria dichotoma</i> L. var. <i>lanceolata</i> Bge.	86
睡蓮科			Nymphaeaceae	
87	藕	節	<i>Nelumbo nucifera</i> Gaertn.	87
毛茛科			Ranunculaceae	
88	附	子	<i>Aconitum carmichaeli</i> Debx.	88
89	關	白	<i>Aconitum coreanum</i> (Levl.) Rap.	89
90	北	烏	<i>Aconitum kusnezoffii</i> Reichb.	90
91	興	安	<i>Cimicifuga dahurica</i> (Turcz.) Maxim.	91
92	升	麻	<i>Cimicifuga foetida</i> L.	92
93	大	三	<i>Cimicifuga heracleifolia</i> Kom.	93
94	威	靈	<i>Clematis chinensis</i> Osbeck	94
95	棉	團	<i>Clematis hexapetala</i> Pall.	95
96	黃	連	<i>Coptis chinensis</i> Franch.	96
97	峨	嵎	<i>Coptis omeinensis</i> (Chen) C.Y. Cheng	97
98	白	芍	<i>Paeonia lactiflora</i> Pall.	98
99	草	芍	<i>Paeonia obovata</i> Maxim.	99
100	牡	丹	<i>Paeonia suffruticosa</i> Andr.	100
101	川	赤	<i>Paeonia veitchii</i> Lynch	101
102	白	頭	<i>Pulsatilla chinensis</i> (Bge.) Rgl.	102
103	天	葵	<i>Semiaguilegia adoxoides</i> (DC.) Mak.	103
104	金	蓮	<i>Trullius chinensis</i> Bge.	104
木通科			Lardizabalaceae	
105	白	木	<i>Akebia trifoliata</i> (Thunb.) Koidz. var. <i>australis</i> (Diels) Rehd.	105
小蘗科			Berberidaceae	
106	細	葉	<i>Berberis poiretii</i> Schneid.	106
107	金	花	<i>Berberis wilsonae</i> Hemsl. et Wils.	107
108	六	角	<i>Dysosma pleiantha</i> (Hance.) Woods.	108
109	心	葉	<i>Epimedium brevicornum</i> (Fort.) Carr.	109
110	闊	葉	<i>Mahonia bealei</i> (Fort.) Carr.	110
111	狹	葉	<i>Mahonia fortunei</i> (Lindl.) Fedde	111
防己科			Menispermaceae	
112	亞	乎	<i>Cissampelos pareira</i> L.	112
113	衡	州	<i>Cocculus laurifolius</i> DC.	113
114	木	防	<i>Cocculus orbiculatus</i> (L.) DC.	114
115	北	豆	<i>Menispermum dauricum</i> DC.	115
116	白	藥	<i>Stephania cepharantha</i> Hayata	116
117	粉	防	<i>Stephania tetrandra</i> S. Moore	117
118	金	果	<i>Tinospora sagittata</i> (Oliv.) Gagnep.	118
木蘭科			Magnoliaceae	
119	八	角	<i>Illicium verum</i> Hook. f.	119
120	玉	花	<i>Magnolia denudata</i> Desr.	120
121	紫	花	<i>Magnolia liliflora</i> Desr.	121

122	厚	朴	<i>Magnolia officinalis</i> Rehd. et Wils.	122
123	五	味	<i>Schisandra chinensis</i> (Turcz.) Baill.	123
124	華	中	<i>Schisandra sphenanthera</i> Rehd. et Wils.	124
肉豆蔻科			Myristicaceae	
125	肉	豆	<i>Myristica fragrans</i> Houtt.	125
樟科			Lauraceae	
126	樟	腦	<i>Cinnamomum camphora</i> (L.) Presl	126
127	肉	桂	<i>Cinnamomum cassia</i> Presl	127
128	烏	藥	<i>Lindera aggregata</i> (Sims) Kosterm.	128
129	澄	茄	<i>Litsea cubeba</i> (Lour.) Pers.	129
罌粟科			Papaveraceae	
130	苦	地	<i>Corydalis bungeana</i> Turcz.	130
131	齒	瓣	<i>Corydalis remota</i> Fisch. ex Maxim.	131
132	延	胡	<i>Corydalis yanhusuo</i> W.T. Wang	132
133	博	落	<i>Macleaya cordata</i> (Willd.) R. Br.	133
134	罌	粟	<i>Papaver somniferum</i> L.	134
十字花科			Cruciferae	
135	芸	苔	<i>Brassica campestris</i> L.	135
136	芥	菜	<i>Brassica juncea</i> (L.) Czern. et Coss.	136
137	薺	菜	<i>Capsella bursa-pastoris</i> (L.) Medic.	137
138	菘	青	<i>Isatis indigotica</i> Fort.	138
139	獨	行	<i>Lepidium apetalum</i> Willd.	139
140	萊	菔	<i>Raphanus sativus</i> L.	140
141	白	芥	<i>Sinapis alba</i> L.	141
142	蘇	敗	<i>Thlaspi arvense</i> L.	142
景天科			Crassulaceae	
143	瓦	松	<i>Orostachys fimbriatus</i> (Tuscz.) Berg.	143
144	景	天	<i>Sedum erythrostictum</i> Miq.	144
145	垂	盆	<i>Sedum sarmentosum</i> Bunge	145
虎耳草科			Saxifragaceae	
146	落	新	<i>Astilbe chinensis</i> (Maxim.) Franch. et Sav.	146
147	常	山	<i>Dichroa febrifuga</i> Lour.	147
金縷梅科			Hamamelidaceae	
148	路	路	<i>Liquidambar formosana</i> Hance	148
149	檣	木	<i>Loropetalum chinense</i> (R. Br.) Oliv.	149
杜仲科			Eucommiaceae	
150	杜	仲	<i>Eucommia ulmoides</i> Oliv.	150
薔薇科			Rosaceae	
151	仙	鶴	<i>Agrimonia pilosa</i> Ledeb.	151
152	光	皮	<i>Chaenomeles sinensis</i> (Thouin) Koehne	152
153	皺	皮	<i>Chaenomeles speciosa</i> (Sweet) Nakai	153
154	山	楂	<i>Crataegus pinnatifida</i> Bge.	154
155	山	里	<i>Crataegus pinnatifida</i> Bge. var. <i>major</i> N.E. Br.	155
156	枇	杷	<i>Eriobotrya japonica</i> (Thunb.) Lindl.	156

157	石楠葉	<i>Photinia serrulata</i> Lindl.	157
158	委陵菜	<i>Potentilla chinensis</i> Ser.	158
159	翻白草	<i>Potentilla discolor</i> Bge.	159
160	莓葉委陵菜	<i>Potentilla fragarioides</i> L.	160
161	蛇含委陵菜	<i>Potentilla kleiniana</i> Wight et Arn.	161
162	杏	<i>Prunus armeniaca</i> L.	162
163	山杏	<i>Prunus armeniaca</i> L. var. <i>ansu</i> Maxim.	163
164	山桃	<i>Prunus davidiana</i> Franch.	164
165	歐李	<i>Prunus humilis</i> Bge.	165
166	郁李	<i>Prunus japonica</i> Thunb.	166
167	烏梅	<i>Prunus mume</i> Sieb. et Zucc.	167
168	桃	<i>Prunus persica</i> (L.) Batsch.	168
169	櫻桃核	<i>Prunus pseudocerasus</i> Lindl.	169
170	西伯利亞杏	<i>Prunus sibirica</i> L.	170
171	榆葉梅	<i>Prunus triloba</i> Lindl.	171
172	月季花	<i>Rosa chinensis</i> Jacq.	172
173	金櫻子	<i>Rosa laevigata</i> Michx.	173
174	玫瑰花	<i>Rosa rugosa</i> Thunb.	174
175	掌葉覆盆子	<i>Rubus chingii</i> Hu	175
豆科		Leguminosae	
176	地榆	<i>Sanguisorba officinalis</i> L.	176
177	雞骨草	<i>Abrus cantoniensis</i> Hance	177
178	兒茶	<i>Acacia catechu</i> (L.) Willd.	178
179	合歡皮	<i>Albizia julibrissin</i> Durazz.	179
180	直立黃芪	<i>Astragalus adsurgens</i> L.	180
181	華黃芪	<i>Astragalus chinensis</i> L.	181
182	扁莖黃芪	<i>Astragalus complanatus</i> R. Br.	182
183	膜莢黃芪	<i>Astragalus membranaceus</i> (Fisch.) Bge.	183
184	蒙古黃芪	<i>Astragalus membranaceus</i> Bge. var. <i>mongholicus</i> (Bge.) Hsiao	184
185	蘇木	<i>Caesalpinia sappan</i> L.	185
186	雲實	<i>Caesalpinia decapetala</i> (Roth) Alst.	186
187	刀豆	<i>Canavalia gladiata</i> (Jacq.) DC.	187
188	鈍葉決明	<i>Cassia obtusifolia</i> L.	188
189	望江南	<i>Cassia occidentalis</i> L.	189
190	決明子	<i>Cassia tora</i> L.	190
191	紫荊	<i>Cercis chinensis</i> Bge.	191
192	降香	<i>Dalbergia odorifera</i> T. Chen	192
193	廣東金錢草	<i>Desmodium styracifolium</i> (Osbeck) Merr.	193
194	白扁豆	<i>Dolichos lablab</i> L.	194
195	海桐皮	<i>Erythrina variegata</i> L. var. <i>orientalis</i> (L.) Merr.	195
196	皂角	<i>Gleditsia sinensis</i> Lam.	196
197	大豆黃卷	<i>Glycine max</i> (L.) Merr.	197
198	脹果甘草	<i>Glycyrrhiza inflata</i> Batal	198
199	甘草	<i>Glycyrrhiza uralensis</i> Fisch.	199

200	甜	地	丁
201	紅		芪
202	含	羞	草
203	常	綠	油馬藤
204	赤		豆
205	赤	小	豆
206	綠		豆
207	補	骨	脂
208	紫		檀
209	野		葛
210	粉		葛
211	苦		參
212	槐		米
213	廣	豆	根
214	密	花	豆
215	葫	蘆	巴
216	蠶		豆
酢漿草科			
217	酢	漿	草
牻牛兒苗科			
218	牻	牛兒	苗
亞麻科			
219	亞	麻	子
古柯科			
220	古		柯
蒺藜科			
221	刺	蒺	藜
芸香科			
222	酸		橙
223	代	代	花
224		柚	
225	化	州	柚
226	檸		檬
227	枸		櫟
228	佛	手	
229	陳	皮	
230	香	圓	
231	黃	皮	
232	白	鮮	皮
233	三	叉	苦
234	吳	茱	萸
235	黃		柏
236	川	黃	柏
237	枸		橘

<i>Gueldenstaedtia verna</i> (Georgi) A. Bor.	200
<i>Hedysarum polybotrys</i> Hand. -Mazz.	201
<i>Mimosa pudica</i> L.	202
<i>Mucuna sempervirens</i> Hemsl.	203
<i>Phaseolus angularis</i> Wight	204
<i>Phaseolus caicaratus</i> Roxb.	205
<i>Phaseolus radiatus</i> L.	206
<i>Psoralea corylifolia</i> L.	207
<i>Pterocarpus indicus</i> Willd.	208
<i>Pueraria lobata</i> (Willd.) Ohwi	209
<i>Pueraria thomsonii</i> Benth.	210
<i>Sophora flavescens</i> Ait.	211
<i>Sophora japonica</i> L.	212
<i>Sophora tonkinensis</i> Gagnep	213
<i>Spatholobus suberectus</i> Dunn	214
<i>Trigonella foenum-graecum</i> L.	215
<i>Vicia faba</i> L.	216
Oxalidaceae	
<i>Oxalis corniculata</i> L.	217
Geraniaceae	
<i>Erodium stephanianum</i> Willd.	218
Linaceae	
<i>Linum usitatissimum</i> L.	219
Erythroxylaceae	
<i>Erythroxylum coca</i> Lam.	220
Eygophyllaceae	
<i>Tribulus terrestris</i> L.	221
Rutaceae	
<i>Citrus aurantium</i> L.	222
<i>Citrus aurantium</i> L. var. <i>amara</i> Engl.	223
<i>Citrus grandis</i> (L.) Osbeck	224
<i>Citrus grandis</i> (L.) Osbeck var. <i>tomentosa</i> Hort.	225
<i>Citrus limonia</i> Osbeck	226
<i>Citrus medica</i> L.	227
<i>Citrus medica</i> L. var. <i>sarcodactylis</i> (Noot.) Swingle	228
<i>Citrus reticulata</i> Blanco	229
<i>Citrus wilsonii</i> Tanaka	230
<i>Clausena lansium</i> (Lour.) Skeels	231
<i>Dictamnus dasycarpus</i> Turcz.	232
<i>Evodia lepta</i> (Spreng.) Merr.	233
<i>Evodia rutaecarpa</i> (Juss.) Benth.	234
<i>Phellodendron amurense</i> Rupr.	235
<i>Phellodendron chinense</i> Schneid.	236
<i>Poncirus trifoliata</i> (L.) Raf.	237