# **Finite Elements**

Theory, fast solvers, and applications in solid mechanics

Third Edition

有限元 第3版

光界图出版版公司 www.wpcbj.com.cn

## **FINITE ELEMENTS**

# Theory, Fast Solvers, and Applications in Elasticity Theory

#### **DIETRICH BRAESS**

Translated from the German by Larry L. Schumaker



#### 图书在版编目(CIP)数据

有限元 = Finite Elements: Theory, Fast Solvers, and Applicatio:第3版:英文/(德)布拉艾斯(Braess, D.)著.—影印本.—北京:世界图书出版公司北京公司,2012.1

ISBN 978 -7 -5100 -4285 -0

I.①有··· II.①布··· III.①有限元—英文 IV.①0241.82

中国版本图书馆 CIP 数据核字(2011)第 271399 号

名: Finite Elements: Theory, Fast Solvers, and Applications in Solid Mechanics 3rd ed.

作 者: Dietrich Braess 中译名: 有限元第3版 责任编辑: 高蓉 刘慧

书

出版者: 世界图书出版公司北京公司

印刷者: 三河市国英印务有限公司

发 行: 世界图书出版公司北京公司(北京朝内大街 137 号 100010)

联系电话: 010-64021602,010-64015659

电子信箱: kjb@ wpcbj. com. cn

**开 本:** 24 开

印 张: 16

版 次: 2012年03月

版权登记: 图字:01-2011-6464

书 号: 978-7-5100-4285-0/0・927 定 价: 49.00元

## Preface to the Third English Edition

The theory of finite elements and their applications is such a lively area that a third edition has become necessary to cover new material that is of interest for actual applications. At the same time we have taken the opportunity to correct some misprints.

The greatest changes are found in Chapter III. Saddle point problems and mixed methods are used now not only for variational problems with given constraints, but there is also an increasing interest in nonstandard saddle point methods. Their flexibility enables the construction of finite elements with special properties, e.g. they can soften specific terms of the energy functional in order to eliminate locking phenomena. The treatment of the Poisson equation in the setting of saddle point formulations can be regarded as a template for other examples and some of these are covered in the present edition.

Another nonstandard application is the construction of a new type of a posteriori error estimate for conforming elements. This has the advantage that there is no generic constant in the main term. Moreover, in this framework it is possible to shed light on other relations between conforming elements and mixed methods.

In Chapter VI the treatment of locking has been reworked. Such phenomena are well known to engineers, but the mathematical proof of locking is often more cumbersome than the remedy. In most cases we focus therefore on the use of appropriate finite elements and describe the negative results more briefly within the context of the general theory of locking. In order to illustrate the full theory and how it is implemented we also verify the locking effect for the Timoshenko beam with all details and analyze all the standard remedies for this beam.

We have added many comments in all chapters in order to make a stronger connection with current research. We have done this by adding new problems whenever a comment in the text would have interrupted the thread. In addition, we intend to put updates and additional material on our web pages (http://homepage.rub.de/Dietrich.Braess/ftp.html) in the same way as we have done for the previous editions.

The author again wishes to thank numerous friends who have given valuable hints for improvements of the text. Finally, thanks go again to Cambridge University Press for cooperating on this Third Edition.

Autumn, 2006 Dietrich Braess

## Preface to the First English Edition

This book is based on lectures regularly presented to students in the third and fourth year at the Ruhr-University, Bochum. It was also used by the translater, Larry Schumaker, in a graduate course at Vanderbilt University in Nashville. I would like to thank him for agreeing to undertake the translation, and for the close cooperation in carrying it out. My thanks are also due to Larry and his students for raising a number of questions which led to improvements in the material itself.

Chapters I and II and selected sections of Chapters III and V provide material for a typical course. I have especially emphasized the differences with the numerical treatment of ordinary differential equations (for more details, see the preface to the German edition).

One may ask why I was not content with presenting only simple finite elements based on complete polynomials. My motivation for doing more was provided by problems in fluid mechanics and solid mechanics, which are treated to some extent in Chapter III and VI. I am not aware of other textbooks for mathematicians which give a mathematical treatment of finite elements in solid mechanics in this generality.

The English translation contains some additions as compared to the German edition from 1992. For example, I have added the theory for basic a posteriori error estimates since a posteriori estimates are often used in connection with local mesh refinements. This required a more general interpolation process which also applies to non-uniform grids. In addition, I have also included an analysis of locking phenomena in solid mechanics.

Finally, I would like to thank Cambridge University Press for their friendly cooperation, and also Springer-Verlag for agreeing to the publication of this English version.

Autumn, 1996 Dietrich Braess

#### Preface to the German Edition

The method of finite elements is one of the main tools for the numerical treatment of elliptic and parabolic partial differential equations. Because it is based on the variational formulation of the differential equation, it is much more flexible than finite difference methods and finite volume methods, and can thus be applied to more complicated problems. For a long time, the development of finite elements was carried out in parallel by both mathematicians and engineers, without either group acknowledging the other. By the end of the 60's and the beginning of the 70's, the material became sufficiently standardized to allow its presentation to students. This book is the result of a series of such lectures.

In contrast to the situation for ordinary differential equations, for elliptic partial differential equations, frequently no classical solution exists, and we often have to work with a so-called weak solution. This has consequences for both the theory and the numerical treatment. While it is true that classical solutions do exist under approriate regularity hypotheses, for numerical calculations we usually cannot set up our analisis in a framework in which the existence of classical solutions is guaranteed.

One way to get a suitable framework for solving elliptic boundary-value problems using finite elements is to pose them as variational problems. It is our goal in Chapter II to present the simplest possible introduction to this approach. In Sections 1-3 we discuss the existence of weak solutions in Sobolev spaces, and explain how the boundary conditions are incorporated into the variational calculation. To give the reader a feeling for the theory, we derive a number of properties of Sobolev spaces, or at least illustrate them. Sections 4-8 are devoted to the foundations of finite elements. The most difficult part of this chapter is 6 where approximation theorems are presented. To simplify matters, we first treat the special case of regular grids, which the reader may want to focus on in a first reading.

In Chapter III we come to the part of the theory of finite elements which requires deeper results from functional analysis. These are presented in §3. Among other things, the reader will learn about the famous Ladyshenskaja—Babuška—Brezzi condition, which is of great importance for the proper treatment of problems in fluid mechanics and for mixed methods in structural mechanics. In fact, without this knowledge and relying only on *common sense*, we would very likely find ourselves trying to solve problems in fluid mechanics using elements with an unstable behavior.

It was my aim to present this material with as little reliance on results from real analysis and functional analysis as possible. On the other hand, a certain basic

Preface xiii

knowledge is extremely useful. In Chapter I we briefly discuss the difference between the different types of partial differential equations. Students confronting the numerical solution of elliptic differential equations for the first time often find the finite difference method more accessible. However, the limits of the method usually become apparent only later. For completeness we present an elementary introduction to finite difference methods in Chapter I.

For fine discretizations, the finite element method leads to very large systems of equations. The operation count for solving them by direct methods grows like  $n^2$ . In the last two decades, very efficient solvers have been developed based on multigrid methods and on the method of conjugate gradients. We treat these subjects in detail in Chapters IV and V.

Structural mechanics provides a very important application area for finite elements. Since these kinds of problems usually involve systems of partial differential equations, often the elementary methods of Ch. II do not suffice, and we have to use the extra flexibility which the deeper results of Ch. III allow. I found it necessary to assemble a surprisingly wide set of building blocks in order to present a mathematically rigorous theory for the numerical treatment by finite elements of problems in linear elasticity theory.

Almost every section of the book includes a set of Problems, which are not only excercises in the strict sense, but also serve to further develop various formulae or results from a different viewpoint, or to follow a topic which would have disturbed the flow had it been included in the text itself. It is well-known that in the numerical treatment of partial differential equations, there are many opportunities to go down a false path, even if unintended, particularly if one is thinking in terms of classical solutions. Learning to avoid such pitfalls is one of the goals of this book.

This book is based on lectures regularly presented to students in the fifth through eighth semester at the Ruhr University, Bochum. Chapters I and II and parts of Chapters III and V were presented in one semester, while the method of conjugate gradients was left to another course. Chapter VI is the result of my collaboration with both mathematicians and engineers at the Ruhr University.

A text like this can only be written with the help of many others. I would like to thank F.-J. Barthold, C. Blömer, H. Blum, H. Cramer, W. Hackbusch, A. Kirmse, U. Langer, P. Peisker, E. Stein, R. Verfürth, G. Wittum and B. Worat for their corrections and suggestions for improvements. My thanks are also due to Frau L. Mischke, who typeset the text using TEX, and to Herr Schwarz for his help with technical problems relating to TEX. Finally, I would like to express my appreciation to Springer-Verlag for the publication of the German edition of this book, and for the always pleasant collaboration on its production.

#### Notation

#### Notation for Differential Equations and Finite Elements

- $\Omega$  open set in  $\mathbb{R}^n$
- $\Gamma = \partial \Omega$
- $\Gamma_D$  part of the boundary on which Dirichlet conditions are prescribed
- $\Gamma_N$  part of the boundary on which Neumann conditions are prescribed
  - Δ Laplace operator
  - L differential operator
- $a_{ik}$ ,  $a_0$  coefficient functions of the differential equation
  - [ · ]\* difference star, stencil
- $L^2(\Omega)$  space of square-integrable functions over  $\Omega$
- $H^m(\Omega)$  Sobolev space of  $L_2$  functions with square-integrable derivatives up to order m
- $H_0^m(\Omega)$  subspace of  $H^m(\Omega)$  of functions with generalized zero bounary conditions
- $C^k(\Omega)$  set of functions with continuous derivatives up to order k
- $C_0^k(\Omega)$  subspace of  $C^k(\Omega)$  of functions with compact support
  - γ trace operator
- $\|\cdot\|_m$  Sobolev norm of order m
- $|\cdot|_m$  Sobolev semi-norm of order m
- $\|\cdot\|_{\infty}$  supremum norm
  - $\ell_2$  space of square-summable sequences
  - H' dual space of H
  - $\langle \cdot, \cdot \rangle$  dual pairing
    - $|\alpha| = \sum \alpha_i$ , order of multiindex  $\alpha$ 
      - $\partial_i$  partial derivative  $\frac{\partial}{\partial x_i}$
    - $\partial^{\alpha}$  partial derivative of order  $\alpha$
    - D (Fréchet) derivative
    - α ellipticity constant
  - $\nu$ , n exterior normal
- $\partial_{\nu}$ ,  $\partial/\partial\nu$ ,  $\partial/\partial n$  derivative in the direction of the exterior normal
  - $\nabla f = (\partial f/\partial x_1, \partial f/\partial x_2, \dots, \partial f/\partial x_n)$
  - $\operatorname{div} f \quad \sum_{i=1}^n (\partial f/\partial x_i)$ 
    - $S_h$  finite element space
    - $\psi_h$  basis function in  $S_h$
    - $\mathcal{T}_h$  partition of  $\Omega$
    - T (triangular or quadrilateral) element in  $\mathcal{T}_h$
    - T<sub>ref</sub> reference element

Notation xv

radii of circumscribed circle and incircle of T, respectively  $h_T, \rho_T$ shape parameter of a partition  $\mu(T)$ area (volume) of T  $\mathcal{P}_{t}$ set of polynomials of degree  $\leq t$ polynomial set (II.5.4) w.r.t. quadrilateral elements 0,  $\mathcal{P}_{3,\mathrm{red}}$ cubic polynomial without bubble function term  $\Pi_{ref}$ set of polynomials which are formed by the restriction of  $S_h$  to a (reference) element  $= \dim \Pi_{ref}$ set of linear functionals in the definition of affine families  $\mathcal{M}^k, \mathcal{M}^k_s, \mathcal{M}^k_{s,0} \\ \mathcal{M}^1_{*,0}$ polynomial finite element spaces in  $L_2$ ,  $H^{s+1}$  and  $H_0^{s+1}$ set of functions in  $\mathcal{M}^1$  which are continuous at the midpoints of the sides and which satisfy zero boundary conditions in the same sense  $RT_k$ Raviart-Thomas element of degree k  $I, I_h$ interpolation operators on  $\Pi_{ref}$  and on  $S_h$ , respectively stiffness or system matrix A Kronecker symbol  $\delta$ edge of an element  $\|\cdot\|_{m,h}$ mesh-dependent norm ker L kernel of the linear mapping L  $V^{\perp}$ orthogonal complement of V  $V^0$ polar of V

Lagrange function

M space of restrictions (for saddle point problems)

 $\beta$  constant in the Brezzi condition

 $H(\operatorname{div}, \Omega) := \{ v \in L_2(\Omega)^d; \operatorname{div} v \in L_2(\Omega) \}, \Omega \in \mathbb{R}^d$ 

 $L_{2,0}(\Omega)$  set of functions in  $L_2(\Omega)$  with integral mean 0

 $B_3$  cubic bubble functions

 $\eta_{\rm m}$  error estimator

#### Notation for the Method of Conjugate Gradients

 $\nabla f$  gradient of f (column vector)

 $\kappa(A)$  spectral condition number of the matrix A

 $\sigma(A)$  spectrum of the matrix A

 $\rho(A)$  spectral radius of the matrix A

 $\lambda_{\min}(A)$  smallest eigenvalue of the matrix A

 $\lambda_{\max}(A)$  largest eigenvalue of the matrix A

 $A^t$  transpose of the matrix A

I unit matrix

C preconditioning matrix

 $g_k$  gradient at the actual approximation  $x_k$ 

xvi Notation

```
d_k
                   direction of the correction in step k
             V_k
                   = \operatorname{span}[g_0, \ldots, g_{k-1}]
            x'y Euclidean scalar product of the vectors x and y
         ||x||_A = \sqrt{x'Ax} (energy norm)
         ||x||_{\infty} = \max_{i} |x_{i}| \text{ (maximum norm)}
             T_k
                  k-th Chebyshev polynomial
             ω
                   relaxation parameter
                        Notation for the Multigrid Method
                   triangulation on the level \ell
             \mathcal{T}_{\ell}
     S_{\ell} = S_{h_{\ell}}
                   finite element space on the level \ell
                   system matrix on the level \ell
            A_{\ell}
            N_{\ell} = \dim S_{\ell}
             \mathcal{S}
                   smoothing operator
           r, \tilde{r}
                   restrictions
                   prolongation
x^{\ell,k,m}, u^{\ell,k,m}
                  variable on the level \ell in the k-th iteration step and in the m-th substep
                 number of presmoothings or postsmoothings, respectively
         \nu_1, \nu_2
                  = v_1 + v_2
                  = 1 for V-cycle, = 2 for W-cycle
                 =\ell_{\max}
            \psi_{\ell}^{j}
                   j-th basis function on the level \ell
                   convergence rate of MGM_{\ell}
            \rho_{\ell}
             ρ
                  = \sup_{\ell} \rho_{\ell}
        ||| • |||
                   discrete norm of order s
                  measure of the smoothness of a function in S_h
             β
             \mathcal{L}
                  nonlinear operator
            \mathcal{L}_{\ell}
                  nonlinear mapping on the level \ell
           D\mathcal{L}
                   derivative of \mathcal{L}
             λ
                   homotopy parameter for incremental methods
                          Notation for Solid Mechanics
             и
                   displacement
             φ
                  deformation
            id
                   identity mapping
             \boldsymbol{C}
                  = \nabla \phi^T \nabla \phi Cauchy–Green strain tensor
             Ε
                   strain
             ε
                   strain in a linear approximation
                  Cauchy stress vector
             T
                  Cauchy stress tensor
            T_R
                  first Piola-Kirchhoff stress tensor
           \Sigma_R
                  second Piola-Kirchhoff stress tensor
```

Notation xvii

```
Î
                           =\hat{T}(F) response function for the Cauchy stress tensor
                    \boldsymbol{\hat{\Sigma}}
                           =\hat{\Sigma}(F) response function for the Piola-Kirchhoff stress tensor
                            \tilde{\Sigma}(F^T F) = \hat{\Sigma}(F)
                    \tilde{\Sigma}
                    ar{T}
                           \bar{T}(FF^T) = \hat{T}(F)
                           stress in linear approximation
                    \sigma
                    S^2
                           unit sphere in \mathbb{R}^3
                  M^3
                            set of 3 \times 3 matrices
                  \mathbb{M}^3_{\perp}
                            set of matrices in M<sup>3</sup> with positive determinants
                   \mathbb{O}^3
                            set of orthogonal 3 × 3 matrices
                  \mathbb{O}^3_{+}
                            = \mathbb{O}^3 \cap \mathbb{M}^3
                    \mathbb{S}^3
                            set of symmetric 3 × 3 matrices
                   \mathbb{S}^3_{\sim}
                            set of positive definite matrices in S3
                            = (\iota_1(A), \iota_2(A), \iota_3(A)), invariants of A
                    l_A
                            vector product in \mathbb{R}^3
\operatorname{diag}(d_1,\ldots,d_n)
                            diagonal matrix with elements d_1, \ldots, d_n
                            Lamé constants
                 \lambda, \mu
                            modulus of elasticity
                      Ε
                            Poisson ratio
                      ν
                            normal vector (different from Chs. II and III)
                      n
                     \mathcal{C}
                            \sigma = C \varepsilon
                            energy functional of hyperelastic materials
                    Ŵ
                     Ŵ
                            \tilde{W}(F^TF) = \hat{W}(F)
                            =\sum_{ij} \varepsilon_{ij} \sigma_{ij}
                 \varepsilon:\sigma
                            parts of the boundary on which u and \sigma \cdot n are prescribed, respectively
               \Gamma_0, \Gamma_1
                            energy functional in the linear theory
                     П
                  \nabla^{(s)}
                            symmetric gradient
                            skew-symmetric part of \tau
                as(\tau)
             H^s(\Omega)^d
                            = [H^s(\Omega)]^d
                            := \{ v \in H^1(\Omega) R; \ v(x) = 0 \text{ for } x \in \Gamma_0 \}
              H^1_\Gamma(\Omega)
                            := \{\tau \in L_2(\Omega); \text{ div } \tau \in L_2(\Omega)\}, \tau \text{ is a vector or a tensor}
         H(\operatorname{div},\Omega)
                             := \{ \eta \in L_2(\Omega)^2; \text{ rot } \eta \in L_2(\Omega) \}, \ \Omega \subset \mathbb{R}^2
          H(rot, \Omega)
                             := \{ \tau \in H^{-1}(\Omega)^d; \text{ div } \tau \in H^{-1}(\Omega) \}, \Omega \subset \mathbb{R}^d
      H^{-1}(\operatorname{div},\Omega)
                             rotation, shear term, and transverse displacement
              \theta, \gamma, w
                             of beams and plates
                             thickness of a beam, membrane, or plate
                             length of a beam
                             finite element spaces in plate theory
  W_h, \Theta_h, \Gamma_h, Q_h
                             L_2-projector onto \Gamma_h
                             restriction to \Gamma_h
                     R
                             L_2-projector onto Q_h
                     P_h
```

## Contents

	Preface to the Third English Edition	page	X
	Preface to the First English Edition		хi
	Preface to the German Edition		xii
	Notation		xiv
	Chapter I		
	Introduction		1
§ 1.	Examples and Classification of PDE's		2
	Examples 2 — Classification of PDE's 8 — Well-posed problems 9 — Problems 10	)	
§ 2.	The Maximum Principle		12
	Examples 13 — Corollaries 14 — Problem 15		
§ 3.	Finite Difference Methods		16
	Discretization 16 — Discrete maximum principle 19 — Problem 21	l	
§ 4.	A Convergence Theory for Difference Methods		22
	Consistency 22 — Local and global error 22 — Limits of the convergence theory 24 — Problems 26	-	
	Chapter II		
	Conforming Finite Elements		27
§ 1.	Sobolev Spaces		28
	Introduction to Sobolev spaces 29 — Friedrichs' inequality 30 — Possible singularities of $H^1$ functions 31 — Compact imbeddings 32 — Problems 33	- S	
§ 2.	Variational Formulation of Elliptic Boundary-Value Problems Second Order	of	34
	Variational formulation 35 — Reduction to homogeneous boundary conditions 36 — Existence of solutions 38 — Inhomogeneous boundary conditions 42 — Problems 42		
§ 3.	The Neumann Boundary-Value Problem. A Trace Theorem Ellipticity in $H^1$ 44 — Boundary-value problems with natural boundary conditions 45 — Neumann boundary conditions 46 — Mixed boundary conditions 47 — Proof of the trace theorem 48 — Practical consequences of the trace theorem 50 — Problems 52	d	44

vi Contents

§ 4.	The Ritz-Galerkin Method and Some Finite Elements Model problem 56 — Problems 58	53
	Some Standard Finite Elements Requirements on the meshes 61 — Significance of the differentiability properties 62 — Triangular elements with complete polynomials 64 — Remarks on $C^1$ elements 67 — Bilinear elements 68 — Quadratic rectangular elements 69 — Affine families 70 — Choice of an element 74 — Problems 74	60
§ 6.	Approximation Properties  The Bramble-Hilbert lemma 77 — Triangular elements with complete polynomials 78 — Bilinear quadrilateral elements 81 — Inverse estimates 83 — Clément's interpolation 84 — Appendix: On the optimality of the estimates 85 — Problems 87	76
§ 7.	Error Bounds for Elliptic Problems of Second Order Remarks on regularity 89 — Error bounds in the energy norm 90 — $L_2$ estimates 91 — A simple $L_\infty$ estimate 93 — The $L_2$ -projector 94 — Problems 95	89
§ 8.	Computational Considerations  Assembling the stiffness matrix 97 — Static condensation 99 —  Complexity of setting up the matrix 100 — Effect on the choice of a grid 100 — Local mesh refinement 100 — Implementation of the Neumann boundary-value problem 102 — Problems 103	97
	Chapter III	
	Nonconforming and Other Methods	105
§ 1.	Abstract Lemmas and a Simple Boundary Approximation Generalizations of Céa's lemma 106 — Duality methods 108 — The Crouzeix-Raviart element 109 — A simple approximation to curved boundaries 112 — Modifications of the duality argument 114 — Problems 116	106
§ 2.	Isoparametric Elements Isoparametric triangular elements 117 — Isoparametric quadrilateral	117
	elements 119 — Problems 121	
§ 3.	Further Tools from Functional Analysis Negative norms 122 — Adjoint operators 124 — An abstract existence theorem 124 — An abstract convergence theorem 126 — Proof of Theorem 3.4 127 — Problems 128	122
84	Saddle Point Problems	129
<b>3</b> ₹•	Saddle points and minima 129 — The inf-sup condition 130 — Mixed finite element methods 134 — Fortin interpolation 136 —	,

Contents

	Saddle point problems with penalty term 138 — Typical applications 141 — Problems 142	
	Mixed Methods for the Poisson Equation  The Poisson equation as a mixed problem 145 — The Raviart— Thomas element 148 — Interpolation by Raviart—Thomas elements 149 — Implementation and postprocessing 152 — Mesh-dependent norms for the Raviart—Thomas element 153 — The softening behaviour of mixed methods 154 — Problems 156	145
§ 6.	The Stokes Equation Variational formulation 158 — The inf-sup condition 159 — Nearly incompressible flows 161 — Problems 161	157
§ 7.	Finite Elements for the Stokes Problem An instable element $162$ — The Taylor-Hood element $167$ — The MINI element $168$ — The divergence-free nonconforming $P_1$ element $170$ — Problems $171$	162
§ 8.	A Posteriori Error Estimates Residual estimators 174 — Lower estimates 176 — Remark on other estimators 179 — Local mesh refinement and convergence 179	172
§ 9.	A Posteriori Error Estimates via the Hypercircle Method	181
	Chapter IV	
	The Conjugate Gradient Method	186
§ 1.	Classical Iterative Methods for Solving Linear Systems Stationary linear processes 187 — The Jacobi and Gauss-Seidel methods 189 — The model problem 192 — Overrelaxation 193 — Problems 195	187
§ 2.	Gradient Methods The general gradient method 196 — Gradient methods and quadratic functions 197 — Convergence behavior in the case of large condition numbers 199 — Problems 200	196
§ 3.	Conjugate Gradient and the Minimal Residual Method The CG algorithm 203 — Analysis of the CG method as an optimal method 196 — The minimal residual method 207 — Indefinite and unsymmetric matrices 208 — Problems 209	201
§ 4.	Preconditioning Preconditioning by SSOR 213 — Preconditioning by ILU 214 — Remarks on parallelization 216 — Nonlinear problems 217 — Problems 218	210

viii Contents

§ 5.	Saddle Point Problems The Uzawa algorithm and its variants 221 — An alternative 223 — Problems 224	221
	Chapter V Multigrid Methods	225
§ 1.	Multigrid Methods for Variational Problems Smoothing properties of classical iterative methods 226 — The multigrid idea 227 — The algorithm 228 — Transfer between grids 232 — Problems 235	226
§ 2.	Convergence of Multigrid Methods  Discrete norms 238 — Connection with the Sobolev norm 240 —  Approximation property 242 — Convergence proof for the two-grid method 244 — An alternative short proof 245 — Some variants 245  — Problems 246	237
§ 3.	Convergence for Several Levels  A recurrence formula for the W-cycle 248 — An improvement for the energy norm 249 — The convergence proof for the V-cycle 251 — Problems 254	248
§ 4.	Nested Iteration Computation of starting values 255 — Complexity 257 — Multigrid methods with a small number of levels 258 — The CASCADE algorithm 259 — Problems 260	255
§ 5.	Multigrid Analysis via Space Decomposition Schwarz alternating method 262 — Assumptions 265 — Direct consequences 266 — Convergence of multiplicative methods 267 — Verification of A1 269 — Local mesh refinements 270 — Problems 271	261
§ 6.	Nonlinear Problems The multigrid-Newton method 273 — The nonlinear multigrid method 274 — Starting values 276 — Problems 277	272
	Chapter VI	
	Finite Elements in Solid Mechanics	278
§ 1.	Introduction to Elasticity Theory  Kinematics 279 — The equilibrium equations 281 — The Piola transform 283 — Constitutive Equations 284 — Linear material laws 288	279
§ 2	. Hyperelastic Materials	290

Contents ix

§ 3.	Linear Elasticity Theory	293
	The variational problem 293 — The displacement formulation 297	
	— The mixed method of Hellinger and Reissner 300 — The mixed	
	method of Hu and Washizu 302 — Nearly incompressible material	
	304 — Locking 308 — Locking of the Timoshenko beam and typical	
	remedies 310 — Problems 314	
§ 4.	Membranes	315
	Plane stress states 315 — Plane strain states 316 — Membrane ele-	
	ments 316 — The PEERS element 317 — Problems 320	
§ 5.	Beams and Plates: The Kirchhoff Plate	323
	The hypotheses 323 — Note on beam models 326 — Mixed methods	
	for the Kirchoff plate 326 — DKT elements 328 — Problems 334	
8 6.	The Mindlin–Reissner Plate	335
3 0.	The Helmholtz decomposition 336 — The mixed formulation with	
	the Helmholtz decomposition 338 — MITC elements 339 — The	
	model without a Helmholtz decomposition 343 — Problems 346	
	References	348
		361
	Index	301

# Chapter I Introduction

In dealing with partial differential equations, it is useful to differentiate between several types. In particular, we classify partial differential equations of second order as *elliptic*, *hyperbolic*, and *parabolic*. Both the theoretical and numerical treatment differ considerably for the three types. For example, in contrast with the case of ordinary differential equations where either initial or boundary conditions can be specified, here the type of equation determines whether initial, boundary, or initial-boundary conditions should be imposed.

The most important application of the finite element method is to the numerical solution of elliptic partial differential equations. Nevertheless, it is important to understand the differences between the three types of equations. In addition, we present some elementary properties of the various types of equations. Our discussion will show that for differential equations of elliptic type, we need to specify boundary conditions and not initial conditions.

There are two main approaches to the numerical solution of elliptic problems: finite difference methods and variational methods. The finite element method belongs to the second category. Although finite element methods are particularly effective for problems with complicated geometry, finite difference methods are often employed for simple problems, primarily because they are simpler to use. We include a short and elementary discussion of them in this chapter.