


普通高等中医药院校
英汉对照中医本科系列教材

中 药 学

The Chinese Materia Medica



北京中医药大学 主编

学苑出版社

**English-Chinese Collegiate Textbooks in Traditional
Chinese Medicine for Institutions of Traditional
Chinese Medicine of Higher Learning
Edited by Beijing University of Traditional
Chinese Medicine**

普通高等中医药院校英汉对照中医本科系列教材
北京中医药大学 主编

**THE CHINESE
MATERIA MEDICA**

中 药 学

Academy Press [Xue Yuan]
学苑出版社

图书在版编目(CIP)数据

中医学/贺兴东, 邹建华 主编. -北京: 学苑出版社, 2004

(普通高等中医药院校英汉对照中医本科系列教材)

ISBN 7-5077-1269-9

I. 中… II. ①贺… ②邹… III. 中医学-医学院校-教材-英、汉 IV. R28

中国版本图书馆 CIP 数据核字(1997)第 13608 号

责任编辑: 东 青 陈 辉

封面设计: 李 戎 张致民

出版发行: 学苑出版社

社 址: 北京市丰台区南方庄 2 号院世纪星 1 号楼

邮政编码: 100078

网 址: www.book001.com

电子信箱: xueyuan@public.bta.net.cn

销售电话: 010-67675512、67602949、67678944

经 销: 新华书店

印 刷 厂: 北京市广内印刷厂

开本尺寸: 787×1092 1/16

印 张: 36.375

字 数: 805 千字

版 次: 1998 年 6 月北京第 1 版

印 次: 2005 年 1 月北京第 2 次印刷

印 数: 5001—7000 册

定 价: 65.00 元(\$)

CONTENTS

General Discussion

| | |
|--|-------|
| Chapter 1 Producing Areas, Collection and Preparation | (3) |
| Section 1 Producing Areas | (3) |
| Section 2 Collection | (3) |
| Section 3 Preparation | (4) |
| Chapter 2 Theory on Drug Properties | (7) |
| Section 1 Four Natures and Five Flavours | (7) |
| Section 2 Effects of Lifting, Lowering, Floating and Sinking | (10) |
| Section 3 Channel Tropism | (11) |
| Section 4 Toxicity | (12) |
| Chapter 3 Applications of Chinese Drugs | (14) |
| Section 1 Compatibility | (14) |
| Section 2 Contraindications | (15) |
| Section 3 Dosage | (16) |
| Section 4 Administration | (17) |

Systematic Considerations

| | |
|---|------|
| Chapter 1 Drugs for Relieving Exterior Syndromes | (20) |
| Section 1 Drugs Pungent in Flavour and Warm in Nature for Relieving Exterior Syndromes | (21) |
| Ephedra (<i>Herba Ephedrae</i>) | (21) |
| Cinnamon Twig (<i>Ramulus Cinnamomi</i>) | (22) |
| Asarum Herb (<i>Herba Asari</i>) | (24) |
| Purple Perilla Leaf (<i>Folium Perillae</i>) | (25) |
| Purple Perilla Stem (<i>Caulis Perillae</i>) | (26) |
| Schizonepeta (<i>Herba Schizonepetae</i>) | (26) |
| Ledebouriella Root (<i>Radix Ledebouriellae</i>) | (27) |

| | |
|---|------|
| Dahurian Angelica Root (<i>Radix Angelicae Dahuricae</i>) | (28) |
| Magnolia Flower (<i>Flos Magnoliae</i>)..... | (29) |
| Fresh Ginger (<i>Rhizoma Zingiberis Recens</i>) | (30) |
| Elscholtzia, Mosla (<i>Herba Elscholtziae seu Moslae</i>) | (31) |
| Xanthium (<i>Fructus Xanthii</i>) | (32) |
| Section 2 Drugs Pungent in Flavour and Cool in Nature for Relieving Exterior Syndromes | (33) |
| Peppermint (<i>Herba Menthae</i>) | (33) |
| Arctium Fruit (<i>Fructus Arctii</i>) | (34) |
| Cicada Slough (<i>Periostracum Cicadae</i>) | (35) |
| Prepared Soybean (<i>Semen Sojae Praeparatum</i>) | (36) |
| Pueraria Root (<i>Radix Puerariae</i>) | (37) |
| Cimicifuga Rhizome (<i>Rhizoma Cimicifugae</i>) | (38) |
| Mulberry Leaf (<i>Folium Mori</i>) | (40) |
| Chrysanthemum Flower (<i>Flos Chrysanthemi</i>) | (41) |
| Bupleurum Root (<i>Radix Bupleuri</i>)..... | (42) |
| Chapter 2 Heat-Clearing Drugs | (44) |
| Section 1 Heat-Clearing and Fire-Purging Drugs | (45) |
| Gypsum (<i>Gypsum Fibrosum</i>) | (45) |
| Anemarrhena Rhizome (<i>Rhizoma Anemarrhenae</i>)..... | (46) |
| Reed Rhizome (<i>Rhizoma Phragmitis</i>) | (47) |
| Trichosanthes Root (<i>Radix Trichosanthis</i>) | (49) |
| Capejasmine Fruit (<i>Fructus Gardeniae</i>) | (50) |
| Prunella Spike (<i>Spica Prunellae</i>) | (51) |
| Cassia Seed (<i>Semen Cassiae</i>) | (52) |
| Section 2 Heat-Clearing and Dampness-Drying Drugs | (53) |
| Scutellaria Root (<i>Radix Scutellariae</i>) | (53) |
| Coptis Root (<i>Rhizoma Coptidis</i>) | (54) |
| Phellodendron Bark (<i>Cortex Phellodendri</i>) | (56) |
| Gentian Root (<i>Radix Gentianae</i>)..... | (57) |
| Flavescent Sophora Root (<i>Radix Sophorae Flavescentis</i>) | (58) |
| Ash Bark (<i>Cortex Fraxini</i>) | (59) |
| Section 3 Heat-Clearing and Blood-Cooling Drugs | (60) |
| Rhinoceros Horn (<i>Cornu Rhinocerotis</i>) | (61) |
| Buffalo Horn (<i>Cornu Bubali</i>) | (62) |

| | |
|--|------|
| Dried Rehmannia Root (<i>Radix Rehmanniae</i>) | (62) |
| Scrophularia Root (<i>Radix Scrophulariae</i>) | (64) |
| Moutan (Peony) Bark (<i>Cortex Moutan Radicis</i>) | (65) |
| Red Peony Root (<i>Radix Paeoniae Rubra</i>) | (66) |
| Arnebia (or Lithosperm) Root (<i>Radix Arnebiae seu Lithospermi</i>) ... | (67) |
| Section 4 Heat-Clearing and Detoxicating Drugs | (68) |
| Honeysuckle Flower (<i>Flos Lonicerae</i>) | (69) |
| Forsythia Fruit (<i>Fructus Forsythiae</i>) | (70) |
| Dandelion Herb (<i>Herba Taraxaci</i>) | (71) |
| Viola Herb (<i>Herba Violae</i>) | (72) |
| Isatis Leaf (<i>Folium Isatidis</i>) | (73) |
| Isatis Root (<i>Radix Isatidis</i>) | (74) |
| Natural Indigo (<i>Indigo Naturalis</i>) | (74) |
| Houttuynia (<i>Herba Houttuyniae</i>) | (75) |
| Sargentgloryvine (<i>Caulis Sargentodoxae</i>) | (76) |
| Patrinia (<i>Herba Patriniae</i>) | (77) |
| Portulaca (<i>Herba Portulaceae</i>) | (78) |
| Pulsatilla Root (<i>Radix Pulsatillae</i>) | (79) |
| Belamcanda (Blackberrylily) Rhizome (<i>Rhizoma Belamcandae</i>)..... | (80) |
| Subprostrate Sophora Root (<i>Radix Sophorae Subprostratae</i>)..... | (81) |
| Green Chiretta (<i>Herba Andrographitis</i>) | (82) |
| Section 5 Drugs for Clearing Heat of Deficiency Type | (83) |
| Sweet Wormwood (<i>Herba Artemisiae</i>) | (83) |
| Swallowwort Root (<i>Radix Cynanchi Atrati</i>) | (84) |
| Wolfberry Bark (<i>Cortex Lycii Radicis</i>) | (85) |
| Stellaria Root (<i>Radix Stellariae</i>) | (86) |
| Chapter 3 Purgative Drugs | (88) |
| Section 1 Purgatives | (88) |
| Rhubarb (<i>Radix et Rhizoma Rhei</i>) | (89) |
| Mirabilite (<i>Natrii Sulphas</i>) | (91) |
| Senna Leaf (<i>Folium Cassiae</i>) | (92) |
| Section 2 Laxatives | (93) |
| Hemp Seed (<i>Fructus Cannabis</i>) | (93) |
| Bush-Cherry Seed (<i>Semen Pruni</i>) | (94) |
| Section 3 Drastic Hydrogagues | (95) |

| | |
|--|-------|
| Kansui Root (<i>Radix Euphorbia Kansui</i>) | (95) |
| Knoxia Root (<i>Radix Knoxiae</i>) | (96) |
| Genkwa (<i>Flos Genkwa</i>) | (97) |
| Morning Glory Seed (<i>Semen Pharbitidis</i>) | (98) |
| Chapter 4 Anti-Rheumatics | (100) |
| Notopterygium Root (<i>Rhizoma seu Radix Notopterygii</i>) | (100) |
| Pubescent Angelica Root (<i>Radix Angelicae pubescens</i>) | (101) |
| Clematis Root (<i>Radix Clematidis</i>) | (102) |
| Tetrandra Root (<i>Radix stephaniae Tetrandrae</i>) | (103) |
| Large Leaf Gentian Root (<i>Radix Gentianae Macrophyllae</i>) | (104) |
| Chaenomeles Fruit (<i>Fructus Chaenomelis</i>) | (105) |
| Loranthus Mulberry Mistletoe (<i>Ramulus Loranthis</i>) | (106) |
| Acanthopanax Bark (<i>Cortex Acanthopanacis Radicis</i>) | (107) |
| Tiger Bone (<i>Os Tigris</i>) | (108) |
| Agkistrodon Snake (<i>Agkistrodon acutus</i>) | (109) |
| Zaocys Dhumnades (<i>Cantor</i>) | (110) |
| Chapter 5 Aromatic Drugs for Resolving Dampness | (111) |
| Atractylodes Rhizome (<i>Phizoma Atractylodis</i>) | (111) |
| Magnolia Bark (<i>Cortex Magnoliae Officinalis</i>) | (113) |
| Agastache (<i>Herba Agastachis</i>) | (114) |
| Eupatorium (<i>Herba Eupatorii</i>) | (115) |
| Amomum Fruit (<i>Fructus Amomi</i>) | (116) |
| Round Cardamon Seed (<i>Semen Amomi Cardamomi</i>) | (117) |
| Tsaoko (Cardamon) (<i>Fructus Tsaoko</i>) | (118) |
| Chapter 6 Drugs for Inducing Diuresis and Excreting Dampness | (119) |
| Poria (<i>Poria</i>) | (119) |
| Umbellate Pore-Fungus (<i>Polyporus Umbellatus</i>) | (121) |
| Coix Seed (<i>Semen Coicis</i>) | (121) |
| Oriental Water Plantain Rhizome (<i>Rhizoma Alismatis</i>) | (123) |
| Plantain Seed (<i>Semen Plantaginis</i>) | (124) |
| Talc (<i>Talcum</i>) | (125) |
| Manchurian Aristolochia Stem (<i>Caulis Aristolochiae Manshuriensis</i>) | (126) |
| Ricepaper Pith (<i>Medulla Tetrapanacis</i>) | (127) |
| Yam Rhizome (<i>Rhizoma Dioscoreae</i>) | (128) |

| | |
|---|-------|
| Oriental Wormwood (<i>Herba Artemisiae Capillaris</i>) | (129) |
| Pyrrosia Leaf (<i>Folium Pyrrosiae</i>) | (130) |
| Climbing Fern Spore (<i>Spora Lygodii</i>) | (131) |
| Lysimachia (<i>Herba Lysimachiae</i>) | (131) |
| Chapter 7 Drugs for Warming the Interior | (134) |
| Prepared Aconite Root (<i>Radix Aconiti Praeparata</i>) | (134) |
| Aconite Root | (136) |
| Chinese Cassia Bark (<i>Cortex Cinnamomi</i>) | (136) |
| Dried Ginger (<i>Rhizoma Zingiberis</i>) | (138) |
| Clove (<i>Flos Caryophylli</i>) | (139) |
| Common Fennel Fruit (<i>Fructus Foeniculi</i>) | (140) |
| Galangal Rhizome (<i>Rhizoma Galangae</i>) | (141) |
| Evodia Fruit (<i>Fructus Evodiae</i>) | (142) |
| Pricklyash Peel (<i>Pericarpium Zanthoxyli</i>) | (143) |
| Chapter 8 Drugs for Regulating Qi | (145) |
| Tangerine Peel (<i>Pericarpium Citri Reticulatae</i>) | (145) |
| Pummelo Peel | (147) |
| Green Tangerine Orange Peel (<i>Pericarpium Citri Reticulatae Viride</i>) | (147) |
| Immature Bitter Orange (<i>Fructus Aurantii Immaturus</i>) | (148) |
| Nearly Mature Bitter Orange Fruit | (150) |
| Citron Fruit (<i>Fructus Citri</i>) | (150) |
| Finger Citron | (151) |
| Aucklandia Root (<i>Radix Aucklandiae</i>) | (151) |
| Nutgrass Flatsedge Rhizome (<i>Rhizoma Cyperi</i>) | (152) |
| Lindera Root (<i>Radix Linderae</i>) | (153) |
| Eagle Wood (<i>Lignum Aquilariae Resinatum</i>) | (154) |
| Sichuan Chinaberry (<i>Fructus Meliae Toosendan</i>) | (155) |
| Macrostem Onion (<i>Bulbus Allii Macrostemi</i>) | (157) |
| Chapter 9 Drugs for Removing Food Stagnation | (158) |
| Radish Seed (<i>Semen Repani</i>) | (158) |
| Germinated Barley (<i>Fructus Hordei Germinatus</i>) | (159) |
| Medicated Leaven (<i>Massa Fermentata Medicinalis</i>) | (160) |
| Hawthorn Fruit (<i>Fructus Crataegi</i>) | (161) |
| Chicken's Gizzard-Skin (<i>Endothelium Corneum Gigeriae Galli</i>) | (162) |

| | |
|--|-------|
| Chapter 10 Anthelmintics | (164) |
| Quisqualis Fruit (<i>Fructus Quisqualis</i>) | (164) |
| Chinaberry Bark (<i>Cortex Meliae</i>) | (165) |
| Carpesium Fruit (<i>Fructus Carpesii</i>) | (166) |
| Areca Seed (<i>Semen Arecae</i>) | (167) |
| Shell of Areca nut | (168) |
| Pumpkin Seed (<i>Semen Cucurbitae</i>) | (168) |
| Agrimony Bud (<i>Gemma Agrimoniae</i>) | (169) |
| Omphalia (<i>Omphalia</i>) | (170) |
| Torreya Seed (<i>Semen Torreyae</i>) | (170) |
| Chapter 11 Hemostatics | (172) |
| Japanese Thistle (<i>Herba seu Radix Cirsii Japonici</i>) | (172) |
| Field Thistle (<i>Herba Cephalanoploris</i>) | (173) |
| Biota Tops (<i>Cacumen Biotae</i>) | (174) |
| Cogongrass Rhizome (<i>Rhizoma Imperatae</i>) | (175) |
| Ramie Root (<i>Radix Boehmeriae Ramie</i>) | (176) |
| Japanese Beauty-Berry (<i>Folium Callicarpae Nudiflorae</i>) | (177) |
| Sophora Flower (<i>Flos Sophorae</i>) | (178) |
| Sophora Fruit | (179) |
| Sanguisorba Root (<i>Radix Sanguisorbae</i>) | (179) |
| Hyacinth Bletilla (<i>Rhizoma Bletillae</i>) | (180) |
| Hairy Vein Agrimony (<i>Herba Agrimoniae</i>) | (181) |
| Charred Palm (<i>Petiolus Trachycarpi</i>) | (182) |
| Notoginseng (<i>Radix Notoginseng</i>) | (183) |
| Cat-Tail Pollen (<i>Pollen Typhae</i>) | (184) |
| Rubia Root (<i>Radix Rubiae</i>) | (186) |
| Argyi Leaf (<i>Folium Artemisiae Argyi</i>) | (187) |
| Chapter 12 Drugs for Promoting Blood Circulation and Relieving Blood Stasis | (189) |
| Chuanxiong Rhizome (<i>Rhizoma Ligustici Chuanxiong</i>) | (189) |
| Red Sage Root (<i>Radix Salviae Miltiorrhizae</i>) | (191) |
| Motherwort (<i>Herba Leonuri</i>) | (192) |
| Peach Kernel (<i>Semen Persicae</i>) | (194) |
| Safflower (<i>Flos Carthami</i>) | (195) |
| Achyranthes Root (<i>Radix Achyranthis Bidentatae</i>) | (196) |

| | |
|---|-------|
| Pongolin Scales (<i>Squama Manitis</i>) | (198) |
| Curcuma Root (<i>Radix Curcumae</i>)..... | (199) |
| Giant Knotweed Rhizome (<i>Rhizoma Polygoni Cuspidati</i>) | (200) |
| Trogopterus Dung (<i>Faeces Trogopterorum</i>) | (202) |
| Corydalis Tuber (<i>Rhizoma Corydalidis</i>) | (203) |
| Frankincense (<i>Resina Olibani</i>) | (204) |
| Myrrh (<i>Myrrha</i>) | (205) |
| Burreed Tuber (<i>Rhizoma Sparganii</i>) | (207) |
| Zedoary (<i>Rhizoma Zedoariae</i>) | (208) |
| Leech (<i>Hirudo</i>) | (209) |
| Ground Beetle (<i>Eupolyphaga seu Steleophaga</i>) | (210) |
| Chapter 13 Drugs Resolving Phlegm and Relieving Cough and Asthma ... | (212) |
| Section 1 Drugs Relieving Cold-Phlegm by Warming | (212) |
| Pinellia Tuber (<i>Rhizoma Pinelliae</i>) | (213) |
| Arisaema Tuber (<i>Rhizoma Arisaematis</i>) | (215) |
| Arisaema cum Bile | (216) |
| Giant Typhonium Tuber (<i>Rhizoma Typhonii</i>) | (216) |
| White Mustard Seed (<i>Semen Sinapis Albae</i>) | (217) |
| Platycodon Root (<i>Radix Platycodi</i>) | (218) |
| Inula Flower (<i>Flos Inulae</i>) | (220) |
| Section 2 Drugs for Clearing Heat-Phlegm | (221) |
| Trichosanthes Fruit (<i>Fructus Trichosanthis</i>) | (221) |
| Fritillary Bulb (<i>Balbus Fritillariae</i>) | (222) |
| Peucedanum Root (<i>Radix Peucedani</i>) | (224) |
| Bamboo Shavings (<i>Caulis Bamfusae In Taeniam</i>) | (225) |
| Tabasheer (<i>Concretio Silicea Bambusae</i>) | (226) |
| Bamboo Juice (<i>Succus Bambosae</i>) | (226) |
| Sargassum (<i>Sargassum</i>) | (227) |
| Japanese Sea Tangle (<i>Thallus Laminariae</i>) | (228) |
| Chlorite-Schist (<i>Chlorite-Schist</i>) | (229) |
| Section 3 Drugs for Relieving Cough and Asthma | (230) |
| Bitter Apricot Kernel (<i>Semen Armeniacae Amarum</i>) | (230) |
| Stemonae Root (<i>Radix Stemonae</i>) | (231) |
| Aster Root (<i>Radix Asteris</i>) | (232) |
| Coltsfoot Flower (<i>Flos Farfarae</i>) | (233) |

| | |
|---|-------|
| Perilla Fruit (<i>Fructus Perillae</i>) | (234) |
| Mulberry Bark (<i>Cortex Mori Radicis</i>) | (235) |
| Lepidium Seed (<i>Semen Lepidii seu Descurainiae</i>) | (236) |
| Aristolochia Fruit (<i>Fructus Aristolochiae</i>) | (237) |
| Gingko Nut (<i>Semen Ginkgo</i>) | (238) |
| Chapter 14 Tranquilizers | (240) |
| Cinnabar (<i>Cinnabaris</i>)..... | (240) |
| Magnetite (<i>Magnetitum</i>)..... | (241) |
| Dragon's Bone (<i>Os Draconis Fossilia</i>) | (243) |
| Oyster Shell (<i>Concha Ostrea</i>)..... | (244) |
| Wild or Sping Jujuba Seed (<i>Semen Ziziphi Spinosa</i>) | (245) |
| Polygala Root (<i>Radix Polygalae</i>)..... | (246) |
| Arborvitae Seed (<i>Semen Biotae</i>) | (247) |
| Chapter 15 Drugs for Calming the Liver and Checking Wind | (249) |
| Abalone Shell (<i>Concha Haliotidis</i>) | (249) |
| Pearl Shell (<i>Concha Margaritifera Usta</i>) | (250) |
| Red Ochre (<i>Ochra Haematitum</i>) | (251) |
| Antelope's Horn (<i>Cornu Saigae Tataricae</i>) | (252) |
| Goat Horn (<i>Cornu Naemorhedus Goral</i>) | (253) |
| Cow Bezoare (<i>Calculus Bovis</i>) | (254) |
| Gastrodia Tuber (<i>Rhizoma Gastrodiabe</i>) | (255) |
| Uncaria Stem With Hooks (<i>Ramulus Uncariae cum Uncis</i>) | (256) |
| Earthworm (<i>Lumbricus</i>) | (257) |
| Batryticated Silkworm (<i>Bombyx Batryticatus</i>) | (259) |
| Scorpion (<i>Scorpio</i>) | (260) |
| Centipede (<i>Scolopendra</i>) | (261) |
| Chapter 16 Drugs for Resuscitation | (263) |
| Musk (<i>Moschus</i>) | (264) |
| Borneol (<i>Borneolum</i>) | (265) |
| Storax (<i>Styrax Liquidus</i>) | (267) |
| Grassleaved Sweetflag Rhizome (<i>Rhyzoma Acori Graminei</i>) | (268) |
| Chapter 17 Tonics for Deficiency Syndromes | (270) |
| Section 1 Drugs for Invigorating Qi | (270) |
| Ginseng (<i>Radix Ginseng</i>) | (271) |
| Dangshen (<i>Radix Codonopsis Pilosulae</i>) | (273) |

| | |
|--|-------|
| American Ginseng Root (<i>Radix Panacis Quinquefolii</i>) | (275) |
| Astragalus Root (<i>Radix Astragali seu Hedysari</i>) | (276) |
| White Atractylodes Rhizome (<i>Rhizoma Atractylodis Macrocephalae</i>) | (278) |
| Chinese Yam (<i>Rhizoma Dioscoreae</i>) | (279) |
| Liquorice (<i>Radix Glycyrrhizae</i>) | (280) |
| Chinese Date (<i>Fructus Ziziphi Jujubae</i>) | (282) |
| Honey (<i>Mel</i>) | (283) |
| Section 2 Blood Tonics | (284) |
| Prepared Rehmannia Root (<i>Radix Rehmanniae Praeparata</i>) | (284) |
| Fleece Flower Root (<i>Radix Polygoni Multiflori</i>) | (285) |
| Chinese Angelica Root (<i>Radix Angelicae Sinensis</i>) | (287) |
| White Peony Root (<i>Radix Paeoniae Alba</i>) | (289) |
| Ejiao (<i>Colla Corii Asini</i>) | (290) |
| Longan Aril (<i>Arillus Longan</i>) | (291) |
| Section 3 Yin Tonics | (292) |
| Straight Ladybell Root (<i>Radix Adenophorae Strictae</i>) | (293) |
| Fragrant Solomonseal Rhizome (<i>Rhizoma Polygonati Odorati</i>) | (294) |
| Siberian Solomonseal Rhizome (<i>Rhizoma Polygonati</i>) | (295) |
| Ophiopogon Root (<i>Radix Ophiopogonis</i>) | (296) |
| Wolfberry Fruit (<i>Fructus Lycii</i>) | (297) |
| Eclipta (<i>Herba Ecliptae</i>) | (298) |
| Glossy Privet Fruit (<i>Fructus Ligustri Lucidi</i>) | (299) |
| Tortoise Plastron (<i>Plastrum Testudinis</i>) | (300) |
| Fresh Water Turtle Shell (<i>Carapax Trionycis</i>) | (301) |
| Section 4 Yang Tonics | (302) |
| Pilose Antler (<i>Cornu Cervi Pantotrichum</i>) | (302) |
| Antler (<i>Cornu Cervi</i>) | (304) |
| Antler Glue (<i>Colla Cornus Cervi</i>) | (304) |
| Deglued Antler Powder (<i>Cornu Cervi Degelatinatum</i>) | (304) |
| Epimedium (<i>Herba Epimedii</i>) | (305) |
| Curculigo Rhizome (<i>Rhizoma Curculiginis</i>) | (306) |
| Morinda Root (<i>Radix Morindae Officinalis</i>) | (307) |
| Walnut Kernel (<i>Semen Ouglandis</i>) | (308) |
| Chinese Caterpillar Fungus (<i>Cordyceps</i>) | (309) |

| | |
|--|-------|
| Psoralea Fruit (<i>Fructus Psoraleae</i>) | (310) |
| Bitter Cardamon (<i>Fructus Alpiniae Oxyphyllae</i>) | (312) |
| Desertliving Cistanche (<i>Herba Cistanchis</i>) | (313) |
| Dried Human Placenta (<i>Placenta Hominis</i>)..... | (314) |
| Gecko (<i>Gecko</i>) | (315) |
| Eucommia Bark (<i>Cortex Eucommiae</i>) | (316) |
| Dipsacus Root (<i>Radix Dipsaci</i>) | (317) |
| Dodder Seed (<i>Semen Cuscutae</i>) | (318) |
| Chapter 18 Astringents | (320) |
| Light Wheat (<i>Fructus Tritici Levis</i>) | (320) |
| Glutinous Rice Root (<i>Radix Oryzae Glutinosae</i>) | (321) |
| Schisandra Fruit (<i>Fructus Schisandrae</i>) | (322) |
| Black Plum (<i>Fructus Mume</i>) | (324) |
| Chebula Fructus (<i>Fructus Chebulae</i>)..... | (325) |
| Chinese Gall (<i>Galla Chinensis</i>) | (326) |
| Red Halloysite (<i>Halloysitum Rubrum</i>) | (328) |
| Nutmeg (<i>Semen Myristicae</i>) | (329) |
| Gordon Euryale Seed (<i>Semen Euryales</i>) | (330) |
| Lotus Seed (<i>Semen Nelumbinis</i>) | (331) |
| Dogwood Fruit (<i>Fructus Corni</i>)..... | (332) |
| Mantic Egg-Case (<i>Ootheca Mantidis</i>) | (333) |
| Cuttle Bone (<i>Os Sepiellae Seu Sepiae</i>)..... | (334) |
| Ailanthus Bark (<i>Cortex Ailanthi</i>) | (335) |
| Chapter 19 Drugs for External Use and Others | (337) |
| Sulphur (<i>Sulphur</i>) | (337) |
| Realgar (<i>Realgar</i>) | (338) |
| Chinese Blistering Beetle Banmao (<i>Mylabris</i>) | (339) |
| Mux-Vomica Seed (<i>Semen Strychni</i>) | (340) |
| Muskmelo Pedicel (<i>Pediculus Melo</i>) | (341) |

Appendix

| | |
|--|-------|
| English Index to the Drugs in This Book | (343) |
| Latin Index to the Drugs in This Book | (347) |
| Prescriptions in This Book | (351) |

目 录

总 论

第一章 中药的产地、采集和炮制

| | |
|-------------|-------|
| 第一节 产地..... | (384) |
| 第二节 采集..... | (384) |
| 第三节 炮制..... | (385) |

第二章 药性理论

| | |
|---------------|-------|
| 第一节 四气五味..... | (386) |
| 第二节 升降浮沉..... | (387) |
| 第三节 归经..... | (387) |
| 第四节 毒性..... | (388) |

第三章 中药的应用

| | |
|---------------|-------|
| 第一节 配伍..... | (389) |
| 第二节 用药禁忌..... | (389) |
| 第三节 剂量..... | (390) |
| 第四节 用法..... | (390) |

各 论

第一章 解表药

| | |
|----------------|-------|
| 第一节 辛温解表药..... | (392) |
| 麻黄..... | (392) |
| 桂枝..... | (393) |
| 细辛..... | (393) |
| 紫苏（附：苏梗）..... | (394) |
| 荆芥..... | (394) |
| 防风..... | (395) |
| 白芷..... | (395) |
| 辛夷..... | (396) |
| 生姜..... | (396) |
| 香薷..... | (397) |
| 苍耳子..... | (397) |

| | | |
|------------------|-------|-------|
| 第二节 辛凉解表药 | | (397) |
| 薄荷 | | (398) |
| 牛蒡子 | | (398) |
| 蝉衣 | | (398) |
| 淡豆豉 | | (399) |
| 葛根 | | (399) |
| 升麻 | | (400) |
| 桑叶 | | (400) |
| 菊花 | | (401) |
| 柴胡 | | (401) |
| 第二章 清热药 | | |
| 第一节 清热泻火药 | | (402) |
| 石膏 | | (402) |
| 知母 | | (403) |
| 芦根 | | (403) |
| 天花粉 | | (403) |
| 梔子 | | (404) |
| 夏枯草 | | (404) |
| 决明子 | | (405) |
| 第二节 清热燥湿药 | | (405) |
| 黄芩 | | (405) |
| 黄连 | | (406) |
| 黄柏 | | (406) |
| 龙胆草 | | (407) |
| 苦参 | | (408) |
| 秦皮 | | (408) |
| 第三节 清热凉血药 | | (409) |
| 犀角(附:水牛角) | | (409) |
| 生地黄 | | (409) |
| 玄参 | | (410) |
| 牡丹皮 | | (410) |
| 赤芍 | | (411) |
| 紫草 | | (411) |
| 第四节 清热解毒药 | | (412) |
| 金银花 | | (412) |
| 连翘 | | (412) |
| 蒲公英 | | (413) |
| 紫花地丁 | | (413) |
| 大青叶(附:板蓝根) | | (414) |

| | |
|------------------|-------|
| 青黛 | (414) |
| 鱼腥草 | (415) |
| 红藤 | (415) |
| 败酱草 | (416) |
| 马齿苋 | (416) |
| 白头翁 | (417) |
| 射干 | (417) |
| 山豆根 | (417) |
| 穿心莲 | (418) |
| 第五节 清退虚热药 | (418) |
| 青蒿 | (418) |
| 白薇 | (419) |
| 地骨皮 | (419) |
| 银柴胡 | (420) |
| 第三章 泻下药 | |
| 第一节 攻下药 | (421) |
| 大黄 | (421) |
| 芒硝 | (422) |
| 番泻叶 | (422) |
| 第二节 润下药 | (423) |
| 火麻仁 | (423) |
| 郁李仁 | (423) |
| 第三节 峻下遂水药 | (424) |
| 甘遂 | (424) |
| 大戟 | (424) |
| 芫花 | (425) |
| 牵牛子 | (425) |
| 第四章 祛风湿药 | |
| 羌活 | (427) |
| 独活 | (427) |
| 威灵仙 | (428) |
| 防己 | (428) |
| 秦艽 | (429) |
| 木瓜 | (429) |
| 桑寄生 | (430) |
| 五加皮 | (430) |
| 虎骨 | (430) |
| 白花蛇 (附: 乌梢蛇) | (431) |
| 第五章 芳香化湿药 | |

| | |
|-----|-------|
| 苍术 | (432) |
| 厚朴 | (432) |
| 藿香 | (433) |
| 佩兰 | (433) |
| 砂仁 | (434) |
| 白豆蔻 | (434) |
| 草果 | (434) |

第六章 利水渗湿药

| | |
|-----|-------|
| 茯苓 | (436) |
| 猪苓 | (436) |
| 薏苡仁 | (437) |
| 泽泻 | (437) |
| 车前子 | (438) |
| 滑石 | (438) |
| 木通 | (439) |
| 通草 | (439) |
| 萆薢 | (440) |
| 茵陈蒿 | (440) |
| 石韦 | (440) |
| 海金沙 | (441) |
| 金钱草 | (441) |

第七章 温里药

| | |
|----------|-------|
| 附子（附：乌头） | (443) |
| 肉桂 | (444) |
| 干姜 | (444) |
| 丁香 | (445) |
| 小茴香 | (445) |
| 高良姜 | (445) |
| 吴茱萸 | (446) |
| 花椒 | (446) |

第八章 理气药

| | |
|-----------|-------|
| 橘皮（附：化橘红） | (448) |
| 青皮 | (449) |
| 枳实（附：枳壳） | (449) |
| 香橼（附：佛手） | (450) |
| 木香 | (450) |
| 香附 | (451) |
| 乌药 | (451) |
| 沉香 | (452) |