# 考 察 与 研 究

INVESTIGATIO ET STUDIUM NATURAE

（总第五辑）

上海自然博物馆

Museum Historiae Naturae Shanghaiense

上海科学技术文献出版社

需要全本请访问 www.ertongbook.com

N12
3:5

《考察与研究》编辑委员会

主　编：谈家桢(C. C. Tan)

副主编：周本湘(Zhou Benxiang)

徐炳声(Xu Bingsheng)

邱莲卿(Qiu Lianqing)

编　委：陈兼善(Johnson T.F.Chen)

李　珩(Li Hen)

刘　咸(Liu Xian)

苗迪青(Miao Diching)

谭　治(Tan Zhi)

考 察 与 研 究

(总第五辑)

上海自然博物馆编

*

上海科学技术文献出版社出版

(上海市武康路2号)

新华书店上海发行所发行

上海商务印刷厂印刷

*

开本 787×1092 1/16 印张 12.75 字数 318,000

1986年 1月第1版 1986年 1月第1次印刷

印数：1—1,800

书号：13192·77　　定价：3.00元

《科技新书目》104-264

# 目　录

## 一九八五年　（总第五辑）

### 植　物　学

中国文献报道的植物染色体数目索引…… 徐炳声　黄少甫（1）
上海大型真菌生态学特性和地理分布的初步研究…… 谭惠慈(117)
浙江九龙山苔类植物的初步研究…… 刘仲苓(133)
同型孢子蕨类植物配子体的形态观察（Ⅰ）…… 裘树平(153)
七种蕨类植物染色体的观察…… 翁若芬(161)

### 动　物　学

江西井冈山地区两栖与爬行动物调查…… 宗　愉　马积藩(167)
松毛虫赤眼蜂 *Trichogramma dendrolimi* 不同发育阶段酯酶同工酶的
　比较研究…… 曹美良　陆文卿　郎　所(173)
六种赤眼蜂雄性外生殖器的扫描电镜观察比较…… 曹美良　陆文卿　郎　所(179)
江苏省沿海蟹类初步调查…… 金莉莉(187)
湖南鸟洲冬、夏鸟类观察简报…… 周海忠　周文芳(197)

# CONTENTS

1985 (Tol.5)

## BOTANY


Index to Plant Chromosome Numbers Repoted in Chinese Iiterature
..... *Hsu Pingsheng* *Huang Shaofu* ( 1 )

The Preliminary Study to the Ecological Characters and Geographical Distribution of Macromycetes at Shanghai ..... *Tan Huici* (117)

A preliminary Study of Hepaticae from Mt. Jiu-long-Shan, Prov. Zhejiang, Eastern China ..... *Liu Zhongling* (133)

Morphological Observation on Gametophytes of Isosporic Pteridophytes (I) ..... *Qiu Shuping* (153)

Chromosome Numbers of Seven Chinese Ferns..... *Weng Ruofen* (161)


## ZOOLOGY


A Survey of Amphibians and Reptiles of MT. Jinggang Region in Jiangxi Province..... *Zong Yu* *Ma Jifan* (176)

Studies on Comparison of Esterase Isozyme of Different Stages of *Trichogramma dendrolimi*..... *Cao Guanliang* *Lu Wenqing* *Long so* (173)

The Scanning Electronic Microscope Observation and Comparison of Male Genitalia of Six Species of Trichogrammatids .....*Cao Guanliang* *Lu Wenqing* *Long So* (179)

Preliminary Study on the crab Fauna of the Seashore in Jiang Su Province ..... *Jin Lili* (187)

A Brief Report of Observation on Birds from Bird's Island in Hunan Province ..... *Zhou Haizhong* *Zhou Wenfang* (197)

# 中国文献报道的植物染色体数目索引

# INDEX TO PLANT CHROMOSOME NUMBERS REPORTED INCHINESEL LITERATURE

徐炳声
Hsu Pingsheng
(上海自然博物馆;
复旦大学生物系)

黄少甫
Huang Shaofu
(中国林业科学院
亚热带林业研究所)

## 目 录
## Contents

导言 …… 1
Introduction …… 2
植物染色体数目索引
Index to Plant Chromosome Numbers …… 4
参考文献 …… 94
Bibliography …… 99
期刊缩写目录
Reference List of Serial Abbreviations …… 108
拉丁科、属名索引
Index to the Families and Genera …… 109

## 导 言

染色体细胞学在生物科学中占有重要的地位。植物染色体的数目是生物学研究中的一项必不可少的资料,对农业、林业和园艺生产也具有重要的意义。细胞染色体的研究虽然只有九十年左右的历史,但由染色体细胞学提供的资料却极其浩瀚,原参考文献大多散见于各种外文杂志和图书,而现在每年发表的染色体计数 (chromosome count) 估计在三千个以上。为此,编纂出版这方面象征着植物学文献里程碑的累积性名录是非常迫切和受普遍欢迎的。目前已出版的各大类植物的染色体数目索引计有藻类[1]、苔类[2]、蕨类[3]、蕨类[4-6]、被子植物[7-9]和整个植物界[10-14]等十多种,为研究者提供了很大的方便。

我国在植物染色体细胞学方面的研究起步较晚,大部分资料是在 1980 年前后发表的,但近来有着逐渐增多的趋势。为了使用者的方便和有利于我国染色体细胞学工作的开展,

需要全本请访问 www.ertongbook.com

及时地将在国内文献中发表的植物染色体数目的记录汇编成索引看来是合乎需要的。

本索引主要收载1984年6月以前我国227篇论文中发表的植物染色体数目的记录，同时也包括本文著者及其同事和学生最近的研究成果，总计有1539个名称，分别属于163科、625属和1259种和种以下分类单位。这些计数中有相当一部分是首次报道。为了方便我国读者查阅，科的名称和范围尽量按照《中国高等植物图鉴》第1—5册(1972—1976)的用法，但在 Gramineae, Leguminosae, Umbelliferae, Guttiferae, Cruciferae, Compositae 等科名后面附加以"-aceae"词尾的同义词；科、属和种均按学名字母的顺序排列。

本索引和国外发表的索引一样，以保留原参考文献所采用的、作为染色体数目来源的植物拉丁学名为原则，而不寻求对分类群的身份和学名的合用性进行估价。对学名拼法上的错误则作必要的改正；对学名命名人的缩写予以标准化。凡未注明拉丁学名的染色体计数和通过实验方法获得的单倍体、多倍体和杂种的名称一概不予收载。

染色体数目分为配子体数和孢子体数两行，分别以"n"和"2n"表示；副染色体(accessory chromosome)以"B"表示；约数以"ca."表示。植物的中名用《中国高等植物图鉴》、《中国植物志》、《拉汉英种子植物名称》(1983)和李惠林著《台湾植物志》等文献中最常用者；缺少中名的名称尽量自拟新名。原参考文献分为中文和外文两部分，注明著者和发表年份；文献索引也分成相应的两部分，按著者姓名顺序排列。

尽管我们主观上想使这一索引的内容尽量地全面和完整，但由于受文献资料条件的限制，要做到没有缺漏是不可能的。这只好等以后再作补遗了。

本文在编写过程中承仲崇信、吴鹏程、张芝玉、李秉滔、裘树平、张美珍、缪柏茂、陈国蔚、潘胜利、方永鑫、田盛禾、李典、周同度、肖德兴、薛妙男、邱金兴、顾德兴等同志热情帮助，庐山植物园的杨涤清、朱壁程同志和复旦大学生物系的李林初、刘瑛、张少艾同志提供了不少染色体计数的原始资料，特别是杨涤清同志在审核全文的基础上提供了许多有价值的文献资料和宝贵建议，特此一并致谢。

## INTRODUCTION

There is a tremendous amount of literature with regard to plant chromosome numbers. The comprehensive Russian compilation *Chromosome Numbers of Flowering Plants*, the successive indices published in *Regnum Vegetabile* vols. 50, 55, 59, 68, 77, 84, 90, 91 and 96, and the latest two published in 1981 and 1984 by Missouri Botanical Garden will provide reasonably complete coverage of all plant chromosome counts reported to the end of 1981. Yet most of the investigations of chromosome numbers in China were carried out during the last few years. Moreover, many chromosome counts are reported in obscure or rare publications even unfamiliar to

infraspecific categories. Current literature have been surveyed extensively through the year 1984 and June 1984 was made the closing date of the conclusion of bibliographic items. Data of a large number of original chromosome counts (many of them are new) investigated recently by D. Q. Yang and X. F. Zhu of Lushan Botanic Garden, L.C.Li, Y.Liu and S.A.Zhang of Fudan University, and the present authors, have also been incorporated in this paper. Complete coverage, however, has been impossible because of a number of periodicals have not been available and some items have possibly been overlooked. It is hoped that those who may detect omissions or errors will notify the authors. Such data may then be included in future supplements, which will be desirable to publish from time to time because of the continually increasing cytological literature in this country.

Format and arrangement of major groups is for the most part identical to that in the Index (1975–1978) edited by Peter Goldblatt of Missouri Botanical Garden. But for the convenience of Chinese users, the names of families and their taxonomic limits of Pteridophyta, Gymnospermae and Angiospermae are as far as possible consistent with those adopted in *Iconographia Cormophytorum Sinicorum* Tomus I-V (1972-1976). Cross-references of the family names ending with "-aceae" used widely nowadays, such as Apiaceae, Arecaceae, Asteraceae, Brassicaceae, Clusiaceae, Fabaceae, Lamiaceae and Poaceae, to their older recognized names have been added.

The principle of careful retention of the generic, specific and infraspecific names used in the works cited that served as the sources of information on chromosome numbers, is strictly observed in the Index. No attempt has been made to go in quest of the identity of the taxa and the validity of the names concerned. The wrong spellings of the names have been corrected. The abbreviations of authors' names have been standardized. The authors of scientific names are not given in those cases where they were not given in the sources cited. The chromosome counts without scientific names are not included.

For each specific or infraspecific name, chromosome numbers of somatic cells (2n) and cells of reproductive organs (n) are given separately. Chromosome numbers of haploids, polyploids and hybrids obtained experimentally are not given. Accessory chromosomes are designated by the symbols "B". The appropriate bibliography to be consulted is indicated by authors' names and the years appended. In including in this Index a reference list of serial abbreviations and full titles, it is hoped that this Index will become more available to foreign users.

The authors wish to express their deep appreciation to those who have contributed so generously to this work. We must acknowledge the invaluable assistance of D.Q. Yang and X.F.Zhu of Lushan Botanic Garden in reviewing literature and in giving valuable suggestions and providing necessary informations. We are also indebted to

Drs. Peter H. Raven and Peter Goldblatt of Missouri Botanical Garden, and to Dr. Keith Jones of Jodrell Laboratory, Royal Botanic Gardens, Kew, for their comments and encouragement throughout the period of composition.

P. S. Hsu
Shanghai Museum of Natural History, Shanghai,
and Department of Biology, Fudan University
S. F. Huang
Institute of Subtropical Forestry, Chinese
Academy of Forestry Science, Fuyan District,
Zhejiang Province

[1] Godward, M.B.E., 1966: The Chromosomes of the Algae. Edward Arnold, London.
[2] Berrie, G.K., 1960: The chromosome numbers of liverworts (Hepaticae and Anthocerotae) Trans. Br. Bryol. Soc. 3:688-705.
[3] Wylie, A.P., 1957: The chromosome numbers of mosses. Trans. Br. Bryol. Soc. 3:260-278.
[4] Chiarugi, A., 1960: Tavole chromosomiche della Pteridopbyta. Caryologia 13:27-150.
[5] Fabbri, F., 1963: Primo supplemento alle Tavole chromosomiche della Pteridophyta di Alberto Chiarugi. Caryologia 16:237-335.
[6] Love, A., D. Love and R. E. G. Pichi-Sermolli, 1977: Cytotaxonomical Atlas of the Pteridophytes. Cramer, Konigstein.
[7] Bolkhovskikh, Z., V. Grif, T. Matvejeva and O. Zakharyeva, 1969: Chromosome Numbers of Flowering Plants. Academy of Sciences U.S.S.R., Leningrad.
[8] Darlington, C.D. and E.K. Janaki-Ammal, 1945: Chromosome Atlas of Cultivated Plants. Allen & Unwin, London.
[9] Darlington, C.D. and A.P.Wylie, 1955: Chromosome Atlas of Flowering Plants. Allen & Unwin, London.
[10] Cave, M.S., 1958-66. Index to Plant Chromosome Numbers 1956-64. Univ. North Carolina Press, Chapel Hill.
[11] Ornduff, R., 1967-69: Index to plant chromosome numbers for 1965-1967. Reg. Veg.50, 55, 59.
[12] Moore, R.J., 1970-77: Index to plant chromosome numbers for 1968-1974. Reg. Veg. 68, 77, 84, 90, 91, 96.
[13] Goldblatt, P., 1981: Index to plant chromosome numbers 1975-1978. Missouri Botanical Garden.
[14] Goldblatt, P., 1984: Index to plant chromosome numbers 1979-1981. Missouri Botanical Garden.

# 植物染色体数目索引

# INDEX TO PLANT CHROMOSOME NUMBERS

| 种 Species | n | 2n | 参考文献 Reference |
|---|---|---|---|

## 藻类植物 ALGAE

**紫菜科 Bangiaceae**

| | | | | | |
|---|---|---|---|---|---|
| 紫菜属 | Porphyra | | | | |
| 甘紫菜 | tenera | | 5 | 曾呈奎、张德瑞 1955 | Tseng & Cheng 1955 |
| **昆布科** | **Laminariaceae** | | | | |
| 昆布属 | Laminaria | | | | |
| 海带 | japonica Aresch | 20–24 | 40–45 | 戴继勋、方宗熙 1976 | Tai & Fang 1976 |
| 海带 | japonica Aresch | ca. 22 | | 戴继勋、方宗熙 1977 | Tai & Fang 1977 |
| 海带 | japonica | 22 | | 方宗熙、戴继勋 1980 | Fang & Tai 1980 |

## 真菌植物 FUNGI

| | | | | | |
|---|---|---|---|---|---|
| **伞菌科** | **Agaricaceae** | | | | |
| 伞菌属 | Agaricus | | | | |
| 二孢蘑菇 | bisporus | 9 | | | Hou & Wu 1972 |
| 香蕈属 | Lentinus | | | | |
| 香菇 | edodes (Berk.)Sing. | 8 | | 吕作舟 1982 | Lu, Z. Z. 1982 |
| **类盘菌科** | **Ascobolaceae** | | | | |
| 类盘菌属 | Ascolobus | | | | |
| 埋生类盘菌 | immersus | 18 | | | Li, H. W. & al. 1967 |

## 蕨类植物 PTERIDOPHYTES

| | | | | | |
|---|---|---|---|---|---|
| **铁线蕨科** | **Adiantaceae** | | | | |
| 铁线蕨属 | Adiantum | | | | |
| 团羽铁线蕨 | capillus-junosis Rupr. | 30 | | 王中仁、张志宪 1981 | Wang & Zhang 1981 |
| 铁线蕨 | capillus-veneris L. | 30 | | | Chen, T.F. 1969 |
| 铁线蕨 | capillus-veneris | 30 | | | Tsai, J.L. 1972 |
| 铁线蕨 | capillus-veneris L. | | 60 | 裘佩熹 1981 | Chiu, P.S. 1981 |
| 长尾铁线蕨 | diaphanum Bl. | 116 | | | Chen, T.F. 1969 |
| 月牙铁线蕨 | edentulum Christ | 30 | | 王中仁、张志宪 1981 | Wang & Zhang 1981 |
| **车前蕨科** | **Antrophyaceae** | | | | |
| 车前蕨属 | Antrophyum | | | | |
| 长柄车前蕨 | obovatum | 60 | | | Tsai, J.L. 1973 |
| **叉蕨科** | **Aspidiaceae** | | | | |
| 肋毛蕨属 | Ctenitis | | | | |

| | | | | | |
|---|---|---|---|---|---|
| 顶果肋毛蕨 | apiciflora | 41 | | | Tsai & Shieh 1975 |
| 直鳞肋毛蕨 | eatonii | 41 | | | Tsai & Shieh 1975 |
| 缩羽肋毛蕨 | kawakamii | 123 (41 Ⅲ) | | | Tsai & Shieh 1978 |
| 沙皮蕨属 | Hemigramma | | | | |
| 沙皮蕨 | decurrens | 164 (41 Ⅳ) | | | Tsai & Shieh 1978 |
| 地耳蕨属 | Quercifilix | | | | |
| 地耳蕨 | zeylanica | 80 | | | Tsai & Shieh 1977 |
| 叉蕨属 | Tectaria | | | | |
| 三叉蕨 | subtriphylla | 40 | | | Tsai & Shieh 1977 |
| 变异叉蕨 | variolosa | 40 | | | Tsai & Shieh 1975 |
| **铁角蕨科** | **Aspleniaceae** | | | | |
| 铁角蕨属 | Asplenium | | | | |
| 齿果铁角蕨 | cheilosorum | 108 | | | Tsai, J.L. 1973 |
| 厚叶铁角蕨 | griffithianum | 72 | | | Tsai, J.L. 1973 |
| 虎尾蕨 | incisum Thunb. | | 72 | 裘佩熹 1981 | Chiu,P.S. 1981 |
| 倒挂铁角蕨 | normale | 36 | | | Tsai, J.L. 1973 |
| 北京铁角蕨 | pekinense Hce. | | 144 | 裘佩熹 1981 | Chiu,P.S. 1981 |
| 北京铁角蕨 | pekinense Hce. | 72 | | 王中仁、张志宪 1981 | Wang & Zhang 1981 |
| **蹄盖蕨科** | **Athyriaceae** | | | | |
| 亮毛蕨属 | Acystopteris | | | | |
| 禾秆亮毛蕨 | tenuisecta | 42 | | | Tsai & Shieh 1975 |
| 禾秆亮毛蕨 | tenuisecta | 84 | | | Tsai & Shieh 1978 |
| 假蹄盖蕨属 | Athyriopsis | | | | |
| 直立假蹄盖蕨 | erecta Z.R.Wang | 40 | | 王中仁、张志宪 1981 | Wang & Zhang 1981 |
| 蹄盖蕨属 | Athyrium | | | | |
| 钝羽假蹄盖蕨 | conilii | 80 | | | Tsai & Shieh 1975 |

| | | | | |
|---|---|---|---|---|
| 麦秆蹄盖蕨 | fallaciosum Milde | 40 | 王中仁、张志宪 1981 | Wang & Zhang 1981 |
| 密盖蹄盖蕨 | pycnosorum | 40 | | Tsai & Shieh 1975 |
| 贞蕨属 | Cornopteris | | | |
| 贞蕨 | decurrenti-alata | 160 (40 Ⅳ) | | Tsai & Shieh 1978 |
| 冷蕨属 | Cystopteris | | | |
| 冷蕨 | fragilis | 42 | | Tsai & Shieh 1978 |
| 肠蕨属 | Diplaziopsis | | | |
| 肠蕨 | javanica | 41 | | Tsai & Shieh 1975 |
| 双盖蕨属 | Diplazium | | | |
| 膨大短肠蕨 | dilatatum | 82 | | Tsai & Shieh 1975 |
| 菜蕨 | esculentum (Retz.) Sw. | 41 | | Chen,T.F. 1969 |
| 菜蕨 | esculentum | 41 | | Tsai & Shieh 1975 |
| 异形脉双盖蕨 | heterophlebium | 41 | | Tsai & Shieh 1978 |
| 柄鳞短肋蕨 | kawakamii | 41 | | Tsai & Shieh 1977 |
| 麦氏双盖蕨 | mettenianum | 123 | | Tsai & Shieh 1978 |
| 深波缘双盖蕨 | subsinuatum | 41 | | Tsai & Shieh 1975 |
| 深波缘双盖蕨 | subsinuatum | 123 (4 Ⅲ) | | Tsai & Shieh 1978 |
| 维氏双盖蕨 | wichurae | 123 | | Tsai & Shieh 1978 |
| 峨眉蕨属 | Lunathyrium | | | |
| 河北峨眉蕨 | vegetius (Kitag.) Ching | 80 | 王中仁、张志宪 1981 | Wang & Zhang 1981 |
| **乌毛蕨科** | **Blechnaceae** | | | |
| 夹囊蕨属 | Struthiopteris | | | |
| 汉考夹囊蕨 | hancockii | 62 | | Tsai, J.L. 1973 |

需要全本请访问 www.ertongbook.com

| | | | |
|---|---|---|---|
| **实蕨科** | **Bolbitaceae** | | |
| 实蕨属 | Bolbitis | | |
| 华南实蕨 | subcordata | 41 | Tsai & Shieh 1975 |
| 刺蕨属 | Egenolfia | | |
| 刺蕨 | appendiculata | 41 | Tsai & Shieh 1975 |
| **骨碎补科** | **Davalliaceae** | | |
| 骨碎补属 | Davallia | | |
| 海州骨碎补 | mariesii Moore | 40 | Chen,T.F.1969 |
| **碗蕨科** | **Dennstaedtiaceae** | | |
| 碗蕨属 | Dennstaedtia | | |
| 碗蕨 | scabra | 33, 66 | Tsai, J.L. 1973 |
| 刺柄碗蕨 | scandens | 30 | Tsai, J.L. 1973 |
| 鳞盖蕨属 | Microlepia | | |
| 边缘鳞盖蕨 | marginata | 86 | Tsai, J.L. 1972 |
| 双羽边缘鳞盖蕨 | marginata (Houtt.) C. Chr. var. bipinnata Mak. | 86 | Chen,T.F.1969 |
| 粗毛鳞盖蕨 | strigosa (Thunb.) Presl | 43 | Chen,T.F.1969 |
| **蚌壳蕨科** | **Dicksoniaceae** | | |
| 金毛狗属 | Cibotium | | |
| 金毛狗 | barometz | 68 | Tsai, J.L. 1973 |
| **鳞毛蕨科** | **Dryopteridaceae** | | |
| 假复叶耳蕨属 | Acrorumohra | | |
| 弯柄假复叶耳蕨 | diffracta | 82 | Tsai, J.L. 1973 |
| 弯柄假复叶耳蕨 | diffracta | 82 | Tsai & Shieh 1975 |
| 复叶耳蕨属 | Arachniodes | | |
| 芒刺复叶耳蕨 | aristata | 41 | Tsai & Shieh 1975 |
| 细裂复叶耳蕨 | festina | 41 | Tsai & Shieh 1978 |
| 斜方复叶耳蕨 | rhomboidea var. rhomboidea | 82 | Tsai & Shieh 1975 |
| 雅古西复叶耳蕨 | rhomboidea var. yakusimensis | 41 | Tsai & Shieh 1977 |
| 贯众属 | Cyrtomium | | |
| 全缘贯众 | falcatum | 82 | Tsai & Shieh |

| | | | | | |
|---|---|---|---|---|---|
| | | | | | 1975 |
| 贯众 | fortunei J.Sm. | | 123 | 裘佩熹 1981 | Chiu,P.S. 1981 |
| 尖羽贯众 | hookerianum | 41 | | | Tsai, J.L. 1973 |
| 尖羽贯众 | hookerianum | 41 | | | Tsai & Shieh 1975 |
| 鳞毛蕨属 | Dryopteris | | | | |
| 顶果鳞毛蕨 | apiciflora | 41 | | | Tsai, J.L. 1973 |
| 暗鳞鳞毛蕨 | atrata | 82 | | | Tsai, J.L. 1973 |
| 暗鳞鳞毛蕨 | atrata | 82 | | | Tsai & Shieh 1975 |
| 阔叶鳞毛蕨 | austriaca | 41 | | | Tsai & Shieh 1977 |
| 阔鳞鳞毛蕨 | championi (Benth.) Christ ex Ching | | 123 | 裘佩熹 1981 | Chiu,P.S. 1981 |
| 能高鳞毛蕨 | costalisora | 82 | | | Tsai & Shieh 1977 |
| 异盖鳞毛蕨 | decipiens (Hook.) O. Ktze. | | 123 | 裘佩熹 1981 | Chiu,P.S. 1981 |
| 红盖鳞毛蕨 | erythrosora(Eat.) O. Ktze. | | 123 | 裘佩熹 1981 | Chiu,P.S. 1981 |
| 台湾鳞毛蕨 | formosana | 123 | | | Tsai, J.L. 1973 |
| 台湾鳞毛蕨 | formosana | 123 | | | Tsai & Shieh 1975 |
| 黑足鳞毛蕨 | fuscipes Christ | | 123 | 裘佩熹 1981 | Chiu,P.S. 1981 |
| 华北鳞毛蕨 | goeringiana (Kze.) Koidz. | 41 | | 王中仁、夏 群 1984 | Wang & Xia 1984 |
| 九老洞鳞毛蕨 | julaodongensis Ching et Z.R.Wang | 41? | | 王中仁、张志宪 1981 | Wang & Zhang 1981 |
| 粗齿鳞毛蕨 | juxtaposita Christ | 123 | | 王中仁、夏 群 1984 | Wang & Xia 1984 |
| 粗孔鳞毛蕨 | porosa Ching | 41 | | 王中仁、夏 群 1984 | Wang & Xia 1984 |
| 无盖鳞毛蕨 | scotii | 82 | | | Tsai & Shieh 1975 |
| 稀羽鳞毛蕨 | sparsa(Don)O.Ktze. | | 164 | 裘佩熹 1981 | Chiu,P.S. 1981 |
| 光亮鳞毛蕨 | sparsa(Don) O. Ktze. var. nitidula (Wall.)Ching | 41 | | 王中仁、张志宪 1981 | Wang & Zhang 1981 |

| | | | | |
|---|---|---|---|---|
| 不等基鳞毛蕨 | subinaequalis Ching | 41 | 王中仁、夏 群 1984 | Wang & Xia 1984 |
| 变异鳞毛蕨 | varia | 82 | | Tsai & Shieh 1975 |
| 俞氏鳞毛蕨 | yui Ching | 41 | 王中仁、夏 群 1984 | Wang & Xia 1984 |
| 毛枝蕨属 | Leptorumohra | | | |
| 四回毛枝蕨 | quadripinnata | 41 | | Tsai & Shieh 1978 |
| 复叶耳蕨属 | Polystichopsis | | | |
| 刺头复叶耳蕨 | aristata (Forst.) Holtt. | 41 | | Chen,T.F. 1969 |
| 耳蕨属 | Polystichum | | | |
| 尖齿耳蕨 | acutidens Christ | 82 | 王中仁、夏 群 1984 | Wang & Xia 1984 |
| 蚀齿耳蕨 | erosum Ching et K. H. Shing | 82 | 王中仁、夏 群 1984 | Wang & Xia 1984 |
| 铲叶耳蕨 | falcatipinnum | 82 | | Tsai & Shieh 1975 |
| 台湾耳蕨 | formosanum | 82 | | Tsai & Shieh 1975 |
| 小三叶耳蕨 | hancockii | 41 | | Tsai, J.L. 1973 |
| 小三叶耳蕨 | hancockii | 41 | | Tsai & Shieh 1975 |
| 苍齿耳蕨 | hecatopteron Diels | 41 | 王中仁、张志宪 1981 | Wang & Zhang 1981 |
| 高山小耳蕨 | lachenense | 41 | | Tsai & Shieh 1975 |
| 鞭叶蕨 | lepidocaulon | 41 | | Tsai & Shieh 1975 |
| 宝兴耳蕨 | moupingense(Fr.) Bedd. | 82 | 王中仁、夏 群 1984 | Wang & Xia 1984 |
| 尼泊尔耳蕨 | nepalense(Spreng.) C.Chr. | 41 | | Chen,T.F. 1969 |
| 尼泊尔耳蕨 | nepalense | 41 | | Tsai & Shieh 1975 |
| 尖叶耳蕨 | parvipinnulum | 41 | | Tsai & Shieh 1978 |

| | | | | | |
|---|---|---|---|---|---|
| 锯叶耳蕨 | prionolepis | 41 | | | Tsai & Shieh 1975 |
| 芽孢耳蕨 | stenophyllum Christ | 41 | | 王中仁、夏 群 1984 | Wang & Xia 1984 |
| **舌蕨科** | **Elaphoglossaceae** | | | | |
| 舌蕨属 | Elaphoglossum | | | | |
| 阿里山舌蕨 | conforme | 41 | | | Tsai & Shieh 1978 |
| **禾叶蕨科** | **Grammitaceae** | | | | |
| 禾叶蕨属 | Grammitis | | | | |
| 刚毛禾叶蕨 | setosa | 74 | | | Tsai, J.L. 1973 |
| 穴子蕨属 | Prosaptia | | | | |
| 缘生穴子蕨 | contigua | 74 | | | Tsai, J.L. 1973 |
| **凤丫蕨科** | **Hemionitidaceae** | | | | |
| 凤丫蕨属 | Coniogramme | | | | |
| 普通凤丫蕨 | intermedia | 60 | | | Tsai, J.L. 1973 |
| 凤丫蕨 | japonica(Thunb.) Diels | | ca.120 | 裘佩熹 1981 | Chiu,P.S. 1981 |
| **肿足蕨科** | **Hypodematiaceae** | | | | |
| 肿足蕨属 | Hypodematium | | | | |
| 肿足蕨 | crenatum | 41 | | | Tsai & Shieh 1975 |
| **姬蕨科** | **Hypolepidaceae** | | | | |
| 姬蕨属 | Hypolepis | | | | |
| 岩姬蕨 | punctata | 52 | | | Tsai, J.L. 1973 |
| **水韭科** | **Isoetaceae** | | | | |
| 水韭属 | Isoetes | | | | |
| 台湾水韭 | taiwanensis De Vol | | 22 | | Chang & Hsu 1977 |
| **鳞始蕨科** | **Lindsaeaceae** | | | | |
| 鳞始蕨属 | Lindsaea | | | | |
| 鳞始蕨 | odorata | 100 | | | Tsai, J.L. 1973 |
| 乌韭属 | Sphenomeris | | | | |
| 乌韭 | chusana | 94 | | | Tsai, J.L. 1973 |
| **藤蕨科** | **Lomariopsidaceae** | | | | |
| 藤蕨属 | Lomariopsis | | | | |
| 美丽藤蕨 | spectabilis | 41 | | | Tsai & Shieh 1975 |

| | | | | |
|---|---|---|---|---|
| **剑蕨科** | **Loxogrammaceae** | | | |
| 剑蕨属 | Loxogramme | | | |
| 台湾剑蕨 | formosana | 105 | | Tsai, J.L. 1973 |
| 长柄剑蕨 | remoto-frondigera | 35 | | Tsai, J.L. 1973 |
| **稀子蕨科** | **Monachosoraceae** | | | |
| 稀子蕨属 | Monachosorum | | | |
| 稀子蕨 | henryi | ca. 112 | | Tsai, J.L. 1973 |
| 肋毛蕨 | maximowiczii | 56 | | Tsai, J.L. 1973 |
| **球子蕨科** | **Onocleaceae** | | | |
| 荚果蕨属 | Matteuccia | | | |
| 东方荚果蕨 | orientalis | 40 | | Tsai & Shieh 1977 |
| 荚果蕨 | struthiopteris(L.) Todaro | 39 | 王中仁、张志宪 1981 | Wang & Zhang 1981 |
| **瓶尔小草科** | **Ophioglossaceae** | | | |
| 带状瓶尔小草属 | Ophioderma | | | |
| 带状瓶尔小草 | pendulum | ca. 370 | | Tsai, J.L. 1973 |
| 瓶尔小草属 | Ophioglossum | | | |
| 瓶尔小草 | vulgatum | ca. 240 | | Tsai, J.L. 1973 |
| **柄盖蕨科** | **Peranemaceae** | | | |
| 鱼鳞蕨属 | Acrophorus | | | |
| 鱼鳞蕨 | stipellatus | 41 | | Tsai & Shieh 1975 |
| 柄盖蕨属 | Peranema | | | |
| 柄盖蕨 | cyatheoides | 41 | | Tsai, J.L. 1973 |
| 柄盖蕨 | cyatheoides | 41 | | Tsai & Shieh 1975 |
| **瘤足蕨科** | **Plagiogyriaceae** | | | |
| 瘤足蕨属 | Plagiogyria | | | |
| 华中瘤足蕨 | euphlebia | 125 | | Tsai, J.L. 1973 |
| 台湾瘤足蕨 | formosana | 75 | | Tsai, J.L. 1973 |
| 狭果瘤足蕨 | stenocarpa | 75 | | Tsai, J.L. 1973 |
| **水龙骨科** | **Polypodiaceae** | | | |
| 丝带蕨属 | Drymotaenium | | | |
| 丝带蕨 | miyoshianum | 36 | | Tsai, J.L. 1973 |
| 瓦韦属 | Lepisorus | | | |
| 粤瓦韦 | obscure-venulosus | 50 | | Tsai, J.L. 1973 |
| 拟薄唇蕨属 | Paraleptochilus | | | |

| | | | | | |
|---|---|---|---|---|---|
| 拟薄唇蕨 | decurrens | 36 | | | Tsai, J.L. 1972 |
| 水龙骨属 | Polypodium | | | | |
| 分羽水龙骨 | argutum | 74 | | | Tsai, J.L. 1973 |
| **凤尾蕨科** | **Pteridiaceae** | | | | |
| 栗蕨属 | Histiopteris | | | | |
| 印度栗蕨 | indica | ca. 100 | | | Tsai, J.L. 1973 |
| 蕨属 | Pteridium | | | | |
| 蕨 | aquilinum ssp. latiusculum | 52 | | | Tsai, J.L. 1972 |
| 瓦特蕨 | aquilinum ssp. wightianum | 52 | | | Tsai, J.L. 1973 |
| 凤尾蕨属 | Pteris | | | | |
| 长柄凤尾蕨 | bella | 58 | | | Tsai, J.L. 1973 |
| 岩凤尾蕨 | deltodon | 29, 87 | | | Tsai, J.L. 1973 |
| 刺齿凤尾蕨 | dispar Kze. | | 58 | 裘佩熹 1981 | Chiu,P.S. 1981 |
| 剑叶凤尾蕨 | ensiformis Burm. | 58 | | | Chen,T.F. 1969 |
| 剑叶凤尾蕨 | ensiformis | 58 | | | Tsai, J.L. 1972 |
| 半边旗 | semipinnata | 58 | | | Tsai, J.L. 1972 |
| 有刺凤尾蕨 | setuloso-costulata | 87 | | | Tsai, J.L. 1973 |
| 蜈蚣草 | vittata L. | 58 | | | Chen,T.F. 1969 |
| 蜈蚣草 | vittata | 58 | | | Tsai, J.L. 1972 |
| 三叉凤尾蕨 | wallichiana | 29 | | | Tsai, J.L. 1973 |
| **中国蕨科** | **Sinopteridaceae** | | | | |
| 乌蕨属 | Onychium | | | | |
| 黑足金粉蕨 | contiguum | 58 | | | Tsai, J.L. 1973 |
| **金星蕨科** | **Thelypteridaceae** | | | | |
| 新月蕨属 | Abacopteris | | | | |
| 巴利斯新月蕨 | triphylla var. parishii | 72 | | | Tsai & Shieh 1975 |
| 三羽新月蕨 | triphylla var. triphylla | 36 | | | Tsai & Shieh 1975 |
| 星毛蕨属 | Ampelopteris | | | | |
| 星毛蕨 | prolifera | 36 | | | Tsai & Shieh 1975 |
| 毛蕨属 | Cyclosorus | | | | |
| 渐尖毛蕨 | acuminatus | 36 | | | Tsai & Shieh 1978 |
| 渐尖毛蕨 | acuminatus | 36 (36 | | | Tsai & Shieh |

需要全本请访问 www.ertongbook.com