

密

重價字第 1378 號

一 九 五 四 年 度

重工業部所屬國營企業產品調撥價格

中央人民政府重工業部

一九五三年十月

目 錄

(一) 銅鐵類.....	1~26	(三) 化工類.....	33~37
(1) 生鐵項 (生鐵, 冷鑄車輪, 生鐵鑄管).....	1	(1) 酸、碱、鹽項.....	33
(2) 炭素銅項.....	2~9	(2) 工業氣體及煉焦副產項.....	34
(3) 特殊銅項.....	10~24	(3) 肥料農藥項.....	35
(4) 平爐優質銅項.....	25	(4) 染料及染料中間體項.....	35
(5) 合金鐵項.....	25	(5) 有、無機化學品項.....	36
(6) 焦炭、廢銅項.....	26	(6) 其他項.....	36~37
(二) 有色金屬類.....	27~31	(三) 建築器材類.....	39~40
(1) 金屬及精礦項.....	27~28	(1) 水泥、玻璃項.....	39
(2) 壓延品項.....	29~31	(2) 建築材料及耐火材料項.....	40

鋼 鐵 冶 煉

生 鐵 項

品 名	規 格	單 位	價 格 (千元)	備 註	品 名	規 格	單 位	價 格 (千元)	備 註
生 鐵 項					冷 鑄 車 輪	D 型	個	1,610	
鑄 造 生 鐵	特1號(虫00)	噸	*1,760		鋼 錠 模 型	E 型	"	1,830	
"	特2號(虫0)	"	*1,690		炭 素 鋼 項	各 種 規 格	噸	2,700	
"	1號(虫1)	"	*1,650		錠				
"	2號(虫1)	"	*1,540		鋼 (女尤1~4)	□100公厘	噸	*3,250	
"	2號(虫3)	"	*1,430		"	□150~200	"	*3,150	
"	4號(虫4)	"	*1,310		"	□250~300	"	*3,020	
冷 鑄 車 輪 生 鐵	低 砂	"	1,630		"	>□300	"	*2,930	
酸 性 煉 鋼 生 鐵	1號(ㄣ1)	"	*1,600		扁 平 鋼 錠		"	*2,440	
"	2號(ㄣ2)	"	*1,540		五		"	*2,180	
"	3號(ㄣ3)	"	*1,480		(女尤5-7)重軌錠		"	2,640	
碱 性 煉 鋼 生 鐵	3號(女3)	"	*1,500	如要求含錳量超過2%者每增錳1%加價2%	鋼 (女尤1~4)	□50~75 公厘	"	3,730	
"	2號(女2)	"	*1,430	同上	"	□80~125	"	3,550	
"	1號(女1)	"	*1,340	同上	"	□130~200	"	3,440	
生 鐵 鑄 管	承插式直管 φ75-100 公厘	"	*2,920	法蘭式直管加價8%異形管另議價。	重 軌	>□200	"	3,340	
"	" 125-150 "	"	*2,800	同上	輕 軌	200~210×175~180(女尤5-7)	"	3,950	
"	" 200-250 "	"	*2,740	同上	薄 板	90~120(女尤5~7)	"	3,920	
"	" 300公厘以上	"	*2,690	同上	軟 線 材	6.9~13.6×250(女尤1)	"	3,990	
冷 鑄 車 輪	A型	個	1,420			女尤1~4.90~120	"	3,770	
"	B型	"	1,400						
"	C型	"	1,500						

品 名	規 格	單 位	價 格 (千元)	備 註	品 名	規 格	單 位	價 格 (千元)	備 註
重鋼軌(西南)	38公斤, 42.2公 斤, 43.6公斤	噸	* 7,600		車 軸	C 種(成品)	根	4,770	
(東北)	"	"	* 6,009		"	D 種(毛坯)	"	5,160	
重鋼軌(東北)	65公斤	"	* 6,300		"	" (半成品)	"	5,460	
鋼 軌 接 板	38公斤, 42.2公斤, 43.6公斤, 65公斤	"	* 6,300		"	" (成品)	"	5,680	
鋼 軌 螺 絲 板	同上	"	* 12,000		"	E 種(毛坯)	"	6,440	
鋼 軌 墊 板	同上	"	* 7,500		"	" (半成品)	"	6,750	
道 釘	同上	"	* 9,200		"	" (成品)	"	6,980	
車 軸	A 種(毛坯)	根	2,750		輕 鋼 軌	6~8kg	噸	* 7,500	
"	" (半成品)	"	3,060		"	12kg	"	* 6,880	
"	" (成品)	"	3,280		"	15kg	"	* 6,250	
"	B 種(毛坯)	"	2,990		"	17kg	"	* 6,130	
"	" (半成品)	"	3,290		材	厚度2.8~3.8公厘	"	7,000	
"	" (成品)	"	3,510		鋼	厚度2.6~3.8公厘	"	6,500	
"	C 種(毛坯)	"	4,230		管 帶				
"	" (半成品)	"	4,550						

鋼材

單位：千元/噸

品名	規格 (公厘)	格 元 0(平爐) 元 元 0() 元 元 0(貝氏)	甲類鋼		乙類鋼		備註		
			沸騰鋼	鎮靜鋼	沸騰鋼	鎮靜或半鎮靜鋼			
			元 1—4 (平爐)	元 3—7 (平爐)	元 元 1—4 (平爐) 元 元 (3—4) (貝氏)	元 元 3 (貝氏) (元 元 4 (貝氏))			
盤條(線材)	4.5~5.5	6,490	7,180	8,070	6,840	7,590	7,390	7,860	本表全部為國 家計委會定價 1.六角鋼，八 角鋼照元鋼加 價1%。 2.元、方、扁、 角鋼鍍鋅加價 40%。
"	6~6.5	6,370	7,050	7,920	6,710	7,450	7,250	7,720	
"	7.2	6,250	6,920	7,770	6,580	7,310	7,110	7,570	
"	8	6,130	6,780	7,620	6,460	7,170	6,980	7,430	
"	9	6,010	6,650	7,470	6,330	7,030	6,840	7,280	
元鋼,方鋼,竹節鋼	9~10	6,140	6,790	7,630	6,460	7,180	6,980	7,440	
"	11~14	5,790	6,410	7,200	6,100	6,770	6,580	7,020	
"	15~18	5,400	5,970	6,710	5,690	6,310	6,140	6,550	
"	19~24	5,060	5,590	6,280	5,330	5,910	5,750	6,130	
"	25~32	4,910	5,430	6,100	5,170	5,740	5,580	5,950	
"	33~42	4,810	5,320	5,980	5,070	5,630	5,470	5,830	
"	43~64	4,710	5,210	5,860	4,960	5,510	5,360	5,710	
"	65~85	4,620	5,100	5,730	4,860	5,400	5,250	5,590	
扁鋼	寬度×厚度 16~20×3~5	6,240	6,900	7,750	6,570	7,290	7,090	7,560	
"	"×6~8	5,790	6,410	7,200	6,100	6,770	6,580	7,020	
"	"×9~12	5,400	5,970	6,710	5,690	6,310	6,140	6,550	
"	"×14~18	5,350	5,920	6,650	5,640	6,260	6,080	6,490	
"	22~32×3~5	6,090	6,730	7,560	6,410	7,120	6,920	7,380	

炭素鋼項

鋼

材

單位：千元/噸

品名	規格 (公厘)	左0(平爐) 左0() 左0(貝氏)	甲類鋼		乙類鋼				備註
			沸騰鋼 左1—4 (平爐)	鎮靜鋼 左3—7 (平爐)	沸騰鋼 左1—4 (平爐) 左3—4 (貝氏)	鎮靜或半鎮靜鋼		左3—7 (平爐) 左5—6 (貝氏)	
						左3 (貝氏)	左4 (貝氏)		
扁鋼	22~32×6~8	5,600	6,190	6,950	5,890	6,540	6,360	6,780	本表全部為國家計委會定價
”	”×9~12	5,250	5,810	6,530	5,530	6,140	5,970	6,370	
”	”×14~18	5,200	5,760	6,470	5,480	6,080	5,910	6,310	
”	”×20~30	5,160	5,700	6,410	5,430	6,030	5,860	6,250	
”	35~45×3~5	5,940	6,570	7,380	6,260	6,950	6,750	7,200	
”	”×6~8	5,500	6,080	6,830	5,790	6,430	6,250	6,660	
”	”×9~12	5,160	5,700	6,410	5,430	6,030	5,860	6,250	
”	”×14~18	5,110	5,650	6,340	5,380	5,970	5,800	6,190	
”	”×20~30	5,060	5,590	6,280	5,330	5,910	5,750	6,130	
”	”×32~50	5,010	5,540	6,220	5,270	5,860	5,690	6,070	
”	50~60×3~5	5,840	6,460	7,260	6,150	6,830	6,640	7,080	
”	”×6~8	5,400	5,970	6,710	5,690	6,310	6,140	6,550	
”	”×9~12	5,060	5,590	6,280	5,330	5,910	5,750	6,130	
”	”×14~18	5,010	5,540	6,220	5,270	5,860	5,690	6,070	
”	”×20~30	4,960	5,480	6,160	5,220	5,800	5,640	6,010	
”	”×32~50	4,910	5,430	6,100	5,170	5,740	5,580	5,950	
”	”×55~70	4,860	5,380	6,040	5,120	5,680	5,520	5,890	
”	65~80×6~8	5,350	5,920	6,650	5,640	6,260	6,080	6,490	

鋼

材

炭素鋼項

單位：千元/噸

品名	規格 (公厘)	格	甲類鋼		乙類鋼	類鋼			備註
			沸騰鋼			鎮靜鋼 (貝氏)	鎮靜或半鎮靜鋼 (貝氏)	鋼 (平爐) (貝氏)	
			允1—4 (平爐)	允3—7 (平爐)					
扁鋼	65~80 × 9~12	5,010	5,540	6,220	5,270	5,860	5,690	6,070	本表全部爲國家計委會定價
	" × 14~18	4,960	5,480	6,160	5,220	5,800	5,640	6,010	
	" × 20~30	4,910	5,430	6,100	5,170	5,740	5,580	5,950	
	" × 32~50	4,860	5,380	6,040	5,120	5,680	5,520	5,890	
	" × 55~70	4,810	5,320	5,980	5,070	5,630	5,470	5,830	
	85~100 × 9~12	4,960	5,480	6,160	5,220	5,800	5,640	6,010	
	" × 14~18	4,910	5,430	6,100	5,170	5,740	5,580	5,950	
	" × 20~30	4,860	5,380	6,040	5,120	5,680	5,520	5,890	
	" × 32~50	4,810	5,320	5,980	5,070	5,630	5,470	5,830	
	" × 55~70	4,760	5,270	5,920	5,010	5,570	5,410	5,770	
等邊角鋼	邊寬×邊厚 20×3~4	7,270	8,040	9,030	7,650	8,500	8,260	8,810	32×3同價 38×4.5同價
	25×3~4	7,020	7,760	8,720	7,390	8,210	7,980	8,510	
	30×4~5	6,530	7,220	8,110	6,880	7,630	7,420	7,910	
	35×4~5	6,340	7,000	7,870	6,670	7,400	7,200	7,680	
	40×4~6	6,090	6,730	7,560	6,410	7,120	6,920	7,380	
	45×4~6	5,940	6,570	7,380	6,260	6,950	6,750	7,200	
	50×5~6	5,790	6,410	7,200	6,100	6,770	6,580	7,020	
	60×5~8	5,600	6,190	6,950	5,890	6,540	6,360	6,780	

單位：千元/噸

品名	規格 (公厘)	左 0 (平爐) 左 0 (貝氏)	甲 類 鋼		乙 類 鋼			備註
			沸騰鋼 左 1—4 (平爐)	鎮靜鋼 左 3—7 (平爐)	沸騰鋼 左 1—4 (平爐) 左 3—4 (貝氏)	鎮靜或半鎮靜鋼 左 3 (貝氏)	左 4 (貝氏)	
等 邊 角 鋼	65 × 6 ~ 7	5,500	6,080	6,830	5,790	6,430	6,250	6,660
”	65 × 3 ~ 10	5,400	5,970	6,710	5,690	6,310	6,140	6,550
”	75 × 6 ~ 7	5,300	5,860	6,590	5,580	6,200	6,030	6,430
”	75 × 8 ~ 10	5,200	5,760	6,470	5,480	6,080	5,910	6,310
”	75 × 12	5,160	5,700	6,410	5,430	6,030	5,860	6,250
長邊×短邊×邊厚								
不 等 邊 角 鋼	30 × 20 × 3 ~ 4	7,270	8,040	9,030	7,650	8,500	8,260	8,810
”	35 × 20 × 4 ~ 5	6,780	7,490	8,420	7,130	7,920	7,700	8,210
”	45 × 30 × 4	6,380	7,060	7,930	6,720	7,460	7,250	7,740
”	45 × 30 × 6	6,240	6,900	7,750	6,570	7,290	7,090	7,560
”	60 × 40 × 5	5,940	6,570	7,380	6,260	6,950	6,750	7,200
”	60 × 40 × 6 ~ 8	5,790	6,410	7,200	6,100	6,770	6,580	7,020
”	75 × 50 × 8 ~ 10	5,600	6,190	6,950	5,890	6,540	6,360	6,780
”	80 × 55 × 8 ~ 10	5,500	6,080	6,830	5,790	6,430	6,250	6,660
”	90 × 60 × 8 ~ 10	5,400	5,970	6,710	5,690	6,310	6,140	6,550
”	100 × 75 × 10 ~ 12	5,300	5,860	6,590	5,580	6,200	6,030	6,430

本表為全部國家計委會定價

80 × 6 同價
80 ~ 130 × 8 ~ 16 同價

75 × 50 × 5 ~ 6 同價
80 × 55 × 6 同價
90 × 60 × 6 同價
100 × 75 × 8 同價
120 × 80 × 8 ~ 12 同價
130 × 90 × 8 ~ 14 同價

鋼

材

炭素鋼項

品名	規格 (公厘)	單位	價格 (千元)	備註	品名	規格 (公厘)	單位	價格 (千元)	備註
中鋼板 (ㄉㄌ2~3)	厚度4.5~5	噸	* 5,940	(1)厚度20公厘以上者	硬質薄鋼板	3.00~3.20	噸	* 9,900	
"	6~6.5	"	* 5,620	不切邊	(退火)(ㄉㄌ1)	厚度0.28~0.40	"	* 9,970	(同上)
"	7~9	"	* 5,510	(2)寬長900×1800(公厘)	"	0.45~0.55	"	* 9,590	
"	10~12	"	* 5,410	厚)1250×2500(公厘)	"	0.60~0.78	"	* 9,400	
"	14~16	"	* 5,300	厚)1500×3000(公厘)	"	0.80~0.90	"	* 9,210	
"	18~19	"	* 5,190	厚)1600×3200(公厘)	"	1.00~1.60	"	* 9,010	
"	20~22	"	* 5,090	厚)同價	"	1.70~2.30	"	* 8,820	
"	25~32	"	* 4,980	(3)鋼三鋼板加價20%	"	3.00~3.20	"	* 8,630	
薄鋼板 (ㄉㄌ1)	厚度0.28~0.40	"	* 9,150	(1)厚度在2公厘以上	鍍鋅硬質薄鋼板(ㄉㄌ1)	厚度0.28~0.40	"	* 12,470	(同上)
"	0.45~0.55	"	* 8,800	者不切邊	"	0.45~0.55	"	* 11,990	
"	0.60~0.78	"	* 8,620	(2)寬長1M×2M或	"	0.60~0.78	"	* 11,750	
"	0.80~0.90	"	* 8,450	3'×7', 3'×6'加	"	0.80~0.90	"	* 11,510	
"	1.00~1.60	"	* 8,270	價5%	"	1.00~1.60	"	* 11,270	
"	1.70~2.30	"	* 8,100	(3)薄鐵板壓浪(瓦	"	1.70~2.30	"	* 11,030	
"	3.00~3.20	"	* 7,920	壠鐵)加價30萬	"	3.00~3.20	"	* 10,790	
鍍鋅薄鋼板 (ㄉㄌ1)	厚度0.28~0.40	"	* 11,440	(同上)	焊接鋼管	內徑12(1/2")	"	* 12,630	
"	0.45~0.55	"	* 11,000		(ㄉㄌ1)	19(3/4")	"	* 11,620	
"	0.60~0.78	"	* 10,780		"	25(1")	"	* 10,100	
"	0.80~0.90	"	* 10,560		"	32(1 1/4")	"	* 10,200	
"	1.00~1.60	"	* 10,340		"	38(1 1/2")	"	* 10,400	
"	1.70~2.30	"	* 10,130		"	44(1 3/4")	"	* 10,500	

炭素鋼項

鋼

材

品名	規格 (公厘)	單位	價格 (千元)	備註	品名	規格 (公厘)	單位	價格 (千元)	備註
焊接鋼管	50~63(2"~2½")	噸	*10,610		鍍鋅電線 管套(文九1)	內徑19(¾")	噸	*17,370	
鍍鋅焊接鋼 管(文九1)	76~102(3"~4")	"	*10,810			25(1")	"	*15,110	
"	12(½")	"	*16,420			32(1¼")	"	*15,260	
"	19(¾")	"	*15,110			38(1½")	"	*15,560	
"	25(1")	"	*13,130			44(1¾")	"	*15,700	
"	32(1¼")	"	*13,260			50~63(2"~2½")	"	*15,860	
"	38(1½")	"	*13,520			76~102(3"~4")	"	*16,160	
"	44(1¾")	"	*13,650		鋼絞線	(線徑×絲數)4.0×7	"	15,680	鍍鋅鋼絞線加價15%
"	50~63(2"~2½")	"	*13,790			3.5×7	"	16,000	
"	76~102(3"~4")	"	*14,050			3.2×7	"	16,320	
電線套管 (文九1)	內徑12(½")	"	*14,530			2.9—3.0×7	"	16,640	
"	19(¾")	"	*13,360			2.6×7	"	17,120	
"	25(1")	"	*11,620			2.2—2.3×7	"	17,600	
"	32(1¼")	"	*11,740			2.0×7	"	18,240	
"	38(1½")	"	*11,970			1.6—1.8×7	"	18,880	
"	44(1¾")	"	*12,080			1.2—1.4×7	"	19,520	
"	50~63(2"~2½")	"	*12,200			0.9—1.0×7	"	20,320	
"	76~102(3"~4")	"	*12,430			0.7—0.8×7	"	21,120	
鍍鋅電線套 管(文九1)	內徑12(½")	"	*18,890			0.65×7	"	22,080	

鋼 絲 繩

炭 素 鋼 項

單位: 千元/噸

繩 徑 (公厘)	6 股 × 7 絲	6 股 × 1 2 絲	6 股 × 1 9 絲	6 股 × 2 4 絲	6 股 × 3 0 絲	6 股 × 3 7 絲	6 股 × 6 1 絲
4—6	25,200	26,600	28,000	29,400	30,800	32,200	35,000
6.5—9	23,400	24,800	26,000	27,400	28,600	30,000	32,600
9.5—12	22,000	23,200	24,400	25,600	26,800	28,000	30,600
12.5—15	20,800	22,000	23,200	24,400	25,600	26,600	29,000
15.5—18.5	19,800	21,000	22,000	23,200	24,200	25,400	27,600
19—23	19,000	20,000	21,000	22,000	23,200	24,200	26,200
24—28	18,000	19,000	20,000	21,000	22,000	23,000	25,000
29—34	17,400	18,400	19,400	20,400	21,400	22,400	24,200
35—42	17,000	17,800	18,800	19,800	20,600	21,600	23,600
43—50	16,200	17,200	18,000	19,000	19,800	20,800	22,600

註: 1. 鍍鋅鋼絲繩照鋼絲繩加價10%.

2. 左扭右扭順扭逆扭皆同價.

3. 本價格係以絲徑(鋼絲)抗張強度140公斤/米為標準基價如用戶需要其他強度者照下表換算:

鋼絲抗張強度公斤/米	70	110	120	130	140	150	160	170	180	190
價格換算係數	88	92	95	98	100	103	106	110	115	120

特殊鋼項

1. 優質結構炭素鋼

(圓、方鋼)

鋼組 鋼號 規格(m/m)	普通 錳 量	高 錳 量	
		05~70	15~70
軋	8~10	9,490	9,580
	11~12	9,310	9,400
	13~18	9,130	9,220
	19~26	8,950	9,040
	27~40	8,500	8,590
製	41~50	8,410	8,500
	51~65	8,320	8,410
鍛	51~70	10,650	10,760
	75~80	10,470	10,580
	85~95	10,380	10,490
	100~115	10,300	10,400
	120~150	10,380	10,490
造	155~175	10,470	10,580
	180~210	10,470	10,580

2. 炭素工具鋼

(圓、方鋼) 單位: 千元/噸

鋼號 規格(m/m)	優 質	高級 優 質
軋	8~10	10,070
	11~12	9,880
	13~18	9,690
	19~26	9,500
	27~40	9,030
製	41~50	8,930
	51~65	8,840
鍛	51~70	11,310
	75~80	11,120
	85~95	11,020
	100~115	11,930
	120~150	11,020
造	155~175	11,120
	180~210	11,120

3. 彈簧鋼

(圓、方鋼)

單位：千元/噸

鋼組 價 格	鋼 號	炭素鋼	錳 鋼	矽		鋼		鉻 錳 鋼		鉻矽鋼	鉻錒鋼	鉻矽錒鋼	鎢矽鋼	鎢矽鋼
		75~85	65 $\angle$ 55 $\angle$ T	55T2 60T2	60T2H	70T3H	50 $\angle$	50 $\angle$	50 $\angle$ △H					
軋	8~10	12,720	13,040	13,560	13,830	13,980	21,360	21,790	21,820	22,340	22,950	27,540	65T2 X H	60T2 △H
	11~12	12,480	12,880	13,390	13,660	13,800	21,090	21,510	21,550	22,060	22,660	27,190	24,240	24,240
	13~18	12,240	12,690	13,200	13,460	13,600	20,790	21,200	21,240	21,740	22,330	26,800	23,880	23,880
	19~26	12,000	12,500	13,000	13,260	13,400	20,480	20,890	20,920	21,420	22,000	26,400	23,530	23,530
	27~40	11,400	12,000	12,480	12,730	12,860	19,660	20,050	20,080	20,560	21,120	25,340	22,590	22,590
製	41~50	11,280	11,810	12,290	12,530	12,660	19,350	19,740	19,770	20,240	20,790	24,950	22,240	22,240
	51~65	11,160	11,630	12,100	12,330	12,460	19,050	19,420	19,460	19,920	20,460	24,550	21,880	21,880
鍛	51~70	14,280	12,960	13,480	13,750	13,900	21,240	21,660	21,700	22,210	22,810	27,380	24,400	24,400
	75~80	14,040	12,630	13,130	13,390	13,520	20,690	21,100	21,130	21,630	22,220	26,660	23,770	23,770
	85~95	13,920	12,370	12,870	13,130	13,260	20,270	20,680	20,710	21,200	21,780	26,140	23,290	23,290
	100~115	13,800	12,250	12,740	12,990	13,130	20,070	20,470	20,500	20,990	21,560	25,870	23,060	23,060
造	120~150	13,920	12,000	12,480	12,730	12,860	19,660	20,050	20,080	20,560	21,120	25,340	22,590	22,590
	155~175	14,040	12,250	12,740	12,990	13,130	20,070	20,470	20,500	20,990	21,560	25,870	23,060	23,060
	180~210	14,040	12,500	13,000	13,200	13,400	20,480	20,890	20,920	21,420	22,000	26,400	23,530	23,530

註：炭素彈簧鋼65,70兩鋼號，價格按優質結構炭素鋼計算。

特殊鋼項

4. 合金結構鋼

(圓、方鋼)

單位: 千元/噸

鋼組		鋼														
價 格	鋼 號	優 質								高 級 優 質						
		15 ㏍	20 ㏍	30 ㏍	35 ㏍	40 ㏍	45 ㏍	50 ㏍	15 ㏍ H	20 ㏍ H	30 ㏍ H	38 ㏍ H	45 ㏍ H	50 ㏍ H		
規 格(m/m)	軋	8~10	19,710	19,340	18,960	18,770	18,770	18,770	18,770	18,770	20,110	19,720	19,340	19,150	19,150	19,150
		11~12	19,470	19,100	18,730	18,540	18,540	18,540	18,540	19,860	19,480	19,100	18,910	18,910	18,910	
		13~18	19,180	18,820	18,450	18,270	18,270	18,270	18,270	19,570	19,190	18,820	18,640	18,640	18,640	
		19~26	18,900	18,540	18,180	18,000	18,000	18,000	18,000	19,280	18,910	18,540	18,360	18,360	18,360	
		27~40	18,140	17,800	17,450	17,280	17,280	17,280	17,280	18,510	18,150	17,800	17,630	17,630	17,630	
製	41~50	17,860	17,520	17,180	17,010	17,010	17,010	17,010	18,220	17,870	17,520	17,350	17,350	17,350	17,350	
	51~65	17,580	17,240	16,910	16,740	16,740	16,740	16,740	17,930	17,590	17,240	17,080	17,080	17,080	17,080	
鍛	51~70	19,600	19,230	18,850	18,670	18,670	18,670	18,670	18,670	19,990	19,610	19,230	19,040	19,040	19,040	
	75~80	19,090	18,730	18,360	18,180	18,180	18,180	18,180	19,470	19,100	18,730	18,540	18,540	18,540	18,540	
	85~95	18,710	18,350	18,000	17,820	17,820	17,820	17,820	19,090	18,720	18,360	18,180	18,180	18,180	18,180	
	100~115	18,520	18,170	17,820	17,640	17,640	17,640	17,640	18,890	18,530	18,170	17,990	17,990	17,990	17,990	
	120~150	18,140	17,800	17,450	17,280	17,280	17,280	17,280	18,510	18,150	17,800	17,630	17,630	17,630	17,630	
造	155~175	18,520	18,170	17,820	17,640	17,640	17,640	17,640	18,890	18,530	17,170	17,990	17,990	17,990	17,990	
	180~210	18,900	18,540	17,180	18,000	18,000	18,000	18,000	19,280	18,910	18,540	18,360	18,360	18,360	17,360	

合金結構鋼

單位：千元/噸

(圓、方鋼)

鋼組 價格 規格	鋼號	鉻 鋼				鉍 鋼				鉻 鉍 鋼			
		鉻 鋼		鉍 鋼		鉻 鋼		鉍 鋼		鉻 鋼		鉻 鉍 鋼	
		優 質	高級 優質	優 質	高級 優質	優 質	高級 優質	優 質	高級 優質	優 質	高級 優質	優 質	高級 優質
軋	8~10	15 19, 670	20 19, 670	20 19, 670	20 20, 270	15 19, 430	20 19, 430	20 19, 430	20 19, 430	12 19, 330	20 19, 330	15 19, 360	20 19, 360
	11~12	15 19, 430	20 19, 430	20 19, 430	20 20, 010	15 19, 190	20 19, 190	20 19, 190	20 19, 190	12 19, 120	20 19, 120	15 19, 120	20 19, 120
	13~18	15 19, 140	20 19, 140	20 19, 140	20 19, 780	15 18, 910	20 18, 910	20 18, 910	20 18, 910	12 19, 780	20 19, 780	15 18, 840	20 19, 840
	19~26	15 18, 860	20 19, 240	20 19, 240	20 19, 430	15 18, 630	20 18, 630	20 18, 630	20 18, 630	12 19, 490	20 19, 490	15 18, 560	20 19, 560
	27~40	15 18, 110	20 18, 470	20 18, 470	20 18, 650	15 17, 880	20 17, 880	20 17, 880	20 17, 880	12 18, 710	20 18, 710	15 17, 820	20 18, 820
製	41~50	15 17, 820	20 18, 180	20 18, 180	20 18, 360	15 17, 610	20 17, 610	20 17, 610	20 17, 610	12 18, 420	20 18, 420	15 17, 720	20 18, 720
	51~65	15 17, 540	20 17, 890	20 17, 890	20 18, 070	15 17, 330	20 17, 330	20 17, 330	20 17, 330	12 17, 130	20 17, 130	15 17, 440	20 18, 440
鍛	51~70	15 19, 560	20 19, 950	20 19, 950	20 150	15 19, 320	20 19, 320	20 19, 320	20 19, 320	12 19, 210	20 19, 210	15 19, 440	20 19, 440
	75~80	15 19, 050	20 19, 430	20 19, 430	20 19, 620	15 18, 820	20 18, 820	20 18, 820	20 18, 820	12 19, 680	20 19, 680	15 18, 940	20 19, 940
	85~95	15 18, 670	20 19, 050	20 19, 050	20 19, 240	15 18, 440	20 18, 440	20 18, 440	20 18, 440	12 19, 300	20 19, 300	15 18, 560	20 19, 560
	100~115	15 18, 480	20 18, 860	20 18, 860	20 19, 040	15 18, 260	20 18, 260	20 18, 260	20 18, 260	12 19, 100	20 19, 100	15 18, 380	20 19, 380
	120~150	15 18, 110	20 18, 470	20 18, 470	20 18, 650	15 17, 880	20 17, 880	20 17, 880	20 17, 880	12 18, 710	20 18, 710	15 17, 820	20 18, 820
造	155~175	15 18, 480	20 18, 860	20 18, 860	20 19, 040	15 18, 260	20 18, 260	20 18, 260	20 18, 260	12 19, 100	20 19, 100	15 18, 380	20 19, 380
	180~210	15 18, 860	20 19, 240	20 19, 240	20 19, 430	15 18, 630	20 18, 630	20 18, 630	20 18, 630	12 19, 490	20 19, 490	15 18, 560	20 19, 560

合金結構鋼

(圓、方鋼)

單位: 千元/噸

鋼組 鋼號 價格 規格 (m/m)	鉻 矽 鋼				鉻 錳 鋼								鉻錳鉍鋼		
	優 質		高級優質	優 質				高級優質				優 質			
	33ㄌT	37ㄌT		40ㄌT	33ㄌH	40ㄌH	15ㄌL	20ㄌL	40ㄌL	35ㄌ2	15ㄌH		20ㄌH	40ㄌH	35ㄌ2H
軋	8~10	19,970	19,970	19,970	20,370	20,370	19,810	19,810	19,430	19,050	20,190	20,190	19,810	19,430	20,380
	11~12	19,720	19,720	19,720	20,120	20,120	19,560	19,560	19,190	18,810	19,940	19,940	19,560	19,190	20,130
	13~18	19,440	19,440	19,440	19,820	19,820	19,270	19,270	18,910	18,530	19,650	19,650	19,270	18,910	19,830
	19~26	19,150	19,150	19,150	19,530	19,530	18,990	18,990	18,630	18,260	19,360	19,360	18,990	18,630	19,540
	27~40	18,380	18,380	18,380	18,750	18,750	18,230	18,230	17,880	17,530	18,590	18,590	18,230	17,880	18,760
製	41~50	18,100	18,100	18,100	18,460	18,460	17,950	17,950	17,610	17,260	18,300	18,300	17,950	17,610	18,470
	51~65	17,810	17,810	17,810	18,160	18,160	17,660	17,660	17,330	16,980	18,000	18,000	17,660	17,330	18,170
鍛	51~70	19,860	19,860	19,860	20,250	20,250	19,690	19,690	19,320	18,940	20,080	20,080	19,690	19,320	20,260
	75~80	19,340	19,340	19,340	19,730	19,730	19,180	19,180	18,820	18,440	19,500	19,500	19,180	18,820	19,740
	85~95	18,960	18,960	18,960	19,330	19,330	18,800	18,800	18,440	18,080	19,170	19,170	18,800	18,440	19,340
	100~115	18,770	18,770	18,770	19,140	19,140	18,610	18,610	18,260	17,890	18,970	18,970	18,610	18,260	19,150
	120~150	18,380	18,380	18,380	18,750	18,750	18,230	18,230	17,880	17,530	18,590	18,590	18,230	17,880	18,760
造	155~175	18,770	18,770	18,770	19,140	19,140	18,610	18,610	18,260	17,890	18,970	18,970	18,610	18,260	19,150
	180~210	19,150	19,150	19,150	19,530	19,530	18,990	18,990	18,630	18,260	19,360	19,360	18,990	18,630	19,540

