

铁道车辆 汉英—英汉词汇

Chinese-English and English-Chinese Vocabulary
of Railway Rolling Stock

张胜利 主编
路旦俊 主审

中国铁道出版社
CHINA RAILWAY PUBLISHING HOUSE

铁道车辆汉英—英汉词汇

Chinese-English and English-Chinese
Vocabulary of Railway Rolling Stock

张胜利 主编
路旦俊 主审

中 国 铁 道 出 版 社

2 0 1 0 年 · 北 京

内 容 简 介

本书联系国内外铁路机车车辆和动车组的发展趋势和技术前沿,结合铁路机车车辆行业设计、生产、海外营销、商务谈判实务,对本领域内的相关专业词汇,尤其是高速动车组方面的专业词汇进行收集、提炼和整理,并提供汉英和英汉两种释义。

在汉英部分,本书首次采用首字声母和韵母结合的组合查找方法,以缩短查询时间,方便读者使用。

本书可供铁路机车车辆行业领域的生产、科研、教学、翻译以及相关从业人员和高校车辆工程专业的师生使用,是一本较好的参考工具书。

图书在版编目(CIP)数据

铁道车辆汉英—英汉词汇/张胜利主编. —北京:

中国铁道出版社,2010. 3

ISBN 978-7-113-10932-5

I . ①铁… II . ①张… III . ①铁路车辆—词汇—英、汉 IV . ①U27-61

中国版本图书馆 CIP 数据核字(2010)第 045330 号

书 名:铁道车辆汉英—英汉词汇

作 者:张胜利 主编

责任编辑:王明容 电话: 51873138 电子信箱: tdpress@126.com

封面设计:冯龙彬

责任校对:孙 玮

责任印制:郭向伟

出版发行:中国铁道出版社(100054北京市宣武区右安门西街8)

网 址:<http://www.tdpress.com>

印 刷:中国铁道出版社印刷厂

版 次:2010 年 3 月第 1 版 2010 年 3 月第 1 次印刷

开 本:850 mm×1 168 mm 1/32 印张:8.5 字数:305 千

印 数:1~3 000 册

书 号:ISBN 978-7-113-10932-5

定 价:28.00 元

版 权 所 有 侵 权 必 究

凡购买铁道版的图书,如有缺页、倒页、脱页者,请与本社读者服务部调换。

电 话:市电(010)51873170 路电(021)73170(发行部)

打 击 盗 版 举 报 电 话:市电(010)63549504 路电(021)73187

序　　言

近年来,中国铁路及其装备制造业获得了飞速发展。经过2007年4月18日的铁路第6次大提速,列车运营时速达到250公里,表明中国跨入世界高速铁路国家行列;2008年8月1日,最高时速350公里的动车组在京津线成功运营,使中国铁路用了不到5年的时间完成了日本和欧洲发达国家几十年才得以完成的高速化过程。

中国铁路的快速发展,得益于国家对铁路的政策支持和铁道部确定的“引进、消化、吸收、再创新”发展模式的成功采用。近年来,中国铁路装备产品在出口方面也有不菲的业绩,产品出口从第三世界国家走向发达国家,在国际市场竞争中具有越来越多的话语权,中国机车车辆企业面临着巨大的机遇。在产品出口的过程中,从业人员的外语水平越来越成为制约企业对外交流的瓶颈之一,而提高业内人员的外语水平已迫在眉睫。在这种情况下,《铁道车辆汉英—英汉词汇》的及时编辑和出版,对铁路机车车辆行业的对外交流势必会起到一定的促进作用,为铁路机车车辆装备产品更好地走向世界助一臂之力。

本书紧紧把握住国内外铁路机车车辆和动车组技术的发展,结合铁路机车车辆行业的设计、生产和海外销售,对本领域内的相关专业词汇,尤其是高速动车组方面的专业词汇进行收集、提炼和整理,对专业词汇进行汉英和英汉两种编排;同时,对于汉英部分,在国内第一次采用首字声母和韵母的组合查找,大大缩短了查询时间,是一本较好的参考工具书。

我相信,本书的及时出版,必将对我国车辆工程行业工作人员和高校车辆工程学生的外文阅读能力的提高及铁路机车车辆工业的发展起到积极作用,为加快铁路又好又快的发展,作出应有的贡献。

中国科学院、中国工程院院士



2009年12月

序　　言

在我从事外语研究、翻译和教学的多年实践中，经常听朋友们反映，读懂英语专业书籍很难，而读懂铁路专业书籍更难。这是因为读者不仅要精通英语，还要懂得专业知识和专业词汇。正是由于这个原因，许多英文水平相当高的人仍然会对专业英语文章望而却步。

随着现代社会日新月异的发展，英语这一古老语种也在伴随着时代发展而发展，随着社会进步而进步。目前英语的词汇总量已超过 100 万，专业、行业词汇约占总词汇量的 9%，虽然使用频率较低，却是英语的重要组成部分，在行业交流、沟通中占有重要地位。

二十一世纪的中国在引领世界铁路发展。1997 年以来，中国铁路经历了六次大提速，从时速 60 公里以下的低速铁路，发展到时速 120 公里的常速铁路，又发展到时速 140~160 公里的提速铁路，现在更是建成了时速达到 200~350 公里的高速铁路。在中国铁路和城市轨道交通发展强劲需求的带动下，中国铁路移动装备制造业通过技术引进、高端技术消化吸收和自主创新，在几年内已赶超世界先进水平，在高速动车组、大功率内燃、电力机车等领域取得了令人瞩目的成绩，“这是一场由蒸汽机车时代步入内燃与电力机车时代，再迈向如今高速动车时代的跨越式革命。”中国铁路在国际业内的话语权、关注度和行业地位都在不断提高，与国际的交流、交往日益紧密，中国机车车辆已越来越多地走出国门，成为世界铁路装备制造市场的重要力量。

我国铁路从业人员和翻译人员对于铁路行业英语的掌握和运用水平及会话能力，已成为铁路系统对外交流交往、技术引进、商务洽谈、合同谈判的关键环节之一。提高铁路行业，特别是涉外制造企业人员及翻译人员的铁路专业外语水平，对加强对外交流沟通、促进移动装备产品的出口具有重要意义。在这种情况下，《铁道车辆汉英—英汉词汇》的及时编辑和出版对铁路机车车辆行业的对外交流势必会起到一定的促进作用。

本书编者常年从事铁路行业设计、翻译工作，具有多年的一

线翻译实践经验。本书紧紧把脉国内外铁路机车车辆技术发展趋势和技术前沿,结合铁路机车车辆行业的研发、设计、工艺、制造、海外营销、商务谈判实务,对本领域内的相关专业词汇,尤其是高速动车组方面的专业词汇进行收集、提炼和整理,并对专业词汇进行汉英和英汉两种释义。该书所选条目较为全面地涵盖了该领域的知识体系,术语合理,释意准确,体例统一,是一本较好的参考工具书,可供铁路机车车辆行业领域的生产、科研、教学、翻译以及相关从业人员和大专院校师生参考使用。相信这本词典将对该领域从业者提高英语水平,更好地在国际舞台上进行技术交流,增加科技创新能力起到重要作用。

中南大学教授
路 旦 倩
2009年12月

前　　言

目前,在我国铁路机车车辆的进出口商务和技术交流的实际操作中,经常会出现因相关人员英语能力不足或者是对专业术语不熟悉而产生消极影响的现象。为了适应本领域对外业务的日益增加,编者整理编辑了《铁道车辆汉英—英汉词汇》。本词汇收录铁道机车车辆专业词汇约10 000条。

本词汇是在南车青岛四方机车车辆股份有限公司翻译人员多年积累的铁道机车车辆专业词汇的基础上编辑而成的。并在此基础上增加了近年来铁路系统“引进、消化、吸收、再创新”实践中出现的铁路高速动车组相关专业词汇。为了提高本词汇的准确性和适用性,还邀请了相关专家对词汇内容进行了语言和专业技术两方面的审核。

根据目前铁道机车车辆行业对外交流实务,收录的词汇包含了机车和车辆方面的专业技术词汇和生产过程中适用的相关词汇。同时,为了方便海外销售人员使用,还收录了部分国际贸易的专业词汇。

本词汇编撰过程,得到了南车青岛四方机车车辆股份有限公司,尤其是公司技术中心领导的大力支持;中南大学外国语学院路旦俊教授等对词汇的相关内容进行了审核并提出了宝贵建议;本书采用了倪平涛博士利用首字韵母的第一个字母进行二次分类的查找方法,使查找速度大大加快;南车青岛四方机车车辆股份有限公司的翻译同仁们在词汇的编撰过程中也提供了极大的帮助,在此一并表示真诚的谢意。

由于水平有限,疏漏和错误在所难免,恳请各方面读者提出批评和建议。

查找方法说明

一、汉英部分

1. 以首字拼音字母次序排序。
2. 按声母和韵母第 1 个字母进行组合查询。具体方法为：以首字拼音第 1 个字母(a~z)进行分组，同时又以该字韵母中第 1 个字母 a、e、i、o、u(ü 并入 u)，进行第 2 步细分。若仍相同，按词组中的第 2 个汉字拼音首字母(a~z)排序。如：“单轴转向架”在 D(a)部，“转向架”在 Z(u)部。
3. 同一汉语词汇有几个英语译名时，各英语译名用逗号隔开。英文译名的排序按常用的排在前面，不常用的排在后面。
4. 以英文字母或数字开头的汉英词组，放在拼音排序后面，如 H 形构架、T 形接头等。

二、英汉部分

1. 英语词汇按英文字母次序排列。
 2. 同一英文字母后按“空格”、“连字符”和“其他字母”次序排列。
 3. 英语词汇的汉语译名以铁道车辆专业的词义为主。
 4. 同一英语词汇有几个汉语译名时，词义相同或相近时用逗号隔开，词义不同时用分号隔开。
- 书中(美)指美国用法，(英)指英国用法。方括号中注明词源及学科。

目 录

汉 英 部 分

A	1	H(u).....	44
B	1	J	48
B(a)	1	J(i)	48
B(e)	3	J(u)	57
B(i)	3	K	58
B(o)	5	K(a)	58
B(u)	5	K(e)	59
C	6	K(o)	60
C(a)	6	K(u)	62
C(e)	8	L	62
C(i)	13	L(a)	62
C(o)	14	L(e)	63
C(u)	14	L(i)	64
D	16	L(o,u)	68
D(a)	16	M	70
D(e)	19	M(a)	70
D(i)	20	M(e)	71
D(o)	25	M(i)	72
D(u)	25	M(o)	72
E	27	M(u)	73
F	28	N	74
F(a)	28	N(e)	74
F(e)	30	N(i,o,u)	75
F(u)	32	O	76
G	34	P	76
G(a)	34	P(a)	76
G(e)	35	P(e)	77
G(o)	36	P(i)	78
G(u)	38	P(o,u)	79
H	41	Q	79
H(a)	41	Q(i)	79
H(e)	43	Q(u)	83
H(o)	44	R	84

R(a)	84	W(u)	104
R(e)	84	X	105
R(i,o,u)	85	X(i)	105
S	87	X(u)	109
S(a)	87	Y	110
S(e)	89	Y(a)	110
S(i)	90	Y(e)	112
S(o)	91	Y(i)	112
S(u)	93	Y(o)	114
T	96	Y(u)	116
T(a)	96	Z	117
T(e)	97	Z(a)	117
T(i)	97	Z(e)	118
T(o)	99	Z(i)	120
T(u)	100	Z(o)	123
W	101	Z(u)	126
W(a)	101	以英文、数字开头的部分	
W(e)	102 130	
W(o)	103		

英 汉 部 分

A	133	N	203
B	142	O	205
C	149	P	209
D	164	Q	216
E	170	R	217
F	174	S	225
G	180	T	237
H	183	U	247
I	186	V	250
J	191	W	252
K	191	X	258
L	192	Y	258
M	197	Z	259

汉 英 部 分

A

阿克莱经典例题 ackeret examples
埃克特数 eckert number
矮侧板 low side plate
矮端板 low end plate
安定弹簧 stabilizing spring
安全棒 safety rod
安全带(卧铺) safety strap
安全吊 safety hanger
安全吊座 safety hanger bracket
安全阀 pressure-relief valve, safety valve
安全附件 safety accessories
安全帽 helmet
安全设备测试 test on safety equipment
安全托吊座 safety support hanger
安全销 security pin
安全须知 safety notice
安全装置 safety gear
安装角 stagger angle
按港口习惯快速装卸 Customary Quick Dispatch (C. Q. D.)
按价(拉丁语 A. V.) Ad Valorem
按里程比例计费 pro rata freight
按章工作 working to rule
按重量或体积计收 Weight or Measurement(W / M)
凹底平车 depressed center flat car
凹缝 open joint

凹坑,凹痕 indentation, indent, pit
凹形角焊缝 concave fillet weld
翱翔 hover, soar
奥氏体不锈钢 austenite stainless steel
奥氏体退火 austenite annealing

B

B(a)
巴氏轴承合金 Babbitt metal
吧台 bar
把手 handle
把手凹入处 handle recess
把手托架 handle support
白炽灯 incandescent lamp(light)
白点 fish eye
白口铸铁 white (cast) iron
白皮书 white paper
白铅油漆 white lead paint
白色金属 white metal
白铜 white copper
百分表 dial indicator
百叶窗 blind / window shade, shutter
百叶窗框 louver sash
百叶片,百叶窗 louver, louvre
百叶片转轴 louver operating shaft
摆锤式冲击试验 Charpy (impact) test
摆动焊道 weave bead

摆动系数	sway coefficient	半主动悬挂	semi-active suspension
摆块	centering block, rocking block, rocker	半自动车钩	semi-automatic coupler
摆块吊	centering block hanger	半自动锁	semi-automatic lock
摆块式旁承	pendulum side bearing, rocking side bearing	瓣阀	clack valve
摆门	swing door	棒式车架	bar frame
摆式车体	tilting car body	包房卧室	roomette, compartment
摆式减振器	pendulum damper	包裹车	parcel car
摆式客车	tilting passenger car	包裹运费	parcel freight
摆式列车	tilting train	包价(收费制)	flat rate
摆式转向架	tilting bogie	包间式卧车	compartment sleeper
摆式座车	tilting coach	包间卧室	compartment-type sleeping room
扳道工	switchman(美), points-man(英)	包括包装费用	packing charges included
扳手	wrench(美), spanner(英)	包销	exclusive sales
班车	shuttle bus	包销协议	exclusive sales agreement
班轮	regular shipping liner	包装标志(唛头)	packing mark
班轮条件	liner terms	包装不固	insufficiently packed
班轮运价表	liner freight tariff	包装不良	improper packing
板弹簧	leaf spring	包装货	packed cargo
板梁式钢结构	plate girder type steel structure	包装破裂险	loss for damage caused by breakage of packing
板式车架	plate frame	包装条款	packing clause
板牙	bolt die, die, screw cutting die screw die, threading die	包装脱落	packing slip
板牙架	die handle, die holder	包租船	charter
半导体	semi-conductor	保持阀	retaining valve
半垫片机座	semi-laminated frame	保持干燥	keep dry
半段效应	half section effect	保单	affirmative covenant
半刚性车钩	semi-rigid coupler	保兑信用证	confirmed L/C
半径杆	radius bar, radius link	保兑行	confirming bank
半面环弹簧	half ring spring	保费已付保单	paid-up policy
半散件	Semi Knock-Down (S. K. D.)	保护电路	protective circuit
半透明窗帘	semi-translucent curtain	保护电容器	protective capacitor
半夜灯	mid-night lamp	保护阀	protective valve
半圆键	woodruff key	保护气体	shielding gas
半制成品	semi-manufacture	保护气体流量	shield gas flow rate

保护与赔偿条款	protection and indemnity clause	暴跌	slump
保角变换	conformal transformation	爆炸波	explosion wave
保温车	insulated car	爆炸焊	explosion welding
保温装置	heat sink		
保险单	insurance policy		
保险单上的备考条款	recital clause of the policy	B(e)	
保险费	insurance premium	北美自由贸易区	NAFTA (North American Free Trade Area)
保险柜	safe	北美自由贸易协定	NAFTA (North American Free Trade Agreement)
保险赔偿	insurance indemnity	备份(计算机)	backup
保险凭证	insurance certificate	备件	spare parts, reserve parts
保险丝	fuse	备忘提单	memorandum bill of lading
保险丝盒	fuse box	备用插座	spare /reserve receptacle, stand-by receptacle
保险索赔/提赔	insurance claim	备用电缆	reserve cable
保险销	security lock	备用动车组	electric multiple unit in reserve
保险由买方自理	insurance to be effected by the buyers	备用线	spare wire
保险证明书	certificate of insurance	备用信用证	stand-by L/C
保压阀	pressure-retaining valve	备运提单	received for shipment B/L
保养租赁	maintenance lease	背负运输车	piggyback car
保证的缓解	insured release	背书	back, endorse
保证金	earnest (money)	背压	back pressure
保证人	guarantor, bail	背应力	back stress
报酬	remuneration	背锥(锥齿轮)	back cone
报价	quotation	被动悬挂	passive suspension
报价单	quotation sheet	本构关系	constitutive relation
报警保护系统	alarm and protective system	本金	principal
报警电路	alarm circuits	本票	promissory note
抱轴式牵引电动机	axle hung traction motor, nose suspension traction motor	本务机车	train locomotive, leading locomotive
抱轴瓦	axle suspension bush	本属动车组	leading electric multiple unit
抱轴悬挂装置	axle suspension unit	泵电动机	pump motor
抱轴轴承	axle hung bearing; suspension bearing	泵轮	pump impeller
鲍鱼	abalone	泵箱	pump box

B(i)

比冲 specific impulse	边走边卸阀 valve for unloading while moving
比功率 power / weight ratio	编组 composition, set off, set out
比价 comparative price	编组调车场 marshalling yard
比较仪 comparator	扁平端子 flat terminal
比例车辆模型试验台 scale vehicle bench	变电站 substation
比热 specific heat	变刚度弹簧 variable stiffness spring
比热比 ratio of specific heats, specific heat ratio	变更卸货港附加费 alternation of destination charge
比容系数 specific volume	变后掠翼 variable sweep wing
笔误 clerical error	变极调速 pole changing speed control
毕奥—萨伐尔定理 biot-savart law	变流器(变交流电为直流电) converter
闭合冷却系统 closed cooling system	变扭比 torque ratio
闭环控制 closed-loop control	变扭器 torque converter
闭路 closed circuit	变扭器轴 torque converter shaft
闭路电视 closed circuit television	变频调速 variable frequency speed control
闭门器 door closer	变色 discolor
闭锁装置 locking device	变速箱 gear box / case
壁灯 alley lamp, panel lamp, wall lamp	变速箱皮带轮 gearbox pulley
避让线 relief line	变位阀 changeover valve
边角料 trim	变斜翼 variable oblique wing
边界层 boundary layer	变形 deformation
边界层分离 boundary layer separation	变压调速 variable voltage speed control
边界层厚度 thickness of boundary layer	变压器 transformer
边界层基本方程 boundary layer equations	变载荷阀 variable load valve
边界函数 boundary function	标定, 标定值 rating
边界条件 boundary condition	标高 elevation
边境交货 Delivered At Frontier (DAF)	标记 marks (mks)
边距(焊接) edge distance	标记, 标签 tag
边梁 side sill, solebar	标识 marks and levels
边条涡 lex vortices	标准 norm / standard
边条翼 leading edge extension, lex	标准大气压 standard atmosphere
	标准轨距 standard gauge
	标准偏差 standard deviation
	标准说明书 standard specification

tion	
标准样品 type sample	
标准运价表, 标准运价率 model tariff	
表面粗糙度 surface roughness	
表面积 surface area	
表面裂纹 face crack	
冰冻附加费 ice surcharge	
冰箱 refrigerator	
丙烷站 propane station	
并接 Multiple	
并联 parallel connection	
并联电路 shunt circuit	
并联电阻点焊 parallel welding	
并列断续角焊缝 chain intermittent fillet weld	
B(o)	
拨叉(货车手传动装置) poking fork	poking fork
波的反射 wave reflection	
波的相互作用 wave interaction	
波浪形磨耗 corrugation, corrugated wear	
波纹薄板 corrugated sheet	
波纹地板 corrugated plate, corrugated floor	
波纹管 bellows	
波形测量器 ondometer	
波形辐板 corrugated wheel plate	
波阻 wave drag	
波尔兹曼分布 boltzmann distribution	
玻璃钢 Tfiberglass Reinforced Plastics(FRP), Glass fiber Reinforced Plastics (GRP)	
玻璃棉 fiberglass wool	
玻璃丝, 玻璃纤维 glass wool	
玻璃液面计 glass gauge of liquid level	

玻色子 boson	
剥离强度 peel strength	
播音连接器 broadcasting connector	
播音室 broadcasting room, broadcasting studio, public address room	
播音室铭牌 “broadcasting room” plate	
播音台 broadcast desk, broadcasting desk	
播音员 broadcaster	
伯努利方程 bernoulli equation	
勃拉休斯定理 theorem of blasius	
勃拉休斯方程 blasius equations	
勃拉休斯解 blasius solution	
薄壁桶形结构 thin-wall cylindrical structure	
薄壁桶形结构 thin-wall cylindrical structure, thin-shelled tubular structure	
薄激波层 thin shock layers	
薄膜 membrane	
薄膜泵 membrane pump	
薄翼理论 thin airfoil theory	
薄翼理论的基本方程 basic equations of thin airfoil theory	
B(u)	
补偿电容器 compensation capacitor	
补偿阀 compensating valve	
补偿口 compensating port	
补偿贸易 compensation trade	
补偿贸易保证函 guarantee under compensation trade	
补偿室 compensating chamber	
补偿线圈 compensating coil	
补焊 repair welding	
补码 Zero complement	

补强板 reinforcing plate	stainless steel car-body
不等价交换 exchange at unequal value, unequal value interchange	
不动产 real property	
不规则荷载 abnormal load	
不合格材料报告 NCR	
不合理价格 fancy price	
不记名票据 paper to bearer	
不记名提单 bill of lading to bearer, open B/L	
不间断电源 UPS (uninterrupted power supply)	
不洁提单 dirty bill of lading, foul bill of lading	
不均衡行车 uneven running	
不可撤销保证函 irrevocable L/G	
不可撤销的发价 irrevocable offer	
不可撤销的信用证 irrevocable L/C	
不可抗力 force majeure	
不可压缩流 incompressible flow	
不可压缩流动 incompressible flow	
不可转让信用证 non-transferable	
不履行 non-compliance	
不赔偿共同海损 Free of General Average (F.G.A.)	
不赔偿一切海损 Free of All Average (FAA)	
不平顺 irregularity	
不清洁提单 unclean B/L	
不如期交货 fail to deliver goods at the time stipulated	
不失速机制 delayed stall mechanism	
不稳定 unsteady	
不稳定焦点 unstable focus	
不稳定状态 unsteady state	
不行动 inactivity	
不锈钢车体 stainless steel car-body	
不圆顺的车轮 out-of-round wheel	
不允许转船 transhipment /transhipment not allowed	
不正常声音 abnormal sound	
布列盖航程 breguet range equation	
布氏硬度 Brinell hardness	
布氏硬度计 Brinell hardness tester	
布线 cabling, wiring	
布线图 wiring diagram	
步长 step	
步进点焊 step-by-step spot welding	
步进缝焊 step-by-step seam welding	
部分催化壁面 partially catalytic wall	
部分故障检测 inspection of component failure, failure diagnosis	
部分损失 partial loss	
部分预支信用证 partial payment L/C	
部件 unit	
C	
C(a)	
擦去 abrade	
擦伤 abrade, scratch	
财政(会计)年度 fiscal year	
财政年度 financial year, tax year	
裁决 award	
采光窗 light inlet window	
采暖 Heating, Ventilation and Air Conditioning (HVAC)	
采暖装置 heating equipment,	

heating system	
采样频率 sampling frequency	
参考电极 reference electrode	
参考号数 reference number	
参考机翼 reference wing	
参考温度法 reference temperature method	
参考压 reference pressure	
参考值 reference value	
参考字母 reference letter	
餐车 dining car, restaurant car	
餐室 dining room	
餐桌 dining table	
残车率 rate of bad order cars	
残损检验证书 inspection certificate on damaged cargo	
残损证书 certificate of loss	
残余废气 residual gas	
残余废气系数 coefficient of residual gas	
残余氢 residual hydrogen	
残余应力(焊接) residual stress	
仓单 warehouse receipt(W/R)	
仓库交货价 ex warehouse	
仓至仓条款 warehouse to warehouse clause(W/W)	
舱底交货 ex-ship's hold	
舱面货 deck cargo	
舱面提单 on deck B/L	
舱面险 on deck risk	
操纵(作)阀 operating valve	
操纵台 operator's console operating console, console	
操作故障 operating trouble	
操作译码器 operational decoder	
槽 groove	
槽钢 channel, channel steel, U channel	
槽钢梁(制动梁) compression channel	
槽焊 slot welding	
槽焊缝 slot weld	
叉车 forklift truck	
叉形管 Y-pipe	
叉形接头 Y-joint	
叉形连杆 yield connecting rod	
插头 plug	
插下电气插座 lower car power receptacle	
插座 receptacle	
茶炉室 water boiler room	
茶桌 tea table	
差动继电器 differential relay	
差压阀/均衡阀 pressure-balancing valve	
拆开 teardown	
拆卸 dismantle, teardown	
拆修 overhaul	
柴油发电机 diesel engine generator	
柴油发电机组 diesel engine generatorset	
柴油机爆燃 engine detonation	
柴油机支座 engine support	
产地检验证书 inspection certificate of origin	
产品先进技术的转让 transfer of advanced technology embodied in product	
颤振 flutter	
长波长波浪形磨耗 corrugated wear with long wave-length	
长大货车 heavy-duty freight car, high-capacity freight car	
长大平车 long and large flat car	
长吨 long ton (imperial ton)	
长钢轨车组 long-rail-car train set	
长航时平流层飞艇 long endurance stratosphere airship	
长期贸易协定 long-term trade	