



影印版

Introduction to Mathematical Statistics

(Fifth Edition)

数理统计学导论

(第5版)

- ROBERT V. HOGG
- ☐ ALLEN T. CRAIG



高等教育出版社

Higher Education Press

影印版

Introduction to Mathematical Statistics

(Fifth Edition)

数理统计学导论(第5版)

- ☐ ROBERT V. HOGG
- ☐ ALLEN T. CRAIG

图字:01-2003-8316号

English reprint edition copyright © 2004 by PEARSON EDUCATION ASIA LIMITED and HIGHER EDUCATION PRESS. (Introduction to Mathematical Statistics from Pearson Education' edition of the Work)

Introduction to Mathematical Statistics by Robert V. Hogg, Allen T. Craig, Copyright © 1995.

All Rights Reserved.

Published by arrangement with the original publisher, Pearson Education, Inc., publishing as Pearson Education.

This edition is authorized for sale only in the People's Republic of China (excluding the Special Administrative Regions of Hong Kong and Macau)

本书封面贴有 Pearson Education(培生教育出版集团)激光防伪标签。 无标签者不得销售。

For sale and distribution in the People's Republic of China exclusively (except Taiwan, Hong Kong SAR and Macao SAR).

仅限于中华人民共和国境内(不包括中国香港、澳门特别行政区和中国台湾地区)销售发行。

图书在版编目(CIP)数据

数理统计学导论:第5版=Introduction to Mathema tical statistics: Fifth Edition / (美) 霍格 (Hog g,R.V.),(美)克雷格 (Craig,A.T.)著.一影印版. 北京:高等教育出版社,2004.10

(海外优秀数学类教材系列丛书)

ISBN 7-04-015557-5

I.数... Ⅱ.①霍...②克... Ⅲ.①概率论一高等学校—教材—英文②数理统计—高等学校—教材—英文 Ⅳ.021

中国版本图书馆 CIP 数据核字 (2004) 第 094442 号

出版发行 高等教育出版社 购书热线 010 - 64054588社 北京市西城区德外大街 4号 址 免费咨询 800 - 810 - 0598邮政编码 100011 http://www.hep.edu.cn 总 http://www.hep.com.cn 机 010 - 58581000销 新华书店北京发行所 经 印 北京外文印刷厂 刷 开 787 × 960 1/16 本 2004年10月第1版 版 印 张 36 印 2004年10月第1次印刷 字 定 数 460 000 40.70元

本书如有缺页、倒页、脱页等质量问题,请到所购图书销售部门联系调换。 版权所有 侵权必究

物料号:15557-00

Useful Definitions and Results

Expectations of Functions of One Random Variable

$$E[u(X)] = \sum_{x} u(x)f(x) \quad \text{or} \quad \int_{-\infty}^{\infty} u(x)f(x) \, dx$$

$$\mu = E(X) \quad \text{and} \quad \sigma^{2} = E[(X - \mu)^{2}] = E(X^{2}) - \mu^{2}$$

$$M(t) = E(e^{tX}) \quad \text{and} \quad \mu = M'(0), \quad \sigma^{2} = M''(0) - [M'(0)]^{2}$$

Multivariate Distributions

$$f_{1}(x_{1}) = \sum_{x_{2}} f(x_{1}, x_{2}) \quad \text{or} \quad \int_{-\infty}^{\infty} f(x_{1}, x_{2}) dx_{2}$$

$$f_{2|1}(x_{2}|x_{1}) = \frac{f(x_{1}, x_{2})}{f_{1}(x_{1})}, \quad E[u(X_{2})|x_{1}] = \int_{-\infty}^{\infty} u(x_{2})f_{2|1}(x_{2}|x_{1}) dx_{2}$$

$$E[u(X_{1}, X_{2})] = \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} u(x_{1}, x_{2})f(x_{1}, x_{2}) dx_{1} dx_{2}$$

$$\rho = E[(X_{1} - \mu_{1})(X_{2} - \mu_{2})]/\sigma_{1}\sigma_{2} = [E(X_{1}X_{2}) - \mu_{1}\mu_{2}]/\sigma_{1}\sigma_{2}$$

$$M(t_{1}, t_{2}) = E(e^{t_{1}X_{1} + t_{2}X_{2}}), \quad \frac{\partial^{2}M(0, 0)}{\partial t_{1} \partial t_{2}} = E(X_{1}X_{2})$$

Independence of Random Variables

$$f(x_1, x_2) \equiv f_1(x_1)f_2(x_2), \qquad M(t_1, t_2) \equiv M(t_1, 0)M(0, t_2)$$

$$E[u_1(X_1)u_2(X_2)] = E[u_1(X_1)]E[u_2(X_2)]$$

Function of Random Variables

$$\bar{X} = \frac{1}{n} \sum_{i=1}^{n} X_{i}, \qquad S^{2} = \frac{1}{n} \sum_{i=1}^{n} (X_{i} - \bar{X})^{2} = \frac{1}{n} \sum_{i=1}^{n} X_{i}^{2} - \bar{X}^{2}$$

$$E\left[\sum_{i=1}^{n} k_{i} X_{i}\right] = \sum_{i=1}^{n} k_{i} \mu_{i},$$

$$var\left(\sum_{i=1}^{n} k_{i} X_{i}\right) = \sum_{i=1}^{n} k_{i}^{2} \sigma_{i}^{2} + 2 \sum_{i < j} k_{i} k_{j} \rho_{ij} \sigma_{i} \sigma_{j}$$
Order statistics $Y_{1} < Y_{2} < \dots < Y_{n}$ of a random sample joint p.d.f. $= n! f(y_{1}) f(y_{2}) \cdots f(y_{n}),$

$$-\infty < y_{1} < y_{2} < \dots < y_{n} < \infty$$

$$Y_{1} = u_{1}(X_{1}, X_{2}), \qquad Y_{2} = u_{2}(X_{1}, X_{2})$$
with $x_{1} = w_{1}(y_{1}, y_{2}), \quad x_{2} = w_{2}(y_{1}, y_{2})$
joint p.d.f. $= h[w_{1}(y_{1}, y_{2}), \quad w_{2}(y_{1}, y_{2})]|J|, \quad (y_{1}, y_{2}) \in \mathcal{B}$

Special Distributions

Binomial
$$f(x) = \frac{n!}{x! (n-x)!} p^x (1-p)^{n-x},$$

$$b(n,p) \qquad x = 0, 1, 2, \dots, n$$

$$M(t) = (1-p+pe^t)^n$$

$$\mu = np, \qquad \sigma^2 = np(1-p)$$
Poisson
$$f(x) = \frac{\mu^x e^{-\mu}}{x!}, \qquad x = 0, 1, 2, \dots$$

$$M(t) = e^{\mu(e^t-1)}, \qquad E(X) = \mu = \sigma^2$$
Gamma
$$f(x) = \frac{1}{\Gamma(\alpha)\beta^\alpha} x^{\alpha-1} e^{-x/\beta}, \qquad 0 < x < \infty$$

$$M(t) = (1-\beta t)^{-\alpha}, \qquad t < 1/\beta$$

$$\mu = \alpha\beta, \qquad \sigma^2 = \alpha\beta^2$$
Exponential Special gamma with $\alpha = 1$
Special gamma with $\alpha = 1$
Special gamma with $\alpha = r/2, \beta = 2$

$$\chi^2(r)$$
Normal
$$f(x) = \frac{1}{\sigma\sqrt{2\pi}} \exp\left[-\frac{(x-\mu)^2}{2\sigma^2}\right], \qquad -\infty < x < \infty$$

$$N(\mu, \sigma^2) \qquad M(t) = \exp(\mu t + \sigma^2 t^2/2)$$

$$E(X) = \mu, \qquad \text{var}(X) = \sigma^2$$
Beta
$$f(x) = \frac{\Gamma(\alpha+\beta)}{\Gamma(\alpha)\Gamma(\beta)} x^{\alpha-1} (1-x)^{\beta-1}, \qquad 0 < x < 1$$

$$\mu = \frac{\alpha}{\alpha+\beta}, \qquad \sigma^2 = \frac{\alpha\beta}{(\alpha+\beta+1)(\alpha+\beta)^2}$$
Student's
$$t \qquad T = \frac{W}{\sqrt{V/r}}, \qquad E(T) = 0, \qquad \text{var}(T) = \frac{r}{r-2},$$

$$\text{provided that } r > 2, \text{ where } W \text{ is } N(0, 1), V \text{ is } \chi^2(r),$$
and W and V are independent

Fisher's
$$F \qquad E \frac{U/r_1}{V/r_2}, \qquad E(F) = \frac{r_2}{r_2-2},$$

$$\text{var}(F) = \frac{2r_2^2(r_1+r_2-2)}{r_1(r_2-2)^2(r_2-4)}, \qquad r_2 > 4,$$
where U is $\chi^2(r_1)$, V is $\chi^2(r_2)$, and U and V are independent

此为试读,需要完整PDF请访问: www.ertongbook.com

出版者的话

在我国已经加入 WTO、经济全球化的今天,为适应当前我国高校各类创新人才培养的需要,大力推进教育部倡导的双语教学,配合教育部实施的"高等学校教学质量与教学改革工程"和"精品课程"建设的需要,高等教育出版社有计划、大规模地开展了海外优秀数学类系列教材的引进工作。

高等教育出版社和 Pearson Education, John Wiley & Sons, McGraw-Hill, Thomson Learning 等国外出版公司进行了广泛接触, 经国外出版公司的推荐并在国内专家的协助下, 提交引进版权总数 100 余种。收到样书后, 我们聘请了国内高校一线教师、专家、学者参与这些原版教材的评介工作, 并参考国内相关专业的课程设置和教学实际情况, 从中遴选出了这套优秀教材组织出版。

这批教材普遍具有以下特点: (1) 基本上是近3年出版的,在国际上被广泛使用,在同类教材中具有相当的权威性; (2) 高版次,历经多年教学实践检验,内容翔实准确、反映时代要求; (3) 各种教学资源配套整齐,为师生提供了极大的便利; (4) 插图精美、丰富,图文并茂,与正文相辅相成; (5) 语言简练、流畅、可读性强,比较适合非英语国家的学生阅读。

本系列丛书中,有 Finney、Weir 等编的《托马斯微积分》(第 10 版,Pearson),其特色可用"呈传统特色、富革新精神"概括,本书自 20 世纪 50 年代第 1 版以来,平均每四五年就有一个新版面世,长达 50 余年始终盛行于西方教坛,作者既有相当高的学术水平,又热爱教学,长期工作在教学第一线,其中,年近 90 的 G.B. Thomas 教授长年在 MIT 工作,具有丰富的教学经验;Finney 教授也在 MIT 工作达 10 年;Weir 是美国数学建模竞赛委员会主任。Stewart 编的立体化教材《微积分》(第 5 版,Thomson Learning)配备了丰富的教学资源,是国际上最畅销的微积分原版教材,2003 年全球销量约 40 余万册,在美国,占据了约 50%~60%的微积分教材市场,其用户包括耶鲁等名牌院校及众多一般院校 600 余所。本系列丛书还包括 Anton 编的经典教材《线性代数及其应用》(第 8 版,Wiley);Jay L. Devore 编的优秀教材《概率论与数理统计》(第 5 版,Thomson Learning)等。在努力降低引进教材售价方面,高等教育出版社做了大量和细致的工作,这套引进的教材体现了一定的权威性、系统性、先进性和经济性等特点。

通过影印、翻译、编译这批优秀教材,我们一方面要不断地分析、学习、 消化吸收国外优秀教材的长处,吸取国外出版公司的制作经验,提升我们自编 教材的立体化配套标准,使我国高校教材建设水平上一个新的台阶;与此同时,我们还将尝试组织海外作者和国内作者合编外文版基础课数学教材,并约请国内专家改编部分国外优秀教材,以适应我国实际教学环境。

这套教材出版后,我们将结合各高校的双语教学计划,开展大规模的宣传、培训工作,及时地将本套丛书推荐给高校使用。在使用过程中,我们衷心希望广大高校教师和同学提出宝贵的意见和建议,如有好的教材值得引进,请与高等教育出版社高等理科分社联系。

联系电话: 010-58581384, E-mail: xuke@hep.com.cn。

高等教育出版社 2004年4月20日

Preface

When Allen T. Craig died in late November 1978, I lost my advisor, mentor, colleague, and very dear friend. Due to his health, Allen did nothing on the fourth edition and, of course, this revision is mine alone. There is, however, a great deal of Craig's influence in this book. As a matter of fact, when I would debate with myself whether or not to change something, I could hear Allen saying, "It's very good now, Bob; don't mess it up." Often, I would follow that advice.

Nevertheless, there were a number of things that needed to be done. I have had many suggestions from my colleagues at the University of Iowa; in particular, Jim Broffitt, Jon Cryer, Dick Dykstra, Subhash Kochar (a visitor), Joe Lang, Russ Lenth, and Tim Robertson provided me with a great deal of constructive criticism. In addition, three reviewers suggested a number of other topics to include. I have also had statisticians and students from around the world write to me about possible improvements. Elliot Tanis, my good friend and co-author of our *Probability and Statistical Inference*, gave me permission to use a few of the figures, examples, and exercises used in that book. I truly thank these people, who have been so helpful and generous.

Clearly, I could not use all of these ideas. As a matter of fact, I resisted adding "real" problems, although a few slipped into the exercises. Allen and I wanted to write about the mathematics of statistics, and I have followed that guideline. Hopefully, without those problems, there is still enough motivation to study mathematical statistics in this book. In addition, there are a number of excellent

X Preface

books on applied statistics, and most students have had a little exposure to applications before studying this book.

The major differences between this edition and the preceding one are the following:

- There is a better discussion of assigning probabilities to events, including introducing independent events and Bayes' theorem in the text.
- The consideration of random variables and their expectations is greatly improved.
- Sufficient statistics are presented earlier (as was true in the very early editions of the book), and minimal sufficient statistics are introduced.
- Invariance of the maximum likelihood estimators and invariant location- and scale-statistics are considered.
- The expressions "convergence in distribution" and "convergence in probability" are used, and the delta method for finding asymptotic distributions is spelled out.
- Fisher information is given, and the Rao-Cramér lower bound is presented for an estimator of a function of a parameter, not just for an unbiased estimator.
- The asymptotic distribution of the maximum likelihood estimator is included.
- The discussion of Bayesian procedures has been improved and expanded somewhat.

There are also a number of little items that should improve the understanding of the text: the expressions var and cov are used; the convolution formula is in the text; there is more explanation of *p*-values; the relationship between two-sided tests and confidence intervals is noted; the indicator function is used when helpful; the multivariate normal distribution is given earlier (for those with an appropriate background in matrices, although this is still not necessary in the use of this book); and there is more on conditioning.

I believe that the order of presentation has been improved; in particular, sufficient statistics are presented earlier. More exercises have been introduced; and at the end of each chapter, there are several additional exercises that have not been ordered by section or by difficulty (several students had suggested this). Moreover, answers have not been given for any of these additional exercises because I thought some instructors might want to use them for questions on

examinations. Finally, the index has been improved greatly, another suggestion of students as well as of some of my colleagues at Iowa.

There is really enough material in this book for a three-semester sequence. However, most instructors find that selections from the first five chapters provide a good one-semester background in the probability needed for the mathematical statistics based on selections from the remainder of the book, which certainly would include most of Chapters 6 and 7.

I am obligated to Catherine M. Thompson and Maxine Merrington and to Professor E. S. Pearson for permission to include Tables II and V, which are abridgments and adaptations of tables published in *Biometrika*. I wish to thank Oliver & Boyd Ltd., Edinburgh, for permission to include Table IV, which is an abridgment and adaptation of Table III from the book *Statistical Tables for Biological*, *Agricultural*, *and Medical Research* by the late Professor Sir Ronald A. Fisher, Cambridge, and Dr. Frank Yates, Rothamsted.

Finally, I would like to dedicate this edition to the memory of Allen Craig and my wife, Carolyn, who died June 25, 1990. Without the love and support of these two caring persons, I could not have done as much professionally as I have. My friends in Iowa City and my children (Mary, Barbara, Allen, and Robert) have given me the strength to continue. After four previous efforts, I really hope that I have come close to "getting it right this fifth time." I will let the readers be the judge.

Contents

PREFACE		ix	
		May aw mad neg bergal alekgen.	
CHAPTE	R 1		
Probabi	lity a	nd Distributions	
	ំ , :		
	1.1	Introduction 1	
	1.2	Set Theory 3	
	1.3	The Probability Set Function 12	
	1.4	Conditional Probability and Independence	19
	1.5	Random Variables of the Discrete Type	28
	1.6	Random Variables of the Continuous Typ	
	1.7	Properties of the Distribution Function	44
	1.8	Expectation of a Random Variable 52	
	1.9	Some Special Expectations 57	
	1.10	Chebyshev's Inequality 68	
CHAPTEI	2	The soft in the soft in the soft	7
CHAPTE	. 2		//
Multiva	riate	Distributions	
	2.1	Distributions of Two Random Variables	74 MATSAIL
	2.2	Conditional Distributions and Expectations	82
	2.3	The Correlation Coefficient 91	
	2.4	Independent Random Variables 100	
	2.5	Extension to Several Random Variables	107

比为试读,需要完整PDF请访问: www.ertongbook.com

CHAPTER 3		116	
Some Special	Distributions		
	The Binomial and Related Distributions 116 The Poisson Distribution 126 The Gamma and Chi-Square Distributions 131 The Normal Distribution 138 The Bivariate Normal Distribution 146		
CHAPTER 4		155	
Distributions	of Functions of Random Variables		
4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8 4.9 *4.10	Sampling Theory 155 Transformations of Variables of the Discrete Type 163 Transformations of Variables of the Continuous Type 168 The Beta, t , and F Distributions 179 Extensions of the Change-of-Variable Technique Distributions of Order Statistics 193 The Moment-Generating-Function Technique 203 The Distributions of \bar{X} and nS^2/σ^2 214 Expectations of Functions of Random Variables The Multivariate Normal Distribution 223	186	
CHAPTER 5		233	
Limiting Dis	tributions		
5.1 5.2 5.3 5.4 5.5	Convergence in Distribution 233 Convergence in Probability 239 Limiting Moment-Generating Functions 243 The Central Limit Theorem 246 Some Theorems on Limiting Distributions 253		
/			
CHAPTER 6		259	
Introduction to Statistical Inference			
6.1	Point Estimation 259		

6.2 Confidence Intervals for Means 268

	6.3	Confidence Intervals for Differences of Means 276
	6.4	Tests of Statistical Hypotheses 280
	6.5	Additional Comments About Statistical Tests 288
	6.6	Chi-Square Tests 293
		of the United States of Content Date of
CHAPTER	7	307
CHAIL LEAK	,	The winding a paging of the State of the sta
Sufficien	t Sta	
Sufficient	ı Dia	
	7.1	Measures of Quality of Estimators 307
	7.2	A Sufficient Statistic for a Parameter 314
	7.3	Properties of a Sufficient Statistic 322
	7.4	Completeness and Uniqueness 329
	7.5	The Exponential Class of Probability Density
		Functions 333
	7.6	Functions of a Parameter 338
	7.7	The Case of Several Parameters 341
	7.8	Minimal Sufficient and Ancillary Statistics 347
	7.9	Sufficiency, Completeness, and Independence 353
		At more CW to tent to a fitter of
CHAPTER	8	363 Test man dilWeynoller malMestre at 1
More Al	oout	Estimation
	8.1	Bayesian Estimation 363
	8.2	Fisher Information and the Rao-Cramér
		Inequality 372
	8.3	Limiting Distributions of Maximum Likelihood
		Estimators 380
	8.4	Robust M-Estimation 387
CHAPTER	9	395 AAR MAINTENANT 395
Theory of	of St	atistical Tests
		APPENDIX.C
	9.1	Certain Best Tests 395
	9.2	Uniformly Most Powerful Tests 405
	9.3	Likelihood Ratio Tests 413
	9.4	The Sequential Probability Ratio Test 425
	9.5	Minimax, Bayesian, and Classification Procedures 433

V	1	1	1	

CHAPTER 10 PARTICULAR TO CONTROL OF THE STATE OF THE STAT
Inferences About Normal Models wood Innombra 2.6
 10.1 The Distributions of Certain Quadratic Forms 446 10.2 A Test of the Equality of Several Means 452 10.3 Noncentral χ² and Noncentral F 458 10.4 Multiple Comparisons 461 10.5 The Analysis of Variance 466 10.6 A Regression Problem 471 10.7 A Test of Independence 478 10.8 The Distributions of Certain Quadratic Forms 481 10.9 The Independence of Certain Quadratic Forms 486
CHAPTER 11 10 10 10 10 10 10 10 10 10 10 10 10
Nonparametric Methods
11.1 Confidence Intervals for Distribution Quantiles 497 11.2 Tolerance Limits for Distributions 500 11.3 The Sign Test 506 11.4 A Test of Wilcoxon 508 11.5 The Equality of Two Distributions 514 11.6 The Mann-Whitney-Wilcoxon Test 521 11.7 Distributions Under Alternative Hypotheses 527 11.8 Linear Rank Statistics 529 11.9 Adaptive Nonparametric Methods 536 APPENDIX A 543
References 543
APPENDIX B 546
Tables 546
APPENDIX C Answers to Selected Exercises 552
9 3 Likelihood Rano Latu 413 2 4 9 9 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Probability and Distributions

1.1 Introduction

Many kinds of investigations may be characterized in part by the fact that repeated experimentation, under essentially the same conditions, is more or less standard procedure. For instance, in medical research, interest may center on the effect of a drug that is to be administered; or an economist may be concerned with the prices of three specified commodities at various time intervals; or the agronomist may wish to study the effect that a chemical fertilizer has on the yield of a cereal grain. The only way in which an investigator can elicit information about any such phenomenon is to perform his experiment. Each experiment terminates with an *outcome*. But it is characteristic of these experiments that the outcome cannot be predicted with certainty prior to the performance of the experiment.

Suppose that we have such an experiment, the outcome of which cannot be predicted with certainty, but the experiment is of such a nature that a collection of every possible outcome can be described prior to its performance. If this kind of experiment can be repeated

under the same conditions, it is called a *random experiment*, and the collection of every possible outcome is called the experimental space or the *sample space*.

Example 1. In the toss of a coin, let the outcome tails be denoted by T and let the outcome heads be denoted by H. If we assume that the coin may be repeatedly tossed under the same conditions, then the toss of this coin is an example of a random experiment in which the outcome is one of the two symbols T and H; that is, the sample space is the collection of these two symbols.

Example 2. In the cast of one red die and one white die, let the outcome be the ordered pair (number of spots up on the red die, number of spots up on the white die). If we assume that these two dice may be repeatedly cast under the same conditions, then the cast of this pair of dice is a random experiment and the sample space consists of the following 36 ordered pairs: $(1, 1), \ldots, (1, 6), (2, 1), \ldots, (2, 6), \ldots, (6, 6)$.

Let \mathscr{C} denote a sample space, and let C represent a part of \mathscr{C} . If, upon the performance of the experiment, the outcome is in C, we shall say that the event C has occurred. Now conceive of our having made N repeated performances of the random experiment. Then we can count the number f of times (the frequency) that the event C actually occurred throughout the N performances. The ratio f/N is called the relative frequency of the event C in these N experiments. A relative frequency is usually quite erratic for small values of N, as you can discover by tossing a coin. But as N increases, experience indicates that we associate with the event C a number, say p, that is equal or approximately equal to that number about which the relative frequency seems to stabilize. If we do this, then the number p can be interpreted as that number which, in future performances of the experiment, the relative frequency of the event C will either equal or approximate. Thus, although we cannot predict the outcome of a random experiment, we can, for a large value of N, predict approximately the relative frequency with which the outcome will be in C. The number p associated with the event C is given various names. Sometimes it is called the *probability* that the outcome of the random experiment is in C; sometimes it is called the *probability* of the event C; and sometimes it is called the *probability measure* of C. The context usually suggests an appropriate choice of terminology.

Example 3. Let \mathscr{C} denote the sample space of Example 2 and let C be the collection of every ordered pair of \mathscr{C} for which the sum of the pair is

equal to seven. Thus C is the collection (1, 6), (2, 5), (3, 4), (4, 3), (5, 2), and (6, 1). Suppose that the dice are cast N = 400 times and let f, the frequency of a sum of seven, be f = 60. Then the relative frequency with which the outcome was in C is $f/N = \frac{60}{400} = 0.15$. Thus we might associate with C a number p that is close to 0.15, and p would be called the probability of the event C.

Remark. The preceding interpretation of probability is sometimes referred to as the *relative frequency approach*, and it obviously depends upon the fact that an experiment can be repeated under essentially identical conditions. However, many persons extend probability to other situations by treating it as a rational measure of belief. For example, the statement $p = \frac{2}{5}$ would mean to them that their *personal* or *subjective* probability of the event C is equal to $\frac{2}{5}$. Hence, if they are not opposed to gambling, this could be interpreted as a willingness on their part to bet on the outcome of C so that the two possible payoffs are in the ratio $p/(1-p)=\frac{2}{5}/\frac{3}{5}=\frac{2}{3}$. Moreover, if they truly believe that $p=\frac{2}{5}$ is correct, they would be willing to accept either side of the bet: (a) win 3 units if C occurs and lose 2 if it does not occur, or (b) win 2 units if C does not occur and lose 3 if it does. However, since the mathematical properties of probability given in Section 1.3 are consistent with either of these interpretations, the subsequent mathematical development does not depend upon which approach is used.

The primary purpose of having a mathematical theory of statistics is to provide mathematical models for random experiments. Once a model for such an experiment has been provided and the theory worked out in detail, the statistician may, within this framework, make inferences (that is, draw conclusions) about the random experiment. The construction of such a model requires a theory of probability. One of the more logically satisfying theories of probability is that based on the concepts of sets and functions of sets. These concepts are introduced in Section 1.2.

1.2 Set Theory

The concept of a set or a collection of objects is usually left undefined. However, a particular set can be described so that there is no misunderstanding as to what collection of objects is under consideration. For example, the set of the first 10 positive integers is sufficiently well described to make clear that the numbers $\frac{3}{4}$ and 14 are not in the set, while the number 3 is in the set. If an object belongs to a set, it is said to be an element of the set. For example, if A denotes the set of real numbers x for which $0 \le x \le 1$, then $\frac{3}{4}$ is an element of