

# Graduate Texts in Mathematics

**T. Y. Lam**

## **Lectures on Modules and Rings**

模与环讲义

Springer

世界图书出版公司  
[www.wpcbj.com.cn](http://www.wpcbj.com.cn)

T. Y. Lam

# Lectures on Modules and Rings

With 43 Figures



Springer

图书在版编目 (CIP) 数据

模与环讲义 = Lectures on Modules and Rings: 英文/ (美) 拉姆著.  
—影印本. —北京: 世界图书出版公司北京公司, 2012. 3  
ISBN 978 - 7 - 5100 - 4418 - 2

I. ①模… II. ①拉… III. ①模—研究—英文②环—研究—英文  
IV. ①O153.3

中国版本图书馆 CIP 数据核字 (2012) 第 030216 号

---

书 名: Lectures on Modules and Rings  
作 者: T. Y. Lam  
中 译 名: 模与环讲义  
责任编辑: 高蓉 刘慧

---

出 版 者: 世界图书出版公司北京公司  
印 刷 者: 三河市国英印务有限公司  
发 行: 世界图书出版公司北京公司 (北京朝内大街 137 号 100010)  
联系电话: 010 - 64021602, 010 - 64015659  
电子信箱: kjb@wpcbj.com.cn

---

开 本: 24 开  
印 张: 24.5  
版 次: 2012 年 06 月  
版权登记: 图字: 01 - 2012 - 1253

---

书 号: 978 - 7 - 5100 - 4418 - 2/O · 941      定 价: 79.00 元

---

Graduate Texts in Mathematics 189

*Editorial Board*

S. Axler F.W. Gehring K.A. Ribet

**Springer**

*New York  
Berlin  
Heidelberg  
Barcelona  
Hong Kong  
London  
Milan  
Paris  
Singapore  
Tokyo*

# Graduate Texts in Mathematics

- 1 TAKEUTI/ZARING. Introduction to Axiomatic Set Theory. 2nd ed.
- 2 OXToby. Measure and Category. 2nd ed.
- 3 SCHAEFER. Topological Vector Spaces.
- 4 HILTON/STAMMBACH. A Course in Homological Algebra. 2nd ed.
- 5 MAC LANE. Categories for the Working Mathematician. 2nd ed.
- 6 HUGHES/PIPER. Projective Planes.
- 7 SERRE. A Course in Arithmetic.
- 8 TAKEUTI/ZARING. Axiomatic Set Theory.
- 9 HUMPHREYS. Introduction to Lie Algebras and Representation Theory.
- 10 COHEN. A Course in Simple Homotopy Theory.
- 11 CONWAY. Functions of One Complex Variable I. 2nd ed.
- 12 BEALS. Advanced Mathematical Analysis.
- 13 ANDERSON/FULLER. Rings and Categories of Modules. 2nd ed.
- 14 GOLUBITSKY/GUILLEMIN. Stable Mappings and Their Singularities.
- 15 BERBERIAN. Lectures in Functional Analysis and Operator Theory.
- 16 WINTER. The Structure of Fields.
- 17 ROSENBLATT. Random Processes. 2nd ed.
- 18 HALMOS. Measure Theory.
- 19 HALMOS. A Hilbert Space Problem Book. 2nd ed.
- 20 HUSEMOLLER. Fibre Bundles. 3rd ed.
- 21 HUMPHREYS. Linear Algebraic Groups.
- 22 BARNES/MACK. An Algebraic Introduction to Mathematical Logic.
- 23 GREUB. Linear Algebra. 4th ed.
- 24 HOLMES. Geometric Functional Analysis and Its Applications.
- 25 HEWITT/STROMBERG. Real and Abstract Analysis.
- 26 MANES. Algebraic Theories.
- 27 KELLEY. General Topology.
- 28 ZARISKI/SAMUEL. Commutative Algebra. Vol. I.
- 29 ZARISKI/SAMUEL. Commutative Algebra. Vol. II.
- 30 JACOBSON. Lectures in Abstract Algebra I. Basic Concepts.
- 31 JACOBSON. Lectures in Abstract Algebra II. Linear Algebra.
- 32 JACOBSON. Lectures in Abstract Algebra III. Theory of Fields and Galois Theory.
- 33 HIRSCH. Differential Topology.
- 34 SPITZER. Principles of Random Walk. 2nd ed.
- 35 ALEXANDER/WERMER. Several Complex Variables and Banach Algebras. 3rd ed.
- 36 KELLEY/NAMIOKA et al. Linear Topological Spaces.
- 37 MONK. Mathematical Logic.
- 38 GRAUERT/FRITZSCHE. Several Complex Variables.
- 39 ARVESON. An Invitation to  $C^*$ -Algebras.
- 40 KEMENY/SNELL/KNAPP. Denumerable Markov Chains. 2nd ed.
- 41 APOSTOL. Modular Functions and Dirichlet Series in Number Theory. 2nd ed.
- 42 SERRE. Linear Representations of Finite Groups.
- 43 GILLMAN/JERISON. Rings of Continuous Functions.
- 44 KENDIG. Elementary Algebraic Geometry.
- 45 LOÈVE. Probability Theory I. 4th ed.
- 46 LOÈVE. Probability Theory II. 4th ed.
- 47 MOISE. Geometric Topology in Dimensions 2 and 3.
- 48 SACHS/WU. General Relativity for Mathematicians.
- 49 GRUENBERG/WEIR. Linear Geometry. 2nd ed.
- 50 EDWARDS. Fermat's Last Theorem.
- 51 KLINGENBERG. A Course in Differential Geometry.
- 52 HARTSHORNE. Algebraic Geometry.
- 53 MANIN. A Course in Mathematical Logic.
- 54 GRAVER/WATKINS. Combinatorics with Emphasis on the Theory of Graphs.
- 55 BROWN/PEARCY. Introduction to Operator Theory I: Elements of Functional Analysis.
- 56 MASSEY. Algebraic Topology: An Introduction.
- 57 CROWELL/FOX. Introduction to Knot Theory.
- 58 KOBLITZ.  $p$ -adic Numbers,  $p$ -adic Analysis, and Zeta-Functions. 2nd ed.
- 59 LANG. Cyclotomic Fields.
- 60 ARNOLD. Mathematical Methods in Classical Mechanics. 2nd ed.
- 61 WHITEHEAD. Elements of Homotopy Theory.

T. Y. Lam  
Department of Mathematics  
University of California at Berkeley  
Berkeley, CA 94720-3840  
USA

*Editorial Board*

S. Axler  
Mathematics Department  
San Francisco State  
University  
San Francisco, CA 94132  
USA

F. W. Gehring  
Mathematics Department  
East Hall  
University of Michigan  
Ann Arbor, MI 48109  
USA

K.A. Ribet  
Mathematics Department  
University of California  
at Berkeley  
Berkeley, CA 94720-3840  
USA

---

Mathematics Subject Classification (1991): 16-01, 16D10, 16D40, 16D50, 16D90,  
16E20, 16L60, 16P60, 16S90

---

Library of Congress Cataloging-in-Publication Data  
Lam, T. Y. (Tsit-Yuen), 1942-

Lectures on modules and rings / T. Y. Lam.

p. cm. – (Graduate texts in mathematics ; 189)

Includes bibliographical references and indexes.

ISBN 0-387-98428-3 (hardcover : alk. paper)

1. Modules (Algebra). 2. Rings (Algebra). I. Title. II. Series.

QA247.L263 1998

512'.4-dc21

98-18389

©1999 Springer-Verlag New York, Inc.

All rights reserved. This work may not be translated or copied in whole or in part without the written permission of the publisher (Springer-Verlag New York, Inc., 175 Fifth Avenue, New York, NY 10010, USA), except for brief excerpts in connection with reviews or scholarly analysis. Use in connection with any form of information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed is forbidden.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if the former are not especially identified, is not to be taken as a sign that such names, as understood by the Trade Marks and Merchandise Marks Act, may accordingly be used freely by anyone.

This reprint has been authorized by Springer-Verlag (Berlin/Heidelberg/New York)  
for sale in the Mainland China only and not for export therefrom.

**To Chee King**  
**Juwen, Fumei, Juleen, Tsai Yu**

# Preface

*Textbook writing must be one of the  
cruelest of self-inflicted tortures.*

– Carl Faith

Math Reviews 54: 5281

So why didn't I heed the warning of a wise colleague, especially one who is a great expert in the subject of modules and rings? The answer is simple: I did not learn about it until it was too late !

My writing project in ring theory started in 1983 after I taught a year-long course in the subject at Berkeley. My original plan was to write up my lectures and publish them as a graduate text in a couple of years. My hopes of carrying out this plan on schedule were, however, quickly dashed as I began to realize how much material was at hand and how little time I had at my disposal. As the years went by, I added further material to my notes, and used them to teach different versions of the course. Eventually, I came to the realization that writing a single volume would not fully accomplish my original goal of giving a comprehensive treatment of basic ring theory.

At the suggestion of Ulrike Schmickler-Hirzebruch, then Mathematics Editor of Springer-Verlag, I completed the first part of my project and published the write-up in 1991 as *A First Course in Noncommutative Rings*, GTM 131, hereafter referred to as *First Course* (or simply *FC*). This volume contained a treatment of the Wedderburn-Artin theory of semisimple rings, Jacobson's theory of the radical, representation theory of groups and algebras, prime and semiprime rings, division rings, ordered rings, local and semilocal rings, culminating in the theory of perfect and semiperfect rings. The publication of this volume was accompanied several years later by that of *Exercises in Classical Ring Theory*, which contained full solutions of (and additional commentary on) all exercises in *FC*. For further topics in ring theory not yet treated in *FC*, the reader was referred to a forthcoming second volume, which, for lack of a better name, was tentatively billed as *A Second Course in Noncommutative Rings*.

One primary subject matter I had in mind for the second volume was that part of ring theory in which the consideration of modules plays a crucial role. While

an early chapter of *FC* on representation theory dealt with modules over finite-dimensional algebras (such as group algebras of finite groups over fields), the theory of modules over more general rings did not receive a full treatment in that text. This second volume, therefore, begins with the theory of special classes of modules (free, projective, injective, and flat modules) and the theory of homological dimensions of modules and rings. This material occupies the first two chapters. We then go on to present, in Chapter 3, the theory of uniform dimensions, complements, singular submodules and rational hulls; here, the notions of essentiality and denseness of submodules play a key role. In this chapter, we also encounter several interesting classes of rings, notably Rickart rings and Baer rings, Johnson's non-singular rings, and Kasch rings, not to mention the hereditary and semihereditary rings that have already figured in the first two chapters.

Another important topic in classical ring theory not yet treated in *FC* was the theory of rings of quotients. This topic is taken up in Chapter 4 of the present text, in which we present Ore's theory of noncommutative localization, followed by a treatment of Goldie's all-important theorem characterizing semiprime right Goldie rings as right orders in semisimple rings. The latter theorem, truly a landmark in ring theory, brought the subject into its modern age, and laid new firm foundations for the theory of noncommutative noetherian rings. Another closely allied theory is that of maximal rings of quotients, due to Findlay, Lambek and Utumi. This theory has a universal appeal, since every ring has a maximal (left, right) ring of quotients. Chapter 5 develops this theory, taking full advantage of the material on injective and rational hulls of modules presented in the previous chapters. In this theory, the theorems of Johnson and Gabriel characterizing rings whose maximal right rings of quotients are von Neumann regular or semisimple may be viewed as analogues of Goldie's theorem mentioned earlier.

One theme that runs like a red thread through Chapters 1–5 is that of self-injective rings. The noetherian self-injective rings, commonly known as quasi-Frobenius (or QF) rings, occupy an especially important place in ring theory. Group algebras of finite groups provided the earliest nontrivial examples of QF rings; in fact, they are examples of finite-dimensional Frobenius algebras that were studied already in the first chapter. The general theory of Frobenius and quasi-Frobenius rings is developed in considerable detail in Chapter 6. Over such rings, we witness a remarkable "perfect duality" between finitely generated left and right modules. Much of the beautiful mathematics here goes back to Dieudonné, Nakayama, Nesbitt, Brauer, and Frobenius. This theory served eventually as the model for the general theory of duality between module categories developed by Kiiti Morita in his classical paper in 1958. Our text concludes with an exposition, in Chapter 7, of this duality theory, along with the equally significant theory of module category equivalences developed concomitantly by Kiiti Morita.

Although the present text was originally conceived as a sequel to *FC*, the material covered here is largely independent of that in *First Course*, and can be used as a text in its own right for a course in ring theory stressing the role of modules over rings. In fact, I have myself used the material in this manner in a couple of courses at Berkeley. For this reason, it is deemed appropriate to rename the book so as to

decouple it from *First Course*; hence the present title, *Lectures on Modules and Rings*. I am fully conscious of the fact that this title is a permutation of *Lectures on Rings and Modules* by Lambek — and even more conscious of the fact that my name happens to be a subset of his!

For readers using this textbook without having read *FC*, some orienting remarks are in order. While it is true that, in various places, references are made to *First Course*, these references are mostly for really basic material in ring theory, such as the Wedderburn-Artin Theorem, facts about the Jacobson radical, noetherian and artinian rings, local and semilocal rings, or the like. These are topics that a graduate student is likely to have learned from a good first-year graduate course in algebra using a strong text such as that of Lang, Hungerford, or Isaacs. For a student with this kind of background, the present text can be used largely independently of *FC*. For others, an occasional consultation with *FC*, together with a willingness to take some ring-theoretic facts for granted, should be enough to help them navigate through the present text with ease. The *Notes to the Reader* section following the Table of Contents spells out in detail some of the things, mathematical or otherwise, which will be useful to know in working with this text. For the reader's convenience, we have also included a fairly complete list of the notations used in the book, together with a partial list of frequently used abbreviations.

In writing the present text, I was guided by three basic principles. First, I tried to write in the way I give my lectures. This means I took it upon myself to select the most central topics to be taught, and I tried to expound these topics by using the clearest and most efficient approach possible, without the hindrance of heavy machinery or undue abstractions. As a result, all material in the text should be well-suited for direct class presentations. Second, I put a premium on the use of examples. Modules and rings are truly ubiquitous objects, and they are a delight to construct. Yet, a number of current ring theory books were almost totally devoid of examples. To reverse this trend, we did it with a vengeance: an abundance of examples was offered virtually every step of the way, to illustrate everything from concepts, definitions, to theorems. It is hoped that the unusual number of examples included in this text makes it fun to read. Third, I recognized the vital role of problem-solving in the learning process. Thus, I have made a special effort to compile extensive sets of exercises for all sections of the book. Varying from the routine to the most challenging, the compendium of (exactly) 600 exercises greatly extends the scope of the text, and offers a rich additional source of information to novices and experts alike. Also, to maintain a good control over the quality and propriety of these exercises, I made it a point to do each and every one of them myself. Solutions to all exercises in this text, with additional commentary on the majority of them, will hopefully appear later in the form of a separate problem book.

As I came to the end of my arduous writing journey that began as early as 1983, I grimaced over the one-liner of Carl Faith quoted at the beginning of this preface. Torture it no doubt was, and the irony lay indeed in the fact that I had chosen to inflict it upon myself. But surely every author had a compelling reason for writing his or her opus; the labor and pain, however excruciating, were only a part of the price to pay for the joyful creation of a new brain-child!

If I had any regrets about this volume, it would only be that I did not find it possible to treat all of the interesting ring-theoretic topics that I would have liked to include. Among the most glaring omissions are: the dimension theory and torsion theory of rings, noncommutative noetherian rings and PI rings, and the theory of central simple algebras and enveloping algebras. Some of these topics were “promised” in *FC*, but obviously, to treat any of them would have further increased the size of this book. I still fondly remember that, in Professor G.-C. Rota’s humorous review of my *First Course*, he mused over some mathematicians’ unforgiving (and often vociferous) reactions to omissions of their favorite results in textbooks, and gave the example of a “Professor Neanderthal of Redwood Poly.”, who, upon seeing my book, was confirmed in his darkest suspicions that I had failed to “include a mention, let alone a proof, of the Worpitzky-Yamamoto Theorem.” Sadly enough, to the Professor Neanderthals of the world, I must shamefully confess that, even in this *second* volume in noncommutative ring theory, I still did not manage to include a mention, let alone a proof, of that omnipotent Worpitzky-Yamamoto Theorem!

Obviously, a book like this could not have been written without the generous help of many others. First, I thank the audiences in several of the ring theory courses I taught at Berkeley in the last 15 years. While it is not possible to name them all, I note that the many talented (former) students who attended my classes included Ka Hin Leung, Tara Smith, David Moulton, Bjorn Poonen, Arthur Drisko, Peter Farbman, Geir Agnarsson, Ioannis Emmanouil, Daniel Isaksen, Romyar Sharifi, Nghi Nguyen, Greg Marks, Will Murray, and Monica Vazirani. They have corrected a number of mistakes in my presentations, and their many pertinent questions and remarks in class have led to various improvements in the text. I also thank heartily all those who have read portions of preliminary versions of the book and offered corrections, suggestions, and other constructive comments. This includes Ioannis Emmanouil, Greg Marks, Will Murray, Monica Vazirani, Scott Annin, Stefan Schmidt, André Leroy, S. K. Jain, Charles Curtis, Rad DIMITRIĆ, Ellen Kirkman, and Dan Shapiro. Other colleagues helped by providing proofs, examples and counterexamples, suggesting exercises, pointing out references, or answering my mathematical queries: among them, I should especially thank George Bergman, Hendrik Lenstra, Jr., Carl Faith, Barbara Osofsky, Lance Small, Susan Montgomery, Joseph Rotman, Richard Swan, David Eisenbud, Craig Huneke, and Birge Huisgen-Zimmermann.

Last, first, and always, I owe the greatest debt to members of my family. At the risk of sounding like a broken record, I must once more thank my wife Chee-King for graciously enduring yet another book project. She can now take comfort in my solemn pledge that there will *not* be a *Third Course*! The company of our four children brings cheers and joy into my life, which keep me going. I thank them fondly for their love, devotion and unstinting support.

Berkeley, California  
July 4, 1998

T.Y.L.

# Notes to the Reader

This book consists of nineteen sections (§§1–19), which, for ease of reference, are numbered consecutively, independently of the seven chapters. Thus, a cross-reference such as (12.7) refers to the result (lemma, theorem, example, or remark) so labeled in §12. On the other hand, Exercise (12.7) will refer to Exercise 7 in the exercise set appearing at the end of §12. In referring to an exercise appearing (or to appear) in the same section, we shall sometimes drop the section number from the reference. Thus, when we refer to “Exercise 7” *within* §12, we shall mean Exercise (12.7). A reference in brackets, such as Amitsur [72] (or [Amitsur: 72]) shall refer to the 1972 paper/book of Amitsur listed in the reference section at the end of the text.

Throughout the text, some familiarity with elementary ring theory is assumed, so that we can start our discussion at an “intermediate” level. Most (if not all) of the facts we need from commutative and noncommutative ring theory are available from standard first-year graduate algebra texts such as those of Lang, Hungerford, and Isaacs, and certainly from the author’s *First Course in Noncommutative Rings* (GTM 131). The latter work will be referred to throughout as *First Course* (or simply *FC*). For the reader’s convenience, we summarize below a number of basic ring-theoretic notions and results which will prove to be handy in working with the text.

Unless otherwise stated, a ring  $R$  means a ring with an identity element 1, and a subring of  $R$  means a subring  $S \subseteq R$  with  $1 \in S$ . The word “ideal” always means a two-sided ideal; an adjective such as “noetherian” likewise means right and left noetherian. A ring homomorphism from  $R$  to  $R'$  is supposed to take the identity of  $R$  to that of  $R'$ . Left and right  $R$ -modules are always assumed to be unital; homomorphisms between modules are usually written (and composed) on the opposite side of scalars. “Semisimple rings” are in the sense of Wedderburn, Noether and Artin: these are rings that are semisimple as left (right) modules over themselves. We shall use freely the classical Wedderburn-Artin Theorem (FC–(3.5)), which states that a ring  $R$  is semisimple iff it is isomorphic to a direct product  $\mathbb{M}_{n_1}(D_1) \times \cdots \times \mathbb{M}_{n_r}(D_r)$ , where the  $D_i$ ’s are division rings. The  $\mathbb{M}_{n_i}(D_i)$ ’s are called the *simple components* of  $R$ ; these are the most typical

simple artinian rings. A classical theorem of Maschke states that the group algebra  $kG$  of a finite group  $G$  over a field  $k$  of characteristic prime to  $|G|$  is semisimple.

The *Jacobson radical* of a ring  $R$ , denoted by  $\text{rad } R$ , is the intersection of the maximal left (right) ideals of  $R$ ; its elements are exactly those which act trivially on all left (right)  $R$ -modules. If  $\text{rad } R = 0$ ,  $R$  is said to be *Jacobson semisimple* (or just *J-semisimple*). Such rings generalize the classical semisimple rings, in that semisimple rings are precisely the *artinian J-semisimple* rings. A ring  $R$  is called *semilocal* if  $R/\text{rad } R$  is artinian (and hence semisimple); in the case when  $R$  is commutative, this amounts to  $R$  having only a finite number of maximal ideals. If  $R$  is semilocal and  $\text{rad } R$  is nilpotent,  $R$  is said to be *semiprimary*. Over such a ring, the Hopkins-Levitzki Theorem (FC-(4.15)) states that any noetherian module has a composition series. This theorem implies that left (right) artinian rings are precisely the semiprimary left (right) noetherian rings.

In a ring  $R$ , a *prime ideal* is an ideal  $\mathfrak{p} \subsetneq R$  such that  $aRb \subseteq \mathfrak{p}$  implies  $a \in \mathfrak{p}$  or  $b \in \mathfrak{p}$ ; a *semiprime ideal* is an ideal  $\mathfrak{C}$  such that  $aRa \subseteq \mathfrak{C}$  implies  $a \in \mathfrak{C}$ . Semiprime ideals are exactly intersections of prime ideals. A ring  $R$  is called *prime* (*semiprime*) if the zero ideal is prime (semiprime). The *prime radical* (a.k.a. Baer radical, or lower nilradical<sup>1</sup>) of a ring  $R$  is denoted by  $\text{Nil}_* R$ : it is the smallest semiprime ideal of  $R$  (given by the intersection of all of its prime ideals). Thus,  $R$  is semiprime iff  $\text{Nil}_* R = 0$ , iff  $R$  has no nonzero nilpotent ideals. In case  $R$  is commutative,  $\text{Nil}_* R$  is just  $\text{Nil}(R)$ , the set of all nilpotent elements in  $R$ ;  $R$  being semiprime in this case simply means that  $R$  is a *reduced ring*, that is, a ring without nonzero nilpotent elements. In general,  $\text{Nil}_* R \subseteq \text{rad } R$ , with equality in case  $R$  is a 1-sided artinian ring.

A *domain* is a nonzero ring in which there is no 0-divisor (other than 0). Domains are prime rings, and reduced rings are semiprime rings. A *local ring* is a ring  $R$  in which there is a unique maximal left (right) ideal  $\mathfrak{m}$ ; in this case, we often say that  $(R, \mathfrak{m})$  is a local ring. For such rings,  $\text{rad } R = \mathfrak{m}$ , and  $R/\text{rad } R$  is a division ring. An element  $a$  in a ring  $R$  is called *regular* if it is neither a left nor a right 0-divisor, and *von Neumann regular* if  $a \in aRa$ . The ring  $R$  itself is called von Neumann regular if every  $a \in R$  is von Neumann regular. Such rings are characterized by the fact that every principal (resp., finitely generated) left ideal is generated by an idempotent element.

A nonzero module  $M$  is said to be *simple* if it has no submodules other than  $(0)$  and  $M$ , and *indecomposable* if it is not a direct sum of two nonzero submodules. The *socle* of a module  $M$ , denoted by  $\text{soc}(M)$ , is the sum of all simple submodules of  $M$ . In case  $M$  is  $R_R$  ( $R$  viewed as a right module over itself), the socle is always an ideal of  $R$ , and is given by the left annihilator of  $\text{rad } R$  if  $R$  is 1-sided artinian (FC-Exer. (4.20)). In general, however,  $\text{soc}(R_R) \neq \text{soc}({}_R R)$ .

<sup>1</sup>The upper nilradical  $\text{Nil}^* R$  (the largest nil ideal in  $R$ ) will not be needed in this book.

# Partial List of Notations

$\mathbb{Z}$	ring of integers
$\mathbb{Q}$	field of rational numbers
$\mathbb{R}$	field of real numbers
$\mathbb{C}$	field of complex numbers
$\mathbb{F}_q$	finite field with $q$ elements
$\mathbb{Z}_n, C_n$	the cyclic group $\mathbb{Z}/n\mathbb{Z}$
$C_{p^\infty}$	the Prüfer $p$ -group
$\emptyset$	the empty set
$\subset, \subseteq$	used interchangeably for inclusion
$\subsetneq$	strict inclusion
$ A , \text{Card } A$	used interchangeably for the cardinality of the set $A$
$A \setminus B$	set-theoretic difference
$A \hookrightarrow B$	injective mapping from $A$ into $B$
$A \twoheadrightarrow B$	surjective mapping from $A$ onto $B$
$\delta_{ij}$	Kronecker deltas
$E_{ij}$	standard matrix units
$M^t, M^T$	transpose of the matrix $M$
$M_n(S)$	set of $n \times n$ matrices with entries from $S$
$\text{GL}_n(S)$	group of invertible $n \times n$ matrices over $S$
$\text{GL}(V)$	group of linear automorphisms of a vector space $V$
$Z(G)$	center of the group (or the ring) $G$
$C_G(A)$	centralizer of $A$ in $G$
$[G : H]$	index of subgroup $H$ in a group $G$
$[K : F]$	field extension degree
$\mathfrak{M}_R, {}_R\mathfrak{M}$	category of right (left) $R$ -modules
$\mathfrak{M}_R^{fg}, {}_R^{fg}\mathfrak{M}$	category of f.g. right (left) $R$ -modules
$M_R, {}_R N$	right $R$ -module $M$ , left $R$ -module $N$
${}_R M_S$	$(R, S)$ -bimodule $M$
$M \otimes_R N$	tensor product of $M_R$ and ${}_R N$
$\text{Hom}_R(M, N)$	group of $R$ -homomorphisms from $M$ to $N$
$\text{End}_R(M)$	ring of $R$ -endomorphisms of $M$

$n M$	$M \oplus \cdots \oplus M$ ( $n$ times)
$M^{(I)}$	$\sum_{i \in I} M$ (direct sum of $I$ copies of $M$ )
$M^I$	$\prod_{i \in I} M$ (direct product of $I$ copies of $M$ )
$\Lambda^n(M)$	$n$ -th exterior power of $M$
$\text{soc}(M)$	socle of $M$
$\text{rad}(M)$	radical of $M$
$\text{Ass}(M)$	set of associated primes of $M$
$E(M)$	injective hull (or envelope) of $M$
$\tilde{E}(M)$	rational hull (or completion) of $M$
$\mathcal{Z}(M)$	singular submodule of $M$
$\text{length } M$	(composition) length of $M$
$\text{u.dim } M$	uniform dimension of $M$
$\text{rank } M$	torsion-free rank or (Goldie) reduced rank of $M$
$\rho(M), \rho_R(M)$	$\rho$ -rank of $M_R$
$M^*$	$R$ -dual of an $R$ -module $M$
$M', M^0$	character module $\text{Hom}_{\mathbb{Z}}(M, \mathbb{Q}/\mathbb{Z})$ of $M_R$
$\hat{M}, M^*$	$k$ -dual of a $k$ -vector space (or $k$ -algebra) $M$
$N^{**}, \text{cl}(N)$	Goldie closure of a submodule $N \subseteq M$
$N \subseteq_e M$	$N$ is an essential submodule of $M$
$N \subseteq_d M$	$N$ is a dense submodule of $M$
$N \subseteq_c M$	$N$ is a complement submodule (or closed submodule) of $M$
$R^{op}$	the opposite ring of $R$
$U(R), R^*$	group of units of the ring $R$
$U(D), D^*, \dot{D}$	multiplicative group of the division ring $D$
$\mathcal{C}_R$	set of regular elements of a ring $R$
$\mathcal{C}(N)$	set of elements which are regular modulo the ideal $N$
$\text{rad } R$	Jacobson radical of $R$
$\text{Nil}^* R$	upper nilradical of $R$
$\text{Nil}_* R$	lower nilradical (a.k.a. prime radical) of $R$
$\text{Nil}(R)$	nilradical of a commutative ring $R$
$\mathcal{A}^l(R), \mathcal{A}^r(R)$	left, right artinian radical of $R$
$\text{Max}(R)$	set of maximal ideals of a ring $R$
$\text{Spec}(R)$	set of prime ideals of a ring $R$
$\mathcal{I}(R)$	set of isomorphism classes of indecomposable injective modules over $R$
$\text{soc}(R_R), \text{soc}({}_R R)$	right (left) socle of $R$
$\mathcal{Z}(R_R), \mathcal{Z}({}_R R)$	right (left) singular ideal of $R$
$\text{Pic}(R)$	Picard group of a commutative ring $R$
$R_S$	universal $S$ -inverting ring for $R$
$RS^{-1}, S^{-1}R$	right (left) Ore localization of $R$ at $S$
$R_p$	localization of (commutative) $R$ at prime ideal $p$
$Q'_{cl}(R), Q'_{cl}(R)$	classical right (left) ring of quotients for $R$
$Q_{cl}(R), Q(R)$	the above when $R$ is commutative

$Q'_{\max}(R), Q^t_{\max}(R)$	maximal right (left) ring of quotients for $R$
$Q^r(R), Q^l(R)$	Martindale right (left) ring of quotients
$Q^s(R)$	symmetric Martindale ring of quotients
$\text{ann}_r(S), \text{ann}_l(S)$	right, left annihilators of the set $S$
$\text{ann}^M(S)$	annihilator of $S$ taken in $M$
$\varinjlim$	injective (or direct) limit
$\varprojlim$	projective (or inverse) limit
$kG, k[G]$	(semi)group ring of the (semi)group $G$ over the ring $k$
$k[x_i : i \in I]$	polynomial ring over $k$ with (commuting) variables $\{x_i : i \in I\}$
$k\langle x_i : i \in I \rangle$	free ring over $k$ generated by $\{x_i : i \in I\}$
$k[[x_1, \dots, x_n]]$	power series in the $x_i$ 's over $k$

# Partial List of Abbreviations

<i>FC</i>	<i>First Course in Noncommutative Rings</i>
RHS, LHS	right-hand side, left-hand side
ACC	ascending chain condition
DCC	descending chain condition
IBN	"Invariant Basis Number" property
PRIR, PRID	principal right ideal ring (domain)
PLIR, PLID	principal left ideal ring (domain)
FFR	finite free resolution
QF	quasi-Frobenius
PF	pseudo-Frobenius
PP	"principal implies projective"
PI	"polynomial identity" (ring, algebra)
CS	"closed submodules are summands"
QI	quasi-injective (module)
Obj	object(s) (of a category)
iff	if and only if
resp.	respectively
ker	kernel
coker	cokernel
im	image
f.cog.	finitely cogenerated
f.g.	finitely generated
f.p.	finitely presented
f.r.	finitely related
l.c.	linearly compact
pd	projective dimension
id	injective dimension
fd	flat dimension
wd	weak dimension (of a ring)
r.gl.dim	right global dimension (of a ring)
l.gl.dim	left global dimension (of a ring)