VOLUME I

AN INTRODUCTION TO THE BOSONIC STRING

STRING THEORY

JOSEPH POLCHINSKI

弦论 第1卷

CAMBRIDGE

世界图书出版公司

STRING THEORY
VOLUME I

An Introduction to the Bosonic String

JOSEPH POLCHINSKI
Institute for Theoretical Physics
University of California at Santa Barbara

CAMBRIDGE
UNIVERSITY PRESS
世界图书出版公司

书　　名：String Theory Vol.1
作　　者：Joseph Polchinski
中 译 名：弦论 第1卷
出 版 者：世界图书出版公司北京公司
印 刷 者：北京世图印刷厂
发　　行：世界图书出版公司北京公司（北京朝内大街137号　100010）
联系电话：010-64015659, 64038347
电子信箱：kjsk@vip.sina.com
开　　本：24　　　印　张：18
出版年代：2004年11月
书　　号：7-5062-6640-7/ O・489
版权登记：图字：01-2004-5395
定　　价：73.00元

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge, United Kingdom

CAMBRIDGE UNIVERSITY PRESS
The Edinburgh Building, Cambridge CB2 2RU, UK
40 West 20th Street, New York, NY 10011-4211, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
Ruiz de Alarcón 13, 28014 Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa

http://www.cambridge.org

First published 1998
Reprinted 1999
Reprinted with corrections 2000
Reprinted 2002 (twice), 2003

Typeface Monotype Times 11/13 *System* LATEX [UPH]

A catalogue record for this book is available from the British Library

Library of Congress Cataloguing in Publication Data
Polchinski, Joseph Gerard.
String theory / Joseph Polchinski.
p. cm. – (Cambridge monographs on mathematical physics)
Includes bibliographical references.
Contents: v. 1. An introduction to the bosonic string.
ISBN 0-521-63303-6 (hb)
1. String models. I. Title. II. Series.
QC794.6.S85P65 1998
530.14–dc21 98-4545 CIP

ISBN 0 521 63303 6 hardback

This reprint edition is published with the permission of the Syndicate of the Press of the University of Cambridge, Cambridge, England.

String Theory,

An Introduction to the Bosonic String

The two volumes that comprise *String Theory* provide an up-to-date, comprehensive, and pedagogic introduction to string theory.

Volume I, *An Introduction to the Bosonic String*, provides a thorough introduction to the bosonic string, based on the Polyakov path integral and conformal field theory. The first four chapters introduce the central ideas of string theory, the tools of conformal field theory and of the Polyakov path integral, and the covariant quantization of the string. The next three chapters treat string interactions: the general formalism, and detailed treatments of the tree-level and one loop amplitudes. Chapter eight covers toroidal compactification and many important aspects of string physics, such as T-duality and D-branes. Chapter nine treats higher-order amplitudes, including an analysis of the finiteness and unitarity, and various nonperturbative ideas. An appendix giving a short course on path integral methods is also included.

Volume II, *Superstring Theory and Beyond*, begins with an introduction to supersymmetric string theories and goes on to a broad presentation of the important advances of recent years. The first three chapters introduce the type I, type II, and heterotic superstring theories and their interactions. The next two chapters present important recent discoveries about strongly coupled strings, beginning with a detailed treatment of D-branes and their dynamics, and covering string duality, M-theory, and black hole entropy. A following chapter collects many classic results in conformal field theory. The final four chapters are concerned with four-dimensional string theories, and have two goals: to show how some of the simplest string models connect with previous ideas for unifying the Standard Model; and to collect many important and beautiful general results on world-sheet and spacetime symmetries. An appendix summarizes the necessary background on fermions and supersymmetry.

Both volumes contain an annotated reference section, emphasizing references that will be useful to the student, as well as a detailed glossary of important terms and concepts. Many exercises are included which are intended to reinforce the main points of the text and to bring in additional ideas.

An essential text and reference for graduate students and researchers in theoretical physics, particle physics, and relativity with an interest in modern superstring theory.

Joseph Polchinski received his Ph.D. from the University of California at Berkeley in 1980. After postdoctoral fellowships at the Stanford Linear Accelerator Center and Harvard, he joined the faculty at the University of Texas at Austin in 1984, moving to his present position of Professor of Physics at the University of California at Santa Barbara, and Permanent Member of the Institute for Theoretical Physics, in 1992.

Professor Polchinski is not only a clear and pedagogical expositor, but is also a leading string theorist. His discovery of the importance of D-branes in 1995 is one of the most important recent contributions in this field, and he has also made significant contributions to many areas of quantum field theory and to supersymmetric models of particle physics.

CAMBRIDGE MONOGRAPHS ON MATHEMATICAL PHYSICS

CAMBRIDGE MONOGRAPHS ON MATHEMATICAL PHYSICS

J. Ambjørn, B. Durhuus and T. Jonsson *Quantum Geometry: A Statistical Field Theory Approach*
A. M. Anile *Relativistic Fluids and Magneto-Fluids*
J. A. de Azcárraga and J. M. Izquierdo *Lie Groups, Lie Algebras, Cohomology and Some Applications in Physics*†
J. Bernstein *Kinetic Theory in the Early Universe*
G. F. Bertsch and R. A. Broglia *Oscillations in Finite Quantum Systems*
N. D. Birrell and P. C. W. Davies *Quantum Fields in Curved Space*†
S. Carlip *Quantum Gravity in 2 + 1 Dimensions*
J. C. Collins *Renormalization*†
M. Creutz *Quarks, Gluons and Lattices*†
P. D. D'Eath *Supersymmetric Quantum Cosmology*
F. de Felice and C. J. S. Clarke *Relativity on Curved Manifolds*†
P. G. O. Freund *Introduction to Supersymmetry*†
J. Fuchs *Affine Lie Algebras and Quantum Groups*†
J. Fuchs and C. Schweigert *Symmetries, Lie Algebras and Representations: A Graduate Course for Physicists*
R. Gambini and J. Pullin *Loops, Knots, Gauge Theories and Quantum Gravity*†
M. Göckeler and T. Schücker *Differential Geometry, Gauge Theories and Gravity*†
C. Gómez, M. Ruiz Altaba and G. Sierra *Quantum Groups in Two-dimensional Physics*
M. B. Green, J. H. Schwarz and E. Witten *Superstring Theory, volume 1: Introduction*†
M. B. Green, J. H. Schwarz and E. Witten *Superstring Theory, volume 2: Loop Amplitudes, Anomalies and Phenomenology*†
S. W. Hawking and G. F. R. Ellis *The Large-Scale Structure of Space-Time*†
F. Iachello and A. Arima *The Interacting Boson Model*
F. Iachello and P. van Isacker *The Interacting Boson–Fermion Model*
C. Itzykson and J.-M. Drouffe *Statistical Field Theory, volume 1: From Brownian Motion to Renormalization and Lattice Gauge Theory*†
C. Itzykson and J.-M. Drouffe *Statistical Field Theory, volume 2: Strong Coupling, Monte Carlo Methods, Conformal Field Theory, and Random Systems*†
J. I. Kapusta *Finite-Temperature Field Theory*†
V. E. Korepin, A. G. Izergin and N. M. Boguliubov *The Quantum Inverse Scattering Method and Correlation Functions*†
M. Le Bellac *Thermal Field Theory*†
N. H. March *Liquid Metals: Concepts and Theory*
I. M. Montvay and G. Münster *Quantum Fields on a Lattice*†
A. Ozorio de Almeida *Hamiltonian Systems: Chaos and Quantization*†
R. Penrose and W. Rindler *Spinors and Space-time, volume 1: Two-Spinor Calculus and Relativistic Fields*†
R. Penrose and W. Rindler *Spinors and Space-time, volume 2: Spinor and Twistor Methods in Space-Time Geometry*†
S. Pokorski *Gauge Field Theories*, 2nd edition
J. Polchinski *String Theory, volume 1: An Introduction to the Bosonic String*
J. Polchinski *String Theory, volume 2: Superstring Theory and Beyond*
V. N. Popov *Functional Integrals and Collective Excitations*†
R. G. Roberts *The Structure of the Proton*†
J. M. Stewart *Advanced General Relativity*†
A. Vilenkin and E. P. S. Shellard *Cosmic Strings and Other Topological Defects*†
R. S. Ward and R. O. Wells Jr *Twistor Geometry and Field Theories*†

† Issued as a paperback

Foreword

From the beginning it was clear that, despite its successes, the Standard Model of elementary particles would have to be embedded in a broader theory that would incorporate gravitation as well as the strong and electroweak interactions. There is at present only one plausible candidate for such a theory: it is the theory of strings, which started in the 1960s as a not-very-successful model of hadrons, and only later emerged as a possible theory of all forces.

There is no one better equipped to introduce the reader to string theory than Joseph Polchinski. This is in part because he has played a significant role in the development of this theory. To mention just one recent example: he discovered the possibility of a new sort of extended object, the 'Dirichlet brane,' which has been an essential ingredient in the exciting progress of the last few years in uncovering the relation between what had been thought to be different string theories.

Of equal importance, Polchinski has a rare talent for seeing what is of physical significance in a complicated mathematical formalism, and explaining it to others. In looking over the proofs of this book, I was reminded of the many times while Polchinski was a member of the Theory Group of the University of Texas at Austin, when I had the benefit of his patient, clear explanations of points that had puzzled me in string theory. I recommend this book to any physicist who wants to master this exciting subject.

Steven Weinberg
Series Editor
Cambridge Monographs on Mathematical Physics
1998

Preface

When I first decided to write a book on string theory, more than ten years ago, my memories of my student years were much more vivid than they are today. Still, I remember that one of the greatest pleasures was finding a text that made a difficult subject accessible, and I hoped to provide the same for string theory.

Thus, my first purpose was to give a coherent introduction to string theory, based on the Polyakov path integral and conformal field theory. No previous knowledge of string theory is assumed. I do assume that the reader is familiar with the central ideas of general relativity, such as metrics and curvature, and with the ideas of quantum field theory through non-Abelian gauge symmetry. Originally a full course of quantum field theory was assumed as a prerequisite, but it became clear that many students were eager to learn string theory as soon as possible, and that others had taken courses on quantum field theory that did not emphasize the tools needed for string theory. I have therefore tried to give a self-contained introduction to those tools.

A second purpose was to show how some of the simplest four-dimensional string theories connect with previous ideas for unifying the Standard Model, and to collect general results on the physics of four-dimensional string theories as derived from world-sheet and spacetime symmetries. New developments have led to a third goal, which is to introduce the recent discoveries concerning string duality, M-theory, D-branes, and black hole entropy.

In writing a text such as this, there is a conflict between the need to be complete and the desire to get to the most interesting recent results as quickly as possible. I have tried to serve both ends. On the side of completeness, for example, the various path integrals in chapter 6 are calculated by three different methods, and the critical dimension of the bosonic string is calculated in seven different ways in the text and exercises.

On the side of efficiency, some shorter paths through these two volumes are suggested below.

A particular issue is string perturbation theory. This machinery is necessarily a central subject of volume one, but it is somewhat secondary to the recent nonperturbative developments: the free string spectrum plus the spacetime symmetries are more crucial there. Fortunately, from string perturbation theory there is a natural route to the recent discoveries, by way of T-duality and D-branes.

One possible course consists of chapters 1–3, section 4.1, chapters 5–8 (omitting sections 5.4 and 6.7), chapter 10, sections 11.1, 11.2, 11.6, 12.1, and 12.2, and chapters 13 and 14. This sequence, which I believe can be covered in two quarters, takes one from an introduction to string theory through string duality, M theory, and the simplest black hole entropy calculations. An additional shortcut is suggested at the end of section 5.1.

Readers interested in T-duality and related stringy phenomena can proceed directly from section 4.1 to chapter 8. The introduction to Chan–Paton factors at the beginning of section 6.5 is needed to follow the discussion of the open string, and the one-loop vacuum amplitude, obtained in chapter 7, is needed to follow the calculation of the D-brane tension.

Readers interested in supersymmetric strings can read much of chapters 10 and 11 after section 4.1. Again the introduction to Chan–Paton factors is needed to follow the open string discussion, and the one-loop vacuum amplitude is needed to follow the consistency conditions in sections 10.7, 10.8, and 11.2.

Readers interested in conformal field theory might read chapter 2, sections 6.1, 6.2, 6.7, 7.1, 7.2, 8.2, 8.3 (concentrating on the CFT aspects), 8.5, 10.1–10.4, 11.4, and 11.5, and chapter 15. Readers interested in four-dimensional string theories can follow most of chapters 16–19 after chapters 8, 10, and 11.

In a subject as active as string theory — by one estimate the literature approaches 10 000 papers — there will necessarily be important subjects that are treated only briefly, and others that are not treated at all. Some of these are represented by review articles in the lists of references at the end of each volume. The most important omission is probably a more complete treatment of compactification on curved manifolds. Because the geometric methods of this subject are somewhat orthogonal to the quantum field theory methods that are emphasized here, I have included only a summary of the most important results in chapters 17 and 19. Volume two of Green, Schwarz, and Witten (1987) includes a more extensive introduction, but this is a subject that has continued to grow in importance and clearly deserves an introductory book of its own.

This work grew out of a course taught at the University of Texas at Austin in 1987–8. The original plan was to spend a year turning the lecture notes into a book, but a desire to make the presentation clearer and more complete, and the distraction of research, got in the way. An early prospectus projected the completion date as June 1989 $\pm$ one month, off by 100 standard deviations. For eight years the expected date of completion remained approximately one year in the future, while one volume grew into two. Happily, finally, one of those deadlines didn't slip.

I have also used portions of this work in a course at the University of California at Santa Barbara, and at the 1994 Les Houches, 1995 Trieste, and 1996 TASI schools. Portions have been used for courses by Nathan Seiberg and Michael Douglas (Rutgers), Steven Weinberg (Texas), Andrew Strominger and Juan Maldacena (Harvard), Nathan Berkovits (Sao Paolo) and Martin Einhorn (Michigan). I would like to thank those colleagues and their students for very useful feedback. I would also like to thank Steven Weinberg for his advice and encouragement at the beginning of this project, Shyamoli Chaudhuri for a thorough reading of the entire manuscript, and to acknowledge the support of the Departments of Physics at UT Austin and UC Santa Barbara, the Institute for Theoretical Physics at UC Santa Barbara, and the National Science Foundation.

During the extended writing of this book, dozens of colleagues have helped to clarify my understanding of the subjects covered, and dozens of students have suggested corrections and other improvements. I began to try to list the members of each group and found that it was impossible. Rather than present a lengthy but incomplete list here, I will keep an updated list at the erratum website

http://www.itp.ucsb.edu/~joep/bigbook.html.

In addition, I would like to thank collectively all who have contributed to the development of string theory; volume two in particular seems to me to be largely a collection of beautiful results derived by many physicists. String theory (and the entire base of physics upon which it has been built) is one of mankind's great achievements, and it has been my privilege to try to capture its current state.

Finally, to complete a project of this magnitude has meant many sacrifices, and these have been shared by my family. I would like to thank Dorothy, Steven, and Daniel for their understanding, patience, and support.

Joseph Polchinski
Santa Barbara, California
1998

Notation

This book uses the +++ conventions of Misner, Thorne, and Wheeler (1973). In particular, the signature of the metric is $(- + + \ldots +)$. The constants $\hbar$ and c are set to 1, but the Regge slope α' is kept explicit.

A bar $^-$ is used to denote the conjugates of world-sheet coordinates and moduli (such as z, τ, and q), but a star * is used for longer expressions. A bar on a spacetime fermion field is the Dirac adjoint (this appears only in volume two), and a bar on a world-sheet operator is the Euclidean adjoint (defined in section 6.7). For the degrees of freedom on the string, the following terms are treated as synonymous:

holomorphic = left-moving,

antiholomorphic = right-moving,

as explained in section 2.1. Our convention is that the supersymmetric side of the heterotic string is right-moving. Antiholomorphic operators are designated by tildes $\tilde{}$; as explained in section 2.3, these are not the adjoints of holomorphic operators. Note also the following conventions:

$$d^2z \equiv 2dxdy \ , \quad \delta^2(z,\bar{z}) \equiv \frac{1}{2}\delta(x)\delta(y) \ ,$$

where $z = x + iy$ is any complex variable; these differ from most of the literature, where the coefficient is 1 in each definition.

Spacetime actions are written as $\boldsymbol{S}$ and world-sheet actions as S. This presents a problem for D-branes, which are T-dual to the former and S-dual to the latter; $\boldsymbol{S}$ has been used arbitrarily. The spacetime metric is $G_{\mu\nu}$, while the world-sheet metric is γ_{ab} (Minkowskian) or g_{ab} (Euclidean). In volume one, the spacetime Ricci tensor is $\boldsymbol{R}_{\mu\nu}$ and the world-sheet Ricci tensor is R_{ab}. In volume two the former appears often and the latter never, so we have changed to $R_{\mu\nu}$ for the spacetime Ricci tensor.

The following are used:

$\equiv$ defined as

$\cong$ equivalent to

$\approx$ approximately equal to

$\sim$ equal up to nonsingular terms (in OPEs), or rough correspondence.

Contents

Outline of volume II