


微型计算机普及教育丛书

微型计算机 常见屏幕 信息详解

郜荣春 主编



微型计算机常见屏幕信息详解

大连理工

91-49

KC/1

社

大连理工大学出版社

0391-67

GRC/1

微型计算机常见屏幕信息详解

主编 郜荣春

参编 姜文周 朱鸣华 郜激扬

大连理工大学出版社

0032409

(辽)新登字 16 号

内容简介

本书是为微机的初学者和一般操作人员尽快理解与掌握微机屏幕上显示的英文信息以及处理方法而编写的。考虑到初学和一般使用者的特点,本书选辑编写了DOS3.3~6.20、WPS、压缩软件等常用软件在使用过程中由于操作不当等原因引起而经常出现的屏幕信息(其中包括错误信息和提示信息)的基本含义、产生原因和解决方法提示。这些信息解释详细、检索方便。

本书作为微型计算机的普及读物,适合各种层次的初学人员使用。

JS378/09

微型计算机常见屏幕信息详解

Weixing Jisuanji Changjian Pingmu Xinxi Xiangjie

主编 邰荣春

* * *

大连理工大学出版社出版发行

(邮政编码:116023 电话:4708842)

大连业发印刷厂印刷

* * *

开本:787×1092 1/16

印张:8

字数:191千字

1995年7月第1版

1996年4月第2次印刷

印数:10001—20000册

* * *

责任编辑:子溢

责任校对:寸土

封面设计:孙宝福

* * *

ISBN 7-5611-0987-3

TP·73

定价:10.00元

前 言

自 1946 年世界上第一台电子计算机研制成功至今已近 50 年,在这半个世纪时间里,计算机技术发展的速度之快、性能之优及应用之广泛是难以用语言准确表达的。我们的社会已经进入信息时代,计算机进入办公室,进入家庭,进入社会的每一个角落。随着“金”字号系列工程的实施,促进计算机基本知识的普及,使更多的人掌握计算机使用技术已成为教育部门和党政机关的一项十分紧迫的任务。

由于计算机是西方人发明的,所以在使用过程中屏幕提示的信息为英语。这对于使用汉字的中国人无疑是一个严重的障碍;对于懂得一些英语的人,有时也会因为不了解计算机专业词汇及习惯用法而不知所措。为了让人们在使用微型计算机过程中尽快了解屏幕上显示的错误信息、提示信息含义及产生的原因,特编写此书。读者在了解这些含义和原因之后,再按照书中所提示的处理方法进行操作,便可以排除障碍,顺利完成学习和操作任务。

考虑到初学者和一般使用者的特点,本书选辑编写了 DOS3.3~6.20、WPS、压缩软件等常用计算机软件在使用过程中由于操作不当等原因引起而经常出现的屏幕信息(其中包括错误信息和提示信息)的基本含义、产生原因和处理方法提示。读者可以通过目录中的索引,很方便地查到某一信息的汉语详解和简单的处理方法,这就为初学者减少机时的浪费,提高学习和工作效率创造了条件。

在编写本书的过程中,作者得到了所在单位大连理工大学计算中心的同事们的大力支持和帮助,在此谨致以诚挚的谢意。

由于作者水平有限,收集信息不全,恳请读者谅解;对书中出现的错漏之处,望读者批评指正。

编 者

1995 年 4 月于大连

目 录

第一编 使用 MS-DOS 操作系统命令屏幕常见信息

第一章 屏幕常见错误信息及处理方法	1
第一节 系统启动时屏幕常见错误信息	1
1. Bad Command or file name	2
2. Bad or missing Command Interpreter	2
3. Bad or missing keyboard Definition File	3
4. Boot Failare	3
5. Boot Failare - Insert System Disketter, then press	3
6. CMOS is not properly setup	4
7. CMOS memory configuration is invalid - SETUP must be run	4
8. Filename code page driver cannot be initialized	4
9. Disk boot failure	4
10. Drive Not Ready Error, Insert Boot Diskette A:	4
11. Enter correct name of Command Interpreter(eg, c:\COMMAND.COM)	4
12. Error: Can't enable A20! XMS Drive not installed	5
13. Error Loading oprating system	5
14. Extender Card Switch do not match system memory Size	5
15. Insufficient memory	5
16. Invalid COMMAND.COM	6
17. Keybord error	6
18. Keybord is locked Unlock it	6
19. No Rom BASIC system Hilted	6
20. Non-System disk or disk error	6
21. Not ready error A: Abort, Retry, Ignore?	7
22. Required font not loaded	7
第二节 环境配置屏幕常见错误信息	7
1. Bad Command or paratmeters	7
2. Bad or missing ANSISYS	8
3. Bad or missing file name	8
4. Buffer size adjusted	8
5. CACHE Already Installed	8
6. CACHE Not Installed	9

7. CACHE Not Installed - Cache Too Large	9
8. CACHE Not Installed - Expanded Memory Error	9
9. CACHE Not Installed - Expanded memory Not Available	9
10. CACHE Not Installed - Extended memory Not Available	9
11. CACHE Not Installed - Incorrect DOS Version	10
12. CACHE Not Installed - Inavailable Parameter	10
13. Configuration too large for memory	10
14. Driver not installed-Microsoft Mouse not found	10
15. Error; An XMS manager is already installed XMS Drive not installed	10
16. Error; Available extended memory was not found XMS Driver not installed	11
17. Error; Cannot unmap the Shadow ROM XMS Driver not installed	11
18. Error; HIMEMEXE requires DOS 3.0 or higher XMS Driver not installed	11
19. Error; Invalid command line parameter XMS Driver not installed	11
20. Error; LEAVE parameter value out of range	11
21. HMA not available; loading DOS low	12
22. Incorrect machine type	12
23. Incorrect order in CONFIGSYS LINE n	12
24. Insufficient memory	12
25. Invalid STACK parameters	13
26. Invalid switch character	13
27. Invalid syntax DISPLAYSYS code page driver	13
28. Invalid syntax PRINTERSYS code page driver	13
29. Secondary controller board error	13
30. Sector size adjusted	13
31. Sector size too large in file filename	14
32. Timeout on disk x,secondary controller	14
33. Too many block devices	14
34. Unrecognized command in CONFIGSYS	14
第三节 文件管理屏幕常见错误信息	14
1. Access denied	14
2. Filename - Access denied	15
3. A filename with that first character already exists	15
4. Bad command line syntax	15
5. Bad Command or file name	15
6. Bad numeric argument	16
7. Bad or missing Command Interpreter	16
8. Bad or missing Keyboard Definition File	16
9. Cannot DISKCOPY to or from a network drive	16
10. Cannot DISKCOPY to or from an ASSIGNED or SUBSTED drive	17
11. Cannot do binary reads from a device	17
12. Cannot edit BAK file-rename file	17
13. Cannot find FORMAT.COM	17

14. Cannot find GRAPHICS profile	18
15. Cannot find System files	18
16. Cannot format an ASSIGN or SUBST drive	18
17. Cannot FORMAT nonremovable drive X	18
18. Cannot LABEL a SUBSTed or ASSIGNed drive	18
19. Cannot load COMMAND,system halted	19
20. Cannot operate on specified drive (X) It may be a network	19
21. Cannot operate on a SUBST drive	19
22. Cannot open list device PRN Enter name of list device?	19
23. Cannot open run/temporary file	19
24. Cannot perform a cyclic copy	20
25. Cannot read file allocation table	20
26. Cannot RECOVER an ASSIGNed or SUBSTed drive	20
27. Cannot read system area of disk	20
28. Cannot specify both /DT and /DOS	21
29. Cannot specify default drive	21
30. Cannot start COMMAND,exiting	21
31. Cannot SYS a SUBSTed or ASSIGNed drive	21
32. Cannot unload resident delete- tracking software Vectors or memory have been altered	21
33. Cannot use FASTOPEN for drive X	21
34. Cannot write file allocation table	22
35. Cannot XCOPY from a reserved device	22
36. Cannot XCOPY to a reserved device	22
37. Can't find/open file;filename	22
38. Can't read file; filename	22
39. CHKDSK not available on drive X;	22
40. content of destination lost before copy	23
41. Convert lost chain to files (Y/N)?	23
42. could not expand second filename so as to match first	23
43. Data error	23
44. Delete-tracking file not find	23
45. Disk error reading FAT n	24
46. Disk error writing FAT n	24
47. Disk full Edits lost	24
48. Disk full error writing to BACKUP Log File, Press any key to continue	24
49. Divide overflow	24
50. Do not specify filename(s)	24
51. Do not specify filename(s) Command format DISKCOPY d: d: [/1]	25
52. DOS version must be 2.0 or later	25
53. Drive formatted with a DOS version prior to 3. X restore prior DOS with SYS, backup files, boot with 5.0. and create a 5.0. based partition	25

54. Drive X error, Could not open the mirror	25
55. Drive X error Insufficient space for the mirror file	25
56. Drive X error, Could not close the mirror	25
57. Drive X error Insufficient memory to read all system info	26
58. Drive X error The boot sector for this drive is incompatible with the mirror command	26
59. Drive X error Insufficient space for the mirror control file	26
60. Drive X error We were unable to find the mirror image file in the root directory of the hard drive	26
61. Drive X error Cannot update the mirror control file	26
62. Drive X error There is already a mirror control file, but it was not located in the last 25. percent of the data area It has now been deleted and processing will continue	26
63. Drive X error Data was found in a file that appears to be a mirror control file Cannot continue	26
64. /DT was specified Because there is no delete- tracking file for this drive the UNDELETE command cannot continue	27
65. Duplicate file name or file not found	27
66. Duplicate Parameters not allowed	27
67. Entry has a bad link	27
68. Entry has a bad size	27
69. Error executing FORMAT	27
70. Error reading GRAPHICS profile	28
71. Error reading system areas	28
72. Error reading the file	28
73. Error writing fixed disk	28
74. Error writing system areas	28
75. Error writing the mirror file	28
76. Error found, F parameter not specified Corrections will not be written to disk	29
77. FCB unavailable	29
78. FC: Cannot open filename -No such file or directory	29
79. FC: filename1. longer than filename2	29
80. FC: Incompatible switches	29
81. File allocation table bad drive d	29
82. File allocation table bad	30
83. File cannot be converted	30
84. File cannot be copied onto itself	30
85. File creation error	30
86. File is READ-ONLY	30
87. File must be specified	31
88. File not found - filename	31
89. filename contains nnnn non-continuous blocks	31
90. FIND: Invalid number of parameters	31

91. FIND: Invalid parameter	31
92. FIND: Read error in filename	31
93. First allocation unit is invalid entry truncated	31
94. First diskette bad or incompatible	32
95. Fixed backup device D: is full	32
96. Font file contents invalid	32
97. Has invalid allocation unit, file truncated	32
98. Inconsistencies found in DOS Boot Record	32
99. Inconsistencies found in DOS Boot Record Use CHKDSK/F to correct inconsistencies	32
100. Incompatible file version #	33
101. Incorrect APPEND version	33
102. Incorrect DOS version	33
103. Incorrect drive syntax -x	33
104. Insufficient disk space	33
105. Insufficient disk on disk	33
106. Insufficient room in root directory Move files root directory and repeat CHKDSK	33
107. Internal stack overflow system halted	34
108. Invalid boot record signature	34
109. Invalid Date/Time	34
110. Invalid drive in search path	34
111. Invalid drive specification Specified drive does not exist, or is non-removeable	34
112. Invalid filename or file not found	34
113. No entries found	35
114. No file added	35
115. No file found - filename	35
116. No partitions to save	35
117. No subdirectory exist	35
118. No system on default drive	35
119. Non-standard Missing or bad partition table	35
120. * * * Not able to backup file * * *	36
121. path not found	36
122. Parameter value not allowed	36
123. Parameter value not in allowed range	36
124. Probable non-DOS disk Continue(Y/N)?	36
125. Program too big to fit in memory	37
126. Read fault error	37
127. Read fault error reading drive X:	37
128. Required parameter missing	37
129. Restore file sequence error	37
130. Resynch failed Files are too different	38
131. Source and target drive are the same	38
132. SOURCE diskette bad or incompatible	38

133. Source diskette bad or unusable	38
134. Source does not contain backup files	38
135. Source path required	39
136. Secified COMMAND search directory bad	39
137. Target cannot be used for backup	39
138. Target diskette may be unusable	39
139. Target diskette unusable	39
140. The last file was not restored	39
141. unable to write BOOT	39
142. Unrecoverable error in directory Convert directory to file (Y/N)?	40
143. Unrecoverable read error on drive X size Y, track Z	40
144. X lost allocation units found in Y chains Convert lost chains tofiles (Y/N)?	40
第四节 磁盘目录管理屏幕常见错误信息	40
1. Attempt to remove current directory	40
2. Cannot CHDIR to root	41
3. Cannot make directory entry	41
4. Cannot recover ... entry	41
5. Directory already exists	41
6. Directory is joined, tree past this point not processed	41
7. Directory is totally empty, no . or .. tree past this point not processed	41
8. Directory not empty	42
9. Does not exist	42
10. Drive X error There are no entries available in the root	42
11. Error reading directory	42
12. Error writing dirctory (FAT or fixed disk)	42
13. Invalid current directory	42
14. Invalid directory	43
15. Invalid drive and/or path	43
16. Invalid drive in search path	43
17. Invalid path or filename	43
18. Invalid path, not all directories/files copied	43
19. Invalid path, not directory or directory not empty	43
20. No Room in directory for file	44
21. Source path required	44
22. Specified COMMAND search directory bad	44
23. unable to creat directory	44
24. Unrecovered error in directory	44
第五节 磁盘管理屏幕常见错误信息	45
1. All available space in the Extended DOS Partition is assigned to logical drives	45
2. Attempting to recover allocation unit	45
3. Bad Partition table	45

4. Cannot creat a zero size partition	46
5. Cannot create Extended DOS Partition without Primary DOS Partition on disk 1	46
6. Cannot create Logical DOS Drive without an Extended DOS Partition on the current drive	46
7. Cannot delete Extended DOS Partition while logical drive exist	46
8. Cannot delete Primary DOS Partition on drive 1. when an Extended DOS Partition exists	46
9. Cannot format an ASSIGNED or SUBSTed drive	46
10. Cannot read system area of disk	46
11. Disk error reading (or writing) FAT X	47
12. Error loading operating system	47
13. Error reading directory	47
14. Error reading fixed disk	47
15. Error reading partition table	47
16. Error reading file	48
17. Error writing directory	48
18. Error writing FAT	48
19. Error writing fixed disk	48
20. Error writing partition table	48
21. Format terminated	49
22. Invalid device parameters from device driver	49
23. Invalid entry, please enter x - y	49
24. Invalid entry, please press ENTER	49
25. Invalid media or Track 0. bad - disk unusable	49
26. Invalid options	49
27. Invalid or unspecified drive	49
28. Invalid partition table	50
29. Invalid volume ID	50
30. Invalid volume label	50
31. Maximum number of logical DOS drives installed	50
32. Missing operating system	50
33. No fixed disks present	51
34. No hard drive found	51
35. No Logical DOS Drive(s) to delete	51
36. No Non-DOS partition to delete	51
37. No partitions to delete	51
38. No partition to make active	51
39. No room for system on destination disk	52
40. No space for a nnnn cylinder partition	52
41. No space to create a DOS partition	52
42. Only non-startable partitions exist	52
43. Only partitions on Drive 1. can be made active	52

44. Parameters not compatible	52
45. Parameters not compatible with fixed disk	52
46. Parameters not supported by drive	53
47. Partition selected is not a primary DOS partition	53
48. Partition selected is not a Non-DOS partition	53
49. Partition selected (X) is not startable, active partition not changed	53
50. Primary DOS partition already exists	53
51. Requested logical drive size exceeds the maximum available space	53
52. Requested partition size exceeds the maximum available space	54
53. Same parameter entered twice	54
54. The Master Boot code has NOT been updated	54
55. The only startable partition on Drive 1. is already set active	54
56. Track 0. bad - disk unusable	54
57. Unable to access drive D	54
58. Unable to write BOOT	54
59. Wrong DOS Version	55
第六节 批处理文件屏幕常见错误信息	55
1. Bad command or filename	55
2. Bad command or parameters	55
3. Bad or missing Command Interpreter	55
4. Batch file missing	56
5. Cannot load COMMAND, system halted	56
第七节 输出管理屏幕常见错误信息	56
1. B Invalid with a black white printer	56
2. Cannot use PRINT-use NET PRINT	56
3. Error on list device indicate that it may be off-line please check it	56
4. Invalid switch-/T<filename>	57
5. List output is not assigned to a device	57
6. nnn error file filename	57
7. No paper	57
8:NOT A GRAPHICS PRINTER FILE	57
9. Path not found -(filename)	57
10. Path name too long	58
11. Printer out paper error	58
第八节 系统配置屏幕常见错误信息	58
1. Bad command or parameters	58
2. Buffer size adjusted	58
3. Configuration too large for memory	59
4. Cannot start COMMAND exiting	59
5. Error in CONFIG. SYS line x	59
6. EXEC failure	59

7. Fatal; internal stack failure, system halted	60
8. Insufficient memory	60
9. Invalid STACK parameters	60
10. Invalid syntax on DISPLAYSYS code page driver	60
11. No drive specified	60
12. No free file handles	61
13. No more files	61
14. System resource exhausted	61
15. Too many open files	61
16. VDISK not installed-Insufficient memory	61
第二章 屏幕常见提示信息	63
第一节 系统启动屏幕常见提示信息	63
1. nnnKB CACHE MEMORY	63
2. Hit , if you want to SETUP	63
3. Current date is Tue 05-09-1995. Enter new date (mm-dd-yy)	63
4. Current time is 3:47:3941p Enter new time:	63
5. Fastopen already installed	64
6. There is not enough free space on drive C to install MS-DOS	64
7. Your computer uses password protection	64
第二节 环境配置屏幕常见提示信息	64
1. APPEND already installed	64
2. ANSI.SYS must be installed to perform requested function	64
3. Break is OFF ON	64
4. Cannot setup expanded memory	65
5. Incorrect APPEND version	65
6. Insert disk with command in drive X, strike any key when ready	65
7. Invalid environment size specified	65
第三节 文件管理屏幕常见提示信息	65
1. Amount read less than size header	65
2. All files in directory will be deleted!	65
3. Cannot execute XCOPY	65
4. Cannot recover entry, processing continued	66
5. Cannot use FASTOPEN for drive X:	66
6. Content of destination lost before copy	66
7. Volume in drive X is SSSS	66
8. Diskette compare OK	66
9. Does name specify a file name or directory name on the target (F=file, D=directory)	66
10. File cannot be copied onto itself	66
11. Incompatible system size	67
12. Insert SOURCE diskette in drive A:	67

13. Insert system disk in X and strike any key when ready	67
14. Insert target disk in drive A,press any key when ready	67
15. Insufficient memory for system transfer	68
16. Invalid characters in volume label	68
17. Press CTRL+C to abort,or correct this problem and press any other key to continue	68
18. Reading source file(s)	68
19. Replace filename(Y/N)?	68
20. Second diskette bad or incompatible	68
21. System transfered	68
22. Target diskette write protected, correct then strike any key	68
23. The filename already exists Type another filename press F5. to bypass this file	69
24. Volume Serial Number is XXXX-XXXX	69
25. Warning All data on non-removable diskdrive X will be lost proceed with FORMAT (Y/N)?	69
26. Warning! File X is read-only file	69
27. Warning! Read error in EXE file	69
28. Write protect error	69
29. Your computer is running with an incompatible version of DBLSPACEBIN	69
第四节 目录管理屏幕常见提示信息	69
1. Array element size mismatch	70
2. Attemp to access data outside of segment bounds	70
3. Cannot open run file	70
4. Cannot open temporary file	70
5. CHKDSK failed, trying alternate Method	70
6. Does name specify a file name or directory name on the target (F=file,D=directory)	70
7. DOS(.)(..)not exist	70
8. Insufficient room in root directory, erase files from root and repeat CHKDSK	71
9. Invalid path on directory or directory not empty	71
10. Invalid sub-directory entry	71
11. No subdirectory exist	71
12. Too many file/directory entries	71
第五节 磁盘管理屏幕常见提示信息	71
1. All logical drive in the extanded DOS partition	71
2. Bad tracks found at start of partition. Partition size adjusted	71
3. Convert lost chains to files(Y/N)	71
4. Copy another diskette(Y/N)?	72
5. Copying t track n sectors/track, s side	72
6. Disk not compatible	72
7. Disk unsuitable for system disk	72

8. Drive X already deleted	72
9. Drive deleted	72
10. Error reading/writing partition table	72
11. Extended DOS partition already exists	72
12. Extended DOS partition created	73
13. Extended DOS partition deleted	73
14. Incompatible hard disk or device drive	73
15. Incompatible primary DOS partitionrive	73
16. Invalid disk change	73
17. Invalid media or track 0. bad - disk unusable	73
18. Invalid media type	73
19. X is not choice, please entry Y - Z	73
20. Must enter both /t and /N parameter	73
21. No extended DOS partition to delete	74
22. Nopartition to make active	74
23. No primeary DOS partition to delete	74
24. Only non-bootable partition exist	74
25. Not ready error reading(or writing) drive X:	74
26. X percent of disk formatted	74
27. Press any key to be formatting X:	74
28. Requested logical drive size exceeds the maximumavailable space	74
29. The current active partition is X:	75
30. The only bootable partition on drive 1. is already set active	75
31. Warning! All data on non - removeable disk drive X will be lost proceed with FORMAT(Y/N)?	75
32. Warning! Data in DOS partition could be DESTROYED Doyou wish to continue?	75
33. Warning! No partition are set active - disk is notstartable unlessa partition is set active	75
34. Cannot find a hard disk on your computer	75
35. Too many primary partition	76
第六节 批处理文件屏幕常见提示信息	76
1. Insert disk with batch file and strike any key when ready	76
2. Terminated batch job(Y/N)?	76
第七节 输出管理屏幕常见提示信息	76
1. All files canceled by operator	76
2. File filenameext cancelled by operator	76
3. Filenameext is currently being printed	76
4. LPT * ,rerouted to COMn	76
5. LPT * set for 80	77
6. LPT * set for 132	77
7. Name of list device [PRN]:	77

8. Resident part of print installed	77
9. <filename> is currently being printed	77
10. Print queue is empty	77
第八节 系统配置屏幕常见提示信息	78
1. Loaded external disk driver for drive D:	78
2. VDISK not installed-Insufficient memory	78
3. VDISK Version 5.0 Virtual disk X:	78

第二编 使用 WPS 编辑软件屏幕常见错误信息

第三章 启动 SPDOS 汉字系统屏幕常见错误信息	79
第一节 启动 SPDOS 各版本的方法	79
1. SPDOS4.3 的启动方法	79
2. SPDOS5.0 的启动方法	79
3. SPDOS5.1 的启动方法	79
4. SPDOS6.0F 的启动方法	79
5. UCIDOS3.0 以上版的启动方法	79
第二节 启动 SPDOS 汉字系统屏幕常见错误信息	80
1. C:\XSIDOS.LPH not found or read error	80
2. Super Chinese Card-II has not been installed!	80
3. Video parameter not set!	80
第四章 运行 WPS 编辑软件常见错误信息	82
第一节 启动 WPS 的方法和参数	82
1. 在 SPDOS 下启动 WPS 编辑软件	82
2. UCIDOS3.0 以上版汉字系统下启动 WPS 编辑软件	82
第二节 使用 WPS 编辑软件常见错误信息及处理	82
1. File SPDOS.COM not found!	82
2. SUPER-CCDOS 版本不兼容	82
3. WPS1.OVL 版本不兼容	83
4. WPS2.OVL 版本不兼容	83
5. WPS1.OVL not found!	83
6. WPS2.OVL not found!	83
7. Please run RDSL.COM first!	83
8. 启动 WPS 后出现死机	83
9. 文件名错误	84
10. 文件名包含非法字符	84
11. 不能编辑 BAK 文件,按任意键将继续	84
12. 不能打开%%文件	84
13. 源文件找不到	84
14. 文件包含非法字符	85

15. 文件不存在	85
16. 密码错误	85
17. Invalid parameter for wps!	85
18. 建立文件错误	85
19. WPS 内部错误,并给出错误地址	86
20. WPS 被非法终止	86
21. 内存不够,按任意键将继续	86
22. 内存使用溢出	87
23. 窗口定义已满	87
24. 不能分割屏幕	87
25. 文件已经打开	87
26. 磁盘满,按任意键将删除.BAK 文件	87
27. 没找到	88
28. 数字超出范围	88
29. 行数超出范围	88
30. 表格太大	88
31. 块没有定义,按任意键将继续	88
32. 屏幕块没有定义	88
33. 首尾不对齐	89
34. 块太大	89
35. 块首没有定义	89
36. 块尾没有定义	89

第三编 使用压缩软件屏幕常见错误信息

第五章 使用 ARJ 压缩软件屏幕常见错误信息	90
第一节 ARJ 命令格式及常用参数	90
第二节 使用 ARJ 压缩软件屏幕常见错误信息	92
1. Archive name argument missing	92
2. Arg table overflow	93
3. Bad command syntax	93
4. Bad file data	93
5. Bad file data or password	93
6. Bad header	93
7. Can't delete <filename>	93
8. Create archive :<filename>	93
9. Can't open file skipped <filename>	94
10. Can't write file ,Disk full?	94
11. Can't find <filename>	94
12. can't find restart file <filename>	94
13. Can't rename <filename> to <filename>	94