

国外印刷专利题录索引

1978年

上海印刷技术研究所
全国印刷工业科技情报网

情报版

说 明

DA195/18

本期《国外印刷专利题录索引》(以下简称《索引》)系根据英国德温特出版公司1978年出版的《世界专利文摘》,以题录的方式,选编报导有关印刷技术的最新发明专利。

本期《索引》收集的内容,除有关平版、凸版、凹版和丝网主要印刷工艺的设备器材外,并考虑到近年国外专利中发表较多有关“特种印刷”的发展情况,另收集了包括喷墨印刷、静电印刷或电子照相复印技术及转印材料内容的专利条目。

本期《索引》编排格式是根据印刷工艺程序分为:排版设备器材、制版设备器材、印刷设备器材、装订设备器材以及油墨五大类。各类下分别按照美、英、法、民德、联邦德国、日本、苏联及其它国别顺序排列。每一国别的专利中又以申请厂商字母代码顺序编排。同一厂商则根据其专利编号依次顺排。

本期《索引》之所以在国别下以厂商代码排列,要想使本《索引》除了可供各单位按分类剪贴人工检索卡片外,另提供一条按厂商进行检索的渠道。

本期《索引》所报导专利的详细说明(专利说明书),中国专利局(北京)均有原文版藏。读者如有需要,可直接去人查阅或函请该局专利文献服务室复制或代译。

本期《索引》各专利条目的著录格式:

① ② ③ ④
FUJI GO7 60803 W/37=US4123-276

⑤
Presensitised lithographic plate compsn. contg. diazo cpd.-

⑥
and copolymer of hydroxy-alkyl (meth) -acrylate and (meth) -acrylo-nitrile

⑦ ⑧
FUJI PHOTO FILM KK (NPDC) GO3c-01/52

(1978)

⑨
重氮型预制感光平印版,含羟基丙烯酸酯与丙烯腈共聚物

注:①厂商代码;②德温特主分类号;③索取号;④等同专利号;⑤主标题;⑥副标题;⑦专利所有者(厂商)名称;⑧国际专利分类号;⑨译题。

62318

758-18
86-8
78

目 录

一、排版设备器材	(1)
二、制版设备器材	(9)
三、印刷设备器材	(173)
四、装订设备器材	(309)
五、油 墨	(323)



排版设备器材

美 国

BERT — + P74 B1750 X/06=US4070-109

Correction of positive film material in photo compositing-has red infill projected onto error to be corrected and rephotographed

BERTHOLD AG G03c-1 1/04

(1978)

照相排字阳图软片的校正方法

COWE/* P74 J5793 A/43 *US4121-228

Photocomposition machine with keyboard entry and CRT display-has control to display point size and font valve in function field area as line is shifted on screen

COWE AB B41b-17

(1978)

键盘输入, 阴极射线管点阵成象电子照排机

ITEK P74 G3925 Y/31=US4067-022

Programmable control for photosetting machine-has symbol generator and motor for controlling position of lens and mirror in x-direction

ITEK CORP B41b-21/20

(1978)

照相排字机透镜和反射镜方位的程序控制

MOYR/ P74 H0021 Y/34=US4119-977

Phototypesetting machine with rotating matrix disc-has numerous rows of characters and illuminating control syst. for ideographic language

KOYROUD L M+G03b-15 G03b-17/06

(1978)

有旋转字模盘, 适用于汉字等会意文字的照排机

RAYT R24 R28 +R27 L2300 Y/51=US4075-695

Newspaper page layout optimisation syst.-has local terminals coupled to central computer calculating layout of graphical and alphanumeric information

RAYTHEON CO +G06f-03/14

(1978)

报纸整页版面设计优选系统

英 国

ADDR P74 F2065 X/23=GB1529-354

Photocomposer offering different point size and faces within line-has register for storing data for preselected point sizes available for subsequent use

ADDRESSOGRAPH-MULTIGRAPH B41b-15 (1978)

可在一行中排出不同字符尺寸和字体的照排机

ADDR P74 F2066 A/23=GB1529-465

Keyboard operated photocomposing machine-has register for storing command and letter symbol data and has visual display screen

ADDRESSOGRAPH-MULTIGRAPH B41b-27/02 (1978)

键盘操作的照排机, 备有贮存指令和字符数据的寄存器及显示屏

ADDR P74 F2066 X/23=GB1529-466

Key board operated photocomposing machine-has register for storing command and letter symbol data and has visual display screen

ADDRESSOGRAPH-MULTIGRAPH B41b-27/02 (1978)

键盘操作的照排机, 备有贮存指令和字符数据的寄存器及显示屏

BERT- +P74 B1750 X/06=GB1500-795

Correction of positive film material in photo compositing-has red infill projected onto error to be corrected and rephotographed

BERTHOLD AG G03c-11/04 (1978)

照相排字阳图软片的校正方法

DYMO P74 G4712 X/29=GB1528-388

Photosetting unit laser beam-projects beam onto light sensitive surface while beam is moved in two transverse directions

DYMO INDUSTRIES INC B41b-21/04 (1978)

激光照排机

LOGE-P74R24 J4025 Y/41=GB1500-103

Newspaper page setting equipment-has illustration memory unit and computer with text memory unit supplying setting unit

LOGETRONICS INC +B41b-23 (1978)

报纸整页拼版设备

MERG-P74 K8404 W/40=GB1500-045

Positioning of image in phototypesetting-involves relative positioning of two halves of periscope to achieve correct alignment

MERGFENTHALER LINDTY +B41b-21/20 (1978)

照相排字图象定位

MOYR/ P74 C7787 X/13=GB1524-676

Photographic composition machine-has projector and character mounting movable in reaction of each other with locking device

MOYROUD L M +B41b-21/28 (1978)

照相排字机, 投影镜头与字模版通过锁件相互作用, 进行移动

法 国

HFLR P74 KO171 Y/45=FR2371-715

Photocomposing unit electronic retouching process-automatically eliminates errors in original copy so avoiding hand touching

HFULLER FA H04n-01/04 (1978)

照排机电子修版方法

IBMC P75 +P74 K2323 Y/46=FR2349-449

Format control for automatic text processor-has text and format buffer stores and magnetic card storage media to reduce human errors

IBMC CORP B41j-24/58 (1978)

自动文字处理机版面控制装置

MOYR/ P74 H0021 Y/34=FR2351-786

Phototypesetting machine with rotating matrix disc-has numerous rows of characters and illuminating control system for ideographic language

MOYROUD L M B41b-17/04 (1978)

装有轮转字模盘的照排机

联 邦 德 国

ADDR P74 F2066 X/23=DS2551-231

Keyboard operated photocomposing machine - has register for storing command

and letter symbol data and has visual display screen

ADDRESSOGRAPH-MULTIGRAPH B41b-27/02 (1978)

键盘操作的照排机

ADDR* P74 K9028 A/50 *DT2824-080

Photocomposing machine with stepping motor - has deceleration timed to stop driven carriage without oscillations

ADDRESSOGRAPH-MULTIGRAPH B41b-17/16 (1978)

利用步进马达减少框架颤振的照排机

BERT-P74 + P75 K2022 Y/46=DS2618-409

Hyphenation technique for photocomposing machine - uses three combination decoders each with max.32 byte capacity

BERTHOLD H AG B41b-13/04 B41b-27/36 + B41j-19/64 (1978)

照排机的分字机构

BERT-* P74 H2964 A/38 * DS 2742-548

Symbol selector and imaging unit for photocomposing machine - has symbol matrices positioned in fixed planes and light reflecting prism pairs

BERTHOLD H AG B41 b-21/26 (1978)

平面字模盘选字成象的照排机

BINS-* P74 H9720 A/41 *DS2715-765

Photocomposing machine with film cassette - has slit diaphragm and adjustable tongues between light source and film

BINSWANGER & KIENLE B41b-13 G03b-27/04 (1978)

照排机软片暗盒, 在软片盒缝隙上装有隔板及可调节的舌片

BOGE-* P74 J8279 A/45 *DS2101-522

Manuel phototypesetting equipment - produces two images for operator reference and film exposure respectively

BOGGER DUPLOMAT APPA B41b-13 (1978)

手动照排机, 一次产生二图象、分别供操作者参考及在软片上曝光

CROE* R24 A5531 A/03 *DT2729-113

Assembly control for printing page from small subjects - uses computer to regulate scanning and fix layout coordinates

CROSFIELD ELECTRONIC LTD G03f-09 (1978)

整页拼版控制系统—利用电子计算机调整扫描和固定版面设计座标

CROE* R24 A5532 A/03 *DT2729-114

High through put scanner for print page assembly - uses two levels of resolution and uses coarser signals for pictures

CROSFIELD ELECTRONI LTD G03f-09 (1978)

整页拼版高通过量扫描装置—采用两级解象力及较粗图片扫描信号

HARR-* P74 F1949 A/23 *DS1907-967

Character generation using CRT - controls beam in matrix of dots derived from optical disc store

HARRIS CORP G06k-15/20 (1978)

阴极射线管文字发生装置，通过光学盘式存储器以点阵方式控制光束

HARR-* P74 A2369 A/02 *DS1908-436

Photoelectronic type composing machine with CRT - has control circuit for compensating non-linear deflection of cathode ray

HARRIS CORP B41b-19/02 (1978)

用阴极射线管成象的电子照排机

IBMC B74 B5320 A/08 *DS2051-838

Photocomposing machine with computer - controlled brilliance - has symbol size selected by varying beam deflection and movement of optics

IBMC CORP B41b-19 (1978)

电算机控制亮度的照排机

MERG-* P74 K8486 A/50 *DS2725-107

Photosetting machine light absorber - has hollow absorber be-hind semi-reflecting mirror to absorb unwanted transmitted light

MERGENTHALER LINOTY B41b-21/14 G02b-27/14 (1978)

照排机光吸收器，在半反射镜后有空腔光吸收器、用以吸收不需要的透射光

MERG-* P74 K8774 A/50 *DT2725-108

Phototypesetting machine with image combining plate - has additional plate to compensate for astigmatism

MERGENTHALER LINOTY B41b-21/14 (1978)

装有复合图象信号板的照排机，另有补偿象散现象辅助板

STML* P74 D6688 A/19 *DT2648-917

Moving symbol carrier on photocomposer - uses optical sensors to detect code

markings along edge of perforated symbol strip

STEMPEL D AG B41b-17/16

(1978)

照排机移动字模版

日 本

FUIT* G05 59532 A/33 *J53079-602

Plastic printing type prodn. - by sand blasting moulded print surface etching and depositing metal film on printing surface

FUJITSU LTD B41b-01/02

(1978)

字面镀有金属薄膜的塑料活字

HITA* C05 77683 A/43 *J7 8036-361

Light-weight, wear resistant plastic type for high speed printer comprise polyacetal base plated with copper and with nickel on letter face

HITACHI KK B41b-01/02 B41b-05

(1978)

高速印字机轻型耐磨塑料活字

SHAK-* G05 37562 A/21 *J53041-224

Letter plate for photocomposing machine - has non-image areas coated with thin film of metal giving improved durability and print quality

SHAKFN KK G03f-01

(1978)

照排机用字模版, 无图象部分涂布可提高使用寿命及印品质量的金属薄层

SHAK-* G05 37563 A/21 *J53041-225

Letter plate for photocomposing machine - has non-image areas coated with thin film of metal, giving improved durability and print quality

SHAKEN KK B41b-17/20 G03f-01

(1978)

照排机用字模版, 无图象部分涂布可提高使用寿命及印品质量的金属薄层

YAMA-* G05 77684 A/43 *J3 8036-362

Plastic type for long-life printing operations - of polycarbonate plated with copper and then nickel

YAMASHITA DENKI KK B41b-01/02

(1978)

聚碳酸酯上镀铜及镍的耐用塑料活字

苏 联

CART=* P74 K5950 A/48 *SU-589-132

Increased synthetised image quality photocomposing machine-has memory con-

necting image analyser with picture tube

CARTON PRINTING ZQU B41b-19

(1978)

提高合成图象质量的照排机, 备有连接图象分析仪与显象分析管的存贮装置

LEPO=* P74 H8004 A/40 *SU-494-291

Magazing transferer for linotype machine - with balance in form of two crank and conrod mechanism with tile and balancing spring

LFNGD POLYGRAPHIC B41b-11/12

(1978)

整行铸排机字模库更换装置

LEPO=* P74 D8999 A/20 *SU-559-838

Sign line scan in phototypesetting machine - with sign width converter having plate pivoted on carriage

LENGD POLYGRAPH MAC B41b-21

(1978)

照排机字符行式扫描

LEPR=* P74 B0089 A/05 *SU1548-442

Sign scan control for photo-typesetter - has circuit to read valve of one time notion fitted in zone adder

LENGD PRINTING MACH B41b-17/10

(1978)

照相排字机符号扫描控制装置

PRIN=* P74 D3846 A/17 *SU-556-057

Photocomposer character scanning unit - improves operation with contactless induction clutch connecting main shaft and motor

PRINT EDITION MACH B41b-17/34

(1978)

照排机字符扫描装置

其 它 国 家

HELR*P74 D0893 A/16 *BE-861-058 (比利时)

Electronic luminous typography equipment - has second beam tube representing future luminous composition with memory unit

HELL R FA B41b

(1978)

电子照排设备

MOYR/ P74 H6014 Y/37=BR7701-183 (巴西)

Phototypesetting machine with carriage-mounted rotor - has several objectives

and auxiliary matrix for unusual symbols

MOYROUD L M B41b-17/18

(1978)

带有特殊符号转盘的照排机

TOPP* P74 A/05 *BR7603-885

Photo linotype printing system

TOPPAN PRINTING KK B41b-21 G03f-07

(1978)

整行照排印字系统

ADDR P74 F2065 A/23 CA1039 (加拿大)

Photocomposer offering different point size and faces within line - has register for storing data for preselected point sizes available for subsequent use

ADDRESSOGRAPH-MULTIGRAPH B41b-15

可在一行中排出不同字符尺寸和字体的照排机

(1978)

ADDR P74 G5209 Y/32=CH-605-131 (瑞士)

Projecting type photocomposition appts. - with rotating and sliding turret overlapping fount discs on rams of different heights

ADDRESSOGRAPH-MULTIGRAPH + B41b-19/02

有旋转和滑动转台的投影式照排机

DYMO P74 G4712 X/29=CH-595-986

Photosetting unit using laser beam-projects beam onto light sensitive surface while beam is moved in two transverse direction

DYMO INDUSTRIES INC B41b-21/10

(1978)

激光照排机

MOYR/P74 H6014 Y/37=SW7702-045 (瑞典)

Phototypesetting machine with carriage-mounted rotor - has several objectives and auxiliary matrix for unusual symbols

MOYROUD L M + B41b-21

(1978)

照排机特别符号辅助字模盘装置

MOYR/ P74 H0021 Y/34=SW7700-913

Phototypesetting machine with rotating matrix disc - has numerous rows of characters and illuminating control syst. for ideographic language

MOYROUD L M + B41b-21

(1978)

有旋转字模盘的照排机

制 版 设 备 器 材

美 国

ADAN G05 60166 X/32=US4069-570

Printing cylinders with corrosion protective coating - consisting of oxide nickel alloys, stainless steel silicate or silicide

ADAMOVSKE STROJIRNY NP (ADAM-) B21b-31/08 (1978)

由镍合金不锈钢和硅化物等构成的有防蚀保护层的印刷滚筒

ADDR P75 + P74 G05 88584 Y/50=US4100-096

Cleaning agent for metal offset printing plates - contains finely divided alumina in aq. acid surfactant syst.

ADDRESSOGRAPH-MULTIGRAPH C23g-01/02 + C11d-03/14 C11d-07/08 (1978)

金属胶印版清洁剂——其酸性表面活性剂溶液中含微粒氧化铝

ALPC* G05 A97 P73 P74 P75 63376 A/35 *US4097-647

Lithographic printing plate has coated surface - of hydrophilic crosslinked cationic resinous binder and fine particle pigment

ALLIED PAPER CORP B32b-13/08 B41c-01/10 B41n-01/08 (1978)

有亲水交联阳离子树脂粘合剂及细粒颜料层的平印版

ALPC* C05 P74 70730 A/39 *US4115-603

Lithographic printing plates having paper base - prepd. by drying, smoothing to less than 150 Sheffield units and coating

ALLIED PAPER CORP B41c-01/10 (1978)

平印纸基印版的制作

AMCA *A89R23 21315 A/11 *US4076-536

Presensitised aryl diazonium salt plate - contg. glycidyl acrylate - allyl glycidyl ether copolymer or terpolymer with glycidyl methacrylate

AMERICAN CAN CO G03c-01/54 (1978)

芳基重氮盐预制感光版

AMCA* G06 31909 A/17 *US4080-274

Photopolymerisable compsn. contg. lactone monomer and epoxide - as monomer or prepolymer and radiation sensitive aromatic diazonium hexa: fluoro: phosphate, used as photoresist

AMERICAM CAN CO B01j-01/10 G03c-01/70 (1978)

以内酯单体及环氧物为单体或预聚物的凹印、胶印、丝印用光聚物组成

AMCA* G06 68646 A/38 *US4113-497

Photopolymerisable epoxide compsn. used in graphic arts - contg. an organic halide, an aminoaryl diazonium salt and a polymerisable monomer

AMERICAN CAN CO G03c-01/70 (1978)

含有机卤化物、氨基芳基重氮盐及可聚合单体印版用可光聚环氧化物

ARMS* G05 60450 A/33 *US4096-310

Sublimable dye printing transfer sheet - with permeability and strength allowing continuous hot use

ARMSTRONG CORK CO B32b-07 (1978)

具有一定渗透性及强度，可连续使用的升华染料热转印纸

ASAF +R24 A97 G05 P75 +P74 17720 W/11*4091-727

Printing screen prodn. using thermoplastic films - and flash exposure with light source in near IR

ASAHI DOW KK(ASAH RISK) B41c-01/14 B41n-01/24 (1978)

热塑薄膜制作的丝印模板，以近红外线曝光

ASAH G07 77946 X/42=US4087-182

Continuous prodn. of photo-polymeric printing plates - with relief images

ASAHI KASEI KOGYO +G03b-27/10 (1978)

光聚印版的连续生产

ASAH G05 +R23 R24 20790 X/12=US4101-324

Printing plate formed by exposing photosensitive resin - in plastic substance to imaged light and developing

ASAHI KASEI KOGYO +G03c-01/68 (1978)

感光树脂版

BADI A60 59668 X/32=US4063-879

Transfer printing cellulose materials - by impregnating with auxiliary and

heating in presence of cellulose crosslinking agent

BASF AG D06p-05/20

(1978)

交联剂浸渍纤维素材料转印法

BELH G08 62781 Y/35=US4098-609

Inorganic sensitised zinc oxide photoconductive layers - having high light sensitivity and good resistance to spectral response shift

BELL & HOWELL CO G03g-05/08

(1978)

有高感光性对光谱灵敏度偏移有良好抗性的氧化锌光导层

BISH/* A97 25116 A/13 *US4078-031

Flexible magnetic printing plate mfr. - by bonding PVC layers and providing a printing face on one layer by a bag moulding technique

BISHOP H L B29c-05/12 B29c-17/10 B29d-09

(1978)

可挠曲磁性印版

BLAC/* R24 E3393 A/22 *US4083-301

Stencil exposure appts. for screen printing - has peripheral seal to maintain suction connection between translucent surface and stencil fabric

BLACK J A G03f-09

丝印模版的感光设备

CANO P75 G08 11626 X/07=US4069-759

Electrostatic printing - and electrostatic printing photo with silver image

CANON KK +G03c-01/42 G03g-05/02

(1978)

静电印刷及带银盐图象的静电印版

CANO G08 35515 Q/00=US4071-361

Electrographic process - using matl. opt. contg. a polymeric binder and a polymeric support

CANON KK +G03g-13/22

(1978)

用聚合物连接料及聚合物底基的电子照相复印版材

CANO R22 +R24 A7403 X/04=US4086-581

Automatic exposure control with digital computer - is of simplified space-saving construction not requiring analogue-to-digital converter

CANON KK G03b-07/08

(1978)

有数字式计算机的自动曝光控制装置——为简化小型结构, 不需模拟数字转换器

CANO G08 58763 V/33=US4097-277

Electrophotographic light-sensitive matl. - with polyvinyl carbazole layer contg. arsenic or antimony chalcogenic cpd.

CANON KK G03g-05/06 (1978)

聚乙烯咪唑层含砷或锑的硫属化合物的电子照相感光版材

CARN-* G06 21314 A/11 *US4076-535

Coating printing screen with photosensitive emulsion - by direct application of set layer followed transfer of dry layer on backing

CARNATION CO G03c-01/76 (1976)

丝印模版感光乳剂涂布法

CHEZ R24 + R23 69082 X/37=US4092-170

Photocopying material based on diazonium resin salt - and oleophilic resin contg surfactant, enabling development with water

OCE VAN DER GRIN TEN NV G03c-01/52 G03c-01/64 G03f-07/02 (1978)

以重氮盐及亲油树脂为主要成份的水显感光复制材料

CIBA G05 08665 A/05=US4124-760

Photopolymerisable heterocyclic di:epoxide cpds. - contg. conjugated double bonds for use without photosensitisers, in mfr. of offset printing plates, printed circuits

CIBA GEIGY CORP C07d-405/14 C08g-59/02 (1978)

含共轭双键光聚杂环双环氧化物的平印版

DICK* G08 63281 A/35 *US4097-391

Electrophotographic offset master liq. developer - contg. toner and amine pref. morphaline or nitrogen-(meth or ethyl)-morpholine

DICK A B CO G03g-09/12 (1978)

电子照相小胶印版液态显影剂

DOWC G06 12780 Y/08=US4072-529

Gelled, photocurable compsn. for printing plates - by contacting dialdehyde with polymer contg. ethylenic contg. ethylenic gp. and also prim. hydroxyl or mercapto gp.

DOW CHEMICAL CO C08g-18 G03c-01/68 + C08f-08 (1978)

可胶凝光固化印版组成, 由二乙醛与含乙烯基乙烯及羟基或巯基的聚合物接触构成

DUPO* G06 15693 A/08 *US4072-527

Photopolymerisable layer covered by oxygen impermeable layer - formed of water soluble polymer contg. insoluble polymer particles

DU PONT DE NEMOURS CO G03c-01/78 (1978)

复盖在光可聚层上由不溶聚合物颗粒的水性聚合物形成的不透氧保护层

DUPO* G06 15694 A/08 *US4072-528

Photopolymerisable element with oxygen impermeable protective layer - contg. dispersed vinylidene chloride polymer particles used in forming lithographic printing plates

DU PONT DE NEMOURS CO G03c-01/78 (1978)

有不透氧复盖保护层的平印版光可聚组成

DUPO G06 68917 A/39=US4125-700

Acrylic plastisol or organosol compsns. -with good rheological properties, for preparing photopolymerisable prods.

DU PONT DE NEMOURS CO C08f-02/50 +C08f-232 C08k-05/04 (1978)

丙烯塑料溶胶或有机溶胶组分, 流变性良好, 用于制作印版用光聚合物

EAST* G08 38264 A/21 *US4082-551

Electrophotographic material contg. interlayer - comprising layers of acidic and basic polymers and acid base reaction zone laver

EASTMAN KODAK CO G03g-05/14 (1978)

电子照相复印版材——中间层有一酸性聚合物层与碱性聚合物层及酸碱反应区层

EAST A89 G06 16289 A/09=US4086-210

Photosensitive poly-nitro-phenyl acetal polymers - for prodn. of photoresists and lithographic plate

EASTMAN KODAK CO C08g-04 (1978)

平印版生产用聚硝基——苯基——乙缩醛感光聚合物

EAST* G06 A89 R23 72130 A/40 *US4101-326

Radiation sensitive element, esp. lithographic plate - comprising support bearing radiation sensitive polyester prepd. in presence of hindered phenol and phosphoric acid ester reactions

EASTMAN KODAK CO G03c-01/68 (1978)

平印版辐射光敏组成——含在受阻酚与磷酸酯存在情况下反应制得之聚酯

EAST* G08 06151 Y/04=US4105-447

Electrophotographic recording material - based on organic photoconductor of aryl substd. ethylene, butadiene or hexadiene type contains sensitiser

EASTMAN KODAK CO G03g-05/06 (1978)

以芳族乙烯有机光导体为主要成分的电子照相复印版材

EAST* G08 68644 A/38 *US4113-484

Electrophotographic material - comprising non-catalytic conductive support bearing physically developable catalyst and separate photoconductive and conductive layers

EASTMAN KODAK CO G03g-15/24 (1978)

电子照相版材——含非催化性导电底基, 上有用物理方法显影催化剂及分开的光导层和导电层

EAST R23 +R24 G06 A89 75888 Y/34=US4119-466

Photosensitive compsn. esp. for printing plate prodn. - contg. benzo-thiazoline or naphtho-thiazoline derivs. as sensitisers

EASTMAN KODAK CO G03c-01/68 (1978)

以苯并噻唑啉衍生物为感光剂的印版感光组成

ENGI-AP74 B3586 Y/07=US4078-488

Seive assembly for use in pressure sieving operation - is manufactured using positive image of sieve and flexible polymeric material

ENGINEERING COMPONE B41c-01/14 +B41f-15/36 (1978)

用聚合物软材料制作的丝网

ENGV G05 06464 A/04 *US4082-861

Printing plate for half-tone printing - produced by exposing film of pref. eutectic mixt. to high energy light image

ENERGY CONVERSION G03c-05/16 +B05c-05 (1978)

半色调印版, 由易熔混合物层于高能强光下曝光成像制得

ENGV A89 31532 U/22=US4113-494

Photosensitive material - diazo resin over tellurium layer in rapid two solvent development for microfilms and lithographic plates

ENERGY CONVERSION G03c-01/04 (1978)

碲层上复以重氮树脂、在两种溶剂中快速显影的平印版感光材料