

2008版

Vocabulary for Medical English Test System
For Nurses
Level 1 and Level 2

第一、二级

主编 孙国棣

医护英语水平考试
(护理类)
词汇手册
NHS



高等教育出版社
Higher Education Press

2008版

Vocabulary for Medical English Test System
For Nurses
Level 1 and Level 2

第一、二级

主编 孙国棟
编者 朱玉婷 朱宏梅 李慧娟

周咏姚婷

医护英语水平考试(护理类)词汇手册

MTS



高等教育出版社
Higher Education Press

图书在版编目 (CIP) 数据

医护英语水平考试 (护理类) 词汇手册: 2008 版. 第一、二级 / 孙国棣主编. —北京: 高等教育出版社, 2008. 10

ISBN 978-7-04-024811-1

I. 医… II. 孙… III. 护理学 - 英语 - 词汇 - 水平考试 - 自学参考资料 IV. H313

中国版本图书馆 CIP 数据核字 (2008) 第 153187 号

策划编辑 张迎庆 责任编辑 张迎庆
封面设计 王 慧 责任印制 朱学忠

出版发行	高等教育出版社	购书热线	010-58581118
社 址	北京市西城区德外大街 4 号	免费咨询	800-810-0598
邮政编码	100120	网 址	http://www.hep.edu.cn
总 机	010-58581000		http://www.hep.com.cn
		网上订购	http://www.landaco.com
经 销	蓝色畅想图书发行有限公司		http://www.landaco.com.cn
印 刷	北京鑫海金澳胶印有限公司	畅想教育	http://www.widedu.com
开 本	787×1092 1/32	版 次	2008 年 10 月第 1 版
印 张	11.5	印 次	2008 年 10 月第 1 次印刷
字 数	260 000	定 价	18.00 元

本书如有缺页、倒页、脱页等质量问题,请到所购图书销售部门联系调换。

版权所有 侵权必究

物料号 24811-00

PREFACE | 前言

医护英语水平考试(简称 METS)是国家教育部考试中心、中华医学会、中华护理学会和中国国际人才交流协会联合组织的全国性考试。自正式考试以来,受到全国各医院和医护院校广大医护工作者、在校师生和有关领导的高度重视。

《医护英语水平考试(护理类)词汇手册(第一、二级)(2008 版)》以考试大纲为依据,收录了一、二级考试必须掌握的全部词汇,标“▲”号的为 METS 一级词汇,所有单词均按字母顺序排列。

为帮助广大在职医护工作者和在校的医护学生系统地学习并掌握医学专业英语,为促进我国医护英语教育与国际医护教育接轨,为我国广大医护工作者参加国际交流做准备,我们在编写本书时,不但每个单词都标有音标,还提供了典型的例句和词汇扩展,使读者既知其然,又知其所以然。附录中着重编录了医学英语构词法、医学英语常



见缩略词和人体各系统的解剖图。

在编写过程中,我们不仅获得了医护英语水平考试办公室领导和老师们的指导和帮助,还得到了江汉大学卫生职业技术学院的领导和同仁们的大力支持,在此一并表示诚挚的谢意。

限于编者水平,书中疏忽及不足之处在所难免,敬请批评指正。

编者

2008年7月

Aa



❖ abdomen /'æbdəmen/ *n.* 腹;腹部

The patient was admitted to hospital for acute abdomen.
病人因为急腹症而入院。



扩展: acute abdomen

upper abdomen

lower abdomen

急腹症

上腹部

下腹部

❖ ▲ abdominal /æb'dɒmɪnəl/ *adj.* 腹部的

Do you feel any abdominal distension?

你感到腹胀吗?



扩展: abdominal cavity

abdominal muscle

abdominal distension

腹腔

腹肌

腹胀

❖ ▲ abnormal /æb'nɔ:ml/ *adj.* 反常的;变态的

The result of your blood sugar test is abnormal.

你的血糖检验结果不正常。



扩展: abnormal behavior

abnormal reaction

abnormal result

行为异常

异常反应

结果异常

❖ abortion /ə'bo:ʃən/ *n.* 流产;堕胎;早产



A

She had two abortions before her first child was born.

在她生第一个孩子前有过两次流产。



扩展: incomplete abortion 不完全流产

threatened abortion 先兆流产

habitual abortion 习惯性流产

❖ **abscess** /'æbsɪs/ *n.* 脓肿

She had an abscess in her left lung.

她左肺有个脓肿。

A chronic abscess is usually treated with drugs.

慢性脓肿常需药物治疗。



扩展: acute abscess 急性脓肿

chronic abscess 慢性脓肿

❖ **absorb** /əb'sɔ:b/ *v.* 吸收

Cotton wads are used to absorb the discharge from the wound.

棉垫用来吸收伤口的分泌物。



扩展: absorb nutrition 吸收营养

absorb heat and light 吸收光和热

absorption 吸收

❖ **abuse** /ə'bjuz/ *n. & v.* 滥用;虐待

Mr. and Mrs. Smith are charged for child abuse.

史密斯夫妇因虐待儿童而受到指控。



扩展: alcohol abuse 滥用酒精

drug abuse 滥用药物

child abuse 虐待儿童

❖ **accelerate** /ək'seləreɪt/ *v.* 加速;加快



This ointment is applied for bed sores because it can accelerate cell growth.

这种软膏用于褥疮,因为它能促进细胞生长。



扩展: acceleration

deceleration

加速

减速

❖ ▲ **accident** /'æksɪdɪnt/ *n.* 事故

Her husband was the only survivor in that traffic accident.

她丈夫是那场交通事故中唯一的幸存者。



扩展: traffic accident

交通事故

accident and emergency department (A&E)

创伤急诊科

accident prevention

事故预防

❖ ❖ **accompany** /ə'kʌmpəni/ *v.* 伴随

He was accompanied by his friend when coming to hospital.

入院时他是朋友陪着来的。

The pain was accompanied by nausea and vomiting.

这疼痛伴有恶心和呕吐。



扩展: be accompanied by

附有,伴随

be accompanied with (a thing)

带着,带有,兼有

❖ ❖ **accumulate** /ə'kju:mjuleɪt/ *v.* 积累;聚集

There is plenty of bloody fluid accumulating in the patient's plural cavity.

病人胸膜腔里积有大量的血性液体。

Large amount of fat accumulated in the coronary arteries.

大量脂肪沉积于冠状动脉。



扩展: accumulation

积累;累积物



A

carbon dioxide accumulation 二氧化碳聚集

•: ▲ **ache** /eɪk/ *v. & n.* 痛

Her tooth ached so much that she couldn't eat anything.

她牙疼得厉害,什么也不能吃。



扩展: toothache

牙疼

headache

头痛

stomachache

肚子痛,胃痛

•: ▲ **acid** /'æsɪd/ *n.* 酸

Urine is a little bit acid.

尿呈弱酸性。



扩展: bile acids

胆汁酸

gastric acid

胃酸

acidosis

酸中毒

•: **acid-base balance** 酸碱平衡

One of renal functions is to keep acid-base balance.

肾脏的功能之一是保持酸碱平衡。

Technicians are developing an acid-base balance computer software.

技术人员正在开发一种酸碱平衡判断软件。

•: **acquired immunity** 获得性免疫

Immune mechanisms, including innate immunity and acquired immunity, play important roles in the process of atherosclerosis.

包括天然免疫和获得性免疫在内的免疫机制在动脉粥样硬化中的作用不容忽视。

•: ▲ **action** /'ækʃən/ *n.* 作用;活动



The injection will speed up the action of the antibiotic.

注射可加快抗生素起效。



扩展: sedative action

镇静作用

aggressive action

攻击性行为

protective action

防护作用

❖ **active** /'æktiv/ *adj.* 积极的; 活动的

The patient lives an active life in spite of his lung cancer.

这个病人虽然患有肺癌,但他仍积极地生活。



扩展: active movement

自主运动

active ingredient

有效成分

take an active part in

积极参加

❖ **acupuncture** /'ækju:pʌŋktʃə(r)/ *n.* 针刺疗法

The doctor used acupuncture to treat Mr. Smith's migraine.

医生用针灸治疗史密斯先生的偏头痛。



扩展: acupuncture and massage

针灸和推拿

acupuncture therapy

针刺疗法

acupuncturist

针灸师

❖ **acute** /ə'kju:t/ *adj.* 急性的; 剧烈的

She had an acute attack of asthma.

她的哮喘急性发作了。



扩展: acute phase

急性阶段

acute attack

急性发作

❖ **adapt** /ə'dæpt/ *v.* 使适应

She couldn't adapt to the new environment of the hospital.

她无法适应医院这个新环境。





A

扩展: adaption 适应

dark adaption 暗适应

light adaption 光适应

•• **addict** /ə'dɪkt/ *v. & n.* 使上瘾;有瘾的人

She has been addicted to morphine.

她对吗啡上瘾了。

扩展: drug addict 药瘾者;吸毒上瘾

morphine addict 吗啡成瘾者

alcohol addict 酒精成瘾者

•• **addiction** /ə'dɪkʃən/ *n.* 沉溺;上瘾

He suffers a great deal from alcohol addiction.

他深受酒瘾之苦。

扩展: drug addiction 药瘾

alcohol addiction 酒瘾

Internet addiction 网络成瘾

•• **adhesive tape** /əd'hɪsɪv teɪp/ 胶布;胶带

Please remove the patient's adhesive tape gently!

请轻轻地为病人撕掉胶布。

扩展: adhesive dressing 粘性敷料

adhesive strapping 创可贴

adhesive force 附着力

•• **adjacent** /ə'dʒeɪsənt/ *adj.* 相邻的

The tumor has violated adjacent organs.

肿瘤侵犯了邻近器官。

扩展: adjacent tissue 邻近组织

adjacent organ 邻近器官



adjacent communities

周边社区

•• **administer** /əd'mɪnɪstə(r)/ v. 给予(药); 执行

Nurses must obey the principles when administering medications.

护士在给药时必须遵守原则。



扩展: administer medication 给药

administer oxygen 给氧

administer nursing care 实施护理

•• **administration** /əd'mɪnɪ'streɪʃən/ n. 行政管理; 服用; 施行

Administration of drug must be supervised by a registered nurse.

给药必须有注册护士的监督。



扩展: drug administration 给药

medical administration 医院管理

rectal administration 直肠给药

•• **admission** /əd'mɪʃən/ n. 入院; 准许进入

Jane works at admission office.

简在入院处工作。



扩展: admission office 入院处

admission card 入院证

No admission! 不准入内!

•• **admit** /əd'mɪt/ v. 容纳; 承认(to)

Mr. Smith was admitted to the ICU three days ago.

史密斯先生三天前住进了重症监护病房。

The patient admitted that he had some wine.



A

病人承认喝了点酒。

扩展: be admitted to hospital 住院

∴ **adolescence** /ˌædəʊˈlesəns/ *n.* 青春期

Adolescents reach the adult stage about the age of 18 or 20.

青少年在 18 岁或 20 岁时跨入成人阶段。

扩展: pre-adolescence 青春前期

adolescence value 青春期价值观

adolescence mentality hygiene 青春心理卫生

∴ **adulthood** /ˈædʌlθud/ *n.* 成年(期)

Nowadays some of the adulthood diseases like diabetes or hypertension also occur in adolescents.

如今有些成年期疾病如糖尿病或高血压也会发生在青少年身上。

扩展: early adulthood 成年早期

adulthood diseases 成年期疾病

adulthood ceremony 成人仪式

∴ **adverse** /ˈædvɜːs/ *adj.* 不利的;逆向的

It is the adverse reaction from Amoxicillin.

这是羟氨苄青霉素的不良反应。

扩展: adverse effect 副作用

adverse reaction 不良反应

adverse psychology 逆反心理

∴ **▲affect** /əˈfekt/ *v.* (疾病)侵袭

Many children and elderly people were affected by the virus of flu.



许多儿童和老年人受到了流感病毒的侵袭。

扩展: affection 情感

 affective 情感的

 affective disorder 情感障碍

❖ **aging** /'eidʒɪŋ/ *n.* 老化

Exercises may delay aging.

运动可延缓衰老。

扩展: aging problem 老龄化问题

 aging process 衰老

 anti-aging mechanism 抗衰老机制

❖ **agitate** /'ædʒɪteɪt/ *v.* 摇动(液体);使激动;使焦虑

She was much agitated by the bad news.

坏消息使她的心绪很乱。

扩展: agitation 搅动

 agitative 煽动性的

 agitator 搅拌器

❖ **AIDS** 艾滋病

There has been no cure for AIDS so far.

目前还没有治愈艾滋病的方法。

扩展: AIDS virus 艾滋病病毒

 AIDS vaccine 艾滋病疫苗

 AIDS related complex 艾滋病相关症候群

❖ **ailment** /'eɪlmənt/ *n.* 疾病(尤指微恙)

Measles is one of the common childhood ailments.

麻疹是儿童常见病之一。

扩展: persistent ailment 顽症



A

trifling ailments 轻症, 激症

women's ailments 妇女病

•••▲ **alarm** /ə'la:m/ *n.* 警报

The mechanical ventilator has an alarm device, which can tell any air leakage or obstruction of the tube.

呼吸机有报警装置, 有漏气或管道堵塞它都可预报。

🔍 扩展: ring the alarm

敲警钟

alarm bell

警铃

alarm system

报警系统

•••▲ **alcohol** /'ælkəhəl/ *n.* 酒精; 酒

Drinking too much alcohol is harmful to health.

过度饮酒有害身体健康。

🔍 扩展: alcohol poisoning

酒精中毒

alcohol rub

酒精擦浴

••• **alkali** /'ælkəlaɪ/ *n.* 碱

If strong alkali is swallowed, the patient should drink water or an acid such as orange juice.

喝入强碱, 病人需喝水或酸性液体如橘汁来中和。

🔍 扩展: alkaline

碱性的

alkalosis

碱中毒

alkali burn

碱性化学伤

•••▲ **allergic** /ə'lə:dʒɪk/ *adj.* 过敏的; 患过敏症的

I'm allergic to penicillin.

我对青霉素过敏。

🔍 扩展: allergic agent

过敏原

allergic reaction

过敏反应



allergic disease 过敏性疾病

❖ **allergy** /'ælədʒi/ *n.* 过敏

Do you have any drug allergy?

你有药物过敏吗?



扩展: food allergy

食物过敏

drug allergy

药物过敏

respiratory allergy

呼吸道过敏

❖ **alter** /'ɔ:ltə(r)/ *v.* 改变

The patient's attitude toward the treatment has altered to be positive

病人对治疗的态度变得积极了。



扩展: alteration

改变

alterable

可改变的

alterability

可变性

❖ **alternate** /ɔ:l'tɜ:nət/ *v. & adj.* 轮流, 交替; 轮流的, 交替的

The patient's mood alternated between happiness and depression.

病人一会儿高兴, 一会儿忧郁。



扩展: alternative

可供选择的办法、事物

alternately

交替地, 隔一个地

alternation

交替, 更迭

❖ **ambulance** /'æmbjuləns/ *n.* 救护车

Mr. Smith is having a heart attack. Please call an ambulance.

史密斯先生心脏病发作了, 请叫救护车。



扩展: ambulance service

救护服务



A

ambulance man 救护人员

ambulance corp 救护队

❖ amino acid 氨基酸

Some amino acids have to be absorbed from food.
某些氨基酸必须从食物中摄取。

When proteins are digested and broken down, they form 22 amino acids.

蛋白质被摄入并分解后可形成 22 种氨基酸。

扩展: essential amino acid 必需氨基酸
free amino acid 游离氨基酸

❖ amputate /'æmpjutet/ v. 截肢

His left leg has to be amputated as a result of the car accident.

由于车祸的原因,他的左腿不得不截肢。

扩展: amputation 截肢手术
above-knee amputation 大腿截肢
amputative rehabilitation 截肢术后的康复

❖ analgesia /'ænæl'dʒi:zjə/ n. 无痛法; 止痛术

Postoperative epidural analgesia is being introduced increasingly to mothers with cesarean section.

术后硬膜外止痛术被越来越多地应用于剖腹产的产妇。

扩展: patient controlled epidural analgesia 病人自控硬膜外镇痛
analgesia test 镇痛试验
analgesic 止痛剂

❖ analyze /'ænəlaɪz/ v. 分析; 分解