

中国科学院中国孢子植物志编辑委员会 编辑

中国真菌志

第五十六卷

柔膜菌科

庄文颖 主编

科学出版社

中国科学院中国孢子植物志编辑委员会 编辑

中 国 真 菌 志

第五十六卷


柔 膜 菌 科

庄文颖 主编

中国科学院知识创新工程重大项目

国家自然科学基金重大项目

(国家自然科学基金委员会 中国科学院 科学技术部 资助)



科 学 出 版 社

北 京

内 容 简 介

本卷对我国子囊菌门真菌中的柔膜菌科进行了全面的形态学和系统分类研究,记录 34 属 136 种;对科和属的国内外分类研究概况进行了评述,提供了每个种的形态描述、图示和必要的讨论,以及中国已知种的分属、分种检索表。上述类群主要为潮湿的林区中植物残体、腐殖质层、土壤、粪便等基物上的腐生真菌,少数引起植物病害,极少数种类与高等植物共生形成菌根,部分具有分解木质纤维素的能力。

本书可供生物学、菌物学、自然资源开发等方面的工作者和大专院校有关专业的师生参考。

图书在版编目(CIP)数据

中国真菌志. 第五十六卷, 柔膜菌科 / 庄文颖主编. —北京: 科学出版社, 2018. 7

(中国孢子植物志)

ISBN 978-7-03-057738-2

I. ①中... II. ①庄... III. ①真菌志-中国 ②柔膜菌目-真菌志-中国 IV. ①Q949.32

中国版本图书馆 CIP 数据核字(2018)第 115763 号

责任编辑: 韩学哲 孙 青/责任校对: 郑金红

责任印制: 肖 兴/封面设计: 刘新新

科学出版社出版

北京东黄城根北街 16 号

邮政编码: 100717

<http://www.sciencep.com>

中国科学院印刷厂印刷

科学出版社发行 各地新华书店经销

*

2018 年 7 月第 一 版 开本: 787×1092 1/16

2018 年 7 月第一次印刷 印张: 16 1/4

字数: 385 000

定价: 180.00 元

(如有印装质量问题, 我社负责调换)

CONSILIO FLORARUM CRYPTOGAMARUM SINICARUM
ACADEMIAE SINICAE EDITA

FLORA FUNGORUM SINICORUM

VOL. LVI

HELOTIACEAE

REDACTOR PRINCIPALIS

Zhuang Wen-Ying

**A Major Project of the Knowledge Innovation Program of
the Chinese Academy of Sciences**

A Major Project of the National Natural Science Foundation of China

(Supported by the National Natural Science Foundation of China,
the Chinese Academy of Sciences, and the Ministry of Science and Technology of China)

Science Press
Beijing

柔膜菌科

本卷著者

庄文颖 郑焕娣 任菲 宋霞

(中国科学院微生物研究所)

HELOTIACEAE

AUCTORES

Zhuang Wen-Ying Zheng Huan-Di Ren Fei Song Xia

(Instituti Microbiologici, Academiae Sinicae)

中国孢子植物志第五届编委名单

(2007 年 5 月)

主 编 魏江春

副 主 编 庄文颖 夏邦美 吴鹏程 胡征宇

阿不都拉·阿巴斯

委 员 (以姓氏笔划为序)

丁兰平 王全喜 王幼芳 王旭雷 吕国忠

庄剑云 刘小勇 刘国祥 李仁辉 李增智

杨祝良 张天宇 陈健斌 胡鸿钧 姚一建

贾 渝 高亚辉 郭 林 谢树莲 蔡 磊

戴玉成 魏印心

序

中国孢子植物志是非维管束孢子植物志，分《中国海藻志》、《中国淡水藻志》、《中国真菌志》、《中国地衣志》及《中国苔藓志》五部分。中国孢子植物志是在系统生物学原理与方法的指导下对中国孢子植物进行考察、收集和分类的研究成果；是生物物种多样性研究的主要内容；是物种保护的重要依据，对人类活动与环境甚至全球变化都有不可分割的联系。

中国孢子植物志是我国孢子植物物种数量、形态特征、生理生化性状、地理分布及其与人类关系等方面的综合信息库；是我国生物资源开发利用、科学研究与教学的重要参考文献。

我国气候条件复杂，山河纵横，湖泊星布，海域辽阔，陆生和水生孢子植物资源极其丰富。中国孢子植物分类工作的发展和中國孢子植物志的陆续出版，必将为我国开发利用孢子植物资源和促进学科发展发挥积极作用。

随着科学技术的进步，我国孢子植物分类工作在广度和深度方面将有更大的发展，对于这部著作也将不断补充、修订和提高。

中国科学院中国孢子植物志编辑委员会

1984年10月·北京

中国孢子植物志总序

中国孢子植物志是由《中国海藻志》、《中国淡水藻志》、《中国真菌志》、《中国地衣志》及《中国苔藓志》所组成。至于维管束孢子植物蕨类未被包括在中国孢子植物志之内,是因为它早先已被纳入《中国植物志》计划之内。为了将上述未被纳入《中国植物志》计划之内的藻类、真菌、地衣及苔藓植物纳入中国生物志计划之内,出席 1972 年中国科学院计划工作会议的孢子植物学工作者提出筹建“中国孢子植物志编辑委员会”的倡议。该倡议经中国科学院领导批准后,“中国孢子植物志编辑委员会”的筹建工作随之启动,并于 1973 年在广州召开的《中国植物志》、《中国动物志》和中国孢子植物志工作会议上正式成立。自那时起,中国孢子植物志一直在“中国孢子植物志编辑委员会”统一主持下编辑出版。

孢子植物在系统演化上虽然并非单一的自然类群,但是,这并不妨碍在全国统一组织和协调下进行孢子植物志的编写和出版。

随着科学技术的飞速发展,人们关于真菌的知识日益深入的今天,黏菌与卵菌已被从真菌界中分出,分别归隶于原生动物界和管毛生物界。但是,长期以来,由于它们一直被当作真菌由国内外真菌学家进行研究;而且,在“中国孢子植物志编辑委员会”成立时已将黏菌与卵菌纳入中国孢子植物志之一的《中国真菌志》计划之内并陆续出版,因此,沿用包括黏菌与卵菌在内的《中国真菌志》广义名称是必要的。

自“中国孢子植物志编辑委员会”于 1973 年成立以后,作为“三志”的组成部分,中国孢子植物志的编研工作由中国科学院资助;自 1982 年起,国家自然科学基金委员会参与部分资助;自 1993 年以来,作为国家自然科学基金委员会重大项目,在国家基金委资助下,中国科学院及科技部参与部分资助,中国孢子植物志的编辑出版工作不断取得重要进展。

中国孢子植物志是记述我国孢子植物物种的形态、解剖、生态、地理分布及其与人类关系等方面的大型系列著作,是我国孢子植物物种多样性的重要研究成果,是我国孢子植物资源的综合信息库,是我国生物资源开发利用、科学研究与教学的重要参考文献。

我国气候条件复杂,山河纵横,湖泊星布,海域辽阔,陆生与水生孢子植物物种多样性极其丰富。中国孢子植物志的陆续出版,必将为我国孢子植物资源的开发利用,为我国孢子植物科学的发展发挥积极作用。

中国科学院中国孢子植物志编辑委员会

主编 曾呈奎

2000 年 3 月 北京

Foreword of the Cryptogamic Flora of China

Cryptogamic Flora of China is composed of *Flora Algarum Marinarum Sinicarum*, *Flora Algarum Sinicarum Aquae Dulcis*, *Flora Fungorum Sinicorum*, *Flora Lichenum Sinicorum*, and *Flora Bryophytorum Sinicorum*, edited and published under the direction of the Editorial Committee of the Cryptogamic Flora of China, Chinese Academy of Sciences(CAS). It also serves as a comprehensive information bank of Chinese cryptogamic resources.

Cryptogams are not a single natural group from a phylogenetic point of view which, however, does not present an obstacle to the editing and publication of the Cryptogamic Flora of China by a coordinated, nationwide organization. The Cryptogamic Flora of China is restricted to non-vascular cryptogams including the bryophytes, algae, fungi, and lichens. The ferns, a group of vascular cryptogams, were earlier included in the plan of *Flora of China*, and are not taken into consideration here. In order to bring the above groups into the plan of Fauna and Flora of China, some leading scientists on cryptogams, who were attending a working meeting of CAS in Beijing in July 1972, proposed to establish the Editorial Committee of the Cryptogamic Flora of China. The proposal was approved later by the CAS. The committee was formally established in the working conference of Fauna and Flora of China, including cryptogams, held by CAS in Guangzhou in March 1973.

Although myxomycetes and oomycetes do not belong to the Kingdom of Fungi in modern treatments, they have long been studied by mycologists. *Flora Fungorum Sinicorum* volumes including myxomycetes and oomycetes have been published, retaining for *Flora Fungorum Sinicorum* the traditional meaning of the term fungi.

Since the establishment of the editorial committee in 1973, compilation of Cryptogamic Flora of China and related studies have been supported financially by the CAS. The National Natural Science Foundation of China has taken an important part of the financial support since 1982. Under the direction of the committee, progress has been made in compilation and study of Cryptogamic Flora of China by organizing and coordinating the main research institutions and universities all over the country. Since 1993, study and compilation of the Chinese fauna, flora, and cryptogamic flora have become one of the key state projects of the National Natural Science Foundation with the combined support of the CAS and the National Science and Technology Ministry.

Cryptogamic Flora of China derives its results from the investigations, collections, and classification of Chinese cryptogams by using theories and methods of systematic and evolutionary biology as its guide. It is the summary of study on species diversity of cryptogams and provides important data for species protection. It is closely connected with human activities, environmental changes and even global changes. Cryptogamic Flora of

China is a comprehensive information bank concerning morphology, anatomy, physiology, biochemistry, ecology, and phytogeographical distribution. It includes a series of special monographs for using the biological resources in China, for scientific research, and for teaching.

China has complicated weather conditions, with a crisscross network of mountains and rivers, lakes of all sizes, and an extensive sea area. China is rich in terrestrial and aquatic cryptogamic resources. The development of taxonomic studies of cryptogams and the publication of Cryptogamic Flora of China in concert will play an active role in exploration and utilization of the cryptogamic resources of China and in promoting the development of cryptogamic studies in China.

C.K. Tseng

Editor-in-Chief

The Editorial Committee of the Cryptogamic Flora of China

Chinese Academy of Sciences

March, 2000 in Beijing

《中国真菌志》序

《中国真菌志》是在系统生物学原理和方法指导下,对中国真菌,即真菌界的子囊菌、担子菌、壶菌及接合菌四个门以及不属于真菌界的卵菌等三个门和黏菌及其类似的菌类生物进行搜集、考察和研究的成果。本志所谓“真菌”系广义概念,涵盖上述三大菌类生物(地衣型真菌除外),即当今所称“菌物”。

中国先民认识并利用真菌作为生活、生产资料,历史悠久,经验丰富,诸如酒、醋、酱、红曲、豆豉、豆腐乳、豆瓣酱等的酿制,蘑菇、木耳、茭白作食用,茯苓、虫草、灵芝等作药用,在制革、纺织、造纸工业中应用真菌进行发酵,以及利用具有抗癌作用和促进碳素循环的真菌,充分显示其经济价值和生态效益。此外,真菌又是多种植物和人畜病害的病原菌,危害甚大。因此,对真菌物种的形态特征、多样性、生理生化、亲缘关系、区系组成、地理分布、生态环境以及经济价值等进行研究和描述,非常必要。这是一项重要的基础科学研究,也是利用益菌、控制害菌、化害为利、变废为宝的应用科学的源泉和先导。

中国是具有悠久历史的文明古国,从远古到明代的4500年间,科学技术一直处于世界前沿,真菌学也不例外。酒是真菌的代谢产物,中国酒文化博大精深、源远流长,有六七千年历史。约在公元300年的晋代,江统在其《酒诰》诗中说:“酒之所兴,肇自上皇。或云仪狄,又曰杜康。有饭不尽,委之空桑。郁结成味,久蓄气芳。本出于此,不由奇方。”作者精辟地总结了我国酿酒历史和自然发酵方法,比之意大利学者雷蒂(Radi, 1860)提出微生物自然发酵法的学说约早1500年。在仰韶文化时期(5000~3000 B. C.),我国先民已懂得采食蘑菇。中国历代古籍中均有食用菇蕈的记载,如宋代陈仁玉在其《菌谱》(1245年)中记述浙江台州产鹅膏菌、松蕈等11种,并对其形态、生态、品级和食用方法等作了论述和分类,是中国第一部地方性食用蕈菌志。先民用真菌作药材也是一大创造,中国最早的药典《神农本草经》(成书于102~200 A. D.)所载365种药物中,有茯苓、雷丸、桑耳等10余种药用真菌的形态、色泽、性味和疗效的叙述。明代李时珍在《本草纲目》(1578)中,记载“三菌”、“五蕈”、“六芝”、“七耳”以及羊肚菜、桑黄、鸡枞、雪蚕等30多种药用真菌。李氏将菌、蕈、芝、耳集为一类论述,在当时尚无显微镜帮助的情况下,其认识颇为精深。该籍的真菌学知识,足可代表中国古代真菌学水平,堪与同时代欧洲人(如C. Clusius, 1529~1609)的水平比拟而无逊色。

15世纪以后,居世界领先地位的中国科学技术,逐渐落后。从18世纪中叶到20世纪40年代,外国传教士、旅行家、科学工作者、外交官、军官、教师以及负有特殊任务者,纷纷来华考察,搜集资料,采集标本,研究鉴定,发表论文或专辑。如法国传教士西博特(P.M. Cibot) 1759年首先来到中国,一住就是25年,对中国的植物(含真菌)写过不少文章,1775年他发表的五棱散尾菌(*Lysurus mokusin*),是用现代科学方法研究发表的第一个中国真菌。继而,俄国的波塔宁(G.N. Potanin, 1876)、意大利的吉拉迪(P. Giraldui, 1890)、奥地利的汉德尔-马泽蒂(H. Handel Mazzetti, 1913)、美国的梅里尔(E.D. Merrill, 1916)、瑞典的史密斯(H. Smith, 1921)等共27人次来我国采集标本。

研究发表中国真菌论著 114 篇册,作者多达 60 余人次,报道中国真菌 2040 种,其中含 10 新属、361 新种。东邻日本自 1894 年以来,特别是 1937 年以后,大批人员涌到中国,调查真菌资源及植物病害,采集标本,鉴定发表。据初步统计,发表论著 172 篇册,作者 67 人次以上,共报道中国真菌约 6000 种(有重复),其中含 17 新属、1130 新种。其代表人物在华北有三宅市郎(1908),东北有三浦道哉(1918),台湾有泽田兼吉(1912);此外,还有斋藤贤道、伊藤诚哉、平冢直秀、山本和太郎、逸见武雄等数十人。

国人用现代科学方法研究中国真菌始于 20 世纪初,最初工作多侧重于植物病害和工业发酵,纯真菌学研究较少。在一二十年代便有不少研究报告和学术论文发表在中外各种刊物上,如胡先骕 1915 年的“菌类鉴别法”,章祖纯 1916 年的“北京附近发生最盛之植物病害调查表”以及钱穰孙(1918)、邹钟琳(1919)、戴芳澜(1920)、李寅恭(1921)、朱凤美(1924)、孙豫寿(1925)、俞大绂(1926)、魏岳寿(1928)等的论文。三四十年代有陈鸿康、邓叔群、魏景超、凌立、周宗璜、欧世璜、方心芳、王云章、裘维蕃等发表的论文,为数甚多。他们中有的人终生或大半生都从事中国真菌学的科教工作,如戴芳澜(1893~1973)著“江苏真菌名录”(1927)、“中国真菌杂记”(1932~1946)、《中国已知真菌名录》(1936, 1937)、《中国真菌总汇》(1979)和《真菌的形态和分类》(1987)等,他发表的“三角枫上白粉菌一新种”(1930),是国人用现代科学方法研究、发表的第一个中国真菌新种。邓叔群(1902~1970)著“南京真菌记载”(1932~1933)、“中国真菌续志”(1936~1938)、《中国高等真菌志》(1939)和《中国的真菌》(1963, 1996)等,堪称《中国真菌志》的先导。上述学者以及其他许多真菌学工作者,为《中国真菌志》研编的起步奠定了基础。

在 20 世纪后半叶,特别是改革开放以来的 20 多年,中国真菌学有了迅猛的发展,如各类真菌学课程的开设,各级学位研究生的招收和培养,专业机构和学会的建立,专业刊物的创办和出版,地区真菌志的问世等,使真菌学人才辈出,为《中国真菌志》的研编输送了新鲜血液。1973 年中国科学院广州“三志”会议决定,《中国真菌志》的研编正式启动,1987 年由郑儒永、余永年等编辑出版了《中国真菌志》第 1 卷《白粉菌目》,至 2000 年已出版 14 卷。自第 2 卷开始实行主编负责制,2.《银耳目和花耳目》(刘波主编,1992);3.《多孔菌科》(赵继鼎,1998);4.《小煤炱目 I》(胡炎兴,1996);5.《曲霉属及其相关有性型》(齐祖同,1997);6.《霜霉目》(余永年,1998);7.《层腹菌目》(刘波,1998);8.《核盘菌科和地舌菌科》(庄文颖,1998);9.《假尾孢属》(刘锡璉、郭英兰,1998);10.《锈菌目 I》(王云章、庄剑云,1998);11.《小煤炱目 II》(胡炎兴,1999);12.《黑粉菌科》(郭林,2000);13.《虫霉目》(李增智,2000);14.《灵芝科》(赵继鼎、张小青,2000)。盛世出巨著,在国家“科教兴国”英明政策的指引下,《中国真菌志》的研编和出版,定将为中华灿烂文化做出新贡献。

余永年 谨识
庄文颖

中国科学院微生物研究所
中国·北京·中关村
公元 2002 年 09 月 15 日

Foreword of Flora Fungorum Sinicorum

Flora Fungorum Sinicorum summarizes the achievements of Chinese mycologists based on principles and methods of systematic biology in intensive studies on the organisms studied by mycologists, which include non-lichenized fungi of the Kingdom Fungi, some organisms of the Chromista, such as oomycetes etc., and some of the Protozoa, such as slime molds. In this series of volumes, results from extensive collections, field investigations, and taxonomic treatments reveal the fungal diversity of China.

Our Chinese ancestors were very experienced in the application of fungi in their daily life and production. Fungi have long been used in China as food, such as edible mushrooms, including jelly fungi, and the hypertrophic stems of water bamboo infected with *Ustilago esculenta*; as medicines, like *Cordyceps sinensis* (caterpillar fungus), *Poria cocos* (China root), and *Ganoderma* spp. (lingzhi); and in the fermentation industry, for example, manufacturing liquors, vinegar, soy-sauce, *Monascus*, fermented soya beans, fermented bean curd, and thick broad-bean sauce. Fungal fermentation is also applied in the tannery, papermaking, and textile industries. The anti-cancer compounds produced by fungi and functions of saprophytic fungi in accelerating the carbon-cycle in nature are of economic value and ecological benefits to human beings. On the other hand, fungal pathogens of plants, animals and human cause a huge amount of damage each year. In order to utilize the beneficial fungi and to control the harmful ones, to turn the harmfulness into advantage, and to convert wastes into valuables, it is necessary to understand the morphology, diversity, physiology, biochemistry, relationship, geographical distribution, ecological environment, and economic value of different groups of fungi. *Flora Fungorum Sinicorum* plays an important role from precursor to fountainhead for the applied sciences.

China is a country with an ancient civilization of long standing. In the 4500 years from remote antiquity to the Ming Dynasty, her science and technology as well as knowledge of fungi stood in the leading position of the world. Wine is a metabolite of fungi. The Wine Culture history in China goes back 6000 to 7000 years ago, which has a distant source and a long stream of extensive knowledge and profound scholarship. In the Jin Dynasty (ca. 300 A.D.), JIANG Tong, the famous writer, gave a vivid account of the Chinese fermentation history and methods of wine processing in one of his poems entitled *Drinking Games* (Jiu Gao), 1500 years earlier than the theory of microbial fermentation in natural conditions raised by the Italian scholar, Radi (1860). During the period of the Yangshao Culture (5000—3000 B. C.), our Chinese ancestors knew how to eat mushrooms. There were a great number of records of edible mushrooms in Chinese ancient books. For example, back to the Song Dynasty, CHEN Ren-Yu (1245) published the *Mushroom Menu* (Jun Pu) in which he listed 11 species of edible fungi including *Amanita* sp. and *Tricholoma matsutake* from

Taizhou, Zhejiang Province, and described in detail their morphology, habitats, taxonomy, taste, and way of cooking. This was the first local flora of the Chinese edible mushrooms. Fungi used as medicines originated in ancient China. The earliest Chinese pharmacopoeia, *Shen-Nong Materia Medica* (Shen Nong Ben Cao Jing), was published in 102–200 A. D. Among the 365 medicines recorded, more than 10 fungi, such as *Poria cocos* and *Polyporus mylittae*, were included. Their fruitbody shape, color, taste, and medical functions were provided. The great pharmacist of Ming Dynasty, LI Shi-Zhen (1578) published his eminent work *Compendium Materia Medica* (Ben Cao Gang Mu) in which more than thirty fungal species were accepted as medicines, including *Aecidium mori*, *Cordyceps sinensis*, *Morchella* spp., *Termitomyces* sp., etc. Before the invention of microscope, he managed to bring fungi of different classes together, which demonstrated his intelligence and profound knowledge of biology.

After the 15th century, development of science and technology in China slowed down. From middle of the 18th century to the 1940's, foreign missionaries, tourists, scientists, diplomats, officers, and other professional workers visited China. They collected specimens of plants and fungi, carried out taxonomic studies, and published papers, exsiccatae, and monographs based on Chinese materials. The French missionary, P.M. Cibot, came to China in 1759 and stayed for 25 years to investigate plants including fungi in different regions of China. Many papers were written by him. *Lysurus mokusin*, identified with modern techniques and published in 1775, was probably the first Chinese fungal record by these visitors. Subsequently, around 27 man-times of foreigners attended field excursions in China, such as G.N. Potanin from Russia in 1876, P. Giraldui from Italy in 1890, H. Handel-Mazzetti from Austria in 1913, E.D. Merrill from the United States in 1916, and H. Smith from Sweden in 1921. Based on examinations of the Chinese collections obtained, 2040 species including 10 new genera and 361 new species were reported or described in 114 papers and books. Since 1894, especially after 1937, many Japanese entered China. They investigated the fungal resources and plant diseases, collected specimens, and published their identification results. According to incomplete information, some 6000 fungal names (with synonyms) including 17 new genera and 1130 new species appeared in 172 publications. The main workers were I. Miyake in the Northern China, M. Miura in the Northeast, K. Sawada in Taiwan, as well as K. Saito, S. Ito, N. Hiratsuka, W. Yamamoto, T. Hemmi, etc.

Research by Chinese mycologists started at the turn of the 20th century when plant diseases and fungal fermentation were emphasized with very little systematic work. Scientific papers or experimental reports were published in domestic and international journals during the 1910's to 1920's. The best-known are "Identification of the fungi" by H.H. Hu in 1915, "Plant disease report from Peking and the adjacent regions" by C.S. Chang in 1916, and papers by S.S. Chian (1918), C.L. Chou (1919), F.L. Tai (1920), Y.G. Li (1921), V.M. Chu (1924), Y.S. Sun (1925), T.F. Yu (1926), and N.S. Wei (1928). Mycologists who were active at the 1930's to 1940's are H.K. Chen, S.C. Teng, C.T. Wei, L. Ling, C.H. Chow,

S.H. Ou, S.F. Fang, Y.C. Wang, W.F. Chiu, and others. Some of them dedicated their lifetime to research and teaching in mycology. Prof. F.L. Tai (1893—1973) is one of them, whose representative works were “List of fungi from Jiangsu” (1927), “Notes on Chinese fungi” (1932—1946), *A List of Fungi Hitherto Known from China* (1936, 1937), *Sylloge Fungorum Sinicorum* (1979), *Morphology and Taxonomy of the Fungi* (1987), etc. His paper entitled “A new species of *Uncinula* on *Acer trifidum* Hook. & Arn.” was the first new species described by a Chinese mycologist. Prof. S.C. Teng (1902—1970) is also an eminent teacher. He published “Notes on fungi from Nanking” in 1932—1933, “Notes on Chinese fungi” in 1936—1938, *A Contribution to Our Knowledge of the Higher Fungi of China* in 1939, and *Fungi of China* in 1963 and 1996. Work done by the above-mentioned scholars lays a foundation for our current project on *Flora Fungorum Sinicorum*.

In 1973, an important meeting organized by the Chinese Academy of Sciences was held in Guangzhou (Canton) and a decision was made, uniting the related scientists from all over China to initiate the long term project “Fauna, Flora, and Cryptogamic Flora of China”. Work on *Flora Fungorum Sinicorum* thus started. Significant progress has been made in development of Chinese mycology since 1978. Many mycological institutions were founded in different areas of the country. The Mycological Society of China was established, the journals *Acta Mycologica Sinica* and *Mycosystema* were published as well as local floras of the economically important fungi. A young generation in field of mycology grew up through postgraduate training programs in the graduate schools. The first volume of Chinese Mycoflora on the Erysiphales (edited by R.Y. Zheng & Y.N. Yu, 1987) appeared. Up to now, 14 volumes have been published: Tremellales and Dacrymycetales edited by B. Liu (1992), Polyporaceae by J.D. Zhao (1998), Meliolales Part I (Y.X. Hu, 1996), *Aspergillus* and its related teleomorphs (Z.T. Qi, 1997), Peronosporales (Y.N. Yu, 1998), Sclerotiniaceae and Geoglossaceae (W.Y. Zhuang, 1998), *Pseudocercospora* (X.J. Liu & Y.L. Guo, 1998), Uredinales Part I (Y.C. Wang & J. Y. Zhuang, 1998), Meliolales Part II (Y.X. Hu, 1999), Ustilaginaceae (L. Guo, 2000), Entomophthorales (Z.Z. Li, 2000), and Ganodermataceae (J.D. Zhao & X.Q. Zhang, 2000). We eagerly await the coming volumes and expect the completion of *Flora Fungorum Sinicorum* which will reflect the flourishing of Chinese culture.

Y.N. Yu and W.Y. Zhuang
Institute of Microbiology, CAS, Beijing
September 15, 2002

致 谢

在本卷编研过程中,曾与美国康奈尔大学[R.P. Korf]教授就系统分类和命名问题进行过广泛探讨,他还曾审阅与本卷有关的部分文章的文稿并修改英文,采集了部分标本,并提供部分文献资料。承蒙南京师范大学陈双林教授和中国科学院微生物研究所庄剑云研究员审阅书稿,并提出宝贵的意见和建议。诺维信中国投资有限公司吴文平博士,南京师范大学陈双林教授、闫淑珍副教授,中国科学院昆明植物研究所臧穆研究员、杨祝良研究员、刘培贵研究员、彭华研究员、王立松先生、陈可可先生,台湾省自然科学博物馆王也珍博士、陈秀珍博士,广东省微生物研究所李泰辉研究员、宋斌先生、沈亚恒先生,华南农业大学姜子德教授,吉林农业大学图力古尔教授,中国科学院植物研究所张宪春研究员,北京师范大学刘全儒教授,长江大学余知和教授,新疆大学阿不都拉·阿巴斯教授,云南大学张克勤教授,吉林省长白山科学院王柏工程师,东北林业大学池玉杰教授,中国科学院微生物研究所刘杏忠研究员、庄剑云研究员、田金秀高级工程师、郭良栋研究员、张小青副研究员、卯晓岚副研究员、文华安研究员、姚一建研究员、张艳辉博士、张向民博士、刘超洋博士、刘斌博士(现广西大学教授)、罗晶博士、李文英博士、农业先生、黄满荣博士、王征博士、王龙博士、曾昭清博士、朱兆香博士、秦文韬博士、陈凯博士等在野外考察工作中给予热情帮助,协助采集标本,参与部分种的鉴定工作,慷慨提供或借用标本或图片,提供或协助查找文献资料,协助鉴定植物标本,修改拉丁文特征集要,或就有关分类学和命名问题进行讨论等。中国科学院微生物研究所菌物标本馆姚一建研究员、吕红梅女士、魏铁铮副研究员、杨柳女士、闫秋荣女士协助借调馆藏标本或提供标本信息。中国科学院微生物研究所图书馆阳世青馆长、周淑敏和刘淑敏女士在图书借阅和查询方面给予协助。没有上述科技工作者热情、无私的帮助,本卷的完成是不可能的。

本研究是在中国科学院真菌学国家重点实验室完成的。

目 录

序

中国孢子植物志总序

《中国真菌志》序

致谢

绪论	1
引言	1
材料和方法	1
形态特征	2
分类研究进展	4
中国柔膜菌科研究简史	5
柔膜菌科分子系统学研究简况	6
专论	7
柔膜菌科 HELOTIACEAE	7
异型盘菌属 <i>Allophylaria</i> (P. Karst.) P. Karst.	9
果莢生异型盘菌 <i>Allophylaria atherospermatis</i> G.W. Beaton	9
小孢异型盘菌 <i>Allophylaria minispora</i> H.D. Zheng & W.Y. Zhuang	10
卷边盘菌属 <i>Ascocalyx</i> Naumov	12
卷边盘菌 <i>Ascocalyx abietis</i> Naumov	12
紫胶盘菌属 <i>Ascocoryne</i> J.W. Groves & D.E. Wilson	14
杯紫胶盘菌 <i>Ascocoryne cylichnium</i> (Tul.) Korf	14
肉质紫胶盘菌 <i>Ascocoryne sarcoides</i> (Jacq.) J.W. Groves & D.E. Wilson	16
胶盘菌属 <i>Ascotremella</i> Seaver	18
山毛榉胶盘菌 <i>Ascotremella faginea</i> (Peck) Seaver	19
小双孢盘菌属 <i>Bisporella</i> Sacc.	19
橘色小双孢盘菌 <i>Bisporella citrina</i> (Batsch) Korf & S.E. Carp.	20
黄小双孢盘菌 <i>Bisporella claroflava</i> (Grev.) Lizoň & Korf	22
线孢小双孢盘菌 <i>Bisporella filiformis</i> W.Y. Zhuang & F. Ren	24
湖北小双孢盘菌 <i>Bisporella hubeiensis</i> H.D. Zheng & W.Y. Zhuang	25
碘蓝小双孢盘菌 <i>Bisporella iodocyanescens</i> Korf & Bujak	27
大孢小双孢盘菌 <i>Bisporella magnispora</i> W.Y. Zhuang & H.D. Zheng	28
山地小双孢盘菌 <i>Bisporella montana</i> W.Y. Zhuang & H.D. Zheng	29
蕨生小双孢盘菌 <i>Bisporella pteridicola</i> F. Ren & W.Y. Zhuang	30
香地小双孢盘菌 <i>Bisporella shangrilana</i> W.Y. Zhuang & H.D. Zheng	31
中国小双孢盘菌 <i>Bisporella sinica</i> W.Y. Zhuang	33