## 高等学校教学参考书

英 语

第三册

(化工类)

# 教师参考书

华东化工学院外语教研组 编

高等教育出版社

## 高等学校教学参考书

英语第 三 册(化工类)

## 教师参考书

华东化工学院外语教研组 编

高等教育出版社

#### 内容提要

本书是上海化工学院外语教研组主编的高等学校试用教材《英语》第三册(化工 类)的教师参考书。内容包括: 教学要求与提示,课文、阅读材料和补充读物的参考 译文。以及练习答案等。

本书承天津大学倪征(主审)。卢振中、张同琦周志审阅。冯慈珍教授对书中全都课文译文进行了审阅。

本书原由人民教育出版社出版。1983年3月9日。上级同意恢复《高等教育出版社》。本书今后改用高等教育出版社名义继续印行。

高等学校教学参考书

英 语

第三册

(化工类)

教师参考书

华东化工学院外语教研组编

为 【 A 十 4 A A 出版 新华书店北京发行所发行 河北省香河县刷印厂印刷

开本787×1092 1/32 印张 4.5 字数 107,000 1981年7月第1版 1984年2月第3次印刷 印数9,701—15,760 书号9010~0110 定价0.37元

## 前言

本书是上海化工学院外语教研组主编的高等学校 试 用 教 材《英语》第三册(化工类)的教师参考书。内容包括:"教学要求与提示"。提出教学目的和要求,并对难点和需要重点讲解的部分补充了必要的材料;"课文参考译文";"阅读材料』、』参考译文"和"练习答案"等。书后还附有"补充读物"的全部中译文和各课学时安排表。

本书的参考译文一般采取直译法。练习也根据课文内容要求 只提供一种答案。所补充的材料和例句仅供教师备课时参考。希 望广大教师在使用本参考书时根据具体情况灵活运用。

本书由许士正主编。

对本书的缺点、错误, 欢迎批评指正。

编者

1980年8月

## 录 目

前		言		
第	_	课1		
第	=	课9		
第	Ξ	课19		
第	四	课27		
第	Ŧī.	课36		
第	六	课46		
第	七	课		
第	八	课····67		
第	九	课·····79		
第	+	课····88		
第	+-	课100		
第	十二	课111		
补充读物				
-		热120°		
		<b>属的内部结构 ·············121</b>		
E	物质	质的物理性质 ···············122		
四	沸点	\$ ····································		
五		下石油124		
六	传质	5及其应用················126		
七	冷却	印塔127		

附录:	: 课时分配表 ••••••••••••••••••••••••••••••••••••	137
+=	<b></b>	·134
+-	-化学工程	133
+	塑料	·131
	磺化作用	
八	水质污染的控制	129

•

3.0

#### Lesson One

#### 教学要求与提示

#### I. 目的和要求

- 1)根据原书编写意图,各课将有重点地安排复习巩固前期载 材学过的语法内容。本课着重安排时态和语态方面的复习。
  - 2) 讲解 as 作介词的两种用法。

#### 2. 词汇方面

- 1) comprise
  - a. Atoms comprise (= make up) all bodies.
  - b. Our course of study comprises (= consists of) politics, English, chemistry, physics, etc.
- 2) formula 外来词, 其复数形式是 formulae, 也可是 formulas。
- 3) remain
  - a. In any transformation of energy, the total amount of energy remains (= continues to be) constant.
  - b. If you take 3 from 8, 5 remains (= is still present).

#### 3. 语法方面

1) (第一段) Any chemical process in which certain substances are converted into other substances is called a chemical reaction.

句中划线处为定语从句,关系代词作介词的宾语。又例:

a. A rectifier is a device by which alternating current

is transformed into direct current.

- b. A single force may be broken into two or more forces to which it is equivalent.
- 2) (第三段) They react to form carbon dioxide as a product.

  划线处为宾语补足语。
- 3) (第三段) Furthermore, the reactant formulas are separated by plus signs which are not intended to mean a mathematical plus but rather should be interpreted as "and".

划线处为主语补足语。

4) (第一段) These changes occur as chemical processes. 划线处说明主语。

#### as 用作介词时有以下两种作用:

- A. 与一些动词,如 regard, define, consider 等搭配,引出的介词短语作宾语补足语或主语补足语,如:
  - a. We consider radio waves as radiant energy.
  - b. The atom of any element is pictured as resembling the solar system.
- B. 表示"作为"的意思,引出的短语一般也说明主语,如:
  - a. Electricity is especially convenient as a means of mechanical power.
  - b. Metallurgy as an applied science treats of the deriving of metals and their special properties.

### 课文参考译文

#### 化学反应与化学方程式

元素能组合成化合物。同样,许多化合物也能分解成组成它的元素。这些变化是作为化学过程发生的。某些物质转化成另一些物质的化学过程均称为化学反应。在化学反应中,称为反应物的原始物质经过化学反应便形成叫做生成物的新物质。化学反应涉及到某些化学键的断裂和新化学键的形成。因此组成反应物的化学粒子(原子、离子或分子)便转化成新的化合物,也就是生成物。

各种化学反应不断地在我们肌体内部和我们的周围发生着。 食物的消化和新陈代谢作用包含了化学反应;金属的生锈和燃料的燃烧也是化学反应。有些反应发生得很快,而另一些则发生得很慢。炸药的爆炸是快速化学反应,而石油的形成却包含极其缓慢的化学过程。化学反应说明了在我们周围所看到的许多变化的原因。火焰说明一个比较简单的化学反应;而植物生长却包含一系列复杂的化学反应。

化学反应可通过指明反应物和生成物来说明。例如,当我们燃烧木炭时,主要的反应物是碳和空气中的氧,它们起反应便形成生成物二氧化碳。因此,我们说,碳同氧反应形成二氧化碳。这样的化学反应可用符号借助化学方程式表示出来。化学方程式必须包括有反应物和生成物的正确的分子式。而且各反应物的分子式用"+"号分开,这个"+"号并非指数学上的"相加",而应解释为"和"的意思。生成物的分子式也用"+"号分开。反应物和生成物则用箭头"——>"分开,箭头是表示"由反应而产生,生成或得到"的一个符号。对于上述碳和氧之间的反应,其化学方程

#### $C+O_2 \longrightarrow CO_2$

在化学反应中,构成这些物质而化合了的原子既不会被创造 出来,也不会被消灭掉,但其化学键断裂并导致了新的化合。所 以,反应中所含每种元素的化合原子总数便保持不变。由于原子 在化学反应中既不会被消灭掉,也不会被创造出来,因此反应物 的总质量必然等于生成物的总质量。

#### 练习答案

- 1. 1) A compound can be decomposed into the constituent elements.
  - 2) We call the initial substances reactants in a chemical reaction.
  - 3) Yes, it does.
  - 4) The main chemical reactants are carbon and oxygen gas in the air when we burn charcoal.
  - 5) A chemical reation can be represented symbolically by a chemical equation which includes the proper formulas for the reactants and the products.
  - 6) The symbol "arrow" means "react to produce, yield or give" in a chemical equation.
  - 7) Certain chemical bonds are broken and new combinations result in a chemical reaction.
  - 8) No, they can neither be destroyed nor created in a chemical reaction.
- 2. 1) are used

2) should be interpreted

3) occur

4) are separated

- 5) are occurring
- 6) must be included

7) ievolve

- 8) are involved
- 3. 1) d 2) e 3) a 4) f 5) c 6) b
- .4. 1) F 2) T 3) T 4) F 5) F 6) F 7) T 8) F
- 5. 1) The chemical equation C+O<sub>2</sub>→CO<sub>2</sub> indicates that carbon reacts with oxygen to form carbon dioxide.
  - 2) Substances can neither be created nor destroyed, but they can be changed from one state to another.
  - Changes of reactants into products involve the breaking of initial chemical bonds and the forming of new chemical bonds.
  - 4) The burning of wood is a simple chemical reaction, whereas the growth of a plant is a series of complex chemical reactions.
  - 5) In a chemical equation, the reactants and products are separated by an arrow.
  - 6) A chemical reaction accounts for the rusting of metal, the burning of fuel and the formation of petroleum.
- 6. 1) will change

2) are, possesses

3) are called

- 4) transmits
- 5) is being built
- 6) causes (can cause)

7) can represent

- 8) is, have been absorbed
- 9) will take place, are brought
- 10) thought, was
- 7. 1) Chemical symbols are used for representing the

5

- 2) In doing an experiment in chemistry great attentions must be paid to the reaction conditions in order toget good results.
- 3) Electronic computers are often used by scientists, especially by physicists and mathematicians.
- 4) A chemical reaction can be described by the indications of the reactants and products.
- 5) Heat and light are given off by some chemical changes.
- 6) The young scientist is improving his new invention.
- 7) This waste gas will be made use of to produce heat.
- 8) The plus signs separate the reactant formulas.
- 9) We have been supplied with a large amount of crudeoil by these oil fields.
- 10) The temperature as well as the pressure of the tower is measured by us at nine and eleven every morning.

#### 阅读材料参考译文

Ι

#### 化学过程中的两个问题

化学过程中的两个极其重要的问题是: "多少?"和"多久?"。

第一个问题可更准确地阐述为:"反应物(原料)可以以什么比例转化成为生成物?"虽然最完善的净化过程能浓集大部分杂质,而只让极少量的生成物带走,但生成物的提纯总会带来损耗。某

些损耗是由于溢泄或不适当的处理所产生。甚至洗涤液也会把一 些生成物与杂质一起带走。

但是,即使在处理和净化过程中生成物没有损失,人们也不能期望获得百分之百的生成物,因为许多化学反应就其性质来说是不会"进行完全的",就是说,反应只进行到一定百分率的反应物转化为生成物时为止,它达到"平衡",便停止下来。只要条件不改变,反应便不再持续。例如,众所周知,在500℃1000个大气压和有催化剂的条件下,以适当比例混合的氮和氢,也只有百分之六十可以转化成氨。而且,该百分率还是这个化学过程的最佳百分率,只有懂得平衡及其与反应条件的依赖关系后,这一百分率才可能达到。

至于"多久"的问题,也可进一步说成:"反应物或某一百分率的反应物转化为所希望的生成物时,需要多长时间?"时间在我们的经济中非常珍贵。如果人们要在实验室里制取氢,他们将采用金属锌和盐酸,而不用镁和热水来制取。虽然这两种反应都能以很高的百分率制取纯氢,但是,用第二种反应要几个小时才能产生的这种气体的总量,第一种反应则在几分钟内就能产生。因为燃料是保持高温所必需的,所以时间对于高温下进行的反应具有特别的意义。如果某些反应需要几个小时而不是几秒钟,燃料的成本就会过高。

H

#### 谈谈反应速度

每种化学反应都需要一定的时间来完成,但有些反应迅速,有些反应缓慢。溶液中离子间的反应在不改变氧化态时一般都很快。用强碱中和强酸就是一个例子。这种中和作用进行得与溶液混合的速度同样快。这是由于氢离子与氢氧根离子每次碰撞几乎

都发生反应;且碰撞次数又是非常多,因而反应几乎没有延缓。

沉淀物的形成,例如含有银离子的溶液与含有氯离子的溶液 相混合而生成氯化银的沉淀,只需几秒钟时间就能使离子扩散到 一起,生成沉淀的晶体状颗粒。

$$Ag^++Cl^-\longrightarrow AgCl$$

另一方面,离子的氧化一还原反应有时进行得非常缓慢。在硫酸溶液中用过氧化氢还原高锰酸根离子就是一个例子。当一滴高锰酸盐溶液加到过氧化氢和硫酸的溶液中时,溶液便呈粉红色,这种粉红色可保持几分钟,这就说明只发生了极微弱的反应。几分钟后,当溶液已变成无色时,便发现另一滴高锰酸盐所产生的粉红色保持的时间短一些。接着发现第三、第四滴的褪色更加迅速。最后,当已加入相当量的高锰酸盐溶液并进行了反应,而形成锰离子和放出(游离)氧气之后,人们发现稳定速度注入到容器中的高锰酸盐溶液,其褪色的速度与它搅拌入过氧化氢溶液的速度一样快。对于这一有趣的现象的解释是:这种反应物的生成物一低氧化态的锰对反应起了催化剂的作用,第一滴高锰酸盐在没有任何催化剂的情况下反应缓慢,但是随后几滴所进行的反应便是催化反应了。催化剂的存在可能成为影响反应速度的最重要的因素之一。

在温室下反应极其缓慢的一个例子是氢和氧的反应:

$$2H_2+O_2\longrightarrow 2H_2O$$

氢和氧的混合物可保持数年之久而不发生明显的反应。可是如果 点燃这种气体,便会由于其能量的释放而发生非常迅速的反 应——爆炸。

#### Lesson Two

#### 教学要求与提示

#### 1. 目的和要求

- 1) 把课文中带有虚拟语气的句子作重点讲解。
- 2) 通过练习 3,6,7, 使学生熟悉虚拟结构的用法。

#### 2. 词汇方面

- 1) somewhat
  - a. This machine is somewhat different from that one.
  - b. In this respect, the computer is somewhat similar to the human brain which also stores information that can be retrieved as needed.
  - c. Trying to hit a nucleus with a proton-neutron bullet is somewhat like trying to hit a particle of dust in the air with a rifle bullet fired at random, when there are only a few particles of dust per cubic mile.
- 2) just

I just can't help thinking of things made from plastics as imitations, as cheap substitutes.

- 3) in spite of
  - a. In spite of (= despite 或 in despite of) all its accomplishments, the so-called electronic brain must be programmed by a human brain.
  - b. In spite of everything a laser can do, the pulse from

the largest laser ever made doesn't contain enough energy to boil a kettle for a cup of tea.

4) nothing more than

Most machines in the workshop were automatic, so I
saw nothing more than twenty workers there.

#### 3. 语法方面

- 1) (第二段) "That can make it possible for us to enlarge a drop of water enough to see one single atom——atoms are so very, very small". 句中有"it (形式宾语) 十宾语补足语十不定式 (真正宾语)"的结构。又例:
  - a. There is the micro-electronic instrument that makes it possible for the blind to read conventionally printed magazines and newspapers.
  - b. Electronic methods make it possible for information both from within the control system itself and from outside sources to be electronically processed.
- 2) 句型 "It takes + sb. (sth.) +n. (量词) + inf."
  - a. It would take three weeks to tell you the whole story about oil.
  - b. It took him only 10 dollars to buy a radio.
  - c. It took him two weeks to finish the scientific experiment.
- 3) 句型 "adj. + enough + inf."
  - a. Owing to the invention of the laser, man has built a light strong enough to illuminate a celestial body.
  - b. This transistor radio is small enough to be held in the hand.

#### 课文参考译文

#### 原 子

一个人想要看见单个原子,就有点象一个飞翔在海洋好几英 里上空的人想要看到海洋中单独的一滴水一样。他可以看见大量 水滴聚集在一起的结果,但是他决不可能看到单独的水滴。

与此大致相似的是:当许许多多原子组合起来时,我们才能看到它们形成的一粒砂子或一滴水。但是,今天的科学仍无法把一滴水放大到足以使我们看到单个原子的程度,这是因为原子是非常之小。仅仅在一滴水里就大约有33×10<sup>20</sup>个原子,这个数字是在3,300的后面加上18个零!你想,如果你一秒钟能数一个原子,夜以继日地数,数这么多的原子要花多少时间呢?要花10<sup>14</sup>年!当我们了解到仅仅数一滴水中的原子就要花这么长的时间时,我们就会开始认识到原子是多么微小。

如果你认为会有这么小的东西是难以置信的话,那不只你一个人是这样想的。任何人,即使是学识渊博的科学家也认为原子 是令人惊异的。

然而,尽管原子很小,利用一种放大能力比显微镜强得多的 仪器,我们还是可以得到一幅相当清楚的原子图象。这种仪器就 是我们的想象力。借助这种想象力,我们可把原子放大到足以使 我们能够观察其结构的程度。

让我们来观察一下所有原子中最简单的一种——氢原子。氢 是气体,是重量最轻的气体。当然,氢的实际重量极轻,世界上 没有其它物质象氢一样轻。

我们先用大气压力(或地球表面的空气压力)下一立方英寸的 氢气来做实验。如果温度为华氏 32 度,这一立方英寸的氢气就会