

Research in Burns

Transactions of the Third International
Congress on Research in Burns,
held in Prague, September 20–25, 1970

Edited by

P. Matter, Basle

T. L. Barclay, Bradford

Z. Koníčková, Prague

Research in Burns

Transactions of the Third International
Congress on Research in Burns,
held in Prague, September 20–25, 1970

Edited by

P. Matter, Basle

T. L. Barclay, Bradford

Z. Konířková, Prague



Research in Burns

Edited by

P. Matter, Bäsle

T. L. Barclay, Bradford

Z. Koníčková, Prague

Hans Huber Publishers Bern Stuttgart Vienna

**Transactions of the IIBRU International Congress on Research in Burns, held
in Prague, September 20-25, 1970**

© 1971 by Hans Huber Publishers Bern
Printed in Switzerland
by Zollikofer & Co. Ltd. St.Gall

Contents

| | |
|--|----|
| List of contributors | 17 |
| Preface | 24 |
| Opening speech. <i>A.B. Wallace</i> (Edinburgh) | 25 |
| Chapter 1 | |
| Prevention of burns | |
| ● The challenge of the developing countries; prevention of burns (Summary). <i>F. Benaim</i> (Buenos Aires) | 32 |
| ● The challenge of the developing countries (Summary). <i>N.H. Antia</i> (London) | 33 |
| Prevention of burns—an attempt to educate the masses. <i>M.H. Keswani</i> and <i>N.H. Antia</i> (Bombay) | 36 |
| Burn centers and prevention campaigns in Latin American countries. <i>F. Benaim</i> (Buenos Aires) | 39 |
| Burn accidents in Uganda. <i>J.O. Lee</i> and <i>J.L. Craven</i> (Kampala) | 43 |
| The management, prevention and treatment of burns in Mexico. <i>L. Gomez-Correa</i> (Mexico D.F.) | 45 |
| Problems of textile flammability. <i>E.P. Martin</i> (Basle) | 48 |
| Flammable textiles. <i>G. Arturson</i> , <i>A. Bernskiöld</i> , <i>C.E. Jonsson</i> and <i>B. Pontén</i> (Uppsala/Göteborg) | 52 |
| Burns in epileptic patients: A survey of admissions to a regional burns centre over a period of 20 years. <i>M. N. Tempest</i> (Chepstow) | 54 |
| The interpretation of statistics on burn injuries. <i>D.C. McNeill</i> (Salisbury) | 57 |
| Chapter 2 | |
| Fluid replacement | |
| ● Fluid replacement (Summary). <i>M. Allgöwer</i> and <i>J. Masterton</i> (Basle/Melbourne) | 60 |
| Baseline of fluid replacement during the first 48 hours. <i>A.J. Evans</i> (London) | 62 |
| The use of Dextran in severe burns. <i>B.W. Haynes Jr.</i> and <i>N. E. Hutcher</i> (Richmond) | 64 |
| Evaluation of various salt solutions. <i>Ch.L. Fox Jr.</i> (New York) | 67 |
| Balanced salt solution in burn shock—A reappraisal. <i>J.P. Masterton</i> and <i>H.A.F. Dudley</i> (Melbourne) | 72 |

| | |
|--|-----|
| ✓ Saline solutions for burn shock resuscitation: An experimental dissection of its elements. <i>H.C. Polk Jr. and S. Van Linder</i> (Miami) | 75 |
| Hypertonic lactated saline solution in the treatment of burns shock. <i>W.W. Monafo</i> (St.Louis) | 79 |
| ✓ Hemodynamic studies of burned patients during resuscitation. <i>B.A. Pruitt Jr. and A.D. Mason Jr.</i> (Ft. Sam Houston) | 83 |
| Control of intravenous therapy by blood volume estimations. <i>G.M.G. Barton and J.E. Laing</i> (Salisbury) | 87 |
| Computer aided therapy of the acute burn injury. <i>A. Morgan, C.N. Liu, J.J. Collins, K. Kagey and F.D. Moore</i> (Boston) | 90 |
| Tactical problems of burn shock therapy. <i>A.A. Shalimov and D.E. Pekarsky</i> (Kharkov) | 92 |
| Studies of renal function during the early postburn period. <i>J.A. O'Neill Jr., B.A. Pruitt Jr. and J.A. Moncrief</i> (New Orleans) | 95 |
| ✓ Experimental experiences with a pathological model of burn shock and its fluid therapy. <i>R. Petz and O. Šterba</i> (Prague) | 99 |
| Response of burned animals to resuscitative solutions varying in tonicity, sodium load, and volume. <i>R.E. Casali and F.T. Caldwell</i> (Little Rock) | 103 |
| A refined analysis of a triple isotope dilution technique for clinical use. <i>W.H. Snyder, G.S. Gieszl, B.G. MacMillan and W.A. Altemeier</i> (Cincinnati) | 104 |

Chapter 3

Local treatment

| | |
|--|-----|
| • Local treatment in burns (Summary). <i>D.L. Larson</i> (Galveston) | 108 |
| Evaluation of topical burn therapy over the past 20 years. <i>S.R. Lewis, J.B. Lynch, T.G. Blocker Jr., J.E. Doyle and D.L. Larson</i> (Galveston) | 111 |
| Current concepts of preferred usage of topical and systemic antibacterial agents for the burn patient. <i>B.G. MacMillan, R.P. Hummel and W.A. Altemeier</i> (Cincinnati) | 116 |
| Topical sulfamylon chemotherapy in the treatment of patients with extensive thermal burns. <i>A.D. Mason Jr., B.A. Pruitt Jr., R.B. Lindberg, J.A. Moncrief and F.D. Foley</i> (Ft. Sam Houston) | 120 |
| Sulfamylon as a burn dressing. <i>A.B. Sutherland</i> (Broxburn) | 123 |
| Correction of retarded epidermal regeneration due to sulfamylon by administration of oral zinc. <i>H.K. Wisner, J.B. Lynch, D.L. Larson and S.R. Lewis</i> (Galveston) | 129 |
| Antibacterial action of silver sulfadiazine and DNA binding. <i>Ch.L. Fox Jr. and J.W. Stanford</i> (New York) | 133 |

| | |
|---|-----|
| Alternative methods of preventing infection of burns. The use of silver sulphadiazine, trimethoprim and isolators. <i>E.J.L. Lowbury</i> (Birmingham)..... | 138 |
| Evaluation of the product known as "Argostop". <i>J.R. Calderon, B.M. Niebla and F.M. Del Campo</i> (Mexico D.F.) | 143 |
| Topical gentamicin cream in the treatment of the burn wound. <i>C.F.T. Snelling, D.A. Kernahan, A.R. Ronald, W.R. Waters, L.M. Vistnes and B. Bautista</i> (Winnipeg) | 144 |
| Management of the burn wound with topical antibacterial therapy and progressive dressing debridement. <i>G. Born</i> (Hamilton) | 147 |
| Local application of cytobiotic antibodies: A new method for the treatment of burned children. <i>R. Bureau, J.L. Gouin, J. Lehoux, J.C. Levilain, J.C. Talmant and P. Surer</i> (Nantes) | 153 |
| Exposure treatment. Method. <i>B. Sørensen and M. Thomsen</i> (Copenhagen) | 154 |
| The "open-air method" in the treatment of extensive burns. <i>S. Teich-Asia</i> (Turin) | 158 |
| A laboratory and clinical investigation of polypeptide laminate nylon velour as a temporary skin substitute. <i>M. Spira, C.W. Hall, J. Fissette and S.B. Hardy</i> (Houston/San Antonio) | 162 |
| Local treatment of burned children by the abrasion technique. <i>R.G. Thielen</i> (Neunkirchen-Kohlhof) | 168 |
| Enzymatic debridement with Bromelain, a pineapple plant protease. A preliminary report. <i>G.K.V. Klein</i> (Brunswick) | 170 |
| The effect of collagenase on thermally damaged skin. <i>J. Moserová, Z. Koničková and R. Holuša</i> (Prague) | 174 |
| Topical treatment of the burn wound, an experimental study. <i>H.E. Koehnlein and G. Lemperle</i> (Freiburg i.Br.) | 179 |
| Treatment of large burn injuries with "Mafenide". <i>B. Pestiaux</i> (Loverval) | 184 |

Chapter 4

Infection

| | |
|--|-----|
| ● Infection (Summary) <i>J. Kohn</i> (London) | 188 |
| Fever in burn patients. <i>N. Ganzoni, R. Aebli and G. Zellweger</i> (Zurich) . | 193 |
| Clinical evaluation of antibiotic prophylaxis in burn therapy. <i>L. Pouyanne, Martin-Dupont and J. Senegas</i> (Bordeaux) | 197 |
| Burn septicemia—A clinical and bacteriological study. <i>N.H. Stone and Ch.R. Humphrey</i> (Chicago) | 201 |
| Burn sepsis. <i>A.A. Vishnevsky, M.I. Shreiber, I.I. Kolker, R.I. Kaem and J.M. Panova</i> (Moscow) | 205 |

| | |
|---|-----|
| Depression of the reticuloendothelial system in severely burned patients. <i>G. Lemperle</i> (Freiburg i.Br.) | 208 |
| ✓ The significance of quantitative bacteriology in the management of burned patients in a General Hospital. <i>L. Enjalbert, Ch. Suc, N. Moatti</i> and <i>Am. Chancholle</i> (Toulouse) | 212 |
| ✓ Bacteriological monitoring of burns using a quantitative culture method. <i>W. McNaught</i> (Broxburn) | 214 |
| Studies of <i>Pseudomonas aeruginosa</i> —the burn pathogen. <i>B.A. Waisbren,</i> <i>T.A. Kurzynski</i> and <i>J.W. Mellender</i> (Milwaukee) | 221 |
| Immunological control of <i>Pseudomonas</i> infection in burned patients: A laboratory-clinical correlation. <i>J.W. Alexander</i> and <i>M.W. Fisher</i> (Cincinnati/Detroit) | 226 |
| Ultraviolet fluorescence of <i>Pseudomonas aeruginosa</i> : An aid to the diagnosis and treatment of burn wound infection. <i>H.C. Polk Jr.,</i> <i>C.G. Ward, J.G. Clarkson</i> and <i>D. Taplin</i> (Miami) | 231 |
| <i>Pseudomonas pseudomallei</i> infection in burn patients: A new hazard in thermal injury. <i>R.B. Lindberg, B.A. Pruitt Jr.</i> and <i>A.D. Mason Jr.</i> (Ft. Sam Houston) | 235 |
| Proteolysis of burned and unburned skin by <i>Pseudomonas aeruginosa</i> . <i>S.A. Carney</i> (Birmingham)..... | 238 |
| Vaccination against gram-negative bacilli in burns. <i>R.J. Jones</i> (Birmingham)..... | 242 |
| Some experience in clinical use of hyperbaric oxygen in burns. <i>Št. Šimko</i> (Šaca-Košice) | 243 |
| Problems of infection by exposure treatment. <i>M. Thomsen</i> and <i>B. Sørensen</i> (Copenhagen) | 243 |
| The influence of controlled environment on the management of burn patients. <i>B.G. MacMillan, R.P. Hummel</i> and <i>W.A. Altemeier</i> (Cincinnati) | 248 |
| The use of staphylococcal lysate in therapy of treatment resistant granulating wounds. <i>Z. Koničková, J. Buda</i> and <i>F. Výmola</i> (Prague) .. | 251 |
| The epidemiology of <i>Staphylococcus aureus</i> in a modern burns ward. <i>A. Hambraeus</i> (Uppsala) | 254 |
| Place of the autovaccinal therapy in the complex therapy of burns, complicated by local and general infection. <i>D. Ranev</i> and <i>N.V. Vasvasov</i> (Sofia) | 255 |
| Endotoxic shock, a comparison in the experimental model of the anesthetic effects. <i>R.D. Wilson, R.A. Kelly, D.L. Traber</i> and <i>L.L. Priano</i> (Galveston) | 257 |
| Infections of untreated flash burns in domestic animals. <i>O. Pawel,</i> <i>Z. Tomeš</i> and <i>V. Hrušovská</i> (Prague-Moto!)..... | 261 |

Chapter 5

Skin replacement

| | |
|---|-----|
| The principles of skin grafting in burns. <i>D.M. Jackson</i> (Birmingham) . . | 264 |
| Studies on the recipient areas for grafts. <i>J.C. Lawrence</i> and <i>A.R. Groves</i> (Birmingham) | 267 |
| Acidometric investigation of the granulation tissue. <i>P. Česany</i> (Trinec) . | 271 |
| Multiple uses of cadaver homograft skin in burned patients <i>J.M. Shuck, B.A. Pruitt Jr.</i> and <i>J.A. Moncrief</i> (Albuquerque/Ft. Sam Houston/Charleston) | 273 |
| Use of preserved cadaver homografts in combination with autografts in the operative treatment of severe burns 3rd and 4th degree in children. <i>D. Ranev</i> (Sofia) | 276 |
| Fetal calf skin and nucleic acids in the surgical treatment of extensive burns. <i>H. Seinfeld, W. Brendel</i> and <i>H. Bohmert</i> (Munich) | 277 |
| Clinical experience with porcine xenografts. <i>E.J. Law, P. Nathan</i> and <i>B.G. MacMillan</i> (Cincinnati) | 281 |
| Pig skin biological dressings on burn wounds. <i>I.C. Song</i> and <i>B.E. Bromberg</i> (New York) | 285 |
| The use of xenomaterial for the local burn care. <i>J. Kalina</i> and <i>M. Ježek</i> (Ostrava) | 287 |
| Preparation of chorion and/or amnion grafts used in burns. <i>R. Klen</i> (Hradec Králové) | 289 |
| The use of homografts and heterografts in burn management. <i>L.D. Stern</i> (San Jose) | 292 |
| Application of early necrectomy and grafting in deep dermal burns in children. <i>I. Pedišić</i> (Zagreb) | 295 |
| The partial excision in the treatment of burns. <i>A.N. Mindikoğlu</i> and <i>F. Öz</i> (Istanbul) | 299 |
| Primary excision of full thickness burns up to 40% of body surface followed by micro- or meshgrafts. <i>R.P. Hermans</i> (Beverwijk) | 301 |
| Mesh grafting of extensive burns. <i>J.A. Boswick Jr.</i> (Chicago) | 303 |
| The use of expansion meshed grafts in the acute and reconstructive management of thermal injuries. <i>E.J. Law, B.G. MacMillan</i> and <i>W.A. Altemeier</i> (Cincinnati) | 306 |
| Wide mesh skin grafts. <i>J.C. Tanner</i> (Atlanta) | 307 |
| Fixation of skin grafts by adhesives. <i>W.D. Mühlbauer</i> (Munich) | 307 |
| Split skin and full skin grafts in burns. Indication and technique of transplantation. <i>H. Reichert</i> (Stuttgart) | 309 |
| A comparative study of means of skin graft immobilization. <i>T.S. Wilkinson</i> and <i>F.X. Paletta</i> (St.Louis) | 312 |

| | |
|--|-----|
| Healing, vascularization and rejection of large free, full thickness skin grafts. <i>E.A. Guthy, J.B. Billote, R.K.J. Koumans and J.F. Burke</i> (Hannover/Boston) | 316 |
| Clinical observations on the influence of Solcoseryl on the skin grafting in severely burned patients. <i>L. Rusiniak</i> (Warsaw) | 321 |
| The use of haemostyptic-oxicellulose in skin graft healing in experiments and in patients. <i>L. Bařínká, V. Drastichová and P. Černý</i> (Brno) | 322 |
| Skin replacement in electrical burns. <i>O.M. Ugland</i> (Oslo) | 323 |
| Clinical aspects of the electric burns. <i>L. Rusiniak</i> (Warsaw) | 328 |
| Excision of corneal burns and use of collagen graft. <i>J. Vandeput, M.B. Apanay and J.C. Tanner</i> (Atlanta/Hasselt) | 329 |

Chapter 6

Immunological problems of transplantation

| | |
|--|-----|
| ● Immunological problems of transplantation (Summary). <i>J. Watson and B.G. MacMillan</i> (London/Cincinnati) | 336 |
| The HL-A system and its importance for skin grafting in burned patients. <i>M.E. Hackett and J.R. Batchelor</i> (East Grinstead) | 337 |
| A comparison of histocompatibility typing and mixed lymphocyte culture tests in burned patients to predict survival of skin grafts. <i>P. Nathan, R. Swartz, R. Jett Jr. and B.G. MacMillan</i> (Cincinnati) ... | 342 |
| Anti-lymphocyte auto-antibody with autograft rejection in a burn patient. Recovery with antilymphocyte immunoglobulins. <i>R. Lebeaupin, J. Guimbretière, P.A. Mousseau and M. Mousseau</i> (Nantes) | 346 |
| Complications in prolonged administration of anti-lymphocytic sera. <i>R.K.J. Koumans, J.B. Billote, E.A. Guthy and J.F. Burke</i> (Boston/Rotterdam) | 349 |
| Induction of tolerance to experimental skin allografts. <i>J.C. Fisher, R.C. Davis and J.A. Mannick</i> (Charlottesville/Boston) | 354 |
| Antilymphocyte serum in burned mice. <i>Th.M. Holder and J.R. Batchelor</i> (East Grinstead/Kansas City) | 357 |

Chapter 7

Reconstructive surgery

a) Hand

| | |
|--|-----|
| ● Management of the burned hand (Summary). <i>R. Tubiana and J.A. Boswick, Jr.</i> (Paris/Chicago) | 364 |
| Early management of the burned hand. <i>J.A. Boswick, Jr.</i> (Chicago) | 366 |
| Burns of the hand (in adults); secondary surgical treatment; principles | |

| | |
|--|-----|
| and techniques of coverage. <i>P. Colson, M. Gangolphe, R. Houot, G. de Mourgues, G. Biron, P. Laurent and H. Janvier</i> (Lyon) | 369 |
| Capsulotomy as a method of improving hand grip after severe burns on the dorsal side of the hand. <i>A. Kipikaša</i> (Košice) | 375 |
| Restoration of hand function in dorsal burns by means of remedial exercises. <i>D. Milcheva-Nyagolova</i> (Sofia) | 377 |
| Osteoarticular problems of the burned hand. <i>A. Ionescu, Gh. Nistorica, Fl. Isac and St. Milicescu</i> (Bucharest) | 378 |
| Hydrofluoric acid burns of the hand and their treatment. <i>T. Beritic, D. Montani, I. Prpić and B. Vurdelja</i> (Zagreb) | 380 |
| Flexion contracture after burns. <i>I.B. Matev</i> (Sofia) | 380 |

b) Head and neck

| | |
|---|-----|
| Treatment of facial burns in light and dark skin individuals. <i>M.L. Lewin</i> (Bronx) | 381 |
| Late surgical repair of the burned face and neck. <i>B. Cannon</i> (Boston) .. | 386 |
| Replacement of skin lost to burn injuries of the eyelid. <i>H.A. Johnson</i> (Rockford, Ill.) | 391 |
| Total reconstruction of the nose in severe burns of the face. <i>K. Schuchardt</i> (Hamburg) | 394 |
| Serial scalp excision following burns. <i>B.N. Bailey</i> (Aylesbury) | 394 |
| Functional and cosmetic sequelae in burned children. <i>R. Bouayad Agha and E. Jichova</i> (Algier) | 399 |

c) Scars

| | |
|---|-----|
| Development and correction of burn scar contracture. <i>D.L. Larson, S. Abston, E.B. Evans, M. Dobrkovsky, B. Willis and H. Linares</i> (Galveston) | 403 |
| Collagen in scar contractures. <i>J. Samohýl and J. Pospíšilová</i> (Brno) | 410 |
| Influence of topical steroids on hypertrophic scars and keloids following traumatic wounds and surgical incisions. <i>S. Goldblatt, G.A. de Stefano and B.G. MacMillan</i> (Cincinnati) | 413 |
| The chromatography of burns and allied scars. <i>R.D.P. Craig</i> (Manchester) | 417 |

Chapter 8

Pathophysiology

| | |
|--|-----|
| ● Pathology of burns (Summary). <i>S. Sevitt</i> (Birmingham) | 426 |
| a) Mortality analysis | |
| Mortality of burns at the Massachusetts General Hospital 1955–1969. <i>B.A. Barnes, J.D. Constable and J.F. Burke</i> (Boston) | 430 |

| | |
|---|-----|
| Statistical study on burned patients in Japan. <i>H. O'Ya</i> and <i>T. Fukuda</i> (Kyoto/Tokyo)..... | 434 |
| A study of the etiology and epidemiology of burn injuries in children. <i>R.L. Innes, A.S. Goldman, R. Schmitt, A. McKinley</i> and <i>M. Dobrkovsky</i> (Galveston)..... | 437 |
| Causes of death in exposure treatment. <i>K.V. Hall</i> and <i>B. Sørensen</i> (Copenhagen)..... | 442 |
| Burn mortality with treatment by parenteral and local antibiotics and total exposure. <i>B.A. Waisbren, J.W. Mellender</i> and <i>G.E. Collentine</i> (Milwaukee)..... | 445 |
| Analysis of 39 burn cases. <i>H.Z. Konuralp, B. Gorgun</i> and <i>O. Ariogul</i> (Istanbul)..... | 450 |
| Necroptic renal incidences in burned patients with chronic shock. <i>St. Milicescu</i> and <i>V. Paulian</i> (Bucharest)..... | 452 |
| b) Respiration | |
| Pathophysiology of thermal respiratory injury. <i>D.P. Dressler</i> and <i>W.A. Skornik</i> (Boston)..... | 457 |
| Pulmonary function study in inhalation injury. <i>I.C. Song, B.E. Bromberg, B. Seltzer, A.A. Garzon</i> and <i>K.E. Karlson</i> (New York)..... | 460 |
| The respiratory tract burns. <i>T. Ohura, J. Hamamoto, A. Ariga</i> and <i>T. Sugihara</i> (Sapporo)..... | 462 |
| Oxygenation in burn patients. <i>R. Ginzburg</i> (Moscow)..... | 463 |
| Late restrictive effects of circumferential chest burns on pulmonary function. <i>D.C. Shannon, E.F. Parsons, H. Kazemi</i> and <i>J.D. Constable</i> (Boston)..... | 464 |
| c) Gastro-intestinal disturbances | |
| Diagnosis and treatment of Curling's ulcer; a report of 346 cases. <i>B.A. Pruitt Jr.</i> and <i>J.A. O'Neill Jr.</i> (Ft. Sam Houston/New Orleans)..... | 465 |
| Statistical research of Curling's ulcer. <i>A. Grisotti, A. Savoia</i> and <i>G. Taidelli</i> (Milan)..... | 469 |
| Observations on the relationship of thermal injury and gastrointestinal bleeding, and the pathophysiology of Curling's ulcer. <i>S.B. Day, E.J. Law</i> and <i>B.G. MacMillan</i> (Cincinnati)..... | 469 |
| Complications of extensive burns. <i>H.A. Talaat</i> (Cairo)..... | 470 |
| d) Toxic factors, immunology, hormones | |
| Physico-chemical characterization of a toxic lipoprotein produced by heat in mouse skin. <i>L.B. Cueni, M. Allgöwer, U. Eppenberger, K.E. Städtler</i> and <i>G.A. Schoenenberger</i> (Basle)..... | 471 |

| | |
|---|-----|
| Purified burn toxic factor and its competitor. <i>S.R. Rosenthal, A.A. Hakim and P.L. Hawley</i> (Chicago) | 474 |
| ✓ Changes in the proteins of human skin and serum after heating. <i>D.R. Davies, T.E. Peto and S. Wood</i> (Salisbury) | 480 |
| Proteins and peptide-like substances after experimental burns. <i>V. Kalousová and J. Janeček</i> (Prague) | 483 |
| Intravenous therapy with non specific human immunoglobulins in burns. <i>R. Lebeau-pin, J. Guimbretiére, P.A. Mousseau and M. Mousseau</i> (Nantes) | 486 |
| ✓ Serum immunoglobulin levels in severe burns. <i>G. Arturson</i> (Uppsala) ... | 489 |
| Immunobiological reaction of burned patients. <i>J. Andrašina, M. Podhradská, A. Milár and F. Dvořák</i> (Košice) | 495 |
| A circulating myocardial depressant factor in burn shock. <i>Ch.R. Baxter, J.A. Moncrief, M.D. Prager and L.S. Cohen</i> (Dallas/Charleston) | 499 |
| Serum protein profiles in burned children. <i>S.E. Ritzmann, E.K. Cobb D. Mattingly, C. McClung, A.S. Goldman, D.L. Larson and J.C. Daniels</i> (Galveston) | 502 |
| Investigations on the response to PHA of lymphocytes from burned patients. <i>D. Fumarola and G. Cagnazzo</i> (Bari) | 509 |
| Inappropriate secretion of antidiuretic hormone as an accompaniment of burn injury. <i>G.E. Collentine, B.W. Waisbren and G.E. Lang</i> (Milwaukee) | 509 |
| ✓ Appearance of prostaglandins in lymph from burned tissue. <i>C.-E. Jonsson, G. Arturson and E. Änggård</i> (Uppsala/Stockholm) | 515 |
| Hypertension in children with burns. <i>G.H. Lowrey and I. Feller</i> (Ann Arbor) | 519 |
| e) Metabolism | |
| Evaporation and fluid replacement. <i>G. Arturson</i> (Uppsala) | 520 |
| Homografting in severe burns and its effect on evaporation and metabolism. <i>L.O. Lamke, S.O. Liljedahl, B. Kørlof and B. Nylén</i> (Stockholm) | 526 |
| Influence of environment on energy and protein metabolism. <i>E. Pearson and H.S. Soroff</i> (Boston) | 530 |
| Metabolic and morphologic response after burns: Impairment of energy metabolism and therapeutic possibilities. <i>R. Doleček, D. Burýšková, M. Buse, Z. Koničková, D. Kuperminc, W. Mahaffey and M. Závada</i> (Ostrava, Charleston, Galveston, Prague) | 535 |
| Protein and energy metabolism in burned patients treated in a warm (32°C) or cool (22°C) environment. <i>J.W.L. Davies, S.O. Liljedahl and G. Birke</i> (Birmingham/Stockholm) | 542 |

| | |
|---|-----|
| The metabolism of α_2 macroglobulin in burned patients. <i>S.P. Farrow</i> (Birmingham)..... | 547 |
| Metabolic response of the organism to burns in infants to three years. <i>Z. Beranová and A. Kazda</i> (Prague)..... | 551 |
| Effect of high and low protein diets on post burn hepatic enzyme changes in experimental animals. <i>R.M. Bhatt, B. Patel and V. Shetty</i> (Bombay) | 557 |
| On mechanisms of alterations in protein metabolism in burn sickness. <i>T.L. Zaetz and T.A. Borisova</i> (Moscow)..... | 560 |
| The behaviour of uropepsin and serum pepsinogen in severely burned patients. <i>W. Nasilowski and St. Roszkowski</i> (Warsaw)..... | 561 |
| Acid-base changes in burns in children. <i>J.A. Black, F. Harris, E.A. Lenton, R.W.S. Miller and V. Sneddon</i> (Sheffield)..... | 565 |
| Changes of the acid-base balance and their correction in burn patients in the phase of shock and early toxicoinfection. <i>D. Ranev, K. Maimunkov, N. Kovacheva, L. Misheva, A. Delibasheva, A. Krastev and L. Bratanova</i> (Sofia)..... | 568 |
| The renal functional elasticity and the acidosis in the burned. <i>A. Ionescu, N. Chiotan, St. Vasiliu, X. Oprea, I. Olaru, V. Aburel, Fl. Isac, St. Milicescu, D. Sabau and A. Vasiliu</i> (Bucharest)..... | 572 |
| Chloramphenicol effects on ultrastructure and cellular energy metabolism in a rapidly developing tissue. <i>J.B. Warshaw and C. J. Wand</i> (Boston) | 575 |
| Sexually-linked differences in the metabolic bone response in burned rats. <i>J. Kolář, A. Babický, B. Bíbr and R. Vrabec</i> (Prague)..... | 578 |
| The effect of ambient temperature and humidity on the metabolic rate and healing of a burned rat. <i>J.R. Birch</i> (Toronto)..... | 581 |
| f) Haematology | |
| Studies on the mechanism of thermal damage to red cells. <i>S. Baar</i> (Birmingham)..... | 582 |
| ✓ Intracellular regulation of hemoglobin affinity for oxygen in patients with skin burns. <i>G. Arturson</i> (Uppsala)..... | 585 |
| Erythropoiesis in experimental burn disease. Changes in the bone marrow erythroid cellularity and in the level of plasma erythropoietin. <i>J. Vaňásek and J. Mázák</i> (Hradec Kralové)..... | 590 |
| A study of coagulation factors in the thermally injured patient. <i>P.W. Curreri, K. Eurenus and B.A. Pruitt Jr.</i> (Ft. Sam Houston).... | 594 |
| Release of PF4 and soluble fibrin monomer complexes (SFMC) in burns. <i>J. Migne, J. Dubois, J.M. Rousseau, G. Pessereau and R. Monteil</i> (Clamart-Paris)..... | 597 |
| Influence of fluid replacement on haemostasis. <i>J. Migne and J. Dubois</i> (Clamart-Paris)..... | 601 |

| | |
|---|-----|
| Thrombocyte counts and their relation to the clinical condition of the burned patient. <i>K. Hergt</i> (Detroit) | 604 |
| Rheologic changes in acute thermal burns. <i>Ch.R. Baxter, E.P. Frenkel, G.T. Shires</i> and <i>Ch.A. Crenshaw</i> (Dallas/Ft. Worth) | 609 |
| Successful treatment of methaemoglobinaemia secondary to silver nitrate therapy. <i>B. Strauch, W. Buch, W. Grey</i> and <i>D. Laub</i> (Palo Alto) | 611 |

g) Burn wound, skeletal pathology

| | |
|---|-----|
| The poor healing of burns — A histological study of the repair of burns compared with surgical wounds in the skin of the pig. <i>G.D. Winter</i> (Stanmore) | 614 |
| Hexachlorophene absorption from the burn wound. <i>D.L. Larson, S. Abston</i> and <i>R.C. Bachmann</i> (Galveston) | 619 |
| The effects of the administration of zinc sulfate on the healing of wounds in the burned patient. <i>C.T. Cloutier, E. Pearson, D.El-Zawahry, H. Riihimaki, M.S. Schwartz, H.S. Soroff</i> and <i>A.C. McAulay</i> (Boston) | 623 |
| Zinc concentrations in plasma, red blood cells, wound exudate and tissues of burned children. <i>D.L. Larson, M. Dobrkovsky, S. Abston</i> and <i>S.R. Lewis</i> (Galveston) | 627 |
| The influence of fibrinolysin in wound healing and skin loss after burns. <i>L. Koslowski, R. Hettich</i> and <i>W. Otten</i> (Tübingen) | 632 |
| The radiographic assessment of skeletal pathology in severely burned children: A review of 250 cases. <i>D.W. Gelfand, E.J. Law</i> and <i>B.G. MacMillan</i> (Cincinnati) | 636 |

Chapter 9

Special fields

a) Psychology and neurology

| | |
|--|-----|
| The psychiatrist's role in the treatment of burn patients. <i>N.R. Bernstein</i> (Boston) | 642 |
| The psychogenic dependency of the acute burn patient. <i>V.R. Pennisi, J. Deatherage, J. Templeton</i> and <i>A. Capozzi</i> (San Francisco) | 647 |
| Social sequelae of severe burn injury. <i>B.P. Williams</i> (Chicago) | 650 |
| The burned child: Emotional factors and survival. <i>R. Seligman, S.S. Carroll</i> and <i>B.G. MacMillan</i> (Cincinnati) | 655 |
| Polyneuropathy in burns. <i>G.H. Koepke</i> (Ann Arbor) | 658 |

b) Anaesthesia

| | |
|---|-----|
| Anaesthesia problems in burns. <i>H.P. Harrfeldt</i> (Bochum) | 659 |
|---|-----|

| | |
|---|-----|
| General anaesthesia in the burned patient. <i>C.C.M. Howie</i> (Broxburn) .. | 662 |
| ✓The dressing of burn wounds without analgesia or anaesthesia. <i>J.E. Laing</i> (Salisbury) | 665 |
| The use of ketamine hydrochloride in burns. <i>S. Cohen</i> (Cape Town) ... | 668 |
| c) Nursing problems | |
| The burns unit of the clinic of plastic surgery in Prague. <i>K. Jelinková</i> and <i>S. Sebková</i> (Prague) | 671 |
| Intensive nursing care of the burned patient. <i>A.M. Djupe</i> (Chicago) | 674 |
| Some aspects of nursing in a burn unit. <i>B.M. Tait</i> and <i>J. Russell</i> (Broxburn) | 680 |
| Patient reaction to intensive care in a 12-bedded unit specifically designed for the care of extensive burns. <i>J. Russell</i> and <i>B.M. Tait</i> (Broxburn) | 682 |
| Aids to the nursing care of the burned child. <i>M.B. Ker</i> and <i>N.R. Younger</i> (Edinburgh) | 684 |
| Nutritional management of the acutely burned child. <i>S. Abston</i> , <i>R.R. Maxwell</i> and <i>D.L. Larson</i> (Galveston) | 688 |
| ✓Errors in nursing burns. <i>J. Harvey</i> (Salisbury) | 692 |
| The use of air for patient-support systems. <i>J.T. Scales</i> (London/ Stanmore) | 694 |
| Physio-pathology of patients with severe burns treated by levitation. <i>R. Sanders</i> (Northwood) | 700 |
| The air fluidized bed: A new concept in patient support. <i>Th.S. Hargest</i> and <i>C.P. Artz</i> (Charleston) | 703 |
| Reverse isolation studies in the trauma patient. <i>R.P. Hummel</i> , <i>B.G. MacMillan</i> and <i>W.A. Altemeier</i> (Cincinnati) | 706 |
| d) A uniform classification of the depth of burns | |
| A uniform classification of the depth of burns. <i>M. Derganc</i> (Ljubljana). .. | 708 |
| A uniform classification of the depth of burns. <i>D.M. Jackson</i> (Birmingham) | 713 |
| Personal opinion on a uniform classification of the depth of burns. <i>F. Benaim</i> (Buenos Aires) | 715 |
| A uniform classification of the depth of burns. <i>J. Kalina</i> (Ostrava) | 719 |
| Surface appearance of thermal burns as an index of tissue damage. <i>H.W. Bales</i> , <i>J.R. Hinshaw</i> and <i>H.E. Pearse</i> (Rochester) | 720 |
| List of papers read by title | 725 |