

Matrix-Tensor Methods
in
Continuum Mechanics

Second Edition

S. F. BORG

Matrix-Tensor Methods

in

Continuum Mechanics

Second Edition

S. F. BORG

*Professor Emeritus of Civil Engineering
Stevens Institute of Technology
Hoboken, NJ 07030, USA*



World Scientific

Singapore • New Jersey • London • Hong Kong

Published by

World Scientific Publishing Co. Pte. Ltd.

P O Box 128, Farrer Road, Singapore 9128

USA office: 687 Hartwell Street, Teaneck, NJ 07666

UK office: 73 Lynton Mead, Totteridge, London N20 8DH

Library of Congress Cataloging-in-Publication data is available.

First printed in 1963 by D. Van Nostrand Company, Inc.

MATRIX TENSOR METHODS IN CONTINUUM MECHANICS

Copyright © 1990 by World Scientific Publishing Co. Pte. Ltd.

All rights reserved. This book, or parts thereof, may not be reproduced in any form or by any means, electronic or mechanical, including photocopying, recording or any information storage and retrieval system now known or to be invented, without written permission from the Publisher.

ISBN 981-02-0166-4

981-02-0167-2 pbk

Printed in Singapore by JBW Printers & Binders Pte. Ltd.

PREFACE TO THE FIRST EDITION

This book is based on a preprint edition, *An Introduction to Matrix-Tensor Methods in Theoretical and Applied Mechanics*, which was issued on a more or less interim basis and has been used by the author in at least six of his graduate courses. The present book represents a complete rewriting and bringing up to date of the earlier work, in the light of classroom experience. The purposes of the text are:

1. To introduce the engineer to the very important (and increasingly important) discipline in applied mathematics—tensor methods. Because the author's classroom experience has convinced him that the engineer can follow tensor theory most easily when it is presented in matrix form, this has been the method used in the text.
2. To show the fundamental unity of the different fields in continuum mechanics—with the unifying material formed by the matrix-tensor theory. Too often the student loses sight of the real connections between fields that we have artificially decompartmentalized. A truer understanding of the important and basic segment of engineering—mechanics of continua—can be obtained, the author feels, when the various portions of this field are presented as part of the complete fabric.
3. To present to the engineer modern engineering problems. For this reason, mathematical arguments have been kept to a minimum or avoided entirely where they would tend to add little to the physical understanding of the phenomenon being discussed. However, it should also be emphasized that the book is not to be thought of as nonmathematical. It requires of the student an understanding of differential and integral calculus, vector analysis, complex variable theory, mathematical analysis, and related topics usually considered to be the equipment of the graduate engineer or scientist. The fundamentals of matrix and tensor theory are covered in a form sufficient for the purposes of the text—and for additional advanced use as well.

In the first chapter the fundamentals of matrix algebra and calculus are presented, as well as a brief review of vector analysis and the introduc-

tory complex variable theory. This coverage, together with the current undergraduate mathematical training of engineers, should be sufficient preparation.

Chapter 2 presents the elements of tensor theory. The fundamental nature of the tensor is emphasized: the requirement that it behave in a certain manner under a transformation (rotation) of axes about the origin. The connection between the tensor and the matrix is brought out, and the groundwork in matrix-tensor analysis is laid.

Curvilinear coordinates, one of the most useful and important topics in applied mathematics to the engineer, is discussed in Chapter 3. The entire development, presented in matrix-tensor form, leads to expressions which permit one to put all of the equations of mathematical physics in any orthogonal curvilinear form whatever.

The remaining chapters indicate the applications of the theory to continuum mechanics—to fluids and to solids. Chapters 4 and 5 give the theory and some applications in the mathematical theory of elasticity. The essential tensors are derived, and their position in the theory is described in detail. Chapter 6 presents a discussion of matrix-tensor methods as they occur in structural engineering. Chapter 7 presents the application of matrix-tensor methods to plate and shell theory; Chapter 8 considers viscous flow phenomena, Chapter 9, plasticity. In all cases, the arguments and theory are presented from the matrix-tensor point of view, and the similarities (as well as essential differences) between the various fields are constantly brought out.

Chapter 10 presents a subject that is based squarely upon the matrix-tensor theory and that crosses all the fields considered in the text (and others). A form of dimensional analysis is described that is based upon tensoral invariance arguments, enabling one to give, without derivation, the qualitative form of many of the equations of mathematical physics and hence engineering.

A list of references to the standard works in the various fields considered, and to other special reports and books mentioned, is supplied. At the end of each chapter is a problems section.

In the author's graduate courses, he found it possible to complete essentially the entire book in a single three-hour-a-week semester. A graduate course in engineering mathematics was a prerequisite for this course. In his senior elective course the author was able to complete Chapters 1 through 4 in a three-hour-a-week semester. As a senior course, it should be possible to present the entire text in two semesters.

The author is indebted to Professor Francis Murnaghan whose inspiring lectures at Johns Hopkins University first introduced him to applied

matrix-tensor methods. Professor Murnaghan's textbooks have been referred to liberally for basic source material. Several of the treatments presented are those given by Dr. Murnaghan in his lectures. However, in the interests of engineering simplification, the author has taken some liberties in the form of presentation. If there are errors in this material as given here, the fault lies with the author.

S. F. Bong
1962

PREFACE TO THE SECOND EDITION

The second edition generally follows the format and mode of presentation of the first one. Several typographical errors have been corrected and a number of new topics or extensions of the original material have been included in an Appendix following Chapter 10 at the end of the book.

The author wishes to express his sincere thanks to his publishers, World Scientific Publishing Co. for reprinting the text and for their continual help and encouragement in seeing the task through to completion.

S. F. BORG
March 3, 1990

CONTENTS

CHAPTER	PAGE
PREFACE TO THE FIRST EDITION	vii
PREFACE TO THE SECOND EDITION	xi
1. MATHEMATICAL PRELIMINARIES	1
1-1 Introduction	1
1-2 Definition of a Matrix	1
1-3 Matrix Arithmetic, Algebra, Calculus	4
1-4 Introduction to Vector Analysis	14
1-5 Introduction to Complex Variable Theory	23
1-6 Summary	32
2. TENSORS (OR MATRICES) OF ZERO, FIRST, AND SECOND ORDER	35
2-1 Introduction	35
2-2 Zero-order Tensor (Scalar)	35
2-3 First-order Tensor (Vector)	36
2-4 The Tensor	40
2-5 The Inertia Tensor	47
2-6 The Indicial or Subscript Tensor Notation	56
2-7 Summary	61
3. CURVILINEAR COORDINATES	64
3-1 Introduction	64
3-2 The Rotation Matrix and the Magnification Factors	65
3-3 The Gradient of a Scalar Field in Curvilinear Coordinates	74
3-4 The Derivatives of R in Curvilinear Coordinates	75
3-5 Cylindrical Coordinates	77
3-6 Spherical Coordinates	78
3-7 Div \vec{V} in Curvilinear Coordinates	79
3-8 The Laplacian f in Curvilinear Coordinates	80
3-9 The Second-order Tensor in Curvilinear Coordinates	81
3-10 The Divergence of a Tensor	83
3-11 Summary	84

CHAPTER	PAGE
4. INTRODUCTION TO THEORY OF ELASTICITY	88
4-1 Introduction	88
4-2 The Strain Matrix	88
4-3 The Stress Tensor	97
4-4 The Equations of Static Equilibrium	101
4-5 Derivation of Hooke's Law	114
4-6 The Compatibility Conditions	119
4-7 The Compatibility Equations for Large Strains	129
4-8 Summary	132
5. APPLICATIONS OF THE THEORY OF ELASTICITY	140
5-1 Introduction	140
5-2 The Tension-Compression Bar in Elasticity	140
5-3 The Bending Problem	145
5-4 The Engineering Elasticity Solution for the Beam— • The Bernoulli-Euler Solution	151
5-5 Some Remarks on the Accuracy of the Engineering Form of the Flexure Formula	152
5-6 Summary of the Bending Problem Solution	155
5-7 The Shear Problem and the St. Venant Torsion Problem	155
5-8 The Circular Cross Section	167
5-9 The Elliptical Cross Section	169
5-10 Torsion Solutions for Other Cross-Sectional Shapes	171
5-11 Uniqueness of Solution of the Torsion Problem	172
5-12 Summary of the Shear and Torsion Discussion	174
6. THE DEFLECTION TENSOR IN THE THEORY OF STRUCTURES	178
6-1 Introduction	178
6-2 The Deflection of a Plane, Thin Beam Element	178
6-3 The Deflection Tensor	185
6-4 The Redundant (Statically Indeterminate) Structure	188
6-5 Some Additional Diagonalization Examples	190
6-6 Summary	192
7. INTRODUCTION TO THE THEORY OF PLATES AND SHELLS	195
7-1 Introduction	195
7-2 Basic Relations—Plates Subject to Pure Bending	195
7-3 A Simple Exact Solution for the Thin Plate	202

CHAPTER	PAGE
7-4 Small Deflections of Laterally Loaded Plates	203
7-5 Some Solutions for the Laterally Loaded Thin Plate	208
7-6 Two Analogies Between Elasticity Theory and Thin Plate Theory	213
7-7 Laterally Loaded Plate with Large Deflections	224
7-8 Another Nonlinear Large Deflection Thin Plate Theory	226
7-9 Summary	231
 8. EQUATIONS OF VISCOUS FLOW AND INTRODUCTION TO BOUNDARY LAYER THEORY	233
8-1 Introduction	233
8-2 The Continuity Equation	234
8-3 The Navier-Stokes (N.S.) Equations	235
8-4 Perfect Fluid Theory	244
8-5 A Simple Application of the Navier-Stokes Equation	244
8-6 Viscous Flow Equations in Cylindrical and Spherical Coordinates	246
8-7 The Boundary Layer Problem—Introduction	252
8-8 General Discussion of the Boundary Layer Effect	252
8-9 The Prandtl Laminar Flow—Boundary Layer Equations	254
8-10 Summary of the Prandtl-Blasius Boundary Layer Solution	260
8-11 The Thickness of the Boundary Layer	261
8-12 The General Occurrence of Boundary Layer Type Solutions in Applied Mechanics	264
8-13 Summary	268
 9. INTRODUCTORY THEORY OF PLASTICITY	272
9-1 Introduction	272
9-2 Review of Two-dimensional Elasticity Theory	272
9-3 The Equations of Plastic Flow	275
9-4 The Technical Theory of Plasticity	278
9-5 A Solution of a Problem in Plastic Flow	283
9-6 Summary	290
 10. TENSOR ANALYSIS AS RELATED TO DIMENSIONAL ANALYSIS	293
10-1 Introduction	293
10-2 Outline of the Method	293

CHAPTER	PAGE
10-3 Applications to Theory of Plates and Shells	296
10-4 Applications to the Theory of Elasticity	301
10-5 Applications to Capillarity, Membranes, and Vibrations	303
REFERENCES	306
INDEX	309
APPENDIX	314

Chapter 1

MATHEMATICAL PRELIMINARIES

1-1 Introduction. In this chapter a brief treatment of matrix algebra is presented. In addition a discussion is given, in abbreviated form, of vector analysis and complex variable theory. The presentation of the topics in this chapter is utilitarian in form and, insofar as the vector analysis and complex variable portions are concerned, it is more in the nature of a review and refresher of the introductory phases of these subjects. A knowledge of the material presented in this and the next chapter will give an adequate mathematical background for the later portions of the text.

1-2 Definition of a Matrix. A rectangular array of m rows and n columns of numbers or other quantities is called a *matrix*. We designate this matrix with a capital letter, as A , and show it in its expanded form as

$$A = \begin{pmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \end{pmatrix} \quad (1-1)$$

In the above expression, a_{ij} represents an *element* of the matrix. Note particularly that the subscripts of the elements carry a position significance. That is, the first subscript represents the row position of the element and the second subscript represents the column position.

A matrix is *not* a determinant.¹ As a reminder of this, the enclosing

¹ More precisely:

1. A determinant is a *quantity* associated with a *square* array of n^2 elements. Thus,

$$\begin{vmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{vmatrix}$$

is also given by the quantity $a_{11}a_{22} - a_{12}a_{21}$.

2. A matrix need not be square. It is simply a set of $m \times n$ elements in an ordered array. Thus

$$\begin{pmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{pmatrix}$$

does not imply any particular operation need be performed on the elements a_{ij} .

Footnote continued on page 2.

bars are shown curved as against the ordinary usage of straight bars for the determinant.

The number of rows in a matrix need not necessarily be the same as the number of columns. If the number of rows does equal the number of columns then the matrix is a *square matrix*.

A matrix which consists of elements in a single row is sometimes called a *row matrix*. If the elements are in a single column it is sometimes called a *column matrix*. No particular distinction, in general, need be made between the one and the other.

The elements of a matrix may or may not have any physical significance. For example, the elements may be pure numbers, as

$$(6 \quad -3.2 \quad 7\frac{1}{2}) \quad (1-2)$$

or the elements may be components of a velocity vector, as

$$V = \begin{pmatrix} u \\ v \\ w \end{pmatrix} \quad (1-3)$$

Indeed, they could even be colors, as

$$(\text{red} \quad \text{blue} \quad \text{green})$$

or animals, as

$$\begin{pmatrix} \text{cat} \\ \text{dog} \\ \text{hare} \end{pmatrix} \quad (1-4)$$

or they could be mixtures of any or all of the above.

No significance must be attached to the use of a row for the numbers and colors and a column form for the velocity and animals in the above matrices.

The elements of a matrix may also be complex quantities, chemical symbols, equations, or, in fact, any quantity whatever.

The *zero, or null, matrix*, 0, has all elements equal to zero. Thus, we have

$$0 = (0 \quad 0 \quad 0) \quad (1-5)$$

or

$$0 = \begin{pmatrix} 0 & 0 \\ 0 & 0 \end{pmatrix} \quad (1-6)$$

Footnote continued from page 1.

3. We may, however, *define* the determinant of a square matrix. This is, by definition, the quantity obtained by treating the elements of the matrix as elements of a determinant—the position of the elements being the same in both the matrix and the determinant.

We shall also in the following sections indicate various operations (arithmetic, algebraic, and other) that may, by definition, be performed on and by matrices.

or any similar arrangement. Note: the zero matrix may be either a row or column or square matrix, or a general matrix of rectangular form.

The *unit matrix* E_n is an n -by- n -square matrix whose diagonal elements (top left to bottom right) equal unity and whose off-diagonal elements equal zero. That is,

$$\text{in } E_n, \begin{cases} a_{ij} = 1 & \text{if } i = j \\ a_{ij} = 0 & \text{if } i \neq j \end{cases} \quad (1-7)$$

and, as an example,

$$E_3 = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix} \quad (1-8)$$

A square matrix is *symmetrical* if

$$a_{ij} = a_{ji} \quad (1-9)$$

An example of a symmetrical matrix is the following:

$$\begin{pmatrix} x & e^t & z^2 \\ e^t & yz & 3t \\ z^2 & 3t & 1 \end{pmatrix} \quad (1-10)$$

A square matrix is *antisymmetrical* or *skew-symmetrical* if

$$a_{ij} = -a_{ji} \quad (1-11)$$

An example of a skew-symmetric matrix is

$$\begin{pmatrix} 0 & -3t \\ 3t & 0 \end{pmatrix} \quad (1-12)$$

Note that in a skew-symmetric matrix the main diagonal (upper left to lower right) elements must be zero, for only then will $a_{ij} = -a_{ji}$ be true for these elements.

The *transpose* of a matrix A is shown as A^* and is obtained by interchanging the rows and columns of A . Thus, if

$$A = \begin{pmatrix} z & xe^t & 2-y \\ 4 & 3xy & 0 \end{pmatrix} \quad (1-13)$$

then

$$A^* = \begin{pmatrix} z & 4 \\ xe^t & 3xy \\ 2-y & 0 \end{pmatrix} \quad (1-14)$$

The foregoing represents the basic definitions or nomenclature in matrix theory.

1-3 Matrix Arithmetic, Algebra, and Calculus. Up to this point we have defined, in some detail, exactly what a matrix is and we have discussed some special matrices. If matrices are to be useful in engineering or physical applications, then they must behave in certain set ways when subjected to particular conditions. In our work in engineering and science we are primarily concerned with *quantitative* relations, and therefore we shall be most interested in the behavior of matrices in arithmetical and related mathematical operations. Matrices will be of use to us if, and only if, the theory of matrices can be developed along logical mathematical lines.

The simplest mathematical operations are those of arithmetic—equality, addition, subtraction, multiplication, and division. We discuss these first.

Two matrices A and B are *equal* only if each has the same number of rows and the same number of columns and if corresponding elements are equal. Thus, given

$$A = \begin{pmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \end{pmatrix} \quad (1-15)$$

$$B = \begin{pmatrix} b_{11} & b_{12} & b_{13} \\ b_{21} & b_{22} & b_{23} \end{pmatrix} \quad (1-16)$$

then if

$$a_{ij} = b_{ij} \quad (1-17)$$

it follows

$$A = B \quad (1-18)$$

Thus, the simple algebraic equations

$$\left. \begin{aligned} a &= p + 2u \\ b &= q + 7v \\ c &= r + 1.6w \\ d &= s + 17x \end{aligned} \right\} \quad (1-19)$$

may be given in matrix form as

$$\begin{pmatrix} a & b \\ c & d \end{pmatrix} = \begin{pmatrix} p + 2u & q + 7v \\ r + 1.6w & s + 17x \end{pmatrix} \quad (1-20)$$

We define the *sum* of two matrices A and B only if A and B have the same number of rows and of columns. The sum $A + B$ is then a

matrix C of the same number of rows as A (and B) and the same number of columns as A (and B) and with

$$c_{ij} = a_{ij} + b_{ij} \quad (1-21)$$

For example, the algebraic equations

$$\left. \begin{aligned} c_{11} &= a_{11} + b_{11} \\ c_{12} &= a_{12} + b_{12} \\ c_{21} &= a_{21} + b_{21} \\ c_{22} &= a_{22} + b_{22} \end{aligned} \right\} \quad (1-22)$$

are equivalent² to

$$\begin{pmatrix} c_{11} & c_{12} \\ c_{21} & c_{22} \end{pmatrix} = \begin{pmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{pmatrix} + \begin{pmatrix} b_{11} & b_{12} \\ b_{21} & b_{22} \end{pmatrix} \quad (1-23)$$

It may be shown (the student should verify this and the following statement for typical matrices) that the sum of two matrices is *commutative*. That is,

$$A + B = B + A \quad (1-24)$$

Also, it may be shown that the addition of matrices is *associative*. That is,

$$(A + B) + C = A + (B + C) \quad (1-25)$$

The *difference* of two matrices A and B is defined similarly. Thus,

$$C = A - B \quad (1-26)$$

with

$$c_{ij} = a_{ij} - b_{ij} \quad (1-27)$$

We may define multiplication of a matrix A by a scalar k as follows: the elements of kA are given by ka_{ij} , so that, for example, if

$$A = \begin{pmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{pmatrix} \quad (1-28)$$

then

$$kA = \begin{pmatrix} ka_{11} & ka_{12} \\ ka_{21} & ka_{22} \end{pmatrix} \quad (1-29)$$

² Alternatively, this may be expressed in the following essentially equivalent form:

$$\begin{pmatrix} c_{11} \\ c_{12} \\ c_{21} \\ c_{22} \end{pmatrix} = \begin{pmatrix} a_{11} \\ a_{12} \\ a_{21} \\ a_{22} \end{pmatrix} + \begin{pmatrix} b_{11} \\ b_{12} \\ b_{21} \\ b_{22} \end{pmatrix}$$

in which the positional significance of the subscripts has been waived.

Note that this is consistent with the usual notation

$$kA = \underbrace{A + A + \cdots + A}_{k \text{ times}} \quad (1-30)$$

An important property of square matrices which follows directly from the law of addition and subtraction is the following:

Any square matrix may be given as the sum of a symmetrical and antisymmetrical matrix. For, if A is a square matrix, then obviously

$$A = \frac{A + A^*}{2} + \frac{A - A^*}{2} \quad (1-31)$$

The first term on the right is a symmetrical matrix and the second term is an antisymmetrical matrix. This may be verified for a 2×2 matrix as follows:

If

$$A = \begin{pmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{pmatrix} \quad (1-32)$$

then

$$A^* = \begin{pmatrix} a_{11} & a_{21} \\ a_{12} & a_{22} \end{pmatrix} \quad (1-33)$$

so that

$$\frac{A + A^*}{2} = \begin{pmatrix} a_{11} & \frac{a_{12} + a_{21}}{2} \\ \frac{a_{21} + a_{12}}{2} & a_{22} \end{pmatrix} \quad (1-34)$$

and

$$\frac{A - A^*}{2} = \begin{pmatrix} 0 & \frac{a_{12} - a_{21}}{2} \\ \frac{a_{21} - a_{12}}{2} & 0 \end{pmatrix} \quad (1-35)$$

A very important operation in matrix arithmetic is the *product* of two matrices. The previous operations are not too different from the more familiar ones of elementary arithmetic. The product operation, however, is quite different.