James E. Melzer & Kirk Moffitt

# HEAD MOUNTED DISPLAYS

Designing for the User



## Head-Mounted Displays

**Designing for the User** 

James E. Melzer Kirk Moffitt

#### McGraw-Hill

#### Library of Congress Cataloging-in-Publication Data

Melzer, James E.

Head-mounted displays: designing for the user / James

E. Melzer, Kirk Moffitt.

p. cm. — (Optical and electro-optical engineering series) Includes bibliographical references and index.

ISBN 0-07-041819-5 (alk, paper)

1. Helmet-mounted displays—Design and construction. 2. Virtual reality. I. Moffitt, Kirk Wayne, 1951— II. Title.

III. Series.

TK7882.I6M45 1997 621.39'9-dc21

96-49041 CIP

#### McGraw-Hill



A Division of The McGraw-Hill Companies

Copyright © 1997 by the McGraw-Hill Companies, Inc. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a data base or retrieval system, without the prior written permission of the publisher.

1234567890 DOC/DOC 90109876

#### ISBN 0-07-041819-5

The sponsoring editor for this book was Steve Chapman, the editing supervisor was Bernard Onken, and the production supervisor was Pamela Pelton. It was set in Century Schoolbook by Publication Services.

Printed and bound by R. R. Donnelley & Sons Company

McGraw-Hill books are available at special quantity discounts to use as premiums and sales promotions, or for use in corporate training programs. For more information, please write to the Director of Special Sales, McGraw-Hill, 11 West 19th Street, New York, NY 10011. Or contact your local bookstore.

Information contained in this work has been obtained by The McGraw-Hill Companies, Inc. ("McGraw-Hill") from sources believed to be reliable. However, neither McGraw-Hill nor its authors guarantees the accuracy or completeness of any information published herein and neither McGraw-Hill nor its authors shall be responsible for any errors, omissions, or damages arising out of use of this information. This work is published with the understanding that McGraw-Hill and its authors are supplying information but are not attempting to render engineering or other professional services. If such services are required, the assistance of an appropriate professional should be sought.



This book is printed on recycled, acid free paper containing a minimum of 50% recycled de-inked fiber.

**Head-Mounted Displays** 

## McGraw-Hill Optical and Electro-Optical Engineering Series Robert E. Fischer and Warren J. Smith, Series Editors

#### Published

HECHT • The Laser Guidebook

Smith • Modern Optical Engineering

Smith • Modern Lens Design

WAYNANT, EDIGER • Electro-Optics Handbook

Wyatt • Electro-Optical System Design

MILLER & FRIEDMAN . Photonics Rules of Thumb

#### Other Books of Interest

OPTICAL SOCIETY OF AMERICA • Handbook of Optics, Second Edition, Volumes I, II

Keiser • Optical Fiber Communications

SYMS, COZENS • Optical Guided Waves and Devices

To order or receive additional information on these or any other McGraw-Hill titles, please call 1-800-822-8158 in the United States. In other countries, contact your local McGraw-Hill office.

WM16XXA

## **Contributors**

Preface, Chapter 1: James E. Melzer Kaiser Electro-Optics 2752 Loker Avenue West Carlsbad, CA 92008 jmelzer@aol.com

Preface, Chapter 1, Chapter 5: Kirk Moffitt, Ph.D. 79245 Camino del Oro La Quinta, CA 92253 619/360-0204 macpr@cyberg8t.com

Chapter 2: Robert G. Eggleston, Ph.D. Fitts Human Engineering Division Armstrong Laboratory (AL/CFH) 2255 H Street Wright-Patterson AFB, OH 45433-7022 reggleston@al.wpafb.af.mil

Chapter 3: H. Lee Task, Ph.D. Fitts Human Engineering Division Armstrong Laboratory (AL/CFH) 2255 H Street Wright-Patterson AFB, OH 45433-7022 ltask@al.wpafb.af.mil

Chapter 4: Robert E. Fischer OPTICS 1, Inc. 3050 Hillcrest Drive, suite 100 Westlake Village, CA 91362 refischer@optics1.com

Chapter 6: Chris E. Perry Escape and Impact Protection Branch Armstrong Laboratory (AL/CFBE) 2800 Q Street, Bldg. 824 Wright-Patterson AFB, OH 45433-7022 cperry@al.wpafb.af.mil

Chapter 6: John R. Buhrman Escape and Impact Protection Branch Armstrong Laboratory (AL/CFBE) 2800 Q Street, Bldg. 824 Wright-Patterson AFB, OH 45433-7022 jbuhrman@al.wpafb.af.mil

#### xii Contributors

Chapter 7: Jennifer J. Whitestone Fitts Human Engineering Division Armstrong Laboratory (AL/CFHD) 2255 H Street Wright-Patterson AFB, OH 45433-7022 jwhitestone@al.wpafb.af.mil

Chapter 7: Kathleen M. Robinette Fitts Human Engineering Division Armstrong Laboratory (AL/CFHD) 2255 H Street Wright-Patterson AFB, OH 45433-7022 krobinette@al.wpafb.af.mil

Chapter 8: Elizabeth Thorpe Davis, Ph.D. School of Psychology Georgia Institute of Technology Atlanta, GA 30332-0170 ed15@prism.gatech.edu

Chapter 9: David A. Southard, Sc.D. Charles Stark Draper Laboratory MS-3F 555 Technology Square Cambridge, MA 02139-3563 southard@draper.com

Chapter 10: Victoria Tepe Nasman, Ph.D. Logicon Technical Services, Inc. P.O. Box 317258 Dayton, OH 45437-7258 vnasman@al.wpafb.af.mil

Chapter 10: Gloria Calhoun Fitts Human Engineering Division Armstrong Laboratory (AL/CFHP) 2255 H Street Wright-Patterson AFB, OH 45433-7022 gcalhoun@al.wpafb.af.mil Chapter 10: Grant R. McMillan, Ph.D. Fitts Human Engineering Division Armstrong Laboratory (AL/CFHP) 2255 H Street Wright-Patterson AFB, OH 45433-7022 gmcmillan@al.wpafb.af.mil

Chapter 11: Jeff Gerth, Ph.D. Georgia Institute of Technology Georgia Tech Research Institute ELSYS/SEV - Human Factors Branch Atlanta, GA 30332-0840 jeff.gerth@GRTI.gatech.edu

### **Preface**

One of our early experiences with a commercial head-mounted display (HMD) was at an evening reception following a virtual reality conference. Although we had been building military HMDs for several years, this was going to be a new experience. After fortifying ourselves with wine and cheese, it was our turn to view the HMD. We were disappointed. It was front-heavy and uncomfortable. It had a fuzzy appearance, and it did not allow for eyeglasses. When we mentioned this, the man demonstrating the device assured us that it was not the wine and that it would not have made any difference if we had worn eyeglasses.

At the same show we had the opportunity to try on a headset that was billed as *the VR HMD*. One of us has a rather large head, and this device did not fit over it. After a quick modification by the vendor, we managed a tight fit, but it was not worth the effort. The imagery was so badly misaligned that viewing it for more than a few moments was painful.

Another experience was a series of meetings we were having with a group of Army flight-safety officers. We wanted them to fly one of our company's HMDs in their helicopter, but first we needed approval from their safety committee. The process took quite some time, because of what we perceived as incessant questions about the most minute details of our design. After a particularly grueling face-to-face session, the meeting broke up and we left with our flight-safety approval. As we were walking out of the building, one of the flight surgeons took us aside. He told us not to take the interrogations personally, because the people we were talking with were the ones responsible for investigating accidents—an unpleasant task, considering how a helicopter crashes.

These three examples show why in designing or buying an HMD we need to understand who the user is, how the user will interact with the display, and what the environment will be like. The first two examples show the results of a lack of this understanding—poorly aligned displays that don't fit. The third shows the results of having that understanding. The flight surgeons learned about the delicate balance between the HMD as display and the HMD as life-support through their experiences.

An HMD is something you wear *and* something you view. It is a personal device that can provide you with information, train you to do a job by simulating what it would really be like, or entertain you by transporting you to a fantasy world. At the center of these experiences

is the human who wears and views the HMD. Properly designed, an HMD can suspend belief sufficiently to train a pilot to fly an airplane or a surgeon to perform a new operation, or transport you to the surface of Mars. Improperly designed, the HMD can be uncomfortable to wear, difficult to use, and even painful to view.

This is not surprising, as it seems to be the fate of many new technologies when first introduced. One example is the early DOS-based computers. To perform a routine task like saving a file to disk, the user had to enter a string of seemingly unrelated and unintelligible characters. This turned off some people, confused others, and convinced still more that the personal computer was not a solution for everyday tasks.

Early HMDs took a similar path. It was thought that a display on the head was simply that—glass and electronics mounted in front of the eyes, with no serious regard given to what was really needed by the user. Early designers were rushing toward a vision of virtual and interactive imagery, and they placed their emphasis on the technology, not on the user. The result was displays that were uncomfortable to wear and difficult to use. HMDs have received a lot of publicity recently—some good as a result of excellent new applications, and some bad as a result of poor designs that were poorly implemented.

It is for all of these reasons that we decided to focus this book on the fundamental needs of the user. We know that the technology will improve over the next few years—we have seen it change just during the writing of this book—but the human who wears the HMD will not appreciably change over the next several millenia. If we understand what these fundamental needs are, we can take the developments in technology, implement them in our designs, and provide an HMD that will benefit the user. There will still be trade-offs to be made as technology improves, but understanding the user's essential needs will help us make intelligent decisions.

This book is a compilation of the many subjects that relate to the design of HMDs. It is by its nature a multidisciplinary discussion, because to adequately address the needs of the user, we must cross numerous behavioral, psychological, performance, and anthropometric boundaries. The authors of the chapters are experts in their fields with academic, commercial, and military backgrounds and we thank them for their fine work. We hope that this book will benefit both users and designers of HMDs.

We would like to extend our thanks to Kaiser Electronics for support during Kirk Moffitt's tenure with the company, and to Kaiser Electro-Optics for continued support of Jim Melzer. Finally, we would like to thank Warren Smith for his support and guidance during the preparation of this book.

## Contents

| Contributors Preface |  | xi<br>xv |
|----------------------|--|----------|
| Chapt                | er 1. HMD Design—Putting the User First  | 1        |
| 1.1                  | The Richness of an HMD   | 2        |
| 1.2                  | What Is an HMD?  | 2        |
|                      | Early HMDs   | 4        |
|                      | User Requirements  | 8        |
|                      | Task Requirements  | 11       |
|                      | Summary  | 14       |
|                      | References   | 14       |
| 1.8                  | Annotated Bibliography   | 15       |
|                      | er 2. User-Centered Design in the Trenches: Head-  |          |
| Mount                | ted Display System Design and User Performance   | 17       |
| 2.1                  | Introduction   | 18       |
| 2.2                  |  | 19       |
| 2.3                  |  |          |
| 0.4                  | Design The United By Community States and St | 21       |
| 2.4                  | The User Performance Framework in Action   | 26       |
|                      | <ul><li>2.4.1 Identification of HMD, Task, and User Properties</li><li>2.4.2 Example of the Three-Step Decision-Making Procedure</li></ul>   | 27       |
|                      | 2.4.2 Example of the Three-Step Decision-Making Procedure 2.4.3 Facilitating Discovery   | 29<br>34 |
| 2.5                  | Analysis Step  | 36       |
|                      | 2.5.1 Use of Models in the Design Decision-Making Process  | 36       |
|                      | 2.5.2 Detailed Analysis  | 42       |
| 2.6                  | Final Comments   | 51       |
| 2.7                  | Acknowledgments  | 53       |
|                      | References   | 53       |
| Chant                | er 3. HMD Image Source, Optics, and the Visual   |          |
| Interfa              | ice  | 55       |
| 3.1                  | Introduction   | 56       |
|                      | Basic Optical System Approaches  | 57       |
|                      | 3.2.1 Simple Magnifier   | 57       |
|                      | 3.2.2 Compound Microscope  | 58       |
| 3.3                  | - ,  | 59       |
|                      | 3.3.1 Field of View  | 60       |
|                      | 3.3.2 Image Quality  | 63       |
|                      | 3.3.3 Luminance  | 70       |
|                      | 3.3.4 Eye Relief Distance  | 72       |
|                      | 3.3.5 Exit Pupil (or Eye Motion Box) Size 3.3.6 Focus and Accommodation  | 72       |
|                      | 3.3.0 FOCUS AND ACCOMINOUATION   | 73       |

#### vi Contents

| 3.4    | HMD-Vision Interface Issues                           | 74         |
|--------|---|------------|
|        | 3.4.1 Ocularity                                       | 74         |
|        | 3.4.2 Superposition with External Scene               | 75         |
|        | 3.4.3 Field Curvature                                 | 70         |
|        | 3.4.4 Distortion                                      | 77         |
|        | 3.4.5 Adjustments                                     | 78         |
|        | Summary   | 80         |
| 3.6    | Bibliography  | 8.         |
|        |   |            |
| Chapt  | er 4. Fundamentals of HMD Optics                      | 83         |
|        | Introduction  | 84         |
| 4.2    | Fundamental Parameters                                | 88         |
|        | 4.2.1 Resolution in a Theater                         | 88         |
|        | 4.2.2 Pixel-Based Imagery                             | 86         |
|        | Basic Parameters of Head-Mounted Displays             | 87         |
|        | Performance Specifications for HMD Optics             | 90         |
|        | Magnification   | 90         |
|        | Lens Aberrations                                      | 92         |
| 4.7    | Viewing Optics Designs                                | 99         |
| 4.8    | New Design Forms and Producibility Issues             | 102        |
|        | Summary and Conclusions                               | 104        |
| 4.10   | References  | 104        |
|        | Appendix: Optical Design Forms                        | 105        |
| Chapt  | er 5. Designing HMDs for Viewing Comfort              | 117        |
|        | Preface   |            |
|        | HMD Viewing Comfort                                   | 118        |
|        | User and HMD Characteristics                          | 119<br>122 |
| 0.0    | 5.3.1 Visual Acuity and Eye Relief                    |            |
|        | 5.3.2 Binocular Balance and HMD Alignment             | 122<br>123 |
|        | 5.3.3 Dark Focus and Vergence                         | 124        |
|        | 5.3.4 IPD and Exit Pupil                              | 125        |
|        | 5.3.5 Eye Dominance                                   | 126        |
|        | 5.3.6 Using HMDs to Improve Vision                    | 126        |
|        | 5.3.7 Extent of Eye Movements, Head Tracking, and VOR | 126        |
| 5.4    | Binocular HMD Tolerances and Effects                  | 127        |
|        | 5.4.1 Vertical Alignment                              | 128        |
|        | 5.4.2 Horizontal Alignment                            | 132        |
|        | 5.4.3 Accommodation/Vergence Dissociation with Stereo | 102        |
|        | Displays  | 135        |
|        | 5.4.4 Rotational Differences                          | 136        |
|        | 5.4.5 Magnification Difference                        | 137        |
|        | 5.4.6 Luminance Difference                            | 137        |
|        | 5.4.7 Changes in Visual Status                        | 138        |
| 5.5    | Monocular HMD Tolerances and Effects                  | 139        |
| 5.6    | Motion Effects  | 139        |
| 5.7    | Summary   | 142        |
| 5.8    | References  | 142        |
|        |   |            |
| Chapte | er 6. HMD Head and Neck Blomechanics                  | 147        |
| 6.1    | Introduction  | 148        |
| 6.2    | Background: Basic Anatomy and Biomechanics            | 149        |
|        |   | 179        |

|            |  | Contents | vii |
|------------|--|----------|-----|
|            | 6.2.1 Basic Anatomy  |          | 149 |
|            | 6.2.2 Basic Biomechanics   |          | 151 |
| 6.3        | Static Effects   |          | 154 |
| 6.4        | Dynamic Effects  |          | 157 |
|            | 6.4.1 Ground Vehicle Environment   |          | 158 |
|            | 6.4.2 Aerospace Environment  |          | 159 |
| 6.5        | Conclusions  |          | 169 |
| 6.6        | References   |          | 171 |
| napt       | er 7. Fitting to Maximize Performance of HMD Systems   |          | 175 |
| 7.1        |  |          | 176 |
| 7.2        | Anthropometric Myths: Methods That Don't Work  |          | 177 |
|            | 7.2.1 Using Percentiles: The Impossible Dream  |          | 177 |
|            | 7.2.2 The Frankfurt Plane: An Oldie but not a Goodie   |          | 179 |
|            | 7.2.3 Line of sight: More Mystery than Myth  |          | 181 |
|            | 7.2.4 Sizing before design: Building the Cart Without Measuring the Horse                          |          | 404 |
| 73         | Current Practices: Methods That Work   |          | 184 |
| ,.0        | 7.3.1 Three-Dimensional Scanning: Giving Designers X-ray Vi-                                       |          | 188 |
|            | sion   |          | 188 |
|            | 7.3.2 Feature envelopes: Marking the Boundaries  |          | 189 |
|            | 7.3.3 Fit testing: The Right Data at the Right Time  |          | 193 |
| 7.4        | Looking Ahead: Put Away Those Tape Measures  |          | 198 |
|            | 7.4.1 Defining Line of Sight   |          | 198 |
|            | 7.4.2 Generic Head Alignment   |          | 198 |
| 7 =        | 7.4.3 Biofidelic Computer-Aided Design Head  |          | 199 |
|            | Summary<br>References  |          | 199 |
| 7.0        |  |          | 200 |
|            | Appendix: Traditional Anthropometric Measures for the Head and Face with Minimal System Dependence |          | 203 |
| ante       | er 8. Visual Requirements in HMDs: What Can We See   |          |     |
| d W        | hat Do We Need to See?   |          | 207 |
| 8.1        | Simulated Visual Displays versus Real-World Perception   |          | 208 |
| 8.2        | Characteristics of the Human Visual System and Their Relation to                                   |          | 200 |
|            | the Visual Displays of Immersive and See-Through HMDs  |          | 209 |
|            | 8.2.1 Brightness and Contrast  |          | 209 |
|            | 8.2.2 Visual Acuity and Spatial Resolution   |          | 212 |
|            | 8.2.3 Critical Flicker Fusion (CFF), Temporal Resolution, and                                      |          |     |
|            | Motion   |          | 219 |
|            | 8.2.4 Field of view (FOV)  |          | 222 |
|            | 8.2.5 Binocular HMDs versus Monocular or Biocular HMDs   |          | 225 |
|            | 8.2.6 Color versus Monochrome  |          | 231 |
| 8.3        |  |          | 235 |
|            | 8.3.1 What is it and Where is it?  |          | 236 |
|            | 8.3.2 Immediate Performance Benefits versus Long-Term  |          |     |
|            | Comprehension  |          | 238 |
|            | 8.3.3 Fidelity versus Technical Limitations Issues   |          | 239 |
|            | 8.3.4 Laboratory Research versus Field Studies of Perception                                       |          |     |
|            | and Performance Issues with HMDs   |          | 240 |
|            | 8.3.5 Examples of HMD Tasks Involving Perception and   |          |     |
| Q A        | Performance Issues   |          | 241 |
| 8.4<br>8.5 | Summary and Conclusions  |          | 246 |
| U.J        | References   |          | 248 |

| C  | hapto  | er 9. Designing HMD Systems for Stereoscopic Vision       | 253 |
|----|--------|---|-----|
|    | 9.1    | Introduction  | 254 |
|    | •••    | 9.1.1 The Problem   | 254 |
|    |        | 9.1.2 Design Goals  | 254 |
|    | 9.2    |   | 255 |
|    |        | 9.2.1 Computers and Stereoscopy                           | 255 |
|    |        | 9.2.2 Applications for Stereoscopic HMDs                  | 256 |
|    | 9.3    | Characteristics and Limitations of Stereoscopic HMDs      | 258 |
|    | 0.0    | 9.3.1 Advantages  | 259 |
|    |        | 9.3.2 Pitfalls  | 260 |
|    |        | 9.3.3 Performance Issues                                  | 263 |
|    |        | 9.3.4 User Acceptance                                     | 264 |
|    |        | 9.3.5 A Systems Approach to HMD Design                    | 265 |
|    | 9.4    | Challenges for Successful Design                          | 266 |
|    |        | 9.4.1 Matching Human Vision                               | 266 |
|    |        | 9.4.2 Perspective   | 269 |
|    |        | 9.4.3 Field of View                                       | 270 |
|    |        | 9.4.4 Range of Depth                                      | 271 |
|    |        | 9.4.5 Rotated Perspective                                 | 273 |
|    | 9.5    | Simulating Stereoscopic Vision                            | 273 |
|    |        | 9.5.1 Recommended Method                                  | 274 |
|    |        | 9.5.2 Matrix Operators                                    | 275 |
|    |        | 9.5.3 Viewing Algorithm                                   | 277 |
|    | 9.6    | Conclusion  | 281 |
|    | 9.7    | References  | 281 |
|    |        |   |     |
| C  | hapte  | er 10. Brain-Actuated Control and HMDs                    | 285 |
|    | 10.1   | HMDs: The Need for Control Alternatives                   | 286 |
|    | 10.2   |   | 287 |
|    |        | 10.2.1 History and Background                             | 290 |
|    |        | 10.2.2 Endogenous versus Exogenous Control Signals        | 291 |
|    |        | 10.2.3 Current Status of BAC: Research and Performance    | 293 |
|    | 10.3   | Potential Applications of BAC                             | 297 |
|    |        | BAC: Systems Engineering and Technology                   | 299 |
|    |        | 10.4.1 Signal Acquisition and Processing                  | 299 |
|    |        | 10.4.2 Control Algorithms and Feedback Displays           | 301 |
|    | 10.5   |   | 302 |
|    |        | 10.5.1 EEG-Based Command and Control                      | 302 |
|    |        | 10.5.2 System Operations Feedback                         | 306 |
|    | 10.6   |   | 307 |
|    |        | 10.6.1 Research and Development Strategies                | 307 |
|    |        | 10.6.2 Technology Transfer Priorities and Issues          | 309 |
|    | 10.7   | References  | 310 |
|    |        |   |     |
| C  | hapte  | r 11. Design Issues in Human Performance-Based            |     |
| Te | est ar | d Evaluation of HMDs                                      | 313 |
|    | 11.1   | Introduction to the Human Performance Test and Evaluation |     |
|    |        | Process   | 314 |
|    |        | 11.1.1 What is a Test and Evaluation Process?             | 314 |
|    |        | 11.1.2 Basics of Performance Testing                      | 316 |
|    |        | 11.1.3 HMD Users, Setting, and Scenarios of Use           | 316 |
|    |        | 11.1.4 HPT&E Test Goal                                    | 318 |
|    |        |   |     |

|        |  | Contents ix |
|--------|--|-------------|
|        |  |             |
| 11.2   | Testing HMDs                                 | 319         |
|        | 11.2.1 Essential Content Areas               | 319         |
|        | 11.2.2 Establishing the Test Focus           | 321         |
|        | 11.2.3 Interviewing Potential Users and SMEs | 324         |
|        | 11.2.4 Performance Testing                   | 326         |
| 11.3   | Conclusions                                  | 333         |
| 11.4   | References                                   | 335         |
| Chapte | <sup>,</sup> 12. Glossary of HMD Terms       | 337         |
| Index  |  | 349         |

Chapter

1

## HMD Design— Putting the User First

#### James E. Melzer

#### Kirk Moffitt

| 1.1 The Richness of an HMD | 2  |
|----------------------------|----|
| 1.2 What is an HMD?        | 2  |
| 1.3 Early HMDs             | 4  |
| 1.4 User Requirements      | 8  |
| 1.5 Task Requirements      | 11 |
| 1.6 Summary                | 14 |
| 1.7 References             | 14 |
| 1.8 Annotated Bibliography | 15 |

The head-mounted display (HMD) is a critical link in virtual-environment and visually coupled systems. HMD users can experience immersion in computer-generated virtual environments, privately view a movie, perform a delicate endoscopic surgical procedure, or fly an attack helicopter nap-of-the-earth in darkness. The success of these tasks depends on the design of the HMD system. Given the intimate interface to the human, the user should be the central focus of the design process. An HMD will be successful only if full consideration is given to the characteristics and tasks of the user.

#### 1.1 The Richness of an HMD

The head-mounted display (HMD) provides the user with a set of capabilities that conventional displays cannot duplicate. An HMD can be personal, interactive, expansive, and virtual. Handheld televisions and video games, personal computer monitors, panoramic theater screens, and head-up displays share one or two of these attributes at most. Only an HMD provides the user with an intimate display that can be reactive to head and body movement and surround him or her with a virtual environment that extends far beyond the confines of the miniature image source.

Unlike televisions, computer monitors, and movie screens, which usually vary only in size, HMDs come in many types that accommodate a wide range of uses. An HMD can be any of the following:

- A simple reticle projector that a pilot uses to designate an enemy aircraft
- A more thorough symbology display that gives the pilot orientation and status information
- A small offset display that a technician can glance at for reference data
- A private view of a selected movie by an airline passenger
- Stereo imagery relayed from head-steered cameras located on a remote vehicle
- A computer-generated, panoramic world that can be navigated with simple movements and gestures

This wealth of applications makes a book on HMD design worthwhile. It is not our intent to provide a formula for building each variation, but rather to engage the reader in a discussion of fundamental HMD design concepts that center on the characteristics and capabilities of the user. The chapters in this book cover topics as diverse as fitting HMDs to human heads, perceptual requirements of HMDs, and incorporating brain-actuated control into HMDs. The common thread is the need to put the user at the center of the design process.

#### 1.2 What Is an HMD?

In its simplest form, an HMD consists of an image source and collimating optics in a head mount (see Fig. 1.1). The HMD can then become more elaborate in several ways. There may be one or two display channels. These channels may display graphics and symbology with or without video overlay. They may be viewed directly and occlude external vision for a fully immersive experience, or they may use a