

Ordinary Differential Equations with Modern Applications

THIRD EDITION

N. Finizio and G. Ladas

51-63
2-10-83

Ordinary Differential Equations with Modern Applications

THIRD EDITION

N. Finizio and G. Ladas
University of Rhode Island

Wadsworth Publishing Company .
Belmont, California

A division of Wadsworth, Inc.

Mathematics Development Editor: Anne Scanlan-Rohrer
Mathematics Assistant Editor: Barbara Holland
Editorial Assistant: Sally Uchizono
Cover: Vargas/Williams/Design
Signing Representative: Richard Giggey

© 1989, 1982 by Wadsworth, Inc.

© 1978 by Wadsworth Publishing Company, Inc. All rights reserved. No part of this book may be reproduced, stored in a retrieval system, or transcribed, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher, Wadsworth Publishing Company, Belmont, California 94002, a division of Wadsworth, Inc

Printed in the United States of America

1 2 3 4 5 6 7 8 9 10-93 92 91 90 89

Library of Congress Cataloging in Publication Data

Finizio, N

Ordinary differential equations with modern applications

Includes index

I. Differential equations I Ladas, G E

II. Title

QA372.F56 1989 515.3'52 88-10780
ISBN 0-534-09216-0 AACR2

Preface

This book is intended for an introductory course in ordinary differential equations. Its prerequisite is elementary calculus.

Perusal of the table of contents and the list of applications shows that the book contains the theory, techniques, and applications covered in the traditional introductory courses in ordinary differential equations. A major feature of this text is the quantity and variety of applications of current interest in physical, biological, and social sciences. We have furnished a wealth of applications from such diverse fields as astronomy, bioengineering, biology, botany, chemistry, ecology, economics, electric circuits, finance, geometry, mechanics, medicine, meteorology, pharmacology, physics, psychology, seismology, sociology, and statistics.

Our experience gained in teaching ordinary differential equations on the elementary, intermediate, and graduate levels at the University of Rhode Island convinced us of the need for a book at the elementary level which emphasizes to the students the relevance of the various equations that they are exposed to in the course. That is to say that the various types of differential equations encountered occur in the course of scientific investigations of real-world phenomena.

The goal of this book, then, is to make elementary ordinary differential equations more useful, more meaningful, and more exciting to the student. To accomplish this, we strive to demonstrate that ordinary differential equations are very much "alive" in present-day applications. This approach has indeed had a satisfying effect in the courses we have taught recently.

During the preparation and class testing of this text we continuously kept in mind both the student and the teacher. We have tried to make the presentation direct, yet informal. Definitions and theorems are stated precisely and rigorously, but theory and rigor have been minimized in favor of comprehension of technique. The general approach is to use a large number of routine examples to illustrate the new concepts, definitions, methods of solution, and theorems. Thus, it is intended that the material will be easily accessible to the student. The presence of modern applications in addition to the traditional applications of geometry, physics, and chemistry should be refreshing to the teacher.

Numerous routine exercises in each section will help to test and strengthen the student's understanding of the new methods under discussion. There are over 1200 exercises in the text with answers to odd-numbered exercises provided. Some thought-provoking exercises from *The American Mathematical Monthly*, *Mathematics Magazine*, and The William Lowell Putnam Mathematics Competition are inserted in many sections, with references to the source. These should challenge the students and help to train them in searching the literature.

Review exercises appear at the end of every chapter. These exercises will help

the student review material presented in the chapter. Some of the review exercises have been taken directly from physics and engineering textbooks, in order to further emphasize that differential equations are very much present in applications and that the student is quite apt to encounter them in areas other than mathematics.

Every type of differential equation studied and every method presented is illustrated by real-life applications which are incorporated in the same section (or chapter) with the specific equation or method. Thus, the students will see immediately the importance of each type of differential equation that they learn how to solve. We feel that these “modern” applications, even if the student only glances at some of them, will help to stimulate interest and enthusiasm toward the subject of differential equations specifically and mathematics in general. Every application is intended to illustrate the relevance of differential equations outside of their intrinsic value as mathematical topics.

Many of the applications are integrated into the main development of ideas, thus blending theory, technique, and application. Frequently, the mathematical model underlying the application is developed in great detail. It would be impossible in a text of this nature to have such development for every application cited. Therefore, some of the applications are presented in considerable detail and some with little or no detail, as indicated in the list of applications. In practically all cases, references are given for the source of the model. Additionally, a large number of applications appear in the exercises; these applications are also suitably referenced. Consequently, applications are widespread throughout the book, and although they vary in depth and difficulty, they should be diverse and interesting enough to whet the appetite of every reader. We suggest that the instructor present only a few of the applications, while the rest will indicate to the student the relevance of differential equations in real-life situations.

In this Third Edition we have added to Chapter 1 a section on an elementary numerical method—Euler’s method—in accordance with an increasing desire on the part of instructors to show students, early in the course, how to solve differential equations numerically. Along the same lines we have added computer exercises to Chapter 7, “Numerical Solutions of Differential Equations,” so students can use the new technology in solving differential equations numerically. In addition, we have added new applications and applications-oriented exercises, incorporating topics in the sciences that have been prominent in recent years. We have also added more routine exercises to sections of the text where students need more drill.

This book contains adequate material for a two-semester course in differential equations. For a one-semester course we usually cover the following sections (in this list B stands for a brief discussion of the section and D stands for a detailed presentation): 1.1(B), 1.1.1(B), 1.2(B), 1.3(D), 1.3.1(B), 1.4(D), 1.4.1(B), 1.7(B), 1.7.1(B), 1.8(D), 2.1(B), 2.1.1(B), 2.2(D), 2.3(B), 2.4(D), 2.5(D), 2.6(B), 2.7(D), 2.8(D), 2.10(D), 2.11(D), 2.12(D), 3.1(B), 3.1.1(B), 3.2(D), 3.3(B), 4.2(D), 4.3(D), 5.2(B), 5.3(D), 5.4(D), 5.5(B), 6.1(B), 6.2(D), 7.3(B). For a one-quarter course the following sections are suggested: 1.1(B), 1.1.1(B), 1.2(B), 1.3(D), 1.3.1(B), 1.4(D), 1.4.1(B), 1.7(B), 1.7.1(B), 1.8(D), 2.1(B), 2.1.1(B), 2.2(D), 2.3(B), 2.4(D), 2.5(D), 2.6(B), 2.10(D), 2.11(D), 3.1(B), 3.1.1(B), 3.2(D), 5.2(B), 5.3(D), 5.4(D).

A special word of gratitude goes to Professors Gerald Bradley, John Haddock, Thomas Hallam, Ken Kalmanson, Gordon McLeod, and David Wend, who painstakingly reviewed the original manuscript and offered numerous valuable suggestions for its improvement.

Thanks are also due to Lynnell Stern, Professor Clement McCalla, and to our students Carl Bender, Thomas Buonanno, Michael Fascitelli, and especially Neal Jamnik, Nagaraj Rao, and Brian McCartin, who proofread parts of the material and doublechecked the solutions to some of the exercises.

We would like to thank the following reviewers of previous editions for their helpful comments: Martin Billik, David Callan, Theodore Cullen, Gary L. Eerkes, Paul A. Haeder, N. Jhunjunwala, David A. Smith, Bruce Swenson, William Voxmen, D. D. Weddington, and H. C. Wiser. We would also like to thank the following reviewers of the current edition: John Duddy, DePaul University; Laurene Fausett, Florida Institute of Technology; Jackie Garner, Louisiana Tech University; F. Haring, North Dakota State University; Robert F. Hegarty, Rockhurst College; Charles Miller, Foothill College; Carolyn Narasimhan, DePaul University; George W. Schultz, Saint Petersburg Junior College; Thomas L. Vickrey, Middle Tennessee State University; Edythe P. Woodruff, Trenton State College.

We are especially appreciative of the constant encouragement and friendly assistance that we received from Anne Scanlan-Rohrer, Mathematics Editor of Wadsworth Publishing Company, and former editors Donald Dellen, Richard Jones, and James Harrison.

**N. Finizio
G. Ladas**

Contents

1 ELEMENTARY METHODS—FIRST-ORDER DIFFERENTIAL EQUATIONS

1.1	Introduction and Definitions	1
1.1.1	Mathematical Models	3
1.2	Existence and Uniqueness	12
1.3	Variables Separable	19
1.3.1	Applications	21
1.4	First-Order Linear Differential Equations	32
1.4.1	Applications	36
1.5	Exact Differential Equations	44
1.5.1	Application	49
1.6	Homogeneous Equations	54
1.6.1	Application	56
1.7	Equations Reducible to First Order	59
1.7.1	Application	61
1.8	An Elementary Numerical Method—Euler's Method	63
	Review Exercises	70

2 LINEAR DIFFERENTIAL EQUATIONS

2.1	Introduction and Definitions	77
2.1.1	Applications	78
2.2	Linear Independence and Wronskians	85
2.3	Existence and Uniqueness of Solutions	94
2.4	Homogeneous Differential Equations with Constant Coefficients— The Characteristic Equation	100
2.5	Homogeneous Differential Equations with Constant Coefficients— The General Solution	105
2.5.1	Application	110
2.6	Homogeneous Equations with Variable Coefficients— Overview	115
2.7	Euler Differential Equation	116
2.8	Reduction of Order	121
2.8.1	Applications	125

2.9	Solutions of Linear Homogeneous Differential Equations by the Method of Taylor Series	129
2.10	Nonhomogeneous Differential Equations	133
2.11	The Method of Undetermined Coefficients	137
2.11.1	Applications	142
2.12	Variation of Parameters	149
	Review Exercises	154

3 LINEAR SYSTEMS

3.1	Introduction and Basic Theory	161
3.1.1	Applications	167
3.2	The Method of Elimination	176
3.2.1	Applications	180
3.3	The Matrix Method	185
3.3.1	Nonhomogeneous Systems—Variation of Parameters	196
3.3.2	Applications	198
	Review Exercises	202

4 THE LAPLACE TRANSFORM

4.1	Introduction	206
4.2	The Laplace Transform and Its Properties	206
4.3	The Laplace Transform Applied to Differential Equations and Systems	216
4.4	The Unit Step Function	224
4.5	The Unit Impulse Function	228
4.6	Applications	232
	Review Exercises	239

5 SERIES SOLUTIONS OF SECOND-ORDER LINEAR EQUATIONS

5.1	Introduction	242
5.2	Review of Power Series	243
5.3	Ordinary Points and Singular Points	247
5.4	Power-Series Solutions about an Ordinary Point	250
5.4.1	Applications	256
5.5	Series Solutions about a Regular Singular Point	264
5.5.1	Applications	276
	Review Exercises	284

6 BOUNDARY VALUE PROBLEMS

6.1	Introduction and Solution of Boundary Value Problems	287
6.1.1	Applications	291
6.2	Eigenvalues and Eigenfunctions	294
6.2.1	Application	299
	Review Exercises	303

7 NUMERICAL SOLUTIONS OF DIFFERENTIAL EQUATIONS

7.1	Introduction	304
7.2	Taylor-Series Method	304
7.3	Runge-Kutta Methods	309
7.4	Systems of First-Order Differential Equations	316
7.5	Applications	322
	Review Exercises	326

8 NONLINEAR DIFFERENTIAL EQUATIONS AND SYSTEMS

8.1	Introduction	329
8.2	Existence and Uniqueness Theorems	329
8.3	Solutions and Trajectories of Autonomous Systems	331
8.4	Stability of Critical Points of Autonomous Systems	335
8.5	Phase Portraits of Autonomous Systems	341
8.6	Applications	351
	Review Exercises	360

APPENDIX A	
DETERMINANTS AND LINEAR SYSTEMS OF EQUATIONS	AP-1

APPENDIX B	
PARTIAL-FRACTION DECOMPOSITION	AP-12

APPENDIX C	
SOLUTIONS OF POLYNOMIAL EQUATIONS	AP-17

APPENDIX D	
PROOF OF THE EXISTENCE AND UNIQUENESS THEOREM	AP-20

ANSWERS TO ODD-NUMBERED EXERCISES	AS-1
--	------

INDEX	IN-1
--------------	------

List of Applications

Each entry in this list is coded according to whether the application appears in detail (A), little or no detail (B), or is an exercise or example associated with an application (C).

<i>Application</i>	<i>Page</i>	<i>Code</i>
Approximation Theory		
Chebyshev's Equation	128	C
Astronomy		
Accumulation Processes in the Primitive Solar Nebula	18	C
Planetary Orbits	325	C
Stress History of the Moon	93	C
Stress History of the Moon	120	C
Astrophysics		
Orbits of Satellites	62	C
Bioengineering		
Feedback Systems	238	C
Regulators	239	C
Transfer Function	233	B
Biokinetics		
Study of Albumin in Animals	180	A
Study of Albumin in Animals	198	C
Biology		
Cell Dynamics	8	A
Interacting Populations	352	A
Interacting Populations	359	C
Malthusian Law of Population Growth	4	A
Population Growth	22	C
Species Competition	29	C
Survival Functions in Population Growth	235	A
Verhurst's Logistic Law of Population Growth	30	C
Biophysics		
Deep Diving	42	C
Botany		
Experimental Data	30	C
Chemistry		
Chemical Reactions	29	C
Diffusion between Two Compartments	61	A

<i>Application</i>	<i>Page</i>	<i>Code</i>
Diffusion		
Gas Diffusion	81	A
Gas Diffusion	291	B
Ecology		
Interaction of Species	167	B
Economics		
Commodity Pricing	38	B
Commodity Pricing	170	B
Domar Burden of Debt Model	104	C
Exploitation of Minerals	146	C
Elasticity		
Deflection of a Taut String	292	B
Static Deflection of a Beam	147	C
Electric Circuits		
Kirchhoff's Voltage Law	7	A
Multicircuits	168	A
Multicircuits	182	C
RL-Series Circuits	36	A
RL-Series Circuits	71	B
RLC-Series Circuits	142	A
RLC-Series Circuits	232	B
Vacuum Tubes	359	C
Electromechanical Analogies	143	B
Electronics		
Frequency-Modulated Waves	133	C
Finance		
Investments	23	A
Flood Waves	322	B
Fluid Flow		
Peristaltic Flow in Tubes	93	C
Peristaltic Flow in Tubes	120	C
Geometry		
Orthogonal Trajectories	7	A
Orthogonal Trajectories	49	C
Orthogonal Trajectories	56	C
Slopes	37	C
Mathematical Physics		
Classical Differential Equations	242	B
Classical Differential Equations	249	B
Diffraction, Airy's Equation	259	B
Heat Equation	299	A
Laplace's Equation	126	B
Laplace's Equation	302	C
Legendre's Equation	256	A
Temperature Distribution, Bessel's Equation	276	B
Wave Equation	302	C

<i>Application</i>	<i>Page</i>	<i>Code</i>
Mechanics		
An Outstanding Long Jump	322	A
Newton's Second Law of Motion	7	B
Newton's Second Law of Motion	23	B
Particle Projected from Rotating Earth	234	B
Projectiles	99	C
Resonance	148	A
Track and Field	148	C
Vibrating Spring	79	A
Vibrating Spring, Damping	104	C
Vibrating Spring, Damping	110	A
Vibrating Spring, Forced Motion	146	C
Medicine		
Detection of Diabetes	168	B
Disease Immunity	26	A
Dye-Dilution Method for Measuring Cardiac Output	24	A
Endocrinology	168	B
Periodic Relapsing Catatonia	146	C
Tumor Growth	31	C
Meteorology		
Isobars	8	B
Mixtures		
Brine Solutions	39	A
Morphogenesis		
Turing's Theory	167	B
Nonlinear Mechanics		
Simple Pendulum	355	A
Trailer-Truck Jackknifing	205	C
Numerical Analysis		
Chebyshev's Equation	260	B
Operations Research		
Education-Investment Decision	6	B
Pharmacology		
Drug Dosages	5	A
Physics		
Gas Ionization	324	C
Newton's Law of Cooling	43	C
Professor Ubugio		
An Egotistical Book Reviewer	173	A
Psychology		
Learning Curve	22	B
Learning Theory	6	B
Learning Theory	145	C
Learning Theory	185	C
Mass Behavior	44	C
Richardson's Model of Arms Race	169	B

<i>Application</i>	<i>Page</i>	<i>Code</i>
Quantum Mechanics		
Harmonic Oscillator, Hermite's Equation	126	B
Harmonic Oscillator, Hermite's Equation	261	A
Hydrogen Atom, Laguerre's Equation	128	C
Hydrogen Atom, Laguerre's Equation	280	A
Schrödinger's Equation	126	B
Radioactive Decay		
Radioactive Dating	25	A
Romeo and Juliet		
	205	B
Seismology		
Accelerogram Response during Earthquake	154	C
Sociology		
Riots by Oppressed Groups	146	C
Statistics		
Probability Distributions	30	C
Thermodynamics		
Heat Loss	324	C

Elementary Methods— First-Order Differential Equations

1.1 INTRODUCTION AND DEFINITIONS

Differential equations are equations that involve derivatives of some unknown function(s). Although such equations should probably be called “derivative equations,” the term “differential equations” (*aequatio differentialis*) initiated by Leibniz in 1676 is universally used. For example,

$$y' + xy = 3 \quad (1)$$

$$y'' + 5y' + 6y = \cos x \quad (2)$$

$$y'' = (1 + y'^2)(x^2 + y^2) \quad (3)$$

$$\frac{\partial^2 u}{\partial t^2} - \frac{\partial^2 u}{\partial x^2} = 0 \quad (4)$$

are differential equations. In Eqs. (1)–(3) the unknown function is represented by y and is assumed to be a function of the single independent variable x , that is, $y = y(x)$. The argument x in $y(x)$ (and its derivatives) is usually suppressed for notational simplicity. The terms y' and y'' in Eqs. (1)–(3) are the first and second derivatives, respectively, of the function $y(x)$ with respect to x . In Eq. (4) the unknown function u is assumed to be a function of the two independent variables t and x , that is, $u = u(t, x)$, $\partial^2 u / \partial t^2$ and $\partial^2 u / \partial x^2$ are the second partial derivatives of the function $u(t, x)$ with respect to t and x , respectively. Equation (4) involves partial derivatives and is a *partial differential equation*. Equations (1)–(3) involve ordinary derivatives and are *ordinary differential equations*.

In this book we are primarily interested in studying ordinary differential equations.

DEFINITION 1

An ordinary differential equation of order n is an equation that is, or can be put, in the form

$$y^{(n)} = F(x, y, y', \dots, y^{(n-1)}), \quad (5)$$

where $y, y', \dots, y^{(n)}$ are all evaluated at x .

The independent variable x belongs to some interval I (I may be finite or infinite), the function F is given, and the function $y = y(x)$ is unknown. For the most part the functions F and y will be real valued. Thus, Eq. (1) is an ordinary differential equation of order 1 and Eqs. (2) and (3) are ordinary differential equations of order 2.

DEFINITION 2

A solution of the ordinary differential equation (5) is a function $y(x)$ defined over a subinterval $J \subset I$ which satisfies Eq. (5) identically over the interval J .

Clearly, any solution $y(x)$ of Eq. (5) should have the following properties:

1. y should have derivatives at least up to order n in the interval J .
2. For every x in J the point $(x, y(x), y'(x), \dots, y^{(n-1)}(x))$ should lie in the domain of definition of the function F , that is, F should be defined at this point.
3. $y^{(n)}(x) = F(x, y(x), y'(x), \dots, y^{(n-1)}(x))$ for every x in J .

As an illustration we note that the function $y(x) = e^x$ is a solution of the second-order ordinary differential equation $y'' - y = 0$. In fact,

$$y''(x) - y(x) = (e^x)'' - e^x = e^x - e^x = 0.$$

Clearly, e^x is a solution of $y'' - y = 0$ valid for all x in the interval $(-\infty, +\infty)$. As another example, the function $y(x) = \cos x$ is a solution of $y'' + y = 0$ over the interval $(-\infty, +\infty)$. Indeed,

$$y''(x) + y(x) = (\cos x)'' + \cos x = -\cos x + \cos x = 0.$$

In each of the illustrations the solution is valid on the whole real line $(-\infty, +\infty)$. On the other hand, $y = \sqrt{x}$ is a solution of the first-order ordinary differential equation $y' = 1/2y$ valid only in the interval $(0, +\infty)$ and $y = \sqrt{x(1-x)}$ is a solution of the ordinary differential equation $y' = (1-2x)/2y$ valid only in the interval $(0, 1)$.

As we have seen, $y = e^x$ is a solution of the ordinary differential equation $y'' - y = 0$. We further observe that $y = e^{-x}$ is also a solution and moreover $y = c_1 e^x + c_2 e^{-x}$ is a solution of this equation for arbitrary values of the constants c_1 and c_2 . It will be shown in Chapter 2 that $y = c_1 e^x + c_2 e^{-x}$ is the "general solution" of the ordinary differential equation $y'' - y = 0$. By the general solution we mean a solution with the property that any solution of $y'' - y = 0$ can be obtained from the function $c_1 e^x + c_2 e^{-x}$ for some special values of the constants c_1 and c_2 . Also, in Chapter 2 we will show that the general solution of the ordinary differential equation $y'' + y = 0$ is given by $y(x) = c_1 \cos x + c_2 \sin x$ for arbitrary values of the constants c_1 and c_2 .

In this chapter we present elementary methods for finding the solutions of some first-order ordinary differential equations, that is, equations of the form

$$y' = F(x, y), \tag{6}$$

together with some interesting applications.

The differential of a function $y = y(x)$ is by definition given by $dy = y'dx$.

With this in mind, the differential equation (6) sometimes will be written in the differential form $dy = F(x, y)dx$ or in an algebraically equivalent form. For example, the differential equation

$$y' = \frac{3x^2}{x^3 + 1} (y + 1)$$

can be written in the form

$$dy = \left[\frac{3x^2}{x^3 + 1} (y + 1) \right] dx \quad \text{or} \quad y' - \frac{3x^2}{x^3 + 1} y = \frac{3x^2}{x^3 + 1}.$$

There are several types of first-order ordinary differential equations whose solutions can be found explicitly or implicitly by integrations. Of all tractable types of first-order ordinary differential equations, two deserve special attention: differential equations with *variables separable*, that is, equations that can be put into the form

$$y' = \frac{P(x)}{Q(y)} \quad \text{or} \quad P(x)dx = Q(y)dy,$$

and *linear equations*, that is, equations that can be put into the form

$$y' + a(x)y = b(x).$$

Both appear frequently in applications, and many other types of differential equations are reducible to one or the other of these types by means of a simple transformation.

MATHEMATICAL MODELS 1.1.1

Differential equations appear frequently in mathematical models that attempt to describe real-life situations. Many natural laws and hypotheses can be translated via mathematical language into equations involving derivatives. For example, derivatives appear in physics as velocities and accelerations, in geometry as slopes, in biology as rates of growth of populations, in psychology as rates of learning, in chemistry as reaction rates, in economics as rates of change of the cost of living, and in finance as rates of growth of investments.

It is the case with many mathematical models that in order to obtain a differential equation that describes a real-life problem, we usually assume that the actual situation is governed by very simple laws—which is to say that we often make idealistic assumptions. Once the model is constructed in the form of a differential equation, the next step is to solve the differential equation and utilize the solution to make predictions concerning the behavior of the real problem. In case these predictions are not in reasonable agreement with reality, the scientist must reconsider the assumptions that led to the model and attempt to construct a model closer to reality.

First-order ordinary differential equations are very useful in applications. Let the function $y = y(x)$ represent an unknown quantity that we want to study. We know from calculus that the first derivative $y' = dy/dx$ represents the rate of change of y per unit change in x . If this rate of change is known (say, by

experience or by a physical law) to be equal to a function $F(x, y)$, then the quantity y satisfies the first-order ordinary differential equation $y' = F(x, y)$. We next give some specific illustrations.

Biology

■ It has long been observed that some large colonies of bacteria tend to grow at a rate proportional to the number of bacteria present. For such a colony, let $N = N(t)$ be the number of bacteria present at any time t . Then, if k is the constant of proportionality, the function $N = N(t)$ satisfies the first-order ordinary differential equation¹

$$\dot{N} = kN. \quad (7)$$

This equation is called the *Malthusian law* of population growth. T. R. Malthus observed in 1798 that the population of Europe seemed to be doubling at regular time intervals, and so he concluded that the rate of population increase is proportional to the population present. In Eq. (7) \dot{N} stands for dN/dt . (As is customary, derivatives with respect to x will be denoted by primes and derivatives with respect to t by dots.) In this instance it is the time that is the independent variable. Equation (7) is a separable differential equation and its solution $N(t) = N(0)e^{kt}$ is computed in Example 3 of Section 1.3. Here $N(0)$ is the number of bacteria present initially, that is, at time $t = 0$. The solution $N(t)$ can be represented graphically as in Figure 1.1.




Figure 1.1

The following arguments may be used as a justification for Eq. (7). Let $N(t)$ be the total population at time t and let $N(t + \Delta t)$ be the total population at time $t + \Delta t$. Assume that the number of births and deaths during the small interval Δt are proportional to the product of the size of the population and the time interval Δt , that is,

$$\text{Birth} = bN(t)\Delta t \quad \text{and} \quad \text{Death} = dN(t)\Delta t,$$

¹Since the function $N(t)$ takes on only integral values, it is not continuous and so not differentiable. However, if the number of bacteria is very large, we can assume that it can be approximated by a differentiable function $N(t)$, since the changes in the size of the population occur over short time intervals.