

1962 INTERNATIONAL CONFERENCE
ON HIGH-ENERGY PHYSICS AT CERN

1962 INTERNATIONAL CONFERENCE ON HIGH-ENERGY PHYSICS AT CERN

sponsored by

The International Union of Pure and Applied Physics (IUPAP)

Geneva, 4th-11th July 1962

PROCEEDINGS

edited by J. Prentki

Editorial committee

R. Armenteros

V. Glaser

A. E. Taylor

ORGANISATION EUROPÉENNE POUR LA RECHERCHE NUCLÉAIRE
CERN EUROPEAN ORGANIZATION FOR NUCLEAR RESEARCH

GENÈVE 1962

INTERNATIONAL UNION OF PURE AND APPLIED PHYSICS

Commission on high-energy physics

V. I. Veksler (Chairman)
R. E. Marshak (Secretary)
G. Bernardini
D. I. Blokhintsev

L. Leprince-Ringuet
E. M. McMillan
H. Yukawa

CERN ORGANIZING COMMITTEE

V. F. Weisskopf (Chairman)
E. G. Michaelis (Vice-Chairman
and Scientific Secretary)
E. W. D. Steel (Secretary)
R. Armenteros
H. Coblans

M. Conversi
S. A. ff. Dakin
V. Glaser
J. Prentki
A. E. Taylor
L. Van Hove

FOREWORD

In presenting the Proceedings of the Conference on High Energy Physics, some words of explanation both about the selection of papers for publication and about the way they finally appear in print are desirable.

The Organizing Committee had already dealt with the very unpleasant task of reducing the very large number of papers submitted for presentation at the Conference to a reasonable number. Nevertheless, for obvious reasons of speed in the appearance of the Proceedings and the cost of printing, the Editorial Board has been forced to make a further selection. The final choice was difficult and although, whenever possible, we sought the advice of the Chairmen, Rapporteurs and Scientific Secretaries of the different sessions, the responsibility for mistakes and any apparently arbitrary decisions is entirely our own. We ask the indulgence of those people whose papers do not appear in the Proceedings and while apologizing to them, we would like to make it quite clear that the exclusion of a paper does not necessarily mean that it was considered unworthy of these Proceedings. In fact, many good papers were eliminated either because they had appeared or were about to appear in other publications or because they departed from the main subjects under discussion during the Conference.

To further reduce the time between the end of the Conference and the appearance of the published Proceedings, numerous shortcuts were used. Uniformity of practice (spelling, symbols, references etc.) and the standardization traditionally maintained in learned publications were not attempted. References were left in the form given by the authors and only roughly checked so that the crudest errors could be avoided. In principle no changes in style or in the lay-out of mathematical formulae were made. However, an attempt was made to remove all ambiguities and to correct any sentence that appeared to be obviously devoid of meaning. Some of the drawings submitted were quite unsuitable for blockmaking. To save time only those of very poor quality were re-drawn by our draughtsmen. So that the Proceedings in their printed form could be logical and more useful the order of the sessions, their numbering and their coverage were changed.

The Conference Organizing Committee as well as the Editorial Board would like to take this opportunity to thank very warmly the Chairmen and Rapporteurs for the very effective and cheerful way in which they carried out their difficult tasks. The Scientific Secretaries and the Conference team of the CERN Scientific Information Service deserve the highest praise for their excellent work—without their untiring efforts these Proceedings would certainly not have appeared so soon after the Conference; and, in that connection, we wish to stress the co-operation and understanding shown by our printers.

R. Armenteros
V. Glaser

J. Prentki
A. E. Taylor

This Conference was the eleventh in a series, of which the first seven were held at the University of Rochester and subsequent ones in rotation at CERN, Kiev and Rochester.

© Copyright 1962, by CERN

Published by CERN, Scientific Information Service, Geneva 23, Switzerland

Printed by Henri Studer S. A., Geneva, Switzerland

Price: Sw. Fr. 60.—

CONTENTS

PART I PARALLEL SESSIONS

SESSION P 1 — Pion and nucleon physics (Experimental)

Angular distribution in $\pi^\pm$ - p elastic scattering in the range 530 to 1550 MeV	Helland, J. A., Devlin, T. J., Hagge, D. E., Longo, M. J., Moyer, B. J. and Wood, C. D.	3
Measurement of the cross section for the reaction $\pi^\pm + p \rightarrow \pi^0 +$ (charged particles) up to 1.4 GeV	Detoeuf, J. F., Ducros, Y., Merlo, J. P., Stirling, A., Thevenet, B., Van Rossum, L., and Zsembery, J.	7
On the threshold anomalies in pp -scattering	Prokoshkin, Yu. D., Rykalin, V. I. and Vasilevsky, I. M.	9
Charge exchange of stopped pions on the bound hydrogen nuclei	Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I.	12
The Panofsky ratio for He^3 and the root-mean-square radius of the transition $\text{He}^3 \rightarrow \text{H}^3$	Falomkin, I. V., Filippov, A. I., Kulyukin, M. M., Scherbakov, Yu. A., Sulya'ev, R. M., Tsupko-Sitnikov, V. M. and Zaimidoroga, O. A.	14
Determination of the root-mean-square radius of transition $\text{He}^3 \rightarrow \text{H}^3$	Struminsky, B. V.	17
Recent investigations on nucleon-nucleon scattering at the Dubna synchrocyclotron	Dzhelepov, V. P.	19
Determination of the amplitude of NN -scattering matrix averaged over isotopic spin states at 660 MeV	Azhgirey, L. S., Kumekin, Yu. P., Mescheryakov, M. G., Nurushev, S. B. and Stoletov, G. D.	23
Phase shift analysis of nucleon-nucleon scattering at 40, 95, 147, 210, 310 MeV	Kazarinov, Yu. M. and Silin, I. N.	25
Spin correlation in proton-proton scattering at 400 and 450 MeV	Engels, E., Bowen, T., Cronin, J. W., McIlwain, R. L. and Pondrom, L. G.	29
Elastic scattering of antiprotons by protons in the energy range 0-60 MeV	Hossain, A., Kasim, M. N. and Shaukat, M. A.	30

SESSION P 2 — Pion and nucleon physics (Experimental)

A first evidence of a radiative decay mode of the intermediate pion resonance ($M \sim 550$ MeV)	Mencuccini, C., Querzoli, R., Salvini, G. and Silvestrini, V. G.	33
---	--	----

π^+ - p interactions near 1 GeV

Foelsche, H., Fowler, E. C.,
Kraybill, H. L., Sanford, J. R.
and Stonehill, D. 36

ω and ρ production

Walker, W. D., West, E., Erwin,
A. R. and March, R. H. 42

Multipion production by 2.03 GeV/c π^- in hydrogen

Carmony, D. D., Grard, F.,
Van de Walle, R. T. and
Nguyen-huu Xuong 44

Preliminary results on the production and decay properties of the
 ω , η and ρ mesons and other resonances in π^+ proton collisions
at 2.35, 2.6 and 2.9 GeV/c

Alff, C., Colley, D., Gelfand, N.,
Nauenberg, U., Riller, D., Stein-
berger, J., Tau, T. H., Brugger,
H., Kramer, P. and Plano, R. 50

Evidence for $\pi^+\pi^-$ resonances at 395 and 520 MeV effective mass

Samios, N. P., Bachman, A. H.,
Lea, R. M., Kalogeropoulos, T.
E. and Shephard, W. D. 54

Experimental data on new pion resonances

Grashin, A. F. and Shalamov,
Ya. Ya. 58

Two-pion resonances produced in π^- - p collision at 7.2 GeV/c

Ainutdinov, M. S., Nikitin, S.
Ya., Selector, Ya. M., Shulia-
chenko, V. N. and Zumbkovsky,
S. M. 61

Evidence for the ρ^0 meson in π^- - p interactions at 7/8 GeV/c

Grote, C., Klabuhn, J., Klugow,
J., Krecer, U., Kundt, U.,
Lanius, K., Meier, H. W.,
Nowak, S. and Pose, R. 64

SESSION P 3 — Pion and Nucleon physics (Experimental)

A study of the annihilation of stopped antiprotons in hydrogen:
the reaction $\bar{p}+p\rightarrow\pi^++\pi^-+\pi^0$

Chadwick, G. B., Davies, W. T.,
Derrick, M., Hawkins, C. J. B.,
Mulvey, J. H., Radojicic, D.,
Wilkinson, C. A., Cresti, M.,
Limentani, S. and Santangelo, R. 69

Production and decay of the ρ and ω mesons in antiproton annihila-
tion

Chadwick, G. B., Davies, W. T.,
Derrick, M., Hawkins, C. J. B.,
Jones, P. B., Mulvey, J. H.,
Radojicic, D., Wilkinson, C. A.,
Cresti, M., Grigoletto, A.,
Limentani, S., Loria, A.,
Peruzzo, L. and Santangelo, R. 73

Elastic scattering and multipion annihilations of 3.25 GeV/c anti-
protons in hydrogen

Ferbel, T., Sandweiss, J., Taft,
H. D., Gaillard, M., Morris, T.
W., Lea, R. M. and Kalogero-
poulos, T. E. 76

Elastic scattering and single pion production by 3.0 GeV/c anti-protons in hydrogen	Goldschmidt-Clermont, Y., Guinea, M., Hofmohl, T., Lewisch, R., Morrison, D. R. O., Schneeberger, M. and de Unamuno, S.	84
Study of the ω^0 meson in annihilations $\bar{p}+p \rightarrow K+\bar{K}+\omega^0$ at rest	Armenteros, R., Budde, R., Montanet, L., Morrison, D. R. O., Nilsson, S., Shapira, A., Vandermeulen, J., d'Andlau, C., Astier, A., Ghesquière, C., Gregory, B., Rahm, D., Rivet, P. and Solmitz, F.	90
Two-pion resonances below mass 900 MeV	Richardson, C., Kraemer, R., Meer, M., Nussbaum, M., Pevsner, A., Strand, R., Toohig, T. and Block, M.	96
An analysis of the production of η and ω mesons by the interactions of pions with deuterium	Toohig, T., Kraemer, R., Madansky, L., Meer, M., Nussbaum, M., Pevsner, A., Richardson, C., Strand, R. and Block, M.	99
The decays of the η and the ω mesons	Meer, M., Strand, R., Kraemer, R., Madansky, L., Nussbaum, M., Pevsner, A., Richardson, C., Toohig, T., Block, M., Oren- stein, S. and Fields, T.	103
Multiple pion production by 1275 MeV/c pions	Foster, M. C., Good, M. L., Matsen, R. P., Peters, M. W., Taufest, G. W. and Willmann, R. B.	108
The π - π interaction at low energy	Arefev, A. V., Bayukov, Yu. D., Zajtsev, Yu. M., Kozodaev, M. S., Leksin, G. A., Osipenkov, V. T., Suchkov, D. A., Telenkov, V. V. and Fedorov, B. V.	112
Investigation of the pion-pion interaction at low energies	Lapidus, L.	115

SESSION P 4 — Pion and nucleon physics (Theoretical)

Theory of low energy nucleon-nucleon scattering	Amati, A., Leader, E. and Vitale, B.	123
The nucleon-nucleon potential from dispersion theory	Cottingham, W. N. and Vinh Mau, R.	125
Energy dependent modified phase shift analysis of low energy proton-proton scattering	Stapp, H. P., Noyes, H. P. and Moravcsik, M. J.	131

Form of one-pion exchange potential and charge independence of nucleon-nucleon interaction	Breit, G., Hull, M. H., McDonald, F. A. and Ruppel, H. M.	134
Calculation of pion-nucleon phase-shifts from dispersion relations	Dietz, K. and Höhler, G.	138
Scattering and production amplitudes with unstable particles	Ball, J. S., Frazer, W. R. and Nauenberg, M.	141
Width of three-pion resonances	Frazer, W. R. and Wong, D. Y.	144
Evidence for a possible π - N resonance in the $P_{1/2}$, $T = 1/2$ state	Feld, B. T. and Layson, W. M.	147
On the approximate γ_5 invariance of strong interaction theory	Logunov, A. A., Meshcheryakov, V. A. and Tavkhelidze, A. N.	151
Consequences of γ_5 invariance in pion-nucleon interactions	Nambu, Y.	153
 SESSION P 5 — Pion and nucleon physics (Theoretical)		
Pion-nucleon scattering and pion-pion interactions	Hamilton, J., Menotti, P., Oades G. C. and Vick, L. L. J.	159
Low-energy pion-pion scattering	Efremov, A. V., Serebryakov, V. V. and Shirkov, D. V.	163
Consequences of the G quantum number for decays of the new particles	Feinberg, G.	168
A needle in a haystack	Bernstein, J. and Feinberg, G.	170
On possible decays of new mesons	Kobzarev, I. Yu. and Okun, L. B.	173
Evidence that the ρ meson is coupled universally to the isospin current	Sakurai, J. J.	176
Classification of three- and four-pion systems	Grynberg, M. and Koba, Z.	178
 SESSION P 6 — Electromagnetic properties of pions and nucleons		
New results on the electromagnetic form factors of nucleons	Aitken, D., Hofstadter, R., Hughes, E. B., Janssens, T. and Yearian, M. R.	185
Electron-proton scattering at high momentum transfer	Berkelman, K., Littauer, R. M. and Rouse, G.	194
Magnetic and electric form factors	Sachs, R. G.	197
The π^0 -production in the Coulomb nuclear field	Barmin, V. V., Krestnikov, Yu. S., Kuznetsov, E. V., Meshkovski, A. G., Nikitin, Yu. P. and Shebanov, V. A.	199
Photoproduction of positive pions from hydrogen in the energy region 200 to 450 MeV	Althoff, K., Fischer, H., Freitag, C., Freytag, D., Lübelmeyer, K. and Paul, W.	202
The photoproduction of π^0 mesons in hydrogen	Miller, D. B. and Bellamy, E. H.	205

Positive pion photoproduction on hydrogen near threshold	Adamovich, M. I., Gorzhevs- kaya, E. G., Larionova, V. G., Panova, N. M., Kharlamov, S. P. and Yagudina, F. R.	207
Photoproduction of π^0 -mesons from deuterium	Belousov, A. S., Rusakov, S. V., Tamm, E. I. and Tatarinskaya, L. S.	211
Angular distribution of the reaction $\gamma + p \rightarrow p + \pi^0$ at a photon energy of 180 MeV	Govorkov, B. B., Denisov, S. P. and Minarik, E. V.	213
Photoproduction of π mesons near threshold	Baldin, A. M. and Lebedev, A. I.	214
Possible resonant enhancement of the two photon exchange in electron-proton scattering	Flamm, D. and Kummer, W.	216
On the possible use of bremsstrahlung to study high energy inter- actions	Yennie, D. R. and Feshbach, H.	219
Proton Compton scattering	Müller, V. F.	222
Dispersion relations for Compton-effect on a proton	Nelipa, N. F. and Fillkov, L. V.	225
Gamma-ray scattering by protons and polarizability of nucleons	Lapidus, L. I.	228

SESSION S 1 — Strange particle physics. Strong interactions (Experimental)

Hyperon production by 3.25 GeV/c antiprotons in hydrogen	Baltay, C., Fowler, E. C., Sand- weiss, J., Sanford, J. R., Taft, H. D., Culwick, B. B., Fowler, W. B., Kopp, J. K., Louttit, R. I., Shutt, R. P., Thorndike, A. M. and Webster, M. S.	233
A study of hyperon-antihyperon production by 3, 3.6, and 4 GeV/c antiprotons in hydrogen	Armenteros, R., Fett, E., French, B., Montanet, L., Niki- tin, V., Szeptycka, M., Peyrou, Ch., Böck, R., Shapira, A., Badier, J., Blaskovicz, L., Equer, B., Gregory, B., Muller, F., Goldsack, S. J., Miller, D. H., Butler, C. C., Tallini, B., Kinson, J., Riddiford, L., Leveque, A., Meyer, J., Verglas, A. and Zylberach, S.	236
Strange particle correlations in high energy pion-nucleon collisions	Bingham, H. H., Bloch, M., Drijard, D., Minguzzi-Ranzi, A. and Nikolić, M.	240
Strange particle production in 10 GeV/c π^- interactions in hydrogen bubble chambers	Bigi, A., Brandt, S., Carrara, R., Cooper, W. A., de Marco, Aure- lia, MacLeod, G. R., Peyrou, Ch., Sosnowski, R. and Wrob- lewski, A.	247

Investigation of Λ hyperon and K^0 meson production processes in π^-p and π^-C interactions at 7-8 GeV energy

A study of ΛK^0 and $K^0\bar{K}^0$ pair production in π^-p and π^-C interactions at the π^- meson momentum of 7-8 GeV/c

Photoproduction of K^+ mesons in hydrogen

Associated production experiments near 1 GeV/c

Systematics of Σ production from the interactions of pions with deuterium

ΣK production in the 72" bubble chamber

Belyakov, V. A., Wang Yung-chang, Veksler, V. I., Viryasov, N. M., Vrana, I., Du Yuan-cai, Kim Hi In, Kladnitskaya, E. N., Kuznetsov, A. A., Mikhul, A., Mikhul, E., Nguyen Dinh-Tu, Patera, I., Penev, V. N., Sokolova, E. S., Soloviev, M. I., Hofmohl, T., Tshen Lin-yen and Schneeberger, M.

252

Belyakov, V. A., Wang Yung-chang, Veksler, V. I., Viryasov, N. M., Du Yuan-cai, Kim Hi In, Kladnitskaya, E. N., Kuznetsov, A. A., Mikhul, A., Nguyen Dinh-Tu, Penev, V. N., Sokolova, E. S. and Soloviev, M. I.

261

McDaniel, B. D., Anderson, R. L., Gabathuler, E., Jones, D. P., Sadoff, A. J. and Thom, H.

266

Crawford, F. S.

270

Kraemer, R., Nussbaum, M., Madansky, L. and Pevsner, A.

273

Albright, J. R., Binford, T. O., Camerini, U., Fry, W. F., Foster, M., Good, M. L., Hartung, R. W., Kofler, R. R., Lind, V. G., Matsen, R. P., Murphy, C. T., Peters, M. W., Reeder, D. D., Stern, D., Tautfest, G. and Willmann, R. B.

276

SESSION S 2 — Strange particle physics. Strong Interactions (Experimental)

The K^-p interaction at 2.24 GeV/c. I: Effective mass distributions

Bertanza, L., Brisson, V., Connolly, P. L., Hart, E. L., Mittra, I. S., Moneti, G. C., Rau, R. R., Samios, N. P., Skillicorn, I. O., Yamamoto, S. S., Goldberg, M., Gray, L., Leitner, J., Lichtman, S. and Westgard, J.

279

K^-p interactions at 2.24 GeV/c. II: Production properties

Bertanza, L., Brisson, V., Connolly, P. L., Hart, E. L., Mittra, I. S., Moneti, G. C., Rau, R. R.,

A resonance in the $\Xi\pi$ system at 1.53 GeV	Samios, N. P., Skillicorn, I. O., Yamamoto, S. S., Goldberg, M., Gray, L., Leitner, J., Lichtman, S. and Westgard, J.	284
K^* production and decay	Pjerrou, G. M., Prowse, D. J., Schlein, P., Slater, W. E., Stork, D. H. and Ticho, H. K.	289
Study of the K^* resonance in $(\bar{p}p)$ annihilations at rest	Alston, M. H., Kalbfleisch, G. R., Ticho, H. K. and Wojcicki, S. G.	291
Interactions of 1.47 GeV/c negative K^- -mesons in hydrogen	Armenteros, R., Montanet, L., Morrison, D. R. O., Nilsson, S., Shapira, A., Vandermeulen, J., d'Andlau, Ch., Astier, A., Ghesquière, C., Gregory, B. P., Rahm, D., Rivet, P. and Solmitz, F.	295
$\Lambda\pi^+\pi^-$ final state in K^-p interactions at K^- momenta of 1.22 and 1.51 GeV/c	Cooper, W. A., Courant, H., Filthuth, H., Malamud, E. I., Minguzzi-Ranzi, A., Schneider, H., Segar, A. M., Snow, G. A., Willis, W., Gelsema, E. S., Kluyver, J. C., Tenner, A. G., Browning, K., Hughes, I. S. and Turnbull, R.	298
$\Lambda\pi^+\pi^-\pi^0$ and Λ^+ neutral final states in K^-p interactions at K^- momenta of 1.22 and 1.51 GeV/c	Button-Shafer, J., Huwe, D. and Murray, J. J.	303
Study of resonances in the $\Sigma\pi$ system	Button-Shafer, J., Ferro-Luzzi, M., Murray, J., Stevenson, M. L. and Solmitz, F. T.	307
Resonances in strange particle production.	Alston, M. H., Alvarez, L. W., Ferro-Luzzi, M., Rosenfeld, A. H., Ticho, H. K. and Wojcicki, S. G.	311
Study of strange-particle resonant states produced in 1.89-2.24 GeV/c π^-+p interactions	Colley, D., Gelfand, N., Nauenberg, U., Steinberger, J., Wolf, S., Brugger, H. R., Kramer, P. R. and Plano, R. J.	315
Possible classification of particles and resonances	Alexander, G., Jacobs, L., Kalbfleisch, G. R., Miller, D. H., Smith, G. A. and Schwartz, J.	320
Mass spectrum of the 1385 MeV $\lambda^0+\pi^0$ resonance from 1.5 GeV/c π^- mesons on protons	Rosenfeld, A. H.	325
	Coffin, C. T., Curtis, L. J., Meyer, D. I. and Terwilliger, K. M.	327

The spin of the Y_1^* particle

Experimental cross-section for $\pi\pi \rightarrow K\bar{K}$

A study of many-particle resonances

Auman, J., Block, M. M.,
Gessaroli, R., Kopelman, J.,
Ratti, S., Grimellini, L., Kiku-
chi, T., Lendinara, L., Monari,
L. and Harth, E. 330

Erwin, A. R., Hoyer, G. A.,
March, R. H., Walker, W. D.
and Wangler, T. P. 333

Belyakov, V. A., Wang Yung-
chang, Veksler, V. I., Viryasov,
N. M., Du Yuan-cai, Kladnits-
kaya, E. N., Kim Hi In, Kuznet-
sov, A. A., Mikhul, A. C.,
Nguyen Dinh-Tu, Penev, V. N.,
Sokolova, E. S. and Soloviev,
M. I. 336

SESSION S 3 — Strange particle physics. Strong interactions (Experimental)

The magnetic moment of the Λ^0 hyperon

A measurement of the magnetic moment of the Λ^0 hyperon

$\bar{P}$ - P annihilations at rest into two mesons

K^+ - p interaction from 140 to 642 MeV/c

Pion production by K^+ mesons on hydrogen and deuterium

On the K^+ - p interaction at low energy

Elastic K^+ - p scattering at 0.97, 1.17, and 1.97 GeV/c

Cool, R. L., Jenkins, E. W.,
Kycia, T. F., Hill, D. A.,
Marshall, L. and Schluter, R. A. 345

Kernan, W., Novey, T. B.,
Warshaw, S. D. and Watten-
berg, A. 347

Armenteros, R., Montanet, L.,
Morrison, D. R. O., Nilsson, S.,
Shapira, A., Vandermeulen, J.,
d'Andlau, Ch., Astier, A., Bal-
lam, J., Ghesquière, C., Gregory,
B. P., Rahm, D., Rivet, P. and
Somitz, F. 351

Goldhaber, S., Chinowsky, W.,
Goldhaber, G., Lee, W., O'Hal-
loran, T., Stubbs, T. F., Pjerrou,
G. M., Stork, D. H. and Ticho,
H. K. 356

Fisk, J., Ticho, H. K., Stork,
D. H., Chinowsky, W., Gold-
haber, G., Goldhaber, S. and
Stubbs, T. F. 358

Costa, G., Gluckstern, R. L.
and Zimmerman, A. H. 361

Cook, V., Keefe, D., Kerth,
L. T., Murphy, P. G., Wenzel,
W. A. and Zipf, T. F. 364

Elastic K^-p scattering between 700 and 1400 MeV/c	Beall, E. F., Holley, W., Keefe, D., Kerth, L. T., Thresher, J. J., Wang, C. L. and Wenzel, W. A.	368
Determination of the K^- parity	Block, M. M., Lendinara, L. and Monari, L.	371
Interactions of K^- mesons in hydrogen in the 300 to 850 MeV/c region	Bastien, P. L., Berge, J. P., Dahl, O. I., Ferro-Luzzi, M., Kirz, J., Miller, D. H., Murray, J. J., Rosenfeld, A. H., Tripp, R. D. and Watson, B.	373
K^-p charge exchange at 1.22 GeV/c	Ferro-Luzzi, M., Solmitz, F. T. and Stevenson, M. L.	376
A study of the reaction $K^+ + p \rightarrow K^0 + \pi^+ + p$	Chadwick, G. B., Crennell, D. J., Davies, W. T., Derrick, M., Jones, P. B., Mulvey, J. H., Radojicic, D., Wilkinson, C. A., Cresti, M., Limentani, S., Peruzzo, L. and Santangelo, R.	378
The reaction $K^+ + P \rightarrow K^* + N_{33}^*$	Chinowsky, W., Goldhaber, G., Goldhaber, S., Lee, W. and O'Halloran, T.	380
Binding energies of heavy hypernuclei	Ammar, R. G., Choy, L., Dunn, W., Holland, M., Roberts, J. H., Shipley, E. N., Crayton, N., Davis, D. H., Levi-Setti, R., Raymund, M., Skjeggstad, O. and Tomasini, G.	382
Total cross-sections for K^+ and π^+ mesons interaction with hydrogen in the momentum range from 2.69 up to 4.75 GeV/c	Vovenko, A. S., Kulakov, B. A., Likhachev, M. F., Matulenko, Yu. A., Savin, I. A., Smirnov, E. V. and Stavinski, V. S.	385

SESSION S 4a — Strange particle physics. Strong interactions (Theoretical)

The pion-hyperon couplings, the $\bar{K}N$ interactions, and the Y^* resonant states	Dalitz, R. H.	391
The evidence of odd $K\Sigma N$ parity	Capps, R. H.	401
On K -meson hyperon resonances	Baz, A. I., Vaks, V. G. and Larkin, A. I.	404

SESSION W 1 — Weak interactions. Non strange particles (Experimental)

Experimental evidence for pion β decay	Bacastow, R. B., Elioff, T., Larsen, R. R., Wiegand, C. and Ypsilantis, T.	409
--	--	-----

Determination of the $\pi^+ \rightarrow \pi^0 + e^+ + \nu$ decay rate	Depommier, P., Heintze, J., Mukhin, A., Rubbia, C., Soergel, V. and Winter, K.	411
Experimental evidence for structure effects in the $\pi^+ \rightarrow e^+ + \nu + \gamma$ decay process	Depommier, P., Heintze, J., Mukhin, A., Rubbia, C., Soergel, V. and Winter, K.	414
A measurement of the μ^+ lifetime	Farley, F. J. M., Massam, T., Muller, T. and Zichichi, A.	415
Comparison of the lifetimes of positive and negative muons in liquid hydrogen	Anderson, E. W., Bleser, E., Meyer, S., Rosen, J., Rothberg, J. and Wang, I. T.	417
μ^- capture in hydrogen	Hildebrand, R. H. and Doede, J. H.	418
Determination of the μ^- total capture rate in liquid hydrogen	Bertolini, E., Citron, A., Gialanella, G., Focardi, S., Mukhin, A., Rubbia, C. and Saporetti, S.	421
Search for the $\mu \rightarrow 3e$ decay	Alikhanov, A. I., Babaev, A. I., Balats, M. Ya., Kaftanov, V. S., Landsberg, L. G., Lyubimov, V. A. and Obukhov, Yu. V.	423
Asymmetry in the angular distribution of neutrons arising from the capture of μ^- -mesons in calcium	Evseev, V. S., Roganov, V. S., Chernogorova, V. A., Szymczak, M. M. and Chang Run-Hwa	425
On radiative muon capture	Conforto, G., Conversi, M. and Di Lella, L.	427
SESSION W 2 — Weak interactions. Non strange particles (Experimental)		
Ξ^- Hyperons in the reaction $K^- + p \rightarrow \Xi^- + K^+$	Alvarez, L. W., Berge, J. P., Kalbfleisch, R., Button-Shafer, J., Solmitz, F. T., Stevenson, M. L. and Ticho, H. K.	433
Properties of the Ξ^- hyperon	Bertanza, L., Brisson, V., Connolly, P. L., Hart, E. L., Mittra, I. S., Moneti, G. C., Rau, R. R., Samios, N. P., Skillicorn, I. O., Yamamoto, S. S., Goldberg, M., Gray, L., Leitner, J., Lichtman, S. and Westgard, J.	437
Muonic decays of Σ and Λ hyperons	Humphrey, W. E., Kirz, J., Rosenfeld, A. H. and Leitner, J.	442
The β decay of the Λ hyperon	Ely, R. P., Gidal, G., Oswald, L., Singleton, W., Powell, W. M., Bullock, F. W., Kalmus, G. E., Henderson, C. and Stannard, F. R.	445

Apparent violation of the $\Delta S = \Delta Q$ rule by leptonic Σ^+ decay	Barbaro-Galtieri, A., Barkas, W. H., Heckman, H. H., Patrick, J. W. and Smith F. M.	447
Three-body leptonic decays of K_1^0 and K_2^0 , $\Delta I = 1/2$ rule and $\Delta S = \Delta Q$ rule	Alexander, G., Almeida, S. P. and Crawford, F. S.	448
Investigation of decay properties of K_2^0 -mesons	Anikina, M. H., Zhuravleva, M. S., Kotliarevsky, D. M., Mandyavidze, Z. S., Mestvirishvili, A. M., Neagu, D., Okonov, E. O., Petrov, N. S., Rosanova, A. M., Rusakov, V. A., Tachtamishev, G. G. and Chekhaidze, L. V.	452
Measurement of the decay parameters for the Λ^0 particle	Cronin, J. W. and Overseth, O. E.	453
Observation of the decay $\Sigma^- \rightarrow \Lambda^0 + e^- + \nu$	Grimellini, L., Kikuchi, T., Lendinara, L., Monari, L. and Block, M. M.	457
Lifetime of the hypernucleus ΛH^3	Block, M. M., Meltzer, C., Ratti, S., Grimellini, L., Kikuchi, T., Lendinara, L. and Monari, L.	458
Determination of the ΛH^3 lifetime	Crayton, N., Davis, D. H., Levi-Setti, R., Raymund, M., Skjeggstad, O., Tomasini, G., Ammar, R. G., Choy, L., Dunn, W., Holland, M., Roberts, J. H. and Shipley, E. N.	460
Experimental study of the three-body leptonic decay modes of the K^+ meson	Brown, J. L., Kadyk, J. A., Trilling, G. H. and Van de Walle, R. T., Roe, B. P. and Sinclair, D.	462
SESSION E — Electromagnetic properties of leptons and quantum electrodynamics		
Photoproduction of muon pairs in carbon	Alberigi-Quaranta, A., De Pretis, M., Marini, G., Odian, A., Stoppini, G. and Tau, L.	469
Hyperfine structure of muonium ($g-2$) and its consequences	Bailey, J., Cleland, W., Hughes, V. W., Prepost, R. and Ziock, K.	473
Scattering of μ mesons by carbon	Charpak, G., Farley, F. J. M., Garwin, R. L., Muller, T., Sens, J. C. and Zichichi, A.	476
	Citron, A., Delorme, C., Fries, D., Goldzahl, L., Heintze, J., Michaelis, E. G., Richard, C. and Øverås, H.	481

Mesonic atom processes in hydrogen and deuterium and the muon catalysis of fusion reactions	Dzhelepov, V. P., Friml, M., Gershtejn, S. S., Katyshev, Yu. V., Moskalev, V. I. and Yermolov, P. F.	484
Electrodynamical cross-sections at high energy	Budini, P. and Furlan, G.	490
On new possibilities for checking the electromagnetic properties of electrons and muons	Zhizhin, E. D. and Solov'ev, V. V.	493
Photoproduction of neutrinos in nuclear Coulomb field	Marx, G. and Németh, J.	498

SESSION R — Regge poles and related topics

Topics on complex angular momenta	Regge, T.	503
Calculation of Regge trajectories by using dispersion relations	Burke, P. G. and Tate, C.	507
Calculation of Regge poles	Lovelace, C. and Masson, D.	510
Regge poles as consequences of analyticity and unitarity	Mandelstam, S.	513
Partial waves complex angular momenta and their moving singularities	Gribov, V. N.	515
Limitation on the rate of decrease of amplitudes in various processes	Gribov, V. N. and Pomeranchuk, I. Ya.	522
Strong interaction theory without elementary particles	Chew, G. F.	525

SESSION H 1 — High energy physics (Theoretical)

Applications of Regge-poles	Gell-Mann, M.	533
Regge poles and Landau singularities	Gribov, V. N. and Pomeranchuk, I. Ya.	543
Fermion Regge-poles and asymptotic behaviour of meson-nucleon large-angle scattering	Gribov, V. N.	547
Regge poles in the $N-N$ and $\bar{N}-N$ scattering amplitudes	Gribov, V. N. and Volkov, D. V.	552
Regge-poles and high energy scattering	Domokos, G.	553
Partial wave analysis and the high energy behaviour of many-particles amplitudes	Ter-Martirosyan, K. A.	556
Theory of high-energy scattering and multiple production	Amati, D., Fubini, S. and Stanghellini, A.	560
The peripheral interaction expansion	Cutkosky, R. E.	565
Limitations imposed by unitarity on the imaginary part of a scattering amplitude and consequences on its high-energy behaviour	Martin, A.	566
Field-theoretical models of inelastic nucleon-nucleon collisions at superhigh energy	Koba, Z. and Krzywicki, A.	568