

Library of Congress Cataloging in Publication Data

Symposium on the Fracture Mechanics of Ceramics,

Pennsylvania State University, 1973.

Fracture mechanics of ceramics.

Includes bibliographical references.

CONTENTS: v. 1. Concepts, flaws, and fractography. —v. 2. Microstructure, materials, and applications.

1. Ceramics—Fracture—Congresses. I. Bradt, Richard Carl, 1938- ed. II. Hasselman, D. P. H., 1931- ed. III. Lange, F. F., 1939- IV. Pennsylvania State University. V. Title.

TA430.S97 1973

73

620.1'4

73-20399

ISBN 0-306-37591-5 (v. 1)

First half of the proceedings of a symposium on the Fracture Mechanics of Ceramics, held at Pennsylvania State University, University Park, Pennsylvania, July 11-13, 1973

© 1974 Plenum Press, New York A Division of Plenum Publishing Corporation 227 West 17th Street, New York, N.Y. 10011

United Kingdom edition published by Plenum Press, London A Division of Plenum Publishing Company, Ltd. Davis House (4th Floor), 8 Scrubs Lane, Harlesden, London, NW10 6SE, England

All rights reserved

No part of this publication may be reproduced in any form without written permission from the publisher

Printed in the United States of America

Fracture Mechanics of Ceramics

Volume 1

Concepts, Flaws, and Fractography

Volume 1 • Concepts, Flaws, and Fractography Volume 2 • Microstructure, Materials, and Applications

PREFACE

These volumes constitute the Proceedings of a Symposium on the Fracture Mechanics of Ceramics, held at the Pennsylvania State University, University Park, Pennsylvania, July 11, 12, and 13, 1973.

The theme of the symposium focussed on the mechanical behavior of brittle ceramics in terms of the characteristics of cracks. The 52 contributed papers by 87 authors, present an overview of the current understanding of the theory and application of fracture mechanics to brittle ceramics.

The program chairmen gratefully acknowledge the financial assistance for the Symposium provided by the Office of Naval Research, the College of Earth and Mineral Sciences of the Pennsylvania State University, the Materials Research Center of Lehigh University, Bethlehem, Pennsylvana and Westinghouse Research Laboratories, Pittsburgh, Pennsylvania.

Special appreciation is extended to the expert organization provided by the J. Orvis Keller Conference Center of the Pennsylvania State Conference Center of the Pennsylvania State University. In particular, Mrs. Patricia Ewing should be acknowledged for the excellent program organization and planning. Dean Harold J. O'Brien, who was featured as the after-dinner speaker and who presented a most stimulating talk on the communication between people, also contributed to the success of the meeting.

Finally, we also wish to thank our joint secretaries for the patience and help in bringing these Proceedings to press.

University Park

Bethlehem

Pittsburgh, Pennsylvania

July, 1973

R. C. Bradt

D. P. H. Hasselman

F. F. Lange

CONTRIBUTORS

Co-Chairmen

- R. C. Bradt, Associate Professor, Department of Materials Science, Ceramics Science Section, Pennsylvania State University, University Park, Pennsylvania
- D. P. H. Hasselman, Director, Ceramics Research Laboratory, and Associate Professor of Metallurgy and Materials Science, Lehigh University, Bethlehem, Pennsylvania
- F. F. Lange, Senior Research Scientist, Research and Development, Westinghouse Corporation, Pittsburgh, Pennsylvania

Conference Session Chairmen

- W. R. Buessum, Pennsylvania State University, University Park, Pennsylvania
- R. J. Charles, General Electric Corporation, Schenectady, New York
- F. Erdogan, Lehigh University, Bethelehem, Pennsylvania
- V. D. Frechette, Alfred University, Alfred, New York
- R. F. Pabst, Max Planck Institute, Stuttgart, Germany
- E. T. Wessel, Westinghouse Research Laboratory, Pittsburgh, Pennsylvania

Arrangements

Patricia Ewing, Coordinator, J. Orvis Keller Conference Center, Pennsylvania State University, University Park, Pennsylvania xvi CONTRIBUTORS

AUTHORS

G. A. Alers, Science Center, Rockwell International, Thousand Oaks, California

- C. A. Andersson, Senior Scientist, Materials Research Laboratories, Westinghouse Research Laboratories, Pittsburgh, Pennsylvania
- G. K. Bansal, Department of Metallurgy and Materials Science, Case Western Reserve University, Cleveland, Ohio; now with Battelle Memorial Institute, Columbus Laboratories, Columbus, Ohio
- Gordon B. Batson, Department of the Army, Corps of Engineers, Champaign, Illinois
- J. A. Batt, United Aircraft Research Laboratories, East Hartford, Connecticut
- H. R. Baumgartner, Senior Research Engineer, Norton Company, Worcester, Massachusetts
- E. K. Beauchamp, Supervisor, Ceramics Development, Sandia Laboratories, Albuquerque, New Mexico
- R. M. Cannon, Jr., AVCO Systems Division, Lowell, Massachusetts
- C. P. Chen, Apparatus Engineer, Southern California Edison, Rosemead, California
- J. L. Chermant, Groupe de Cristallographie et Chimie du Solide, Universite de Caen, Caen, France
- K. Chyung, Research and Development Laboratory, Corning Glass Works, Corning, New York
- William G. Clark, Jr., Fellow Engineer, Westinghouse Research, Pittsburgh, Pennsylvania
- John A. Coppola, Senior Engineer, New Products Branch, Carborundun Company, Niagara Falls, New York
- R. W. Davidge, Materials Development Division, Atomic Energy Research Establishment, Harwell, Didcot, Berkshire, England
- A. Deschanvres, Groupe de Cristallographie et Chimie du Solide, Universite de Caen, Caen, France
- R. Dutton, Atomic Energy of Canada, Limited, Whiteshell Nuclear Research Establishment, Pinawa, Manitoba, Canada

CONTRIBUTORS xvii

J. D. Embury, Department of Metallurgy and Materials Science, McMaster University, Hamilton, Ontario, Canada

- F. M. Ernsberger, Senior Scientist, PPG Industries, Pittsburgh, Pennsylvania
- A. G. Evans, National Bureau of Standards, Washington, D. C.
- M. E. Fine, Department of Materials Science, Northwestern University, Evanston, Illinois
- Iain Finnie, Mechanical Engineering Department, University of California, Berkeley, California
- Stephen W. Freiman, Ceramic Engineering, Naval Research Laboratory, Washington, D. C.
- Edwin R. Fuller, Jr., Research Physicist, Inorganic Material Division, National Bureau of Standards, Washington, D. C.
- Otto R. Gericke, Chief, Nondestructing Testing, Army Materials and Mechanical Research Center, Watertown, Massachusetts
- L. J. Graham, Science Center, Rockwell International, Thousand Oaks, California
- David J. Green, Graduate Student, Department of Metallurgy and Materials Science, McMaster University, Hamilton, Ontario, Canada
- Robert M. Gruver, Technical Director, Ceramic Finishing Company, State College, Pennsylvania
- J. M. Harris, Science Center, Rockwell International, Thousand Oaks, California
- A. H. Heuer, Department of Metallurgy and Materials Science, Case Western Reserve University, Cleveland, Ohio
- M. R. Hoover, Jr., Materials Research Laboratory, Pennsylvania State University, University Park, Pennsylvania
- C. O. Hulse, Research Scientist, United Aircraft Corporation, East Hartford, Connecticut
- Shin-Ichi Hyodo, Applied Physics Department, University of Tokyo, Bukyo-ku, Tokyo, Japan

xviii CONTRIBUTORS

A. Iost, Groupe de Cristallographie et Chimie du Solide, Universite de Caen, Caen, France

- Om Johari, Illinois Institute of Technology, Chicago, Illinois
- G. G. Johnson, Jr., Materials Research Laboratory, Pennsylvania State University, University Park, Pennsylvania
- C. R. Kennedy, Ceramic Science Section, Material Sciences Department, Pennsylvania State University, University Park, Pennsylvania
- M. Kimura, Department of Applied Physics, Faculty of Engineering, University of Tokyo, Bunkyo-yu, Tokyo, Japan
- H. P. Kirchner, Ceramic Finishing Company, State College, Pennsylvania
- W. J. Knapp, School of Engineering and Applied Science, University of California, Los Angeles, California
- D. A. Krohn, Lehigh University, Bethelehm, Pennsylvania
- W. A. Logsdon, Westinghouse Research Laboratories, Pittsburgh, Pennsylvania
- J. L. Lott, Illinois Institute of Technology, Chicago, Illinois
- R. C. Lueth, Carboloy Systems Department, General Electric Company,
 Detroit, Michigan
- H. L. Marcus, Science Center, Rockwell International, Thousand Oaks, California
- Charles W. Marschall, Associate Chief, Deformation and Fracture Research, Battelle Columbus Laboratories, Columbus, Ohio
- Frank A. McClintock, Mechanical Engineering Department,
 Massachusetts Institute of Technology, Cambridge,
 Massachusetts
- K. R. McKinney, Naval Research Laboratory, Washington, D. C.
- H. A. McKinstry, Materials Research Laboratory, Pennsylvania State University, University Park, Pennsylvania
- R. L. Mehan, Space Sciences Laboratory, General Electric Company, King of Prussia, Pennsylvania

CONTRIBUTORS xix

Mel I. Mendelson, Member Research Staff, Ceramic Processing Unit, Western Electric, Princeton, New Jersey

- Junn Nakayama, Asahi Glass Research Laboratory, Kanagawa-ku, Yokohama, Japan
- D. J. Naus, United States Army Construction Engineering Research Laboratory, Champaign, Illinois
- Patrick S. Nicholson, Associate Professor, McMaster University, Hamilton, Ontario, Canada
- Michael J. Noone, Ceramist, Space Science Laboratory, General Electric, Philadelphia, Pennsylvania
- N. M. Parikh, Illinois Institute of Technology, Chicago, Illinois
- Svante Prochazka, Research and Development Center, General Electric Corporation, Schenectady, New York
- Richard A. Queeney, Associate Professor, Pennsylvania State University, University Park, Pennsylvania
- William H. Rhodes, Section Chief, Ceramics Research and Development, Avco Corporation, Lowell, Massachusetts
- Roy W. Rice, Supervisor, Chemistry Department, Naval Research Laboratory, Washington, D. C.
- D. W. Richerson, Norton Company, Worcester, Massachusetts
- G. E. Rindone, Ceramic Science Section, Material Sciences Department, Pennsylvania State University, University Park, Pennsylvania
- John E. Ritter, Jr., Associate Professor, Mechanical Engineering Department, University of Massachusetts, Amherst, Massachusetts
- D. E. Roberts, Institute for Materials Research, National Bureau of Standards, Washington, D. C.
- J. T. A. Roberts, Materials Science Division, Argonne National Laboratory, Argonne, Illinois
- A. Rudnick, Head, Mechanical Department, Standards Institute of Israel, Tel Aviv, Israel
- E. I. Salkovitz, Office of Naval Research, Washington, D. C.

xx CONTRIBUTORS

J. M. Samuels, Industrial Engineering Department, Pennsylvania State University, University Park, Pennsylvania

- John J. Schuldies, Research Engineer, Turbine Research, Ford Motor Company, Dearborn, Michigan
- G. P. Sendeckyj, Department of the Air Force, Air Force Flight Dynamics Laboratory, Wright Patterson Air Force Base, Ohio
- L. A. Simpson, Research Officer, Atomic Energy of Canada, Limited, Whiteshell Nuclear Research Establishment, Pinawa, Manitoba, Canada
- H. L. Smith, Naval Research Laboratory, Washington, D. C.
- B. Steverding, Department of the Army, Development and Engineering Laboratory, United States Army Missile Command, Redstone Arsenal, Alabama
- Frederick Szalkowski, Member, Technical Staff, North American Rockwell, Thousand Oaks, California
- L. Tarhay, Materials Research Laboratory, Pennsylvania State University, University Park, Pennsylvania
- A. S. Tetelman, Materials Department, School of Engineering, University of California, Los Angeles, California
- Robb M. Thomson, Senior Research Scientist, Inorganic Materials Department, National Bureau of Standards, Washington, D. C.
- G. G. Trantina, Materials Science Division, Argonne National Laboratory, Argonne, Illinois; now with General Electric Company, Corporate Research and Development, Schenectady, New York
- R. L. Turner, Department of Engineering Mechanics, Pennsylvania State University, University Park, Pennsylvania
- S. Vaidyanathan, Department of Mechanical Engineering, University of California, Berkeley, California
- R. S. Valachovic, Oak Ridge National Laboratory, Oak Ridge, Tennessee; now with AFC Industries, Incorporated, St. Charles, Missouri
- T. Vasilos, AVCO Systems Division, Lowell, Massachusetts

CONTRIBUTORS

J. B. Wachtman, Jr., National Bureau of Standards, Washington, D. C.

- E. W. White, Materials Research Department, Pennsylvania State University University Park, Pennsylvania
- S. M. Wiederhorn, National Bureau of Standards, Washington, D. C.
- B. J. S. Wilkins, Atomic Energy of Canada, Limited, Whiteshell Nuclear Research Laboratory, Pinawa, Manitoba, Canada
- G. T. Yahr, Engineer, Oak Ridge National Laboratory, Oak Ridge, Tennessee



SUBJECT INDEX

Pages 1-443 are found in Volume 1, pages 445-924 in Volume 2.

| Abrasion, 163, 168, 242 | Auger spectroscopy, 387 |
|-----------------------------------|-----------------------------------|
| Acoustic interferometer, 55 | Axial tension, 77 |
| Acoustic emission, 12, 37, 66, | |
| 122, 175, 189, 201, 660, 895 | Barium titanate, 64, 327, 662 |
| subcritical crack growth, 632, | Basic refractory, 765 |
| 672, 917 | Bending beam, 83 |
| Age hardening (see precipitation) | Beryllium oxide, 61, 223, 232 |
| Alcohols, 312, 627 | 338 |
| Alumina (see aluminum oxide) | Boron carbide, 326, 338 |
| Aluminum nitride, 326 | Boron filaments, 206 |
| Aluminum oxide (see sapphire) | Branching, crack, 12, 309, 823 |
| acoustic emission, 182, 210 | Bubbles, in glass, 172 |
| auger spectroscopy, 387 | |
| fatigue, 660, 691 | Carbides, 347, 791 |
| fractography, 232, 309, 399 | Charpy impact, 44 |
| 421 | Cleavage, 405, 452 |
| fracture surface energy, 452, | Compact tension specimen, 24 |
| 455, 574, 662 | Composites, 13, 132 |
| stress intensity factor, 29, | fibrous, 202, 462, 483, 910 |
| 555, 660, 662 | metal carbide, 347, 791 |
| thermal shock, 765 | non-homogeneous, 269 |
| Aluminum Titanate, 199, 223 | particulate, 13, 269, 469, 599 |
| Anisotropy | polyphase, 11, 459, 527, 807 |
| elastic, 49-68, 339 | Concrete, 469 |
| thermal expansion, 339 | Cone cracks (see Hertzian cracks) |
| Apatite, 61 | Corrosion, 367, 613, 709, 735 |

Cracks, Fabrication defects, 366-386 arrest, 31-41, 599 Failure prediction, 36 geometry, 6, 32, 283, 555 Fatigue, dynamic, 691 growth (see K-V curves), 11, 20, 31, 36, 179, 227, 338, static (see subcritical crack 613, 647, 659, 681, 709, 762, growth), 631 832, 875, 900 universal, 629, 875 thermodynamics, 3, 649, 749 Fiber (filaments) Critical stress intensity factor boron, 206 (see material of interest), 8 glass, 431 Firebrick, 763, 768 Crystallography, 52-62 Firepolishing glass, 164 Decoration of flaws in glass, 166 Flint glass, 310 Delayed fracture (see subcritical Forsterite, 57 Fracture mechanics parameters crack growth) tests (see specimens), 21 Devitrification, 171 Diffusion, 647 Fracture tests, 69-92 Double cantilever beam, 22, 568, Fragmentation, 431 615, 794, 885 Friction, 87 Double torsion specimen, 25, 615, 659 Glass (see specific types) Dynamic strength, 297 acoustic emission, 173 flaws, 161, 232 Elastic constants, 49 fracture mirrors, 309 Electron microprobe, 335, 370 fragmentation, 431 polymer coating, 735 Engineering design, 9, 34, 635, proof testing, 638 829, 857, 875, 895 sodium silicate, 883 Etching cracks, 163 Eutectics, LiNO₃-KNO₃, 165 strain energy, 431, 817 Ca ZrO₃-ZrO₂, 483 subcritical crack growth, 175, 625, 735, 829 Evaporation at crack tip, 289 Glass ceramics, 202, 309, 495, Extreme value distributions, 94

667, 817

728

strength, 457

stress corrosion, 709

Graphite, 509, 557, 807, 863 Materials development, 12, 34 Mica, 495 Hackle, 309 Mirrors, 309, 381 Hertzian cracks, 30, 175, 231 Mist, 309 Mullite, 496 Ice, 61 Impact loading, 29, 44 Nondestructive testing techniques Inclusions, 245, 269, 367, 599 acoustic emission, 122 Intergranular cracking, 357, 390, acousto-optical imaging, 127 421, 452, 664 attenuation, 132 Ion exchange, 166 audio-frequency, 122 Barkhausen effect, 141 (K,V) curves, 625, 669, 681, 832, cathodoluminescence, 156 881, 900, 921 chemical detectors, 127 colorimetry, 147 Lead zirconate titanate (PZT) corona, 137 202, 662 defect-echo analysis, 132 Lithium fluoride, defect location, 129 in alumina, 332 dielectric test, 141 in magnesia, 392, 709 diffraction, 150 Loading rates, 29 echo ranging, 128 eddy current, 139 Magnesium fluoride, 338 eddy-sonic, 140 Magnesium oxide, elastic properties, 129 acoustic emission, 175 eletrical resistance, 137 Auger spectroscopy, 392 electrochemical potential, 136 elastic fracture facotr, 64 electrographic examination, 136 fractography, 310 electromagnetic, 117 fracture surface energy, 450, electron diffraction, 157

electronic scanning, 125

electronmicroscopy, 157

electron mirror microscopy, 157

electron paramagnetic resonance optical spectroscopy, 147 142 photoelastic coatings, 121 electrostatic, 136 positron annihilation, 159 Gamma-ray, 148 probing media, 117 gaseous penetrant, 153 pulse-echo, 129 gravitation, 120 radio-frequency, 141 hydrostatic, 120 radko-isotope tracer, 156 infrared spectroscopy, 147 scanning electron microscopy, ion-, alpha-, proton radiation 157 156 spectroscopy, 143 laser Raman spectroscopy, 147 stress wave emission. 122 liquid crystals, 128 surface distortion, 120 liquid levitation, 125 suspensions, 127 liquid penetrant, 153 thermochromotropic, 128 magnetic particles, 139 thermoelectric potential, 136 magnetoabsorption, 142 triboelectric, 136 magnetostrictive, 140 ultrasonic, 123 microstrain, 120 ultrasonic holography, 123 microwave holography, 144 ultrasonic imaging, 123 microwave reflection, 143 ultrasonic spectroscopy, 130 microwave transmission, 142 visual, 147 Mossbauer spectroscopy, 151 X-ray, 148 motion-of-matter, 117, 120 X-ray spectroscopy, 150 natural resonance, 122 Non-linear effects, 86 neutron activation analysis, Norbergite, 496 159 neutron diffraction, 159 Opening displacement, 26, 899 neutron radiography, 158 Orientation, cracks, 49 nuclear magnetic resonance, Oxidation, 267 nuclear quadropole resonance Phase separation (see precita-144 tion) optical holography, 120 glass, 162