

KIRK-OTHMER

ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

INDEX

VOLUMES **1** TO **4**

FOURTH EDITION

A TO CARBON

TQ02-61

W 2-4: 1[1]

KIRK-OTHMER

ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

FOURTH EDITION

INDEX

VOLUMES 1 to 4
A to Carbon

江苏工业学院图书馆
藏书章

A WILEY-INTERSCIENCE PUBLICATION

John Wiley & Sons

NEW YORK • CHICHESTER • BRISBANE • TORONTO

Copyright © 1993 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Reproduction or translation of any part of this work beyond that permitted by Section 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons, Inc.

Printed in the United States of America

A

A42867 [114540-35-1], 2:1003
 A47934 [90039-80-8], 2:999
 A-62514, 3:179
 A-63075, 3:183
 A-69334, 3:183
 A201A, 3:221
 A204 A [43110-10-7], 3:311
 A40926 A [102961-73-9], 2:1001
 A41030 A [89139-41-3], 2:999
 A51568 A [92182-33-7], 2:1002
 A82846A, 2:1002
 A9145A, 3:222
 A80934 A (Deethylindanomycin) [117615-33-5], 3:317
A. alternata, 3:270
 A130 B [73492-07-6], 3:313
 A204 B [65208-37-9], 3:311
 A28695 B [42617-35-6], 3:311
 A35512 B [63849-30-9], 2:999
 A40926 B [102961-74-0], 2:1001
 A41030 B [89139-42-4], 2:999
 A51568 B [92182-32-6], 2:1002
 A82846B, 2:1002
 AAC. See *Aminoglycoside acetyltransferase*.
 AAD. See *Aminoglycoside adenylyltransferase*.
 Abamectin [71751-41-2], 3:527, 528
 Abbokinase, 4:356
 Abex, 4:535
 Abierixin [100634-16-0], 3:311
 Abietic acid [514-10-3]
 in alkyd resins, 2:63
 in tackifying resins, 1:459
 Ablative materials, 1:1
 Ablators, ceramic, 1:11
 Ablators, charring, 1:12
 Ablators, intumescent, 1:14
 Ablators, melting, 1:8
 Ablators, subliming, 1:8
 Abrasive
 boron nitride as, 4:429
 Abrasive grain
 applications of diamond, 4:1079
 Abrasives, 1:17
 air conditioning in mfg of, 1:691
 alumina in, 2:308
 calcium chloride prewetting, 4:808
 carbides as, 4:841
 silicon carbide in, 4:905
 Abrasive wheels
 synthetic diamond grit, 4:1093
 ABS. See *Acrylonitrile-butadiene-styrene*.
 ABS latex, 1:396

Absorbent
 aluminum sulfate as, 2:333
 Absorption, 1:38
 in air pollution control, 1:755
 Absorptive distillation, 4:170
 ABS resins [9003-56-9], 1:365, **370**, 391
 AC7230 [108266-12-2], 3:317
 A130 C [73522-76-6], 3:313
 A21978C [82800-76-8], 3:286
 A23187, 3:317
 A41030 C [89140-21-6], 2:999
 A82846C, 2:1002
 A9145C [66753-47-7], 3:222
 Acacia gum [9000-01-5], 4:943
 Acaricidal compounds, 3:527
 Acaricide
 organobromines as, 4:579
 Acaroid resin
 benzoic acid in, 4:104
 Acecarbromal [77-66-7], 4:583
 Acedapsone [77-46-3], 2:880
 d₁₀-Acenaphthene
 drinking water standard, 2:768
 Acenaphthylene
 in drinking water, 2:768
 Acenocoumarin [152-72-7]
 as anticoagulant, 4:348
 Acetal [1820-50-4]
 whiskey congener concentration, 4:177
 Acetal bearings, 4:13
 Acetal copolymer, 1:114
 Acetaldehyde [75-07-0], 1:94, 481, 732, 926
 in acetic acid, 1:121
 acetic anhydride from, 1:145
 acetylation of, 1:126
 from acetyl chloride, 1:156
 from acetylene, 1:196
 in alcohol fuel exhaust, 1:842
 1-butanol from, 4:694
 as congener in spirits, 4:161
 oxidation to acetic acid, 1:127
 pentaerythritol from, 1:917
 reaction with acetic anhydride, 1:144
 reaction with hemoglobin, 4:320
 use in alcohol production, 1:909
 whiskey congener concentration, 4:177
 Acetaldehyde hydrate [4433-56-1], 1:97
 Acetaldehyde monoperoxyacetate [7416-48-0], 1:145
 Acetaldol [107-89-1]
 from acetaldehyde, 1:98
 Acetalgin, 2:597
 Acetal homopolymer, 1:113
 Acetal, methyl
 of acetone, 1:179
 Acetal resin [37273-87-3]
 as bearing materials, 4:12

2 INDEX TO VOLUMES 1-4

- Acetal resins, 1:109
in building and construction, 4:633
- Acetals
of acrolein, 1:238
from aldehydes, 1:931
uses of, 1:931
- Acetamide [60-35-5], 1:139, 732
- Acetamide melts
in electroplating, 1:140
- Z-2-Acetamidocinnamic acid [55065-02-6]
enantioselective reduction of, 2:522
- 3-Acetamido-4-hydroxyphenyl arsonic acid
[97-44-9], 2:594
- 2-Acetamido-5-nitrothiazole [140-40-9],
3:508
- 4-Acetamidophenol [103-90-2], 2:597
- Acetaminophen [103-90-2], 2:597, 735, 738
acetyl chloride in manufacture, 1:158
glycoside formation, 4:917
- Acetanilide [103-84-4], 2:429, 439, 738
acetyl chloride in manufacture, 1:158
electrolytic hydroxylation of, 2:597
sulfonamide preparation, 2:888
- o-Acetaniside [93-26-5]
azo dye precursor, 3:857
- Acetarsol [97-44-9], 2:594
combined with nystatin, 3:477
- Acetarsone [97-44-9], 2:592
- Acetate fiber
resistance of, 3:554
- Acetate of lime, 1:132
- Acetates
of amyl alcohols, 2:714, 722
- Acetatohydroxotricyclohexylantimony
[85362-34-1], 3:403
- Acetic acid [64-19-7], 1:121, 165; 4:563, 769
from acetaldehyde, 1:97
acetic anhydride from, 1:144
acrylates from, 1:305
ammonium acetates from, 2:692
from butylenes, 4:730
chlorination of, 1:167
complexes with cadmium, 4:767
as congener in spirits, 4:161
diffusion coefficient for, 1:76
dimethylacetamide from, 1:161
halogenated derivatives, 1:165
in ruminants, 3:322
- Acetic acid, glacial [64-19-7]
aquaculture therapeutants, 3:610
- Acetic acid manufacture
acetone by-product, 1:181
- Acetic anhydride [108-24-7], 1:142; 4:774
from acetaldehyde, 1:97
from acetic acid, 1:121
dimethylacetamide from, 1:161
- Acetoacetanilide [102-01-2], 2:439
azo coupling, 3:825
in azo dyes, 3:826
- Acetoacetic esters
reactions with alkoxides, 2:40
- Acetobacterium
acetic acid from, 1:133
- Acetobromoglucose [572-09-8], 4:572, 921
- 2-Acetolactic acid [918-44-5]
diacetyl precursor, 4:49
- Acetone [67-64-1], 1:176
absorption into water, 1:61
from acetaldehyde, 1:100
acetaldehyde miscibility, 1:94
acetic acid by-product, 1:127
acetic anhydride from, 1:145
in aerosols, 1:673
from cumene, 2:96
diffusion coefficient for, 1:76
diffusion coefficient in water, 1:73
reaction with acetic anhydride, 1:144
reaction with butyraldehyde, 4:738
- Acetone cyanohydrin [75-86-5], 1:177
- Acetone sodium bisulfite [540-92-1], 1:176
- Acetonitrile [75-05-8], 1:732
acetamide from, 1:141
in batteries, 3:1022
complexes with aluminum chloride,
2:282
for extractive distillation, 4:714
- Acetophenone [98-86-2], 1:732
from acetic anhydride, 1:144
acetone by-product, 1:183
acetyl chloride in manufacture, 1:158
from benzene, 4:79
- Acetorphan [81110-73-8], 2:738
- p-Acetotoluidide [103-89-9]
azo dye precursor, 3:857
- Acetous acid. See *Acetic acid*.
- 2-Acetoxy-2,5-dihydrofuran [63848-92-0]
in nitrofurans preparations, 2:872
- Acetoxylation process
butanediol from, 1:211
- Acetylacetone [123-54-6]
from acetic anhydride, 1:144
actinide compounds of, 1:429
reactions with alkoxides, 2:40
- N-Acetylacrylamide [1432-45-7], 1:256
- N-Acetyl-D-Ala-D-Ala [19993-26-1]
in affinity resins, 2:1008
- 2-Acetylaminofluorene [53-96-3], 1:732
- 15-O-(4-O-Acetylarcansoyl)lankamycin
[65423-07-6], 3:175
- Acetylarsan [534-33-8], 2:595
- N-Acetylaspatic acid [997-55-7]
as neurotransmitter, 2:530
- Acetylation
use of acetic anhydride, 1:151

- Acetyl bromide [506-96-7], 4:572, 769
 Acetyl-1-carnitine [14992-62-2], 2:820
 Acetyl chloride [75-36-5], 1:155
 from acetaldehyde, 1:99
 Acetylcholine [51-84-3], 2:910
 calcium ion dependence, 4:794
 as neurotransmitter, 2:834
 use in biosensors, 4:211
 Acetylcholine bromide [66-23-9], 4:583
 Acetylene [74-86-2]
 from calcium carbide, 4:792, 841, 879
 chemicals from, 1:195
 ethyl acrylate from, 1:302
 hydration to acetaldehyde, 1:103
 in prepn of carboranes, 4:467
 solubility in acetaldehyde, 1:96
 Acetylene black, 4:1038
 Acetylene black process, 4:1054
 Acetylene-derived chemicals, 1:195
 Acetylene dibromide (*cis* and *trans*) [540-49-8], 4:572
 Acetylene dicarboxylic acid [142-45-0]
 from butynediol, 1:203
 Acetylene tetrabromide [79-27-6], 4:572
 Acetylenheptin [140-40-9], 3:507
 Acetylenic alcohols, 1:216
 Acetylenic polyurethanes
 from butynediol, 1:203
 2'-O-Acetylerythromycin [992-69-8], 3:180
 2'-O-Acetylerythromycin stearate, 3:179
 N-Acetylethanolamine [142-26-7], 2:3
 Acetylfuratrizine [1789-26-0], 2:871
 Acetylides, 4:841
 3-O-Acetyl-4'-O-isovaleryltylosin (AIV-tylosin) [63409-12-1], 3:196
 N-Acetyl-5-methoxytryptamine [73-31-4], 2:823
 3-[(Acetyloxy)methyl]-7-[(5-amino-5-carboxy-1-oxopentyl)amino]-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 3:28
 Acetyl peroxide [110-22-5], 1:156
 from acetyl chloride, 1:155
 D-N-Acetylphenylalanine [10172-89-1], 2:522
 Acetylsalicylic acid [50-78-2], 2:739
 from acetic anhydride, 1:151
 aluminum salts, 2:277
 N-Acetylsulfanilyl chloride [121-60-8]
 sulfonamide preparation, 2:888
 N'-Acetylsulfisoxazole [80-74-0], 2:879
 Acheson furnace, 4:971
 Acheson process
 production of silicon carbide powder, 1:624
 for silicon carbide mfg, 4:898
 Achromycin [60-54-8], 2:896; 3:339, 491
 1,2,4-Acid [116-63-2]
 in azo coupling reactions, 3:828
 Acid azine dyes, 3:814
 Acid Blue 78 [6424-75-5], 4:576
 Acid blue and acid yellow, 3:613
 Acid catalyst
 boric oxide as, 4:371
 Acid coupling
 to form azo dyes, 3:829
 Acid deposition
 from air pollutants, 1:736
 atmospheric models of, 3:746
 modeling for, 3:734
 Acid dissociation constants
 of aminophenols, 2:583
 Acid dyes
 with azo groups, 3:835
 Acid fog, 1:724
 α_1 -Acid glycoprotein (α_1 -AGP)
 use in chiral separation, 4:192
 Acid-modified starches, 4:935
 Acidolysis process
 for alkyd resins, 2:72
 Acid Orange 7 [633-96-5], 3:829
 Acid phosphatase
 detection of, 4:202
 α -Acids
 in hops, 4:31
 β -Acids
 in hops, 4:31
 Acid suppressor
 acetamide, 1:141
 Acid Yellow 40 [6372-96-9], 3:836
Acinetobacter sp., 3:124
Acintomadura verrucosospora ATCC 31466, 3:315
 Acme Norosac G-10, 3:614
 Acne vulgaris
 antibiotic treatment of, 3:162
 use of tetracyclines against, 3:341
 Aconitine [302-27-2], 1:1077
 Acosamine, 2:1007
 A82810 (CP84657) [127759-24-4], 3:310
 Acquired immune deficiency syndrome (AIDS), 2:940; 4:312
 Acranil [1684-42-0], 3:506
 Acrawax C, 2:352
 Acridine [260-94-6], 4:199
 Acridine orange [65-61-2]
 antiviral activity, 3:580
 Acrol, 2:594
 Acrolein [107-02-8], 1:232, 289, 306, 732, 932
 from acetaldehyde, 1:98
 acrylic esters from, 1:320
 from allyl alcohol, 2:149
 in amino acid synthesis, 2:517
 reaction with acetic anhydride, 1:144

4 INDEX TO VOLUMES 1-4

Acrolein (*Continued*)

reaction with *n*-butyraldehyde, 4:739

Acrolein acetals, 1:238

Acrolein and derivatives, 1:232

Acrolein dimer [100-73-2], 1:244

Acrylamide [79-06-1], 1:251, 266, 289, 732

from acrylonitrile, 1:355

in amino resins, 2:609

Acrylamide-acrylamido-2-methylpropane sulfonic acid copolymers [40623-74-2], 1:278

Acrylamide-acryloxyethyltrimethylammonium chloride copolymers [69418-26-4], 1:277

Acrylamide-allylthiourea copolymers, 1:278

Acrylamide polymers, 1:255, 266

Acrylamide sulfate [15497-99-1]

from acrylonitrile, 1:257, 355

Acrylamido-2-methylpropanesulfonic acid [15214-89-8], 1:278

2-Acrylamido-2-methylpropanesulfonic acid [15214-89-8], 1:259

from acrylonitrile, 1:367

in starch-acrylonitrile copolymers, 1:382

3-Acrylamidopropionamide [21963-06-4] acrylamide dimer, 1:255

Acrylate esters, 1:290

Acrylates, 1:287, 315

Acrylic

in friction materials, 4:525

Acrylic acid [79-10-7], 1:289, 732

from acetic acid, 1:126

from acetylene, 1:196

from acrolein, 1:236

acrylic ester comonomer, 1:326

acrylic esters from, 1:320

in acrylonitrile copolymers, 1:381

from acrylonitrile, 1:355

from allyl alcohol, 2:149

Acrylic acid and derivatives, 1:287

Acrylic acid dimer, 1:294

Acrylic anhydride [2051-76-5], 1:289

Acrylic ester polymers, 1:314

Acrylic esters, 1:292

Acrylic fibers, 1:364

oxazine dyes, 3:816

Acrylic latex paints, 1:336

Acrylic resins

in building and construction, 4:632

Acrylics

as adhesives, 1:455

in friction materials, 4:529

Acrylonitrile (AN) [107-13-1], 1:352, 732; 2:170

in ABS manufacture, 1:396

from acetaldehyde, 1:100

from acetylene, 1:196

acrylic ester copolymerization, 1:324

adiponitrile from, 2:493

in amino acid synthesis, 2:517

from ammonia, 2:685

barrier copolymers from, 3:940

grafting onto starch, 4:937

hydration of, 1:256

hydrolysis of, 1:304

SAN copolymers, 1:370

Acrylonitrile barrier polymer

O₂ permeability vs free volume, 3:956

Acrylonitrile-butadiene, 3:357

Acrylonitrile-butadiene elastomers

in adhesives, 1:456

Acrylonitrile-butadiene-styrene (ABS) [9003-56-9]

in building and construction, 4:632

Acrylonitrile-butadiene-styrene (ABS) polymers [9003-56-9], 1:391, 4:673

Acrylonitrile copolymer (SAN) [9003-54-7], 1:391

Acrylonitrile-methyl acrylate copolymers [24968-79-4], 3:942

Acrylonitrile polymers, 1:370

Acrylonitrile-styrene copolymers [9003-54-7], 3:942

Acryloxyethyltrimethylammonium chloride [44992-01-0]

comonomer of acrylamide, 1:270

3-Acryloxypionic acid [24615-84-7], 1:306

acrylic acid derivative, 1:291

Acryloyl chloride [814-68-6], 1:289

in polyol esterification, 1:913

Acryloyloxyethyltrimethylammonium chloride [44992-01-0]

acrylamide comonomer, 1:274

Actamycin [76045-67-5], 2:928, 943

Actamycins, 2:931

Actaplanin A [88357-81-7], 2:999

Actaplanin B₁ [88357-82-8], 2:999

Actaplanin B₂ [88357-83-9], 2:999

Actaplanin B₃ [88357-84-0], 2:999

Actaplanin C₁ [88357-85-1], 2:999

Actaplanin C₃ [88357-88-4], 2:999

Actaplanin G [88381-73-1], 2:999

Actinides and transactinides, 1:412

Actinium [7440-34-8], 1:413

electronic configuration, 1:423

Actinium-227 [14952-40-0], 1:420

Actinoidin A [60382-78-7], 2:1004

Actinoidin A₂ [108905-13-1], 2:1005

Actinoidin B [60382-79-8], 2:1004

Actinolite [12172-67-7], [77536-66-4], 1:744; 3:665

- Actinomadura*, 3:218
Actinomadura azurea FERM BP-83, 3:310
Actinomadura crenea ATCC 31676, 3:310, 3:317
Actinomadura fibrosa NRRL 18348, 3:310
Actinomadura macra ATCC 31286, 3:309
Actinomadura oligospora NRRL 15878, 3:310
Actinomadura parvosata, 2:997
Actinomadura roseorufa ATCC 39697, 3:311, 3:313
Actinomadura roseorufa ATCC 53666, 3:313
Actinomadura routienii Huang N365-41, 3:309
Actinomadura sp., 2:997
Actinomadura sp. ATCC 53676, 3:312
Actinomadura sp. ATCC 53708, 3:310
Actinomadura sp. ATCC 53764, 3:309
Actinomadura sp. FERM P-9063, 3:316
Actinomadura sp. MI429-38F1, 3:315
Actinomadura sp. MI215-NF3, 3:310
Actinomadura verrucospora NRRL 18236, 3:316
Actinomadura yumaense NRRL 12515, 3:312
Actinomyces roseolus, 3:159
Actinomyces sp., 2:997
Actinomycetes
 as air pollutants, 1:745
 as antibiotic source, 2:898
 resistance to elfamycins, 2:991
Actinomycin C, 3:289
Actinomycin C1, 3:288
Actinomycin D, 3:288
Actinoplanes missouriensis, 2:996
Actinoplanes missouriensis NRRL 15647
 dalbaheptide glycopeptides from, 2:1008
Actinoplanes sp., 2:996, 997
Actinoplanes teichomyceticus, 2:996
 dalbaheptide glycopeptides from, 2:1008
Actinoplanes utahensis, 3:287
Actinorhodin, 2:899
Actinosamine, 2:1007
Actinotiocin [39454-49-4], 3:282
Activated alumina [1344-28-1], 1:497, 575
 for adsorption, 1:543
 use in air conditioning, 1:704
Activated carbon [7440-44-0], 1:497, 575; 4:1015
 in air pollution control, 1:758
 in batteries, 3:1110
 for feed gas purification, 2:659
 gas adsorption, 1:529
 use in odor control, 1:811
Activated carbons
 for adsorption, 1:542
Activated sludge
 aeration of, 1:657
Activated sludge systems
 oxygen requirements, 1:667
Activating groups
 in electrophilic aromatic substitution, 4:76
Activation analysis
 for bromide detection, 4:554
Active chlorine, 4:274
Active dry yeasts, 3:879
Active oxygen (AO), 4:281
Active oxygen method (AOM)
 food testing, 3:439
Activol, 2:591
Actuators
 use of electroceramics, 1:601
Aculeacin A [58814-86-1], 3:287
Acumycin (cirramycin B) [25999-30-8], 3:190
Acutrim, 3:417
Acyclovir [59277-89-3], 3:588
Acyclovir diphosphate [66341-17-1], 3:589
Acyclovir monophosphate [66341-16-0], 3:589
Acyclovir triphosphate [66341-18-2], 3:589
Acylation
 use of chloroacetyl chloride, 1:170
N-Acylation
 of aminophenols, 2:584
O-Acylation
 of aminophenols, 2:584
2-Adamantanone [700-58-3]
 reductive amination, 2:390
1-Adamantylamine [768-94-5], 2:387
1-Adamantylamine hydrochloride [665-66-7], 2:400
Adamsite, 3:644
Additives
 in aviation fuels, 3:795
 in carbon and graphite processing, 4:958
Adechlorin (2'-chloro-2'-deoxycoformycin) [96328-17-5], 3:229
Adecypenol [104493-13-2], 3:229
Adeinine arabinoside [5536-17-4], 2:902
A80438 (Demethoxylonomycin A, SF2437) [108044-86-6], 3:311
Adeninyhydroxypropanoic acid alkyl esters
 inhibition of, 3:587
Adenomycin [76174-56-6], 3:247
Adenosine deaminase
 inhibition of, 3:215
Adenosine diphosphate (ADP)
 use in clinical assay, 3:757
Adenosine kinase
 inhibition of, 3:249

6 INDEX TO VOLUMES 1-4

- Adenosine monophosphate [16955-44-5], 4:216
- Adenosine receptors
 role in asthma, 2:839
- Adenosine triphosphate [56-65-5]
 detection by biosensors, 4:216
- Adenosine 5'-triphosphate (ATP)
 use in clinical assay, 3:757
- (S)-S-Adenosylhomocysteine [979-92-0], 3:593
- S-Adenosyl-L-homocysteine hydrolase
 inhibition of, 3:587
- (S)-Adenosylmethionine [29908-03-0], 3:587, 593
- Adenoviridae, 3:578
- Adhesive
 bromides as, 4:562
- Adhesive bond strengths, 1:349
- Adhesive formulations
 asbestos in, 3:681
- Adhesives, 1:445; 2:14
 acrylics, 1:337
 amino resin types, 2:613
 calcium carbonate in, 4:800
 calcium chloride in, 4:809
 cyanoacrylates, 1:344
 pentaerythritol in, 1:920
 in plywood, 4:609
 use of aluminum hydroxide in, 2:264
 use of organobromines in, 4:578
 use of polylytic alcohols, 1:921
- Adhumulone, 4:31
- Adipamide [628-94-4], 1:469
 acrylamide dimer, 1:255
- Adipate esters, 1:469
- Adipex-P, 3:417
- Adiphenine hydrochloride [50-42-0], 4:581
- Adipic acid [124-04-9], 1:466
 adiponitrile from, 2:493
 in alkyd resins, 2:57
 barrier polymers from, 3:942
 from butadiene, 4:667
- Adipic polyanhydride
 from acetic anhydride, 1:144
- Adiponitrile [111-69-3], 1:471
 from acrylonitrile, 1:356, 365
 from butadiene, 4:667
 hydrogenation of, 1:486; 2:395
 reduction of, 2:493
- Adipoyl chloride [111-50-2], 1:470
- Adjuncts
 in beer brewing, 4:29
- Adlupulone, 4:31
- ADMA, 2:417
- Admiralty brass (alloy 443), 3:630
- Admiralty Metal
 antimony in, 3:377
- Adogen, 2:415
- Adogen 1, 2:351
- Adogen 40, 2:351
- Adogen 42, 2:351
- Adogen 60, 2:351
- Adogen 72, 2:351
- Adol, 1:875
- Adrenalin [51-43-4], 1:70
- Adrenergic
 organobromines as, 4:580
- β -Adrenergic stimulants
 as antiasthmatic agents, 2:833
- β -Adrenoceptors
 role in asthma, 2:834
- Adrenocorticotrophic hormone peptides
 aluminum monostearate with, 2:276
- Adrenocorticotrophic hormone, 2:730
- Adrenosem, 4:345
- Adriamycin [23214-92-84]
 as antitumor antibiotic, 2:901
- Adriprene L-100
 ethylene glycol compatibility, 3:357
- Adsorbents, 1:497, 540, 574
 activated aluminas as, 2:291
 in air pollution control, 1:758
 beer stabilization, 4:49
 boehmite in preparation of, 2:323
 tabular aluminas in, 2:311
 use of activated aluminas, 2:297
- Adsorption, 1:493
 in air pollution control, 1:758
 use of activated aluminas, 2:299
 use of zeolites, 2:266
- Adsorption, gas separation, 1:529
- Adsorption, liquid separation, 1:573
- Adsorptive properties
 of activated carbon, 4:1016
- Advanced ceramics, 1:601
 electronic, 1:601
 structural, 1:620
- A41030 E [89139-43-5], 2:999
- AEPD, 2:27
- Aeration, 1:645
 biotechnology, 1:645
 water treatment, 1:660
- Aerators
 for wastewater treatment, 1:664
- Aerosols, 1:670
 as air pollutants, 1:726
 in air pollution models, 3:736
- Aerospace applications
 batteries for, 3:1050
 of graphite, 4:982
- Aerospace industry
 adhesives in, 1:454
 use of beryllium, 4:137

- Aerospace structures
 use of aluminum alloys, 2:236
 Aerotex Antistatic D, 3:558
 AET [56-10-0], 4:583
 A41030 F [89140-20-5], 2:999
 Affirm, 3:528
 Aflatoxin B₁ [1162-65-8], 4:200
 detection of, 4:201
 Aflatoxin M₁ [6795-23-9], 4:200
 detection of, 4:201
 Aflorix, 3:479
 African trypanosomiasis, 3:653
 Afterchrome method
 for azo dyes, 3:845
 Afterchrome process, 3:841
 Agar [9002-18-0], 4:942
 Agarose [9012-36-6], 4:942
 Aged skin, 2:815
 AgeRite DPPD [74-31-7], 3:451
 AgeRite White [93-46-9], 3:451
 Agglomerates, 4:1041
 Aggregates, 4:1041
 for asphalts, 3:719
 of carbon black, 4:1044
 Aging
 roll of amino acids, 2:531
 Aging distilled spirits, 4:172
 Aging process, 2:815
 β_2 -Agonists
 as antiasthmatic agents, 2:833
 Agriculture industry
 benzyl alcohol in, 4:119
 Agri-Mek, 3:528
Agrobacterium radiobacter, 3:252
 Agrochemicals
 alkyl phenols, 2:113
 Agrocin 84 [59111-78-3], 3:250
 Agroclavine [548-42-5], 1:1044, 1068
 A30912H [77368-57-1], 3:287
 AIBN. See 2,2' Azobis isobutyronitrile.
 AIDS. See Autoimmune Deficiency Syndrome.
 Air
 in batteries, 3:1013, 1077
 Air bags
 boron in, 4:364
 Air-blown asphalts, 3:697, 716
 Air cell, 3:986
 Air conditioning, 1:686
 Aircraft
 aluminum alloys in, 2:232
 deicing of, 3:359
 use of aluminum in, 2:248
 use of beryllium in, 4:137
 Aircraft fittings
 use of aluminum alloys, 2:234
 Aircraft fuels, 3:809
 Air electrode, 3:1075
 Air pollution, 1:711
 Air pollution control methods, 1:749
 AISI 304 [11109-50-5], 4:19
 AISI 430 [11109-52-7], 4:19
 AISI 1010 [12725-33-6], 4:19
 AISI 4820 [35724-97-5], 4:17
 AISI 8620 [12731-87-2], 4:17
 AISI 52100 [12725-40-5], 4:17
 AISI 440C [12725-30-3], 4:17
 AIV-tylosin [63409-12-1], 3:196
 Ajicel, 3:45
 Ajmalicine [483-04-5], 1:1069
 Ajmaline [4360-12-7], 1:1069
 Alabaster, 4:814
 Alachlor [15972-60-8], 1:170
 in drinking water, 2:768
 Alamethicin [27061-78-5], 3:270, 285
 Alamine, 2:415
 Alanine [6898-94-8], 2:505
 from acetaldehyde, 1:100
 in glycopeptide antibiotic, 2:1007
 β -Alanine [107-95-9]
 as neurotransmitter, 2:530
 D-Alanine [338-69-2], 2:505
 DL-Alanine [302-72-7], 2:505
 by chemical synthesis, 2:549
 L-Alanine [56-41-7], 2:505
 1-Alanine
 use in clinical assay, 3:756
 Alanine aminotransferase (ALT)
 clinical assay for, 3:756
 Alanine β -naphthylamide [74144-49-3]
 chiral separation of, 4:191
 D-Alanyl-carboxypeptidase-transpeptidase
 (C Pase-T Pase), 3:155
 L-Alanyl-L-2,3-epoxy-4-oxohexahydro-
 phenylalanine [29393-20-2], 3:295
 5'-O-L-Alanysulfamoyl-2-chloroadenosine
 [91432-48-3], 3:227
 Albistat, 3:479
 Albomycetin, 3:177
 Albomycin [1414-39-7], 3:268
 Albomycin δ_1 [82113-69-7], 3:246
 Albomycin δ_2 [82113-67-5], 3:246
 Albomycin ϵ [82113-68-6], 3:246
 Albomycins [1414-39-7], 3:237, 267
 Alborixin (CP38986, S14750) [57760-36-8],
 3:316
 Albumin, 4:314
 clinical assay for, 3:756
 detection of, 4:205
 Albumin determination, 2:594
 Albumins
 in barley, 4:39
 Albuterol [18559-94-9]
 as antiasthmatic agent, 2:836

- Alcar [14992-62-2]
 mental improvement, 2:820
- Alcian blue
 as blood cell stain, 3:782
- Alcohol amination, 2:374
- Alcoholates, 2:35
- Alcohol dehydrogenase
 use in biosensors, 4:214
- Alcohol distillation, 4:153
- Alcohol free beer, 4:56
- Alcohol fuels, 1:826
- Alcoholic beverages, 4:153
- Alcoholic proof, 4:159
- Alcohol oxidase
 use in biosensors, 4:216
- Alcohols
 in aerosols, 1:673
 as antifreeze, 3:349
 as gasoline additive, 1:837
- Alcohols, detergent
 higher aliphatic, 1:894
- Alcohols, higher aliphatic, 1:865
 synthetic processes, 1:893
 survey and natural alcohols
 manufacture, 1:865
- Alcohols, plasticizer
 higher aliphatic alcohols, 1:894
- Alcohols, polyhydric, 1:913
- Alcohol yield, 4:157
- Alcoholysis process
 for alkyd resins, 2:70
- Aldaric acids, 4:925
- Aldehyde polymers, 1:109
- Aldehydes, 1:926
 as alcohol feedstocks, 1:874
 as congener in spirits, 4:161
 odor control of, 1:811
 in photochemical smog, 1:718
 reduction by sodium borohydride, 4:499
 in the atmosphere, 1:724
- Aldgamycin E [11011-06-6], 3:194
- Aldgamycin F [55141-41-8], 3:194
- Aldgamycin G [107745-56-2], 3:194
- D-Aldgarose [26428-87-5], 3:170
- Aldicarb, 2:379
 detection of, 4:201
- Aldicarb sulfone
 detection of, 4:201
- Alditols, 4:925
- Aldol addition, 1:930
- Aldol chemicals, 1:179
 from acetone, 1:191
- Aldol process
 for alcohols, 1:908
- Aldonic acids, 4:923
- Aldoses, 4:912
- Aldrin
 in drinking water, 2:768
- Ale, 4:24, 312
- Alfadone acetate [23930-37-2], 2:790
- Alfaxalone [23930-19-0], 2:790
- Alfenta, 2:788
- Alfentanil [71195-58-9], 2:788
- Alfentanyl. See *Alfentanil*.
- Alfol, 1:875
- Alfol 20+, 1:874
- Algae
 as air pollutants, 1:745
 as antibiotic source, 2:894
 blue-green, 3:227
- Algaecide
 organobromines as, 4:579
- Algicide
 borax as, 4:399
- Alginic acid [9005-32-7], 4:941
 use in antibiotic therapy, 2:992
- Algins, 4:941
- Aliphatic amines, 2:369
- Alitame, 2:558
- Alizarin, 2:801
- Alizarine Yellow GG [584-42-9], 3:843
- Alizarin Pure Blue B [6424-75-5], 4:576
- Alkali and chlorine products, 1:938
 chlorine and sodium hydroxide, 1:938
 sodium carbonate, 1:1025
- Alkali cellulose [9081-58-7], 4:932
- Alkaline
 use in clinical assay, 3:756
- Alkaline cell, 3:986
- Alkaline coupling
 to form azo dyes, 3:829
- Alkaline phosphatase
 clinical assay for, 3:756
- Alkali refining
 of fatty acids, 1:879
- Alkaloids, 1:1039
 as asthma therapy, 2:843
 chiral separations of, 4:192
- Alkanolamides, 2:346
- N-Alkanolamides, 2:5
- Alkanolamines from nitro alcohols, 2:26
- Alkanolamines from olefin oxides and
 ammonia, 2:1
- Alkanolamine soaps, 2:5
- Alkazid, 2:665
- Alkoxides, metal, 2:35
- Alkoxypropionaldehydes
 from acrolein, 1:239
- Alkyd paints, 2:80
- Alkyd resins, 2:53
 benzoic acid in, 4:109
 from pentaerythritol, 1:921
- Alkylaluminum halides, 2:266

- Alkylate
 - from butylenes, 4:721
- Alkylate products
 - from HF and butenes, 2:91
- Alkylation, 2:85
 - of ammonia, 2:377
 - of aniline, 2:428
 - of biphenyl, 4:226
 - of diphenylamines, 2:454
- N-Alkylation
 - of aminophenols, 2:584
- O-Alkylation
 - of aminophenols, 2:584
- Alkylation, reductive, 2:375
- Alkylcyclohexane (ACH)
 - aromatization of, 4:596
- Alkylcyclopentane (ACP)
 - aromatization of, 4:597
- Alkylphenol ethoxylates, 2:136
- Alkylphenols, 2:113
- Alkymax, 2:106
- Allantoin [97-59-6]
 - from dichloroacetic acid, 1:169
- Allopurinol [315-30-0], 3:510
- D-Allose [2595-97-3], 4:913
- Alloy 366, 3:630 (See also *Muntz metal*.)
- Alloys
 - arsenical copper, 3:629
 - arsenical lead, 3:629
 - metal-carbide, 4:866
- Allyl acetate [591-87-7], 2:155, 162
- Allyl acrylate [999-55-3], 1:292
- Allyl alcohol [107-18-6], 1:200; 2:145
 - from acrolein, 1:237
- Allyl alcohol and monoallyl derivatives, 2:144
- Allylamine [107-11-9], 2:155, 370
- Allyl bromide [106-95-6], 4:572
- Allyl chloride [107-05-1], 1:732; 2:155
- 1-Allyl-6-chloro-3,5-diethyluracil [20938-38-9], 3:581
- π -Allyl complexes, 2:154
- Allyl 2-cyanoacrylate [7324-02-9], 1:345
- Allyl esters, 2:156
- Allyl ethers, 2:157
- Allyl glycidyl ether [106-92-3], 2:155, 179
- Allyl methacrylate [96-05-9], 2:155, 174
- Allyl methallyl ether [14289-96-4], 2:179
- Allyl monomers and polymers, 2:161
- 3-Allyloxy-1-chloro-2-propanol [4638-03-3], 2:157
- Almond extract
 - benzaldehyde in, 4:70
- Alpha Ace, 1:344
- Alpha-chlordane
 - in drinking water, 2:768
- Alpha-fetoprotein
 - detection of, 4:205
- Alphaprodine [77-20-3], 2:734
- Alpha Techno, 1:344
- Alphavirus, 3:578
- Alprenolol [13655-52-2]
 - chiral separation of, 4:195
- Alteplase (Activase), 4:356
- Alternaria tenuis*, 3:270
- Althesin, 2:790
- D-Altrose [1990-29-0], 4:913
- Alum [7784-24-9], 2:253, 330
 - polyaluminum chlorides from, 2:341
 - in water treatment, 1:277
 - as Ziegler process by-product, 1:900
- Alum cake, 2:264
- Alumina [1344-28-1], 2:253; 3:912; 4:16, 846, 855
 - as advanced ceramic, 1:620
 - in asbestos fibers, 3:664
 - as calcium carbide impurity, 4:882
 - as catalyst support, 2:667
 - in electroceramics, 1:616
 - extraction with sodium hydroxide, 1:1008
 - in friction materials, 4:529
 - gas adsorption, 1:529
 - from gibbsite, 2:321
 - in polyaluminum chlorides, 2:339
 - refractories, 4:140
 - rehydration bonded, 2:296
 - sodium aluminate from, 2:268
 - source of aluminum, 2:191
 - use in antibiotic isolation, 2:1009
 - as Ziegler process by-product, 1:900
- α -Alumina [12252-63-0], 2:197, 291, 302
- β -Alumina [12005-48-0]
 - in batteries, 3:988, 1116
 - use in batteries, 1:605
- β'' -Alumina, 1:636
- Alumina, activated [1318-23-6], 1:497, 576; 2:291
 - gels, 2:296
- Alumina, calcined, 2:302
- Aluminacarboranes, 4:483
- Alumina ceramics
 - from gibbsite, 2:321
- Alumina-coated silica sols
 - polyaluminum chlorides in, 2:338
- Alumina fibers, 2:287
- Alumina gel, 2:317
- Alumina-graphite refractories, 4:1114
- Alumina hydrates, 2:317
- Alumina, metallurgical
 - calcination, 2:295
- Alumina production
 - caustic soda use, 1:1018

- Alumina, reactive, 2:313
 Alumina, tabular, 2:310
 Aluminate [14485-39-3], 2:268
 Aluminate cement, 2:311
meta-Aluminate ion [20653-98-9], 2:268
 Aluminates, 2:267
 Alumina trihydrate [12252-70-9], 2:268, 335
 polyaluminum chlorides from, 2:342
 use with zinc borates, 4:408
 Alumina-zirconia
 as abrasive, 1:25
 Alumina-zirconia ceramics, 1:639
 Aluminosilicate [1327-36-2]
 from sodium aluminate, 2:271
 Aluminosilicates, 1:576
 alkylation catalyst, 2:92
 as zeolites, 2:266
 Aluminothermal process
 for calcium, 4:779
 Aluminum [7429-90-5], 2:184, 252, 282;
 4:128, 150, 849
 aerosol containers, 1:680
 in barium production, 3:905
 in batteries, 3:1077, 1117
 bayerite from, 2:321
 in blasting, 2:701
 boron fibers in, 4:364
 in brakes, 4:526
 brine impurity, 1:988
 detection of trace amounts, 2:755
 reaction with chlorine, 1:998
 reaction with silicon carbide, 4:897
 sodium aluminate from, 2:268
 use in acetic acid storage, 1:134
 use in alcohol production, 1:900
 use in calcium mfg, 4:779
 use in cathode modification, 1:982
 Aluminum acetate [139-12-8] (See also
 Aluminum triacetate.)
 sodium aluminate from, 2:268
 Aluminum acetylsalicylate, 2:277
 Aluminum additive
 use of bismuth, 4:242
 Aluminum-air cell, 3:988, 1077
 Aluminum alkoxides, 1:902
 activated alumina gels from, 2:296
 Aluminum alloys, 2:212
 calcium in, 4:783
 Aluminum and aluminum alloys, 2:184
 Aluminum antimonide [25152-52-7], 3:377,
 385
 Aluminum arsenide [22831-42-1]
 use in semiconductors, 3:630
 Aluminum aspirin, 2:277 (See also
 Aluminum acetylsalicylate.)
 Aluminum babbitt, 4:10
 Aluminum bearing alloys, 4:9
 Aluminum boride (1:12) [12041-54-2], 4:424
 Aluminum brass (alloy 687), 3:630
 Aluminum bromide [77727-15-3], 2:253, 281;
 4:537, 564
 Aluminum bromide hexahydrate [7784-
 11-4], 2:288
 Aluminum bronze [11114-34-4], 4:8
 Aluminum bronzes
 as bearing materials, 4:9
 Aluminum *sec*-butoxide [2269-22-9], 2:47
 Aluminum *sec*-butylate [2269-22-9], 2:47
 Aluminum-cadmium-chromium oxide
 as catalyst, 1:885
 Aluminum-calcium alloy, 4:783
 Aluminum carbide [1299-86-1], 4:843
 from aluminum metal, 2:189
 Aluminum carboxylates, 2:273
 Aluminum cathodes, 4:751
 Aluminum chlorhydroxide (ACH) [12042-
 91-0], 2:253
 Aluminum chloride [7446-70-0], 2:184, 281
 as acetylation catalyst, 1:125
 activated alumina from, 2:295
 alkylation catalyst, 2:87
 aromatic alkylation, 2:94
 in batteries, 3:1117
 polyaluminum chlorides from, 2:341
 Aluminum(I) chloride [13595-81-8], 2:253
 Aluminum(III) chloride [7446-70-6], 2:253
 Aluminum chloride dimer [13845-12-0],
 2:282
 Aluminum chloride hexahydrate [7784-
 13-6], 2:253, 281
 Aluminum chloride hydroxide [1327-41-9],
 2:338
 Aluminum chlorohydrate [12042-91-0],
 2:338
 Aluminum chlorosulfate, 2:333
 Aluminum compounds, 2:252
 Aluminum compound with chromium (7:1)
 [12005-37-7], 2:219
 Aluminum compound with copper (2:1)
 [12004-15-8], 2:216
 Aluminum compound with copper and
 magnesium (Al_2CuMg) [12004-18-1],
 2:227
 Aluminum compound with copper and
 magnesium (Al_6CuMg_4) [12253-80-4],
 2:227
 Aluminum compound with copper and
 manganese (20:2:3) [12355-72-5], 2:230
 Aluminum compound with iron (6:1)
 [12005-28-6], 2:214
 Aluminum compound with lithium (1:1)
 [12042-37-4], 2:218
 Aluminum compound with lithium (3:1)
 [12359-85-2], 2:218

- Aluminum compound with magnesium (3:2) [12004-68-1], 2:217
- Aluminum compound with magnesium (12:7) [12254-22-7], 2:225
- Aluminum compound with magnesium and zinc (2:3:3) [12004-33-0], 2:229
- Aluminum compound with manganese (6:1) [12043-69-5], 2:214
- Aluminum compound with manganese (12:1) [12446-45-6], 2:214
- Aluminum compound with zirconium (3:1) [12004-83-0], 2:220
- Aluminum diacetate, 2:274 (See also *Monobasic aluminum acetate*; *Aluminum subacetate*.)
- Aluminum diboride [12041-50-8], 4:424
- Aluminum dichloride hydroxide [14215-15-7], 2:338
- Aluminum distearate [300-92-5], 2:273, 276 (See also *Monohydroxyaluminum distearate*; *Monobasic aluminum stearate*.)
- Aluminum electrodes, 3:1077
- Aluminum ethoxide [555-75-9], 2:36
- Aluminum 2-ethylhexanoate [6028-57-5], 2:273, 276
- Aluminum extrusion components structural graphite shapes, 4:1002
- Aluminum films, 2:187
- Aluminum flufenamate [16449-54-0], 2:278 (See also *Tris-[2-(3-trifluoromethyl-phenyl)aminobenzoate] aluminum*.)
- use as pharmaceutical, 2:277
- Aluminum fluoride [7784-18-1] use in aluminum production, 2:192
- Aluminum(I) fluoride [13595-82-9], 2:253
- Aluminum(III) fluoride [7784-18-1], 2:253
- Aluminum foil, 2:249
- Aluminum formate, 2:275 (See also *Aluminum triformate*; *Normal aluminum formate*.)
- Aluminum formate solution, 2:275
- Aluminum formoacetate, 2:274
- Aluminum gels thixotropic properties, 2:276
- Aluminum glycinate [13682-92-3], 2:277 (See also *Dihydroxyaluminum aminoacetate*.)
- Aluminum halides and aluminum nitrate, 2:281
- Aluminum hydroxide [21645-51-2], 2:253, 268, 291, 329 in aluminum chloride hexahydrate mfg, 2:287 from aluminum metal, 2:189 in batteries, 3:1077
- Aluminum hydroxide, activated, 2:295
- Aluminum hydroxide oxide [24623-77-6], 2:329
- Aluminum hydroxy oxide [24623-77-6], 2:268
- Aluminum industry use of carbon materials, 4:1007
- Aluminum iodide [7784-23-8], 2:253, 281
- Aluminum iodide hexahydrate [10090-53-6], 2:288
- Aluminum iodide pentadecahydrate [65016-30-0], 2:288
- Aluminum iron silicide ($\text{Al}_9\text{Fe}_2\text{Si}_2$) [12397-57-8], 2:221
- Aluminum iron silicide ($\text{Al}_{12}\text{Fe}_3\text{Si}$) [12397-58-9], 2:221
- Aluminum isopropoxide [555-31-7], 2:47 preparation of aluminum carboxylates, 2:276
- Aluminum isopropylate [555-31-7], 2:47
- Aluminum monochloride dihydroxide [10284-64-7], 2:338
- Aluminum monostearate [7047-84-9], 2:273, 275
- Aluminum nitrate [13473-90-0], 2:281 activated alumina from, 2:297
- Aluminum nitrate nonahydrate [7784-27-2], 2:289
- Aluminum nitride [24304-00-5], 2:643; 4:846 as advanced ceramic, 1:620 from aluminum metal, 2:189 barium as sintering aid, 3:922 in carbide boats, 4:867 in electroceramics, 1:616
- Aluminum octanoate [30745-55-2], 2:273
- Aluminum octoate, 2:276 (See also *Aluminum 2-ethylhexanoate*.)
- Aluminum oxide [1344-28-1], 2:281, 291 as abrasive, 1:23 as silicon carbide sintering aid, 4:899
- Aluminum(II) oxide [14457-64-8], 2:253
- Aluminum oxide (alumina), activated, 2:291
- Aluminum oxide (alumina)—calcined, tabular, and cemented alumina, 2:302
- Aluminum oxide (alumina), hydrated, 2:317
- Aluminum oxide, fused [1344-28-1] hardness of, 1:18
- α -Aluminum oxide-hydroxide [1318-23-6], 2:321
- β -Aluminum oxide hydroxide [14457-84-2], 2:322
- Aluminum oxychloride [13596-11-7], 2:284
- Aluminum palmitate [14236-50-1], 2:276
- Aluminum phosphate [7784-30-7], 2:271
- Aluminum phosphates for adsorption, 1:543

- Aluminum phosphide [20859-73-8]
 from aluminum metal, 2:189
 Aluminum polymers, 2:339
 Aluminum silicate [12141-46-7], 2:253
 Aluminum smelting
 use of activated alumina in, 2:300
 Aluminum soap, 2:274
 Aluminum sodium oxide [1302-42-7], 2:268
 Aluminum sodium phosphates
 as leavening agents, 3:894
 Aluminum stearate, 2:275. See *Aluminum tristearate*; *Monobasic aluminum stearate*; *Dibasic aluminum stearate*.
 Aluminum (stearate/myristate), 2:276
 Aluminum subacetate, 2:274 (See also *Monobasic aluminum acetate*.)
 Aluminum suboxide [12004-36-3], 2:200
 Aluminum sulfate [10043-01-3], 2:330; 3:613
 activated aluminas from, 2:296
 alumina gels from, 2:326
 from flue gas, 2:271
 Aluminum sulfate and alums, 2:330
 Aluminum sulfate anhydrous [10043-01-3], 2:253
 Aluminum sulfate hydrate [17927-65-0], 2:330
 Aluminum sulfate octadecahydrate [7784-31-8], 2:253, 330
 Aluminum sulfate octahydrate [7784-31-8]
 polyaluminum chlorides from, 2:341
 Aluminum sulfide [1302-81-4]
 from aluminum metal, 2:189
 Aluminum triacetate, 2:274 (See also *Normal aluminum acetate*.)
 Aluminum triformate [7360-53-4], 2:275
 (See also *Aluminum formate*; *Normal aluminum formate*.)
 Aluminum triformate trihydrate, 2:275
 Aluminum trihydroxide [21645-51-2], 2:268
 α -Aluminum trihydroxide [14762-49-3], 2:318
 β -Aluminum trihydroxide [20257-20-9], 2:321
 Aluminum tristearate [637-12-7], 2:273, 276
 Aluminum tris(tetrahydroborate) [16963-07-5], 4:464
 Aluminum uranium ethoxide [64653-66-3], 2:37
 Alunite [12588-67-9], 2:253, 332
 Alzheimer's disease, 2:817
 Amantadine hydrochloride [665-66-7], 3:591
 Amantanium bromide [58158-77-3], 4:581
 Amaranth [915-67-3], 3:383
 Amaromycin, 3:177
 Amaryllidaceae alkaloids, 1:1057
 Amasulin, 3:127
 Amberlite 120, 4:753
 Amberlite IR
 use in antibiotic isolation, 2:1009
 Amberlite IRA-400
 in actinide separation, 1:418
 Amberlite IR-1180M
 epoxidation catalyst, 1:143
 Amberlite XAD
 use in antibiotic isolation, 2:1009
 Amberlite XAD-2
 for antibiotic separations, 2:978
 Amberlyst, 2:381
 Ambrake, 4:535
 Ambroxol [18683-91-5], 4:582
 Ambutonium bromide [115-51-5], 4:581
 Ameban [121-59-4], 3:499
 Amebarsone, 3:654
 Amebiasis, 3:490
 Americium [7440-35-9], 1:413
 electronic configuration, 1:423
 Americium-241 [14596-10-2], 1:420
 Americium-242 [13981-54-9], 1:420
 Americium-243 [14993-75-0], 1:420
 Americium trifluoride
 reaction with barium, 3:904
 Ametryn, 2:381, 382
 Amicarbalide [3459-96-9], 3:498
 Amicarbalide diisethionate [3671-76-5], 3:497
 Amicetin [17650-86-1], 3:239
 L-Amicetose [67528-19-2], 3:170
 Amicore THR30, 2:300
 AMICURE PACM, 2:399
 Amidate, 2:786
 Amides
 ammonia in mfg of, 2:686
 hydrogenation of, 2:483
 Amides, fatty acid, 2:346
 Amidine Benzo Dark Green N [3626-28-6], 3:832
 Amidine Fast Red F [2429-84-7], 3:832
 Amidol, 2:594
 Amido Naphthol Red 6B [4321-69-1], 3:837
 Amifloxacin [86393-37-5], 2:861
 Amifur [59-87-0], 3:500
 Amikacin [37517-28-5], 2:897, 905
 Amikacin sulfate [39831-55-5], 2:905
 Amikin, 2:907
 Amination
 of alcohols, 2:373
 of alkyl halides, 2:377
 of olefins, 2:377
 Amination agents
 alkanolamines as, 2:28
 Amine antioxidants, 3:442
 Amine boranes, 4:503

- Amine Guard
in ammonia production, 2:664
use in carbon dioxide removal, 2:665
- Amine oxides, 2:357
- Amine oxides, fatty, 2:410
- Amines
ammonia in mfg of, 2:686
diazotization of, 3:822
odor control of, 1:811
- Amines, aromatic, 2:426
- Amines by reduction, 2:482
- Amines, cycloaliphatic, 2:386
- Amines, fatty, 2:405
- Amines, lower aliphatic, 2:369
- Aminotriazole [140-40-9], 3:508
- Aminoacetonitriles
from alkanolamines, 2:7
- Amino acids, 2:504
ammonia in mfg of, 2:686
detection of, 4:210
electrodes for, 4:203
fluorescein isothiocyanate derivatives, 2:755
- α -Amino acids, 2:504
- Amino acid transfusion, 2:560
- Aminoacidipoyl cysteinyl valine (ACV), 3:153
- δ -(L- α -Aminoacidipyl)-L-cysteinyl-D-valine (LLD-ACV) [32467-88-2], 3:32
- β -Amino alcohols, 2:26
- 3-Aminoaniline [108-45-2]
3-aminophenol from, 2:588
- 1-Aminoanthraquinone [82-45-1], 2:804
- 4-Aminoantipyrine [83-07-8]
peroxidase reaction, 2:534
use in clinical assay, 3:757
- Amino azotoluene [97-56-3]
in azine dye synthesis, 3:815
- 3-Aminobenzenesulfonic acid [121-47-1]
3-aminophenol from, 2:587
azo coupling, 3:853
- 2-Amino-1,3,5-benzenetrisulfonic acid [64775-08-4], 2:432
- Aminobenzoic acid
aluminum salts, 2:277
- p-Aminobenzoic acid (PABA) [150-13-0]
in azo coupling, 3:849
sulfonamide competition, 2:885
- 4-Aminobenzoic acid, 2:791
- 2-Aminobenzothiazoles
diazotization of, 3:823
- N-(p-Aminobenzyl)aniline [17272-83-2], 2:464
- 4-(4'-Aminobenzyl)aniline. See *Methylenedianiline*.
- 4-Aminobiphenyl [92-67-1], 1:732
- Aminoboranes, 4:503
- 1-Amino-4-bromoanthraquinone-2-sulfonic acid, 4:576
- 1-Amino-2-butanol [13552-21-1], 2:3
- 2-Amino-1-butanol [96-20-8], 2:1, 27
- γ -Aminobutyric acid [56-12-2]
receptor role in anesthesia, 2:785
- γ -Aminobutyric acid (GABA) [56-12-2]
and nematode infections, 3:470
as neurotransmitter, 2:530
- ϵ -Aminocaproic acid [60-32-2], 4:358
- 4-[(Aminocarbonyl)amino]phenylarsonic acid [121-59-5], 3:647
- 7-Aminocephalosporanic acid (7-ACA) [957-68-6], 3:28
monobactam precursor, 3:112
- 2-Amino-4-chloro-5-methylbenzenesulfonic acid [88-51-7]
azo coupling, 3:871
- 6-Amino-4-chloro-m-toluenesulfonic acid [88-51-7]
azo coupling, 3:871
- Aminocycloalkanes, 2:386
- 7-Aminodeacetoxycephalosporanic acid (7-ADCA)
from penicillin V, 3:136
- 2'-Amino-2'-deoxyadenosine [10414-81-0], 3:220
- 3'-Amino-3'-deoxyadenosine [2504-55-4], 3:220
- 2-Amino-2-deoxyglucuronic acid, 2:1008
- 2'-Amino-2'-deoxyguanosine [60966-26-9], 3:220
- 2-Amino-4,6-dichlorophenol [527-62-8], 2:592
- 2-Amino-4,6-dichloropyrimidine [56-05-3], 3:581
- 4'-Amino-2',5'-diethoxybenzanilide [120-00-3]
fast color bases, 3:858
- 2-Amino-4,6-dinitrophenol [96-91-3], 2:592
- 2-Amino-3,5-dinitrothiophene [2045-70-7]
in azo dyes, 3:823
- 2-Aminoethanol [141-43-5], 2:3
- 2-(2-Aminoethylamino)ethanol [111-41-1], 2:3
- 1-(2-Aminoethylamino)-2-propanol [123-84-2], 2:3
- ($\pm$)-(R,S)- α -(1-Aminoethyl)benzene-methanol hydrochloride [154-41-6], 3:417
- Aminoethylethanolamine [111-41-1], 2:3
- 2-Amino-2-ethyl-1,3-propanediol [115-70-8], 2:27
- Aminoeversninomicin D, 3:263
- Aminoglycoside acetyltransferase (AAC), 2:909

- Aminoglycoside adenyltransferase (AAD), 2:909
- Aminoglycoside nucleotidyltransferase (ANT), 2:909
- Aminoglycoside phosphotransferase (APH), 2:909
- Aminoglycosides, 2:897, **904**; 3:114
- Aminoguanidine [79-17-4]
antiaging research, 2:827
- 6-Aminohexanoic acid [60-32-2], 4:358
- 4-Aminohexose nucleosides, 3:237
- 3-Amino-4-hydroxybenzenesulfonic acid [98-37-3]
in azo coupling reactions, 3:829
- 4-Amino-2-hydroxybenzoic acid [65-49-6], 2:591, 592
- 2-Amino-2-(hydroxymethyl)-1,3-propanediol [77-86-1], 2:27
- 4-Amino-5-hydroxy-1,3-naphthalenedisulfonic acid [82-47-3]
azo coupling, 3:853
- 4-Amino-3-hydroxy-1-naphthalenesulfonic acid [116-63-2]
in azo coupling reactions, 3:828
from 2-naphthol, 2:497
- 4-Amino-3-hydroxy-7-nitro-1-naphthalenesulfonic acid [6259-63-8], 3:843
- 2-Amino-4-(3-hydroxy-2-oxo-3-azetidiny)-butanoyl-L-threonine [40957-90-2], 3:294
- [(2(S),3(R))-3-Amino-2-hydroxy-4-phenylbutanoyl]-L-leucine [58970-76-6], 3:294
- 5'-Amino-5-iodo-2',5'-dideoxyuridine [56045-73-9], 3:582
- 2-Amino-6-methoxybenzothiazole [1747-60-0]
azo coupling, 3:870
- 2(R)-3(S)-4(E)-6(E)-8-Amino-3-methoxy-2,4-dimethyl-4,6-octadienal, 2:986
- 4-Amino-4'-methoxydiphenylamine [101-64-4]
azo coupling, 3:857
- 4-Amino-4'-methoxydiphenylamine sulfate [6254-98-4]
fast color bases, 3:858
- Aminomethylation
of polyacrylamide, 1:270
- 2-Amino-5-methylbenzenesulfonic acid [88-44-8]
azo coupling, 3:871
- p*-Aminomethylbenzoic acid (PAMBA) [4389-45-1], 4:358
- trans*-4-(Aminomethyl)-cyclohexanecarboxylic acid [1197-18-8], 4:358
- 3(S)-(*trans*)-3-Amino-4(S)-methylmonobactamic acid [80082-65-1], 3:112
- 4-Amino-4-methyl-2-pentanone [625-04-7], 1:179
- L-2-Amino-4-methylphosphinylbutyric acid [35597-44-5], 3:296
- 2-Amino-2-methyl-1,3-propanediol [115-69-5], 2:27
- 2-Amino-2-methylpropanenitrile [19355-69-2], 1:177
- 2-Amino-2-methyl-1-propanol [124-68-5], 2:27
amino resin stabilizer, 2:622
- Amino molding compounds, 2:617
- 3-Aminomonobactamic acid [79720-18-6], 3:112
- 7-Amino-1,3-naphthalenedisulfonic acid [86-65-7]
in azo coupling, 3:850
- 4-Amino-1-naphthalenesulfonic acid [84-86-6]
in Congo Red, 3:848
- 5-Amino-2-naphthalenesulfonic acid [119-79-9]
azo coupling, 3:853
- 8-Amino-1-naphthol-3,6-disulfonic acid [90-20-0]
in azo coupling, 3:827
in azo dyes, 3:826
- 1-Amino-2-naphthol-4-sulfonic acid [116-63-2]
in azo coupling reactions, 3:828
- 6-Amino-1-naphthol-3-sulfonic acid [87-02-5]
in azo coupling, 3:827
- 7-Amino-1-naphthol-3-sulfonic acid [90-51-7]
in azo coupling, 3:827
- 3-Amino-5-nitro-2,1-benzisothiazole [14346-19-1]
azo coupling, 3:867
in azo dyes, 3:823
- 2-Amino-6-nitrobenzothiazole [6285-57-0]
azo coupling, 3:867
in azo dyes, 3:823
- 2-Amino-4-nitrophenol [99-57-0], 2:592
- 2-Amino-5-nitrothiazole [121-66-4], 3:506
- 6-Aminopenicillanic acid (6-APA) [551-16-6], 3:63, 112, 130
chiral penems from, 3:15
as β -lactamase inhibitor, 3:86
- Aminopeptidases
inhibition of, 3:294
- p*-Aminophenol [123-30-8]
from *N*-phenylhydroxylamine, 2:498
- 2-Aminophenol [95-55-6], 2:582
- 3-Aminophenol [591-27-5], 2:582
- 4-Aminophenol [123-30-8], 2:582
- 2-Aminophenol acetate [97777-54-3], 2:583