KIRK-OTHMER

ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

THIRD EDITION

VOLUME 11

FLUORINE COMPOUNDS; ORGANIC TO GOLD AND GOLD COMPOUNDS

KIRK-OTHMER

OF CHEMICAL TECHNOLOGY

Third Edition **VOLUME 11**

Fluorine Compounds, Organic to Gold and Gold Compounds

EDITORIAL BOARD

Poly U.S. of institute of these

Pativborbuiko bastituru 1914-binay 1911 d

CHARLES G. OVERBERGER

GLENN T. SEABORG
Christophy of California by

D SHIPORES IN SHEVEN A

SOUGH SALE DATE

MARTIN GRAYSON

SEMPTO SUIT

YOOKOMOST I

NOTES GREE

Copyright © 1980 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons, Inc.

Library of Congress Cataloging in Publication Data:

Main entry under title:

Encyclopedia of chemical technology.

At head of title: Kirk-Othmer.

"A Wiley-Interscience publication." Includes bibliographies.

 Chemistry, Technical—Dictionaries. I. Kirk, Raymond Eller, 1890–1957. II. Othmer, Donald Frederick, 1904—

III. Grayson, Martin. IV. Eckroth, David. V. Title: Kirk-Othmer encyclopedia of chemical technology.

TP9.E685 1978 660'.03 77-15820 ISBN 0-471-02064-8

Printed in the United States of America

EDITORIAL BOARD

HERMAN F. MARK
Polytechnic Institute of New York

DONALD F. OTHMER OL

Polytechnic Institute of New York

CHARLES G. OVERBERGER University of Michigan

GLENN T. SEABORG
University of California, B .eley

EXECUTIVE EDITOR

MARTIN GRAYSON

ASSOCIATE EDITOR

DAVID ECKROTH

KIRK-OTHMER

ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

THIRD EDITION

VOLUME 11

FLUORINE COMPOUNDS, ORGANIC TO GOLD AND GOLD COMPOUNDS

A WILEY-INTERSCIENCE PUBLICATION

John Wiley & Sons

NEW YORK • CHICHESTER • BRISBANE • TORONTO

EDITORIAL STAFF FOR VOLUME 11

Executive Editor: Martin Grayson
Associate Editor: David Eckroth

Production Supervisor: Michalina Bickford

Editors: Galen J. Bushey
Leonard Spiro

Caroline I. Eastman

Anna Klingsberg

CONTRIBUTORS TO VOLUME 11

- Norman C. Abler, Borg Textile Corporation, Delavan, Wisconsin, Furs, synthetic
- J. H. Adams, Eagle-Picher Industries, Inc., Quapaw, Oklahoma, Germanium and germanium compounds
- **Gary Astrologes,** *Halocarbon Products Corporation, Hackensack, New Jersey,* Bromotri-fluoroethylene under Fluorine compounds, organic
- R. V. Berthold, Union Carbide Corporation, South Charleston, West Virginia, Ethylene glycol and propylene glycol under Glycols
- David C. Boyd, Corning Glass Works, Corning, New York, Glass
- **Donald E. Brasure**, *E. I. du Pont de Nemours & Co., Inc., Buffalo, New York*, Poly(vinyl fluoride) under Fluorine compounds, organic
- **E. S. Brown,** *Union Carbide Corporation, South Charleston, West Virginia,* Ethylene glycol and propylene glycol under Glycols
- Kees A. Bueters, Combustion Engineering, Inc., Windsor, Connecticut, Furnaces, fuelfired
- **E. J. Butterfield,** Boyce Thompson Institute for Plant Research, Inc., Ithaca, New York, Fungicides, agricultural

A. M. Chakrabarty, University of Illinois at the Medical Center, Chicago, Illinois, Genetic engineering

J. G. Cohn, Englehard Minerals & Chemicals Corp., Edison, New Jersey, Gold and gold compounds

B. B. Crocker, Monsanto Company, St. Louis, Missouri, Gas cleaning

John H. Davis, Eastman Chemical Products, Inc., Kingsport, Tennessee, Other glycols under Glycols

Pierre de la Bretèque, Alusuisse France S. A., Marseille, France, Gallium and gallium compounds

Julius E. Dohany, Pennwalt Corporation, King of Prussia, Pennsylvania, Poly(vinylidene fluoride) under Fluorine compounds, organic

Claudio L. Eberling, BASF Aktiengesellschaft, Ludwigshafen, Federal Republic of Germany, Formamide; Dimethylformamide both under Formic acid and derivatives

Takeshi Egami, Institut für Physik, Max Planck Institut für Metallforschung, Stuttgart, Federal Republic of Germany, Glassy metals

Robert H. Essenhigh, The Ohio State University, Columbus, Ohio, Furnaces, fuel-fired **D. F. Farkas,** University of Delaware, Newark, Delaware, Food processing

Thomas Furia, Intermark Corp., Palo Alto, California, Food additives

S. V. Gangal, E. I. du Pont de Nemours & Co., Inc., Parkersburg, West Virginia, Polytetrafluoroethylene; Fluorinated ethylene-propylene copolymers both under Fluorine compounds, organic

H. R. Gerberich, Celanese Chemical Company, Inc., Corpus Christi, Texas, Formaldehyde

Charles O. Grigsby, Los Alamos Scientific Laboratory, Los Alamos, New Mexico, Geothermal energy

Gerald M. Halpern, Exxon Research and Engineering Company, Linden, New Jersey, Fusion energy

C. F. Hauser, Union Carbide Corporation, South Charleston, West Virginia, Ethylene glycol and propylene glycol under Glycols

John H. Hillard, Mountain Fuel Supply Company, Salt Lake City, Utah, Gas, natural

W. C. Hopkins, Celanese Chemical Company, Inc., Corpus Christi, Texas, Formaldehyde Fred H. Hoskins, Louisiana State University, Baton Rouge, Louisiana, Food toxicants, naturally occurring

Jack Huebler, Institute of Gas Technology, Chicago, Illinois, Gaseous fuels under Fuels, synthetic

Henry I. Jacoby, McNeil Laboratories, Fort Washington, Pennsylvania, Gastrointestinal agents

John C. Janka, Institute of Gas Technology, Chicago, Illinois, Gaseous fuels under Fuels, synthetic

Richard L. Johnson, E. I. du Pont de Nemours & Co., Inc., Parkersburg, West Virginia, Tetrafluoroethylene copolymers with ethylene; Tetrafluoroethylene copolymers with perfluoroinyl ethers both under Fluorine compounds, organic

Charles D. Kalfadelis, Exxon Research and Engineering Company, Linden, New Jersey, Liquid fuels under Fuels, synthetic

Joyce C. Kern, Glycerine Producers' Association, New York, New York, Glycerol Guy Kieckhefer, Borg Textile Corporation, Dalavan, Wisconsin, Furs, synthetic

Y. K. Kim, Dow Corning Corporation, Midland, Michigan, Polyfluorosilicones under Fluorine compounds, organic

Donald L. Klass, Institute of Gas Technology, Chicago, Illinois, Fuels from biomass

John C. Lane, Ethyl Corporation, Ferndale, Michigan, Gasoline and other motor fuels John H. Litchfield, Battelle Columbus Laboratories, Columbus, Ohio, Foods, nonconventional

W. J. McKillip, The Quaker Oats Company, Chicago, Illinois, Furan derivatives

David Meidar, University of Southern California, Los Angeles, California, Friedel-Crafts re-

Richard M. Miller, Wellman Thermal Systems Corp., Shelbyville, Indiana, Resistance furnaces under Furnaces, electric

Thomas F. Mitchell, Darling and Company, Chicago, Illinois, Glue

James C. Moyer, New York State Agricultural Experiment Station, Geneva, New York, Fruit juices

Kenneth R. Neel, American Gilsonite Co., Salt Lake City, Utah, Gilsonite

Dan Oakland, Whiting Corporation, Harvey, Illinois, Arc furnaces under Furnaces, electric

George A. Olah, *University of Southern California, Los Angeles, California,* Friedel-Crafts reactions

Theodore P. Perros, George Washington University, Washington, D. C., Forensic chemistry

Harry Perry, Resources for the Future, Washington, D. C., Fuels, survey

B. C. Ream, Union Carbide Corporation, South Charleston, West Virginia, Ethylene glycol and propylene glycol under Glycols

Lester E. Robb, *Pennwalt Corporation, King of Prussia, Pennsylvania,* Poly(vinylidene fluoride) under Fluorine compounds, organic

Sydney Ross, Rensselaer Polytechnic Institute, Troy, New York, Foams

L. R. Rothrock, Union Carbide Corporation, San Diego, California, Gems, synthetic

Henry Shaw, Exxon Research and Engineering Company, Linden, New Jersey, Liquid fuels under Fuels, synthetic

E. Sherman, The Quaker Oats Company, Chicago, Illinois, Furan derivatives

R. E. Skochdopole, The Dow Chemical Company, Midland, Michigan, Foamed plastics

A. L. Stautzenberger, Celanese Chemical Co., Inc., Corpus Christi, Texas, Formaldehyde

Eric W. Stern, Englehard Minerals & Chemicals Corp., Edison, New Jersey, Gold and gold compounds

Daniel R. Stewart, Owens-Illinois, Toledo, Ohio, Glass-ceramics

K. W. Suh, The Dow Chemical Company, Granville, Ohio, Foamed plastics

Mario Tama, Ajax Magnethermic Corporation, Warren, Ohio, Introduction; Induction both under Furnaces, electric

Jefferson Tester, Los Alamos Scientific Laboratory, Los Alamos, New Mexico, Geothermal energy

David A. Thompson, Corning Glass Works, Corning, New York, Glass

David A. Tillman, Consultant, Bellevue, Washington, Fuels from waste

D. C. Torgeson, Boyce Thompson Institute for Plant Research, Inc., Ithaca, New York, Fungicides, agricultural

Felix Viro, Kind & Knox, Division of Knox Gelatine, Inc., Sioux City, Iowa, Gelatin

Paul T. von Bramer, Eastman Chemical Products, Inc., Kingsport, Tennessee, Other glycols under Glycols

Frank S. Wagner, Jr., Celanese Chemical Company, Inc., Corpus Christi, Texas, Formic acid under Formic acid and derivatives; 1,3 Butylene glycol under Glycols

A. C. West, 3M Company, St. Paul, Minnesota, Polychlorotrifluoroethylene under Fluorine compounds, organic

NOTE ON CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBERS AND NOMENCLATURE

Chemical Abstracts Service (CAS) Registry Numbers are unique numerical identifiers assigned to substances recorded in the CAS Registry System. They appear in brackets in the Chemical Abstracts (CA) substance and formula indexes following the names of compounds. A single compound may have many synonyms in the chemical literature. A simple compound like phenethylamine can be named β -phenylethylamine or, as in Chemical Abstracts, benzeneethanamine. The usefulness of the Encyclopedia depends on accessibility through the most common correct name of a substance. Because of this diversity in nomenclature careful attention has been given the problem in order to assist the reader as much as possible, especially in locating the systematic CA index name by means of the Registry Number. For this purpose, the reader may refer to the CAS Registry Handbook-Number Section which lists in numerical order the Registry Number with the Chemical Abstracts index name and the molecular formula; eg, 458-8-8, Piperidine, 2-propyl-, (S)-, C₈H₁₇N; in the Encyclopedia this compound would be found under its common name, coniine [458-88-8]. The Registry Number is a valuable link for the reader in retrieving additional published information on substances and also as a point of access for such on-line data bases as Chemline, Medline and Toxline.

In all cases, the CAS Registry Numbers have been given for title compounds in articles and for all compounds in the index. All specific substances indexed in *Chemical Abstracts* since 1965 are included in the CAS Registry System as are a large number of substances derived from a variety of reference works. The CAS Registry System identifies a substance on the basis of an unambiguous computer-language description of its molecular structure including stereochemical detail. The Registry Number is a machine-checkable number (like a Social Security number) assigned in sequential order to each substance as it enters the registry system. The value of the number lies in the fact that it is a concise and unique means of substance identification, which is

independent of, and therefore bridges, many systems of chemical nomenclature. For polymers, one Registry Number is used for the entire family; eg, polyoxyethylene (20) sorbitan monolaurate has the same number as all of its polyoxyethylene homologues.

Registry numbers for each substance will be provided in the third edition cumulative index and appear as well in the annual indexes (eg, Alkaloids shows the Registry Number of all alkaloids (title compounds) in a table in the article as well, but the intermediates have their Registry Numbers shown only in the index). Articles such as Analytical methods, Batteries and electric cells, Chemurgy, Distillation, Economic evaluation, and Fluid mechanics have no Registry Numbers in the text.

Cross-references are inserted in the index for many common names and for some systematic names. Trademark names appear in the index. Names that are incorrect, misleading or ambiguous are avoided. Formulas are given very frequently in the text to help in identifying compounds. The spelling and form used, even for industrial names, follow American chemical usage, but not always the usage of Chemical Abstracts (eg, coniine is used instead of (S)-2-propylpiperidine, aniline instead of benzenamine, and acrylic acid instead of 2-propenoic acid).

There are variations in representation of rings in different disciplines. The dye industry does not designate aromaticity or double bonds in rings. All double bonds and aromaticity are shown in the *Encyclopedia* as a matter of course. For example, tetralin has an aromatic ring and a saturated ring and its structure appears in the



Encyclopedia with its common name, Registry Number enclosed in brackets, and parenthetical CA index name, ie, tetralin [119-64-2] (1,2,3,4-tetrahydronaphthalene). With names and structural formulas, and especially with CAS Registry Numbers the aim is to help the reader have a concise means of substance identification.

CONVERSION FACTORS, ABBREVIATIONS, AND UNIT SYMBOLS

SI Units (Adopted 1960)

A new system of measurement, the International System of Units (abbreviated SI), is being implemented throughout the world. This system is a modernized version of the MKSA (meter, kilogram, second, ampere) system, and its details are published and controlled by an international treaty organization (The International Bureau of Weights and Measures) (1).

SI units are divided into three classes:

BASE UNITS

length		meter† (m)
mass [‡]		kilogram (k
time		second (s)
electric current	570 1 70 20 5	ampere (A)
thermodynamic ter	nperature§	kelvin (K)
amount of substance	ce	mole (mol)
luminous intensity		candela (cd

[†] The spellings "metre" and "litre" are preferred by ASTM; however "-er" are used in the Encyclopedia.

 $t = T - T_0$

where T is the thermodynamic temperature, expressed in kelvins, and $T_0 = 273.15$ K by definition. A temperature interval may be expressed in degrees Celsius as well as in kelvins.

viii

[‡] "Weight" is the commonly used term for "mass".

[§] Wide use is made of "Celsius temperature" (t) defined by

SUPPLEMENTARY UNITS

plane angle radian (rad) solid angle steradian (sr)

DERIVED UNITS AND OTHER ACCEPTABLE UNITS

These units are formed by combining base units, supplementary units, and other derived units (2-4). Those derived units having special names and symbols are marked with an asterisk in the list below:

Quantity	Unit	Symbol	Acceptable equivalent
* absorbed dose	gray	Gv	J/kg
acceleration	meter per second squared	m/s ²	
* activity (of ionizing radiation source)	becquerel	Bq	1/s
area	square kilometer	km^2	
	square hectometer	hm^2	ha (hectare)
	square meter	m^2	
* capacitance	farad	F	C/V
concentration (of amount of substance)	mole per cubic meter	mol/m ³	
* conductance	siemens	S	A/V
current density	ampere per square meter	A/m ²	
density, mass density	kilogram per cubic meter	kg/m ³	g/L; mg/cm ³
dipole moment (quantity)	coulomb meter	C·m	
* electric charge, quantity of electricity	coulomb	C	A·s
electric charge density	coulomb per cubic meter	C/m ³	
electric field strength	volt per meter	V/m	
electric flux density	coulomb per square meter	C/m ²	
* electric potential, potential difference, electromotive force	volt	V .	W/A
* electric resistance	ohm	Ω	V/A
* energy, work, quantity	megajoule	MJ	
of heat	kilojoule	kJ	
	joule	J	N·m
	electron volt [†]	eV†	
	kilowatt-hour†	kW∙h†	

[†] This non-SI unit is recognized by the CIPM as having to be retained because of practical importance or use in specialized fields (1).

and the same of th			Acceptable
Quantity	Unit	Symbol	equivalent
energy density	joule per cubic meter	J/m^3	
 * force	kilonewton	kN	
	newton	N	kg·m/s ²
* frequency	megahertz	MHz	
n [‡] rgi	hertz	Hz	1/s
heat capacity, entropy	joule per kelvin	J/K	
heat capacity (specific), specific entropy	joule per kilogram kelvin	J/(kg·K)	
heat transfer coefficient	watt per square meter kelvin	W/(m ² ·K)	
* illuminance	lux	lx	lm/m^2
* inductance	henry	Н	Wb/A
linear density	kilogram per meter	kg/m	
luminance	candela per square meter	cd/m^2	
* luminous flux	lumen	lm	cd-sr
magnetic field strength	ampere per meter	A/m	ou bi
* magnetic flux	weber	Wb	V-s
* magnetic flux density	tesla	T	Wb/m ²
molar energy	joule per mole	J/mol	W D/III-
molar entropy, molar heat	joule per mole	0/11101	
capacity	kelvin	J/(mol·K)	
moment of force, torque	newton meter	N·m	
momentum	kilogram meter per second	- 1	
permeability	henry per meter	kg·m/s	
permittivity	farad per meter	H/m	
* power, heat flow rate,	rarad per meter	F/m	
radiant flux	kilowatt	1.487	
radiant nux	watt	kW	T/
power density, heat flux		W	J/s
density, irradiance	watt per square	**** / O	
* pressure, stress	meter	W/m^2	
pressure, stress	megapascal	MPa	
	kilopascal	kPa	DT/ 0
sound level	pascal	Pa	N/m^2
	decibel	dB	
specific energy	joule per kilogram	J/kg	
specific volume	cubic meter per		
	kilogram	m ³ /kg	
surface tension	newton per meter	N/m	
thermal conductivity	watt per meter kelvin	$W/(m \cdot K)$	
velocity	meter per second	m/s	
0.0 × 0000.	kilometer per hour	km/h	
viscosity, dynamic	pascal second	Pa·s	
- 100 mm	millipascal second	mPa·s	
viscosity, kinematic	square meter		
- Pa	per second	m^2/s	

deceptable			G 1.1-	Acceptable
Quantity	්රත්ත්) ල්ව	Unit	Symbol	equivaint
		square millimeter		
,		per second	mm^2/s	9010 1
volume		cubic meter	m^3	
, 0	silM.	cubic decimeter	dm^3	L(liter) (5)
		cubic centimeter	cm^3	mL
wave number		1 per meter	m^{-1}	
	Dust'N.	1 per centimeter	cm^{-1}	
0.00			. 1 (

In addition, there are 16 prefixes used to indicate order of magnitude, as follows:

Multiplication		*		
factor	Prefix	Symbol		Note
10^{18}	exa	E		
10^{15}	peta	P		
10^{12}	tera	T		
10^{9}	giga	G		
10^{6}	mega	M	Herita's	tien of
10^{3}	kílo	k	A	
10^{2}	hecto	h ^a		to, deka, deci, and centi
10	deka	daa		ixes, their use should be
10^{-1}	deci	d^a		cept for SI unit-mul-
10^{-2}	centi	Ca		area and volume and
10^{-3}	milli	m	nontechni	cal use of centimeter,
10^{-6}	micro	μ	as for body	y and clothing
10^{-9}	nano	n	measurem	ent.
10^{-12}	pico	p		
10^{-15}	femto	\mathbf{f}		
10-18	atto	armin		on gratted

For a complete description of SI and its use the reader is referred to ASTM E 380 (4) and the article Units and Conversion Factors which will appear in a later volume of the *Encyclopedia*.

A representative list of conversion factors from non-SI to SI units is presented herewith. Factors are given to four significant figures. Exact relationships are followed by a dagger. A more complete list is given in ASTM E 380-76(4) and ANSI Z210.1-1976 (6).

Conversion Factors to SI Units

To convert from	To	Multiply by
acre	square meter (m ²)	4.047×10^{3}
angstrom	meter (m)	1.0×10^{-10} †
are	square meter (m ²)	1.0×10^{2} †
astronomical unit	meter (m)	1.496×10^{11}
atmosphere	pascal (Pa)	1.013×10^{5}
bar	pascal (Pa)	1.0×10^{5} †
barn	square meter (m ²)	1.0×10^{-28} †

[†] Exact.

To convert from	To	Multiply by
barrel (42 U.S. liquid gallons)	cubic meter (m ³)	0.1590
Bohr magneton, μ_{β}	J/T. // 120/2	9.274×10^{-24}
Btu (International Table)	joule (J)	1.055×10^{3}
Btu (mean)	joule (J)	1.056×10^{3}
Btu (thermochemical)	joule (J)	1.054×10^{3}
bushel	cubic meter (m ³)	3.524×10^{-2}
calorie (International Table)	joule (J)	4.187
calorie (mean)	joule (J)	4.190
calorie (thermochemical)	joule (J)	4.184
centistoke	pascal second (Pa·s) square millimeter per second (mm²/s)	1.0×10^{-3} † 1.0 †
cfm (cubic foot per minute)	cubic meter per second (m ³ /s)	4.72×10^{-4}
cubic inch	cubic meter (m ³)	1.639×10^{-5}
cubic foot	cubic meter (m ³)	2.832×10^{-2}
cubic yard	cubic meter (m ³)	0.7646
curie	becquerel (Bq)	
		3.70×10^{10}
debye	coulomb-meter (C·m)	3.336×10^{-30}
degree (angle)	radian (rad)	1.745×10^{-2}
denier (international)	kilogram per meter (kg/m)	1.111×10^{-7}
	tex [‡] were go	0.1111
dram (apothecaries')	kilogram (kg)	3.888×10^{-3}
dram (avoirdupois)	kilogram (kg)	1.772×10^{-3}
dram (U.S. fluid)	cubic meter (m ³)	3.697×10^{-6}
dyne	newton (N)	1.0×10^{-5} †
dyne/cm	newton per meter (N/m)	1.0×10^{-3} †
electron volt	joule (J)	1.602×10^{-19}
erg	joule (J)	1.0×10^{-7} †
fathom	meter (m)	1.829
fluid ounce (U.S.)	cubic meter (m ³)	2.957×10^{-5}
foot	meter (m)	0.3048 †
footcandle	lux (lx)	10.76
furlong	meter (m)	2.012×10^{-2}
gal	meter per second squared (m/s ²)	1.0×10^{-2} †
gallon (U.S. dry)	cubic meter (m ³)	4.405×10^{-3}
gallon (U.S. liquid)	cubic meter (m ³)	3.785×10^{-3}
gallon per minute (gpm)	cubic meter per second (m ³ /s)	6.308×10^{-5}
	cubic meter per hour (m ³ /h)	0.2271
gauss	tesla (T)	1.0×10^{-4}
gilbert	ampere (A)	0.7958
gill (U.S.)	cubic meter (m ³)	1.183×10^{-4}
grad	radian	1.571×10^{-2}
grain	kilogram (kg)	6.480×10^{-5}
gram force per denier	newton per tex (N/tex)	8.826×10^{-2}
hectare	square meter (m ²)	1.0×10^{4} †
horsepower (550 ft·lbf/s)	watt (W)	7.457×10^{2}

[†] Exact.

[‡] See footnote on p. xiv.

To convert from	To	Multiply by
	watt (W)	9.810×10^{3}
horsepower (electric)	watt (W)	
hundredweight (long)	kilogram (kg)	50.80
hundredweight (short)	kilogram (kg)	45.36
inch × 460 l	meter (m)	$2.54 \times 10^{-2\dagger}$
inch of mercury (32°F)	pascal (Pa)	3.386×10^{3}
inch of water (39.2°F)	pascal (Pa)	2.491×10^{2}
kilogram force	newton (N)	9.807
kilowatt hour	megajoule (MJ)	3.6†) amole
kip 01 × 0.1 (8-s1) t	newton (N)	4.48×10^{3}
knot (international)	meter per second (m/s)	0.5144
lambert	candela per square meter	
our second (m ^{fire}) = 12 × 10 U	(cd/m^2)	3.183×10^{3}
league (British nautical)	meter (m)	5.559×10^{3}
league (statute)	meter (m)	4.828×10^{3}
light year	meter (m)	9.461×10^{15}
	cubic meter (m ³)	$1.0 \times 10^{-3\dagger}$
maxwell	weber (Wb)	1.0×10^{-8}
micron	meter (m)	1.0×10^{-6}
mil × [11] - might return	meter (m)	$2.54 \times 10^{-5\dagger}$
mile (U.S. nautical)	meter (m)	$1.852 \times 10^{3\dagger}$
	meter (m)	1.609×10^{3}
mile per hour	meter per second (m/s)	0.4470
millibar	pascal (Pa)	1.0×10^{2}
millimeter of mercury (0°C)	pascal (Pa)	$1.333 \times 10^{2\dagger}$
minute (angular)		2.909×10^{-4}
myriagram	kilogram (kg)	10 departs in
myriameter	kilometer (km)	10
oersted	ampere per meter (A/m)	79.58
	kilogram (kg)	2.835×10^{-2}
ounce (troy)	kilogram (kg)	3.110×10^{-2}
ounce (U.S. fluid)	cubic meter (m ³)	2.957×10^{-5}
ounce-force	newton (N)	0.2780
peck (U.S.)	cubic meter (m ³)	8.810×10^{-3}
pennyweight	kilogram (kg)	1.555×10^{-3}
	cubic meter (m ³)	5.506×10^{-4}
pint (U.S. liquid)	cubic meter (m ³)	4.732×10^{-4}
poise (absolute viscosity)		0.10†
pound (avoirdupois)		0.4536
pound (troy)	kilogram (kg)	0.3732
poundal	newton (N)	0.1383
pound-force	(- 1)	4.448
pound per square inch (psi)	pascal (Pa)	6.895×10^3
	cubic meter (m ³)	1.101×10^{-3}
quart (U.S. liquid)	(111)	9.464×10^{-4}
quintal	kilogram (kg)	1.0×10^{21}

[†]Exact.

To convert from	To	Multiply by
rad	gray (Gy)	$1.0 \times 10^{-2\dagger}$
rod	meter (m)	5.029
	coulomb per kilogram (C/kg)	2.58×10^{-4}
roentgen	radian (rad)	4.848×10^{-6}
second (angle)	square meter (m ²)	2.590×10^{6}
section	kilogram (kg)	14.59
slug		12.57
spherical candle power	lumen (lm)	6.452×10^{-4}
square inch	square meter (m ²)	9.290×10^{-2}
square foot	square meter (m ²)	2.590×10^6
square mile	bquare ()	
square yard	square meter (m ²)	0.8361
stere	cubic meter (m ³)	1.0†
stokes (kinematic viscosity)	square meter per second (m ² /s)	$1.0 \times 10^{-4\dagger}$
tex	kilogram per meter (kg/m)	$1.0 \times 10^{-6\dagger}$
ton (long, 2240 pounds)	kilogram (kg)	1.016×10^{3}
ton (metric)	kilogram (kg)	$1.0 \times 10^{3\dagger}$
ton (short, 2000 pounds)	kilogram (kg)	9.072×10^{2}
torr	pascal (Pa)	1.333×10^{2}
unit pole	weber (Wb)	1.257×10^{-7}
yard	meter (m)	0.9144
	,	

[†] Exact.

Abbreviations and Unit Symbols

Following is a list of commonly used abbreviations and unit symbols appropriate for use in the Encyclopedia. In general they agree with those listed in American National Standard Abbreviations for Use on Drawings and in Text (ANSI Y1.1) (6) and American National Standard Letter Symbols for Units in Science and Technology (ANSI Y10) (6). Also included is a list of acronyms for a number of private and government organizations as well as common industrial solvents, polymers, and other chemicals.

Rules for Writing Unit Symbols (4):

- 1. Unit symbols should be printed in upright letters (roman) regardless of the type style used in the surrounding text.
 - 2. Unit symbols are unaltered in the plural.
- 3. Unit symbols are not followed by a period except when used as the end of a sentence.
- 4. Letter unit symbols are generally written in lower-case (eg, cd for candela) unless the unit name has been derived from a proper name, in which case the first letter of the symbol is capitalized (W,Pa). Prefix and unit symbols retain their prescribed form regardless of the surrounding typography.
- 5. In the complete expression for a quantity, a space should be left between the numerical value and the unit symbol. For example, write 2.37 lm, not 2.37 lm, and 35 mm, not 35 mm. When the quantity is used in an adjectival sense, a hyphen is often used, for example, 35-mm film. *Exception*: No space is left between the numerical value and the symbols for degree, minute, and second of plane angle, and degree Celsius.
 - 6. No space is used between the prefix and unit symbols (eg, kg).