PEGETON DESCRIPTION TWENTY-finet edition William I. Orr, WSDAI

radio handbook

twenty-first edition

William I. Orr, W6SAI



TWENTY-FIRST EDITION FIRST PRINTING-1978

RADIO HANDBOOK

Copyright@ 1967, 1970, 1972, 1975 and 1978 by Howard W. Sams & Co., Inc., Indianapolis, Indiana 46268. Printed in the United States of America.

All rights reserved. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein.

Library of Congress Catalog Card Number: 78-64872 International Standard Book Number: 0-672-24034-3

"Radio Handbook" is also available on special order in Spanish.

Preface to the 21st Edition

Electronic circuitry and radio communication are in the midst of a profound technological revolution as significant as the massive shift from the vacuum tube to the transistor only one short decade ago. The device responsible for today's impressive new technology is the integrated circuit which has reduced the complexity of multistage design and fabrication to a single chip smaller than a postage stamp. The tiny IC, in turn, has led to the phase-locked loop, digital readout, inexpensive home computers—and simpler, more reliable construction.

While the vacuum tube still reigns supreme in high power amplifier service, the transistor even now is entering the twilight era of its utility since its circuits demand the discrete components of old. But with his intricate integrated circuit, the designer simply applies input and power to the chip and extracts the output signal—in a handheld f-m transceiver, a complex guided missle, or a "hockey game" played on the home television set. Circuit sophistication which was a laboratory curiosity only a few years ago is commonplace today in communication equipment and home entertainment devices. A far cry from only 50 years ago when the radio amateur was forced to build many of his components before he could assemble his equipment!

Those experimenters who faithfully saved their old editions of Radio Handbook have enjoyed a front-row seat at this remarkable transition. Since its inception in 1934, Radio Handbook has remained the acknowledged leader in the field of communications technology, and this new edition is no exception. Recent technological breakthroughs of interest to the radio amateur are discussed at length and practical circuits making

use of the latest techniques are included in this volume.

Because of the recent decision of the Federal Communications Commission restricting the design of linear r-f amplifiers in the amateur service, and the limitations placed on commercially manufactured amplifiers, additional amplifier theory and construction material for the home builder is included in this edition. Coverage of the 10-meter band in full is provided in these designs and effective harmonic suppression circuits are included to preclude interference to home entertainment devices.

In the increasingly important world of vhf, effective new amplifier designs are included in this edition for the advanced experimenter, along with circuit theory and useful construction information. Detailed analysis of various vhf circuits of interest to

the amateur are also included.

William I. Orr, W6SAI

ACKNOWLEDGMENTS

The editor wishes to thank the following individuals for their assistance and contributions in compiling this 21st edition of Radio Handbook:

Stuart Cowan, W2LX
Coleman Ellsworth, W6OXP
Al Helfrick, K2BLA
David Ingram, K4TWJ
George Jacobs, W3ASK
Perry Klein, W3PK
Peter Morley, K6SRG
Henry Olson, W6GXN
B. A. Ontiveros, W6FFF

Joseph Reisert, Jr., W1JR
Rodney Reynolds, VK3AAR
Ulrich Rohde, DJ2LR
Henry Scharfe, W6SKC
Carl Scheideler, W2AZL
Tony Souza, W3HMU
Bob Sutherland, W6PO
T. H. Tenney, Jr., W1NLB
Bob Welborn, W9PBW

CONTENTS

Chapter One. INTRODUCTION TO AMATEUR	RADIO COMMUNICATIONS 1.1
1-1 Amateur Radio	1.1
1-2 Amateur Station and Operator Licenses	1.2
1-3 The Amateur Bands	1.4
	etiquisa entiticati
Chapter Two. DIRECT CURRENT CIRCUITS .	zikeniÖ. akieniÖ 2.1
2-1 The Atom	2.1
2-2 Fundamental Electrical Units and Relatio 2-3 Electrostatics and Capacitors	nships
2-4 Magnetism and Electromagnetism	
	2.22
Chapter Three. ALTERNATING CURRENT, IMP	PEDANCE, and THANSHIE AND THE
RESONANT CIPCLITS	
	resums nove Bandaos electe aime A 2
3-2 Reactive Circuits	3.6
3-3 Resonant Circuits	3.15
3-4 Coupled Circuits	3.19
	3.21 3.28
	3.29
4-2 Mechanism of Conduction	**************************************
4-3 The PN Junction	4.3
4-4 Diode Power Devices	4.8
4-5 The Bipolar Transistor	
4-7 Transistor Audio Circuitry	4.16
4-8 R-F Circuits	90913 March will 4:26
4-9 Field Effect Devices	4.29
4-10 Circultry	4.32
4-12 Digital-Logic ICs	4.37
4-13 MOS Logic	194 The Detector or Demodulation
4-14 Linear ICs	Joseph Latterette Col mod afterentus 4446
4-15 Solid-State Light Sources and Numeric D	Displays
	Looked Regularity Resident (4.53
Chapter Five. VACUUM-TUBE PRINCIPLES.	
5-1 Thermionic Emission	5.1
5-2 Tube Types	5.3 5.9
5-4 The Cathode-Ray Tube	5.9 5.13
5-5 Miscellaneous Tube Types	5.16
	THE CONTRACTOR OF CONTRACTOR AND ANGLESS WERE TO FAMILY
6-1 Classes and Types of Vacuum-Tube Ame	
6-2 Interstage Coupling Circuits A	olifiers 6.1
6-3 The Triode Amplifier	VACALLA VALIGIORES 64
6-4 The Class-B Audio-Frequency Power Amp	lifier A 7
6-5 The Cothode-Follower Amplifier	6.8 6.9
6-7 DC Amplifiers	6.10
6-8 The Single-Ended Triode Amplifier	aftered consideration and a
6-9 Single-Ended Pentode Amplifiers	23/20/31/20/1 21/01/91/96/ 7 6.13
6-10 Push-Pull Audio Amplifiers	6.13 8
0-12 Cathode-Follower Power Amplifiers	20 m
6-13 Feedback Amplifiers	6.20
Chapter Seven. RADIO-FREQUENCY POWER	
7-1 Class-C R-F Power Amplifier	AMPLIFIERS 211
7-2 Constant-Current Curves	7 \$
7-3 Class-C Amplifier Calculations	7.7

7-4 7-5 7-6 7-7 7-8	Class-B Radio-Frequency Power Amplifier Grounded-Grid and Cathode-Follower R-F Power Amplifier Circuits Class AB, Radio Frequency Power Amplifier Grounded-Grid Linear Amplifiers Intermodulation Distortion	7.16
Chapter E	ight. SPECIAL CIRCUITRY FOR SEMICONDUCTORS	
8-1	AND VACUUM TUBES	8.1
8-2	Clamping Circuits	8.1
8-3	Clamping Circuits Positive Feedback Amplifier The Ricking Oscillator	8.2 8.3
8-4 8-5		
8-5 8-6	Counting Circuits	
8-7	Resistance-Capacitance Oscillators Closed-Loop Feedback	8.6
Chapter h		9.7
Chapter 1		9.1
9-2	The SSB System A Basic Single-Sideband Transmitter	9.1
9-3	The balance Modulator	9.9 9.10
9-4 9-5	ine Sideband Filter	9.12
9-6	The Phasing Type SSB Exciter Single-Sideband Frequency Conversion	9.14
9-7		9.17
9-8	PISTORTION PRODUCTS DUE TO MONTINAGRITY AT D.E AMALICIAN	9.22
9-10	SSB Reception The SSB Transceiver	9.24
		9.28
Chapter 7		10.1
10-1	—The HF Receiver	
10-2	Types of Receivers Receiver Performance Requirements	10.1
10-3		
10-4		
10-5 10-6	The Mixing Oscillator The Mixing Oscillator	
10-7		
10-8	A Joing-State I-r Strip	
10-9	The Beat-Frequency Oscillator The Detector or Demodulator	
10-11		
10-12 10-13	ine Jignoi-Strength Indicator	900
10-13	Impulse Noise Limiting Direct Frequency Readout	
10-15	The Audio System	10.37
Part II	—YHF and UHF Receivers	10.40
10-16	VHF/UHF Noise Sources	
10-17	Receiver Noise Performance	
10-18 10-19		
10-20	I-F Strips and Conversion Oscillators Band-Scanning Receivers	
Chapter El	even. GENERATION AND AMPLIFICATION OF RADIO.	
Part I	FREQUENCY ENERGY	11.1
11-1	Self-Controlled Oscillator	
11-2	Quartz-Crystal Oscillators	
11-3	Crystal-Oscillator Circuits	
11-4 11-5	Spurious Freduencies	
11-6	R-F Vacuum-Tube Amplifiers Neutralization of R-F Amplifiers	
11-7	Neutralizing Procedures	
1.1 -8		
11-10	Tank-Circuit Design	11.22
11-11		
11-12	Grid Rice	11.32
	bid bids	11 22

11-	14 Protective Circuits for Transmitting Tubes	
11-	15 Interstage Coupling	11.36
11-	16 Solid-State HF Power Circuits	11.38
11-	17 Solid-State Power Amplifiers	11.59
_		11.44
Pai	t II—VHF Circuits JOSTMOD CHAL CHANGE GRAVE GRAVE CRESSED LANGE	
11-	18 Vacuum-Tube Limitations	11 50
11-	19 Input and Output Circuitry	11 51
11-	20 Solid-State VHF Circuitry	11.55
11-	21 Frequency Multipliers	11.50
Des	4 III D.P.P II . I	
	t III—R-F Feedback	
11-	22 R-F Feedback Circuits	11.60
onapte:	Twelve. FREQUENCY SYNTHESIS	12.1
12-		12.1
12-	The Voltage-Controlled Oscillator	12.5
Chapter		
13-		13.1
13-	rrequency modulation	
13-		
13-		
13-		
13-	5 The F-M Repeater	13.20
Chanter	Fourteen. SPECIALIZED ANATEUR COMMUNICATIONS	
	SYSTEMS AND TECHNICATIONS	
14-	SYSTEMS AND TECHNIQUES	14.1
14-		14.1
14-		
Seed to the seed of the seed o		
14-		
14-		
14-		
14-	By Amateur Television . Reviews a satisfic with asylable total A. S. Salabata at the satisfic	14.37
14-	9 Narrow-Band Voice Modulation (NBVM)	14.38
	Eifteen AMPLITUDE MODULATION AND AND	
15-	Fifteen. AMPLITUDE MODULATION AND AUDIO PROCESSING	15.1
15-		15.1
15-1		
15-4		
15-3		
15-6		
15-7		
15-8		
15-9		
22 15-1	o - Solid-State Modulation Circuity	2
Chantan	Sixteen. RADIO INTERFERENCE (RFI)	
	SIATEEN. KADIO INTERPERENCE (RFI)	16.1
16-1		
16-2		
16-3		
16-4		
16-5		
16-6		
16-7	Help in Solving TVI	16.15
Chantan		
	Seventeen, EUUIPMENT DESIGN	17.1
17-1		
17-2		
17-3	whe and inductors	
17-4	madicions	
17-5		
17-6		
17-7		
17-0	Parasitic Resonances	17 10
17-1	oscinations	17.23
	23.8 Saries Diode Operation	

	17-12 17-13 17-14	Forced Air Cooling Conduction Cooling Transient Protection	17 94
Cha	ntor E		
Cita	18-1		18.1
	18-2	Keying Requirements Transmitter Keying	18.1
	18-3	Break-in Keying	10 4
	18-4	The Electronic Key	10 7
	18-5 18-6	The COSMOS Kever—MARK II	10 10
	18-7	The Keyboard Keyer VOX Circuitry	18.13
	18-8	An R-F Operated Keving Monitor	10 14
	18-9	The Phone Patch	18.17
CL.	ara M		
Cha		ineteen. MOBILE AND PORTABLE EQUIPMENT	19.1
	19-1 19-2	Mobile and Portable Power Sources	19.1
	19-3	Transistor Supplies Antennas for Mobile Operation	19.5
	19-4	Construction of Mobile Equipment	10 17
	19-5	venicular rioise auddression	10 10
	19-6	A Portable Amateur Band Receiver	10 01
	19-7 19-8	A Solig-State 10-Watt Linear Amplifier for 420 MM-	10 22
	17-8	Two Solid-State Linear Amplifiers for Mobile SSB	19.36
Cha	pter T	wenty. RECEIVERS AND EXCITERS	20.1
	20-1	A Deluxe, Solid-State Amateur Rand Passivos Mark II	00.0
- 1	20-2	An Advanced, Solid-State HF Communications Paceivas	20 00
	20-3	An Advanced Six-band Solid-State SSR Evcitor	20 40
	20-4	A filen refrormance Conversion Module for the 22.cm Rend	20 54
	20-5	A Variable Active Audio Filter	20.64
	20-7	A Very Low Noise Preamplifier for 144 MHz A Tunable 2-Meter Receiver With Digital Readout	20.66
Cha	pter T	wenty-One. HF AND VHF POWER-AMPLIFIER DESIGN	21.1
	21-1	Triode Amplifier Design	21.2
	21-2	Tetrode Amplifier Design	21.7
	21-3	Cathode-Driven Amplifler Design Neutralization of the Cathode-Driven Stage	21 14
Chap	pter Ty	wenty-Two. HF AND VHF POWER-AMPLIFIER CONSTRUCTION	22.1
		HF Amplifiers	
	22-1	Amplifier Safety Summary	22.1
	22-2	Amplifier Schematics	22 2
	22-3	The KW-1 Mark III Linear Amplifier Using the 8875	22 12
	22-5	The 500Z 2-kW PEP Linear Amplifier for 10-80 Meters A Two-Stage High-Gain Amplifier Using The 3-1000Z	22.19
	22-6	A Kilowatt Linear Amplifier for Six Meters	22.27
	22-7	A Compact 2-kW PEP Linear Amplifier With the 8877	22 20
	22-8	A Modern 3-1000Z Linear Amplifier for 80-10 Meters	22 44
	22-9	A 4CX1500B 2-kW PEP Linear Amplifier	22 52
	22-10	A right rower Linear Amplifier With the 8877	22.62
	44-11	A 2-kW Linear Amplifier for 6 Meters	22.71
	Part II-		
	22-12	An 80-Watt Base Station Amplifier for 2-Meter F-M Service	22.77
	22-13	A High Performance 2-Meter Power Amplifier	22 79
	22-14	A High Power Amplifier for 220 MHz	22.85
	22-15	A Tripler/Amplifier for 432 MHZ A 500-Watt Amplifier for 420-450 MHZ	22.89
	22-17	A Practical 2-kW PEP Amplifier for 432 MHz	22.100
Chap	ter T	wenty-Three. POWER SUPPLY	23.1
	23-1	The Primary Circuit	22.1
	23-2	Transmitter Control Methods	22 4
	23-3 23-4	Power-Supply Requirements	23 0
	23-4 23-5	Power-Supply Components Rectification Circuits	23.12
	23-6	Rectification Circuits Series Diode Operation	23.14
			45.17

23-7 23-8 23-9	Solid-State Supplies for SSB A 1-Kilowatt IVS Power Supply A 2-Kilowatt PEP Supply for SSB	23.25
23-10	IVS Bridge-Rectifier Supplies	23.27
23-11	A Heavy-Duty Primary Supply	23.29
23-12	Regulated Power Supplies	23.29
23-13	Transceiver Power Supply	
	wenty-Four. RADIATION AND PROPAGATION	24.1
	-Wave Propagation and the Antenna	
24-1	The Antenna System	24.1
24-2	The Electromagnetic Wave	24 3
24-3	The Standing Wave	24.6
24-5	General Antenna Properties The Antenna Above A Ground Plane	24.8
8.76.		24.14
Part II-	—HF and VHF Propagation standard files to talegraphy and the	
24-6	Propagation—2 to 30 MHz sesses a drive trashitruspaid.	24.16
24-7	Cycles in Ionospheric Activity	24 10
24.8		
24-9	Propagation in the VMF Region	24 22
24-10	rorecast or nign-requency Propagation	24.28
Chapter Ty	wenty-Five. THE TRANSMISSION LINE	25.3
25-1	Characteristic Impodence	23.1
25-2	Characteristic Impedance Transit Time and Wave Reflection	
25-3	Waves and Fields Along a Transmission Line	25.2
25-4	ine Standing-wave Katio	25 0
25-5	Impedance Matchina with Resonant Lines	25.0
25-6	Transmission Lines	25.14
Chartes T.	and a supplied to the supplied	
Chapter T	wenty-Six. ANTENNA MATCHING SYSTEMS	26.1
26-1	SWR and Impedance Compensation	26.1
26-3	The Smith Chart	26.2
26-4	Practical Wideband Balun Transformers Antenna Matching Devices	26.5
26-5	Coupling to the Antenna System	26 15
26-6	A Single-Wire Antenna Tuner	24 10
26-7	Antenna Support	26.22
AZ SE		
Chapter T	venty-Seven. HF GENERAL PURPOSE ANTENNAS	27.1
27-1	The Angle of Radiation	27 1
27-2	The Center-Fed Antenna	27 5
27-3	The Vertical Antenna	27 0
27-4 27-5	The Marconi Antenna	27.13
27-6	The Loop Antenna Space-Conserving Antennas	27.15
27-7	Multiband Antennas	27.16
		27.18
Chapter Ty	wenty-Eight. HIGH-FREQUENCY FIXED DIRECTIVE ANTENNAS	20 1
28-1	Directive Antennas	20.1
28-2	The Long-Wire Antenna	20 2
28-3	The Rhombic Antonna	
28-4	The Multiplement Fixed Array	
28-5	Combination End-Fire and Broadside Arrays	28.15
Chapter T	wenty-Nine. HF ROTARY BEAM ANTENNAS	20.1
29-1	The Parasitic Beam	29.1
29-2	The Multielement Parasitic Array	20 4
29-3	Duilding The You Keam	00 1
29-4	reed Systems for Parasitic Arrays	20.0
29-5	ine miniature beam	20 0
29-6	Inree-band Beams	20 0
29-8	The Cubical Quad Beam	29.12
29-9	The Driven Array Tuning the Parasitic Array	29.15
29-10	Indication of Direction	29.18
29-11	Antenna Rotators	29.20

Chapter I	hirty. VHF AND UHF ANTENNAS	. 30.
30-1	Antenna Keguirements	
30-2 30-3	Dase Station Antennas	
30-4		
30-5		
30-6		
30-7		
30-8	Stacking VHF Antennas Extended, Expanded VHF Arrays A VHF SWR Meter	. 30.2
30-9	A VHF SWR Meter	. 30.3
	,	. 30.34
Chapter T	hirty-One. ELECTRONIC TEST EQUIPMENT	21 1
31-1	Voltage, Current, and Resistance Measurements	
31-2	ine pigital voltmeter (DAW)	0.0
31-3		
31-4		
31-5		
31-6		
31-7 31-8		
31-8		
31-10		
31-11		
31-12		
31-13	A Silicon Diode Noise Generator The R-F Noise Bridge	. 31.26
31-14	The R-F Noise Bridge A Universal Crystal Test Unit	31.28
31-15	An Inexpensive Transistor Tester	. 31.30
31-16	An Inexpensive Transistor Tester A Transistorized Capacitance Meter A 2-Tone Generator for SSP Testing	31.31
31-17		
31-18		
31-19		
31-20	An Electronic Multimeter	21.40
Chapter T	hirty-Two. THE OSCILLOSCPE	32 1
32-1	A Modern Oscilloscope	9.5
32-2		
32-3		
32-4		
32-5 32-6		
32-6 32-7		
32-8		
32-0	The Spectrum Analyzer	32.17
Chapter T	hirty-Three. CONSTRUCTION PRACTICES	
33-1	hirty-Three. CONSTRUCTION PRACTICES	33.1
33-2	Tools	33.1
33-3	rne Material	
33-4		
33-5	Inclosure Openings Sheet Metal Construction Practices	33.5
33-6		
33-7	Codxidt Capie Terminations	
33-8		
33-9	Components and Hardware	33.13
Chapter Th	City Farm FI FCTBONIC MANTHEWAY THE	33.13
Cuapter 11	irty-Four. ELECTRONIC MATHEMATICS AND CALCULATIONS	34.1
34-1	Arithmetic	34.1
34-2	Algebra	7.4.0
34-3	11/30nometry	
34-5	p- redn Aldebra	
34-6		
34-7	G: hical Representation Cc ulus Electronic Computers	34.32
34-8	Electronic Computers	34.42
		34.45
Chapter Thi	irty-Five. NOMENCLATURE OF COMPONENTS AND	
	MISCELLANEOUS DATA	25 1
35-1	Component Standardization	1-1-11
35-2	Useful Reference Data	35.]
Index		33.9
		1125

GLOSSARY OF TERMS

Symbol	Notation	Symbol	Notation
A	Amperes (ac, rms, or dc)	F	Farad, magnetomotive force
Â	Amplifier voltage gain	f	Frequency (in Hertz)
A	Angstrom unit	fil	Filament
a	Amperes (peak)	G	Giga (10°)
ac	Alternating current		Grid (numbers to 14 set)
a-m	Amplitude modulation	g, g1, g2, etc.	Grid (number to identify,
C	Capacitance		starting from cathode)
c.f.m.	Cubic feet per minute	g _{2,4}	Grids having common pin
Cgg			connection
C C - 1 -	Capacitance grid to ground	GHz	Gigahertz (10° cycles per
Cgk, Cgp, etc.	Tube capacitance between		second)
	indicated electrodes	Gm or Sm	Transconductance
Cin	Input capacitance		(grid-plate)
Ck	Capacitance between	H	Henry
	cathode and ground	Hz	Hertz
cm	Centimeter	112	
CN	Neutralizing capacitance	1	Peak current
Cout	Output capacitance	5.	Current (ac, rms or dc)
C _{pq2}	Capacitance, plate to screen	/ _b	Average dc plate current
C-W	Continuous wave	/b max	Peak signal dc plate
	Decibe!		current
dB		l _b	Instantaneous plate current
dc ·	Direct current	/b max	Peak plate current
E	Voltage (ac, rms, or dc)	/bo	Idling plate current
е	Peak voltage	1c	Average dc grid current
E _b	Average plate voltage	76	current
e₀	Instantaneous plate voltage	1	
€ _{b max}	Peak plate voltage	i _p	Instantaneous ac plate
e _{b min}	Minimum instantaneous		current referred to Ib
O min	plate voltage referenced	/p max	Peak ac plate current
	to around		referred to lb
	to ground	i etc.	Fundamental component of
⊖ cmp	Maximum positive grid		r-r plate current
	voltage	i _{1 max}	Peak fundamental
E _{co}	Cutoff-bias voltage		component of r-f plate
E _{c1}	Average grid #1 voltage		current
E _{c2}	Average grid #2 voltage	In .	Single tone dc plate current
E _{c3}	Average grid #3 voltage	1 ₂ etc.	Two tone at plate current
9c1	Instantaneous grid #1	72 etc.	Two-tone, etc., dc plate
	voltage	1	current
9 c2	Instantaneous grid #2	Ic1, c2, etc.	Average grid #1, #2, etc.
262	voltage		current
		11	Filament current
9.3	Instantaneous grid #3	i _{g₁} i _{g₂} etc.	Instantantous grid current
-	voltage	igi max, etc.	Peak grid current
Er	Filament voltage	I_k	Average cathode current
∍g	Rms value of	/v	Instantaneous cathode
	exciting voltage	- 6	current
9 _p	Instantaneous plate voltage	i _{k max}	
	(ac) referenced to E _b	K	Peak cathode current
p max	Peak ac plate voltage		Cathode, dielectric constant
,	referenced to E _b	k	Kilo(103), coefficient of
-sig	Applied signal voltage (4-)		coupling
	Applied signal voltage (dc)	kHz	Kilohertz
sig	Applied signal voltage (ac)	kV	Peak kilovolts
) _k .	Instantaneous cathode	kVac	Ac kilovolts
	voltage	kVdc	Dc kilovolts
k max	Peak cathode voltage	kW .	Kilowatts
mf	Electromotive force	λ	
		4.5	Wavelength

Symbol	Notation	Symbol	Notation
L M	Inductance Mutual inductance	Rk	Resistance in series with
M	Mega (10°)	B	Load resistance
FN .	Meter	R _L	
	One thousandth	rms	Root mean square
m mm	Millimeter	R _p	Resistance in series with
mA	Milliamperes	1 2	plate
		r _p	Dynamic internal plate
Meg or meg	Megohm		resistance
mH	Millihenry	Sc or Gc	Conversion transconductar
MHz	Megahertz	S _m or G _m	Transconductance
m.m.f.	Magnetomotive force	SSB	Single sideband
Mu or μ	Amplification factor, micro	SWR	Standing-wave ratio
mV	Millivolts	T	Temperature (°C)
MW	Megawatts	t	Time (seconds)
mW	Milliwatts	θ	Conduction angle
NF	Noise figure	μ	Micro (10-6) or amplificati
Np	Efficiency		factor
Ω	Ohms	μ	Amplification Factor
D .	Pico (10 ⁻¹²)	μA	Microampere
P _d	Average drive power	μmho	Micromho
Dd	Peak drive power	μF	Microfarad
Pft	Average feedthrough power	μH	Microhenry
Off	Peak feedthrough power	μs	Microsecond
F	Picofarad	μV	Microvolt
PEP	Peak envelope power		Grid-screen amplification
Pgi, Pg2, etc.	Power dissipation of	μ_2	factor
91, 7 92, 010.	respective grids	V	
P	Power input (average)		Volt(s), (ac, rms, or dc) Peak volts
))		V	
P	Peak power input	Vac	Ac volts
-	Power output (average)	Vdc	Dc volts
0.	Peak power output	VSWR	Voltage standing-wave
D _p	Plate dissipation		ratio
Q	Figure of merit	<u>W</u>	Watts
2 L	Loaded Q	<u>Z</u>	Impedance
P	Resistance	Zg	Grid impedance
	Reflector	Zī	Input impedance
	Radio frequency	Z_k	Cathode impedance
	Resistance in series with	ZL	Load impedance
r-f P₀		-9	Output impedance
	the grid	40	Output Impeddite
P _g		Z _p	
	the grid	W Z Z Z Z Z Z Z	Impedance in plate circuit
₹ _g	the grid Dynamic internal grid	Zo Zp Z:	
₹ _g	the grid Dynamic internal grid	Z, Z,	Impedance in plate circuit
₹ _g	the grid Dynamic internal grid	Z _p Z,	Impedance in plate circuit
₹ _g	the grid Dynamic internal grid	Z _p Z,	Impedance in plate circuit
₹ _g	the grid Dynamic internal grid	Z _p , Z,	Impedance in plate circuit

Introduction to Amateur Radio Communication

The field of radio is a division of the much larger field of electronics. Radio itself is such a broad study that it is still further broken down into a number of smaller fields of which only short-wave or high-frequency radio is covered in this book. Specifically the field of communication on frequencies from 1.8 to 1296 MHz is taken as the subject matter for this work.

The largest group of persons interested in the subject of high-frequency communication is the more than 750,000 radio amateurs located in nearly all countries of the world. Strictly speaking, a radio amateur is anyone noncommercially interested in radio, but the term is ordinarily applied only to those hobbyists possessing transmitting equipment and a license to operate from the Government.

It was for the radio amateur, and particularly for the serious and more advanced amateur, that most of the equipment described in this book was developed. The design principles behind the equipment for high-frequency and vhf radio communication are of course the same whether the equipment is to be used for commercial, military, or amateur purposes. The principal differences lie in construction practices, and in the tolerances and safety factors placed on components.

With the increasing complexity of high-frequency and vhf communication, resulting primarily from increased utilization of the available spectrum, it becomes necessary to delve more deeply into the basic principles

underlying radio communication, both from the standpoint of equipment design and operation and from the standpoint of signal propagation. Thus, it will be found that this edition of the RADIO HANDBOOK has been devoted in greater proportion to the teaching of the principles of equipment design and signal propagation. Also included are expanded and revised sections covering solid state devices and the principles of operation of modern equipment. The mathematics chapter, in addition, has been revised in the light of the modern pocket electronic calculator. All of these factors, of course, are reflected in the changing picture of amateur radio today.

1-1 Amateur Radio

Amateur radio is a fascinating scientific hobby with many facets. At the same time it is a public service as well as a recognized Radio Service and, as such, is assigned specific bands of frequencies by the *International Telecommunications Union*, to which body the United States of America is a signatory power.

From a few thousand amateurs at the end of World War I, amateur radio has grown into a world-wide institution of communicators and experimenters joined in the common interest of communication by means of radio. So strong is the fascination offered by this hobby that many executives, engineers and military and commercial electronic

experts, as well as students and citizens not otherwise engaged in the field of electronics are united by the common bond of amateur

Radio amateurs have rendered much public service, especially in the United States, through furnishing emergency communications to and from the outside world in cases where a natural disaster has isolated an area by severing all normal means of communication. Amateurs have innumerable records of service and heroism on such occasions. The amateur's fine record of performance with the "wireless" equipment of World War I was surpassed by his outstanding service in World War II.

The induction of thousands of radio amateurs in the Armed Forces during 1940-1945 and the explosion of electronic technology during that period created an expansion of amateur radio, the direct result of which is that many of those amateurs are now the leaders of our modern electronics industry. It is through the continuing expansion of amateur radio in the future that many of tomorrow's engineers, technicians and electronic executives will come.

The Amateur Radio Service has been proven to be a national and international resource of great benefit to all nations and to mankind. In addition, of equal importance is the effect of the service as a stimulus to economic growth and scientific knowledge. Radio amateurs continue to play a significant role in the development of the state of the radio art and are continuing to make major contributions both to basic radio theory and to practical applications thereof.

In recent years radio amateurs have contributed to the state of the art in numerous ways including the discovery in 1934 of reflection and refraction of vhf signals in the lower atmosphere, the development and adaptation of SSB techniques for widespread usage, the achievement of random "moonbounce" communication between amateurs and the development of the OSCAR series of satellites and the relatively inexpensive equipment and technique for communicating through the satellites.

Continuing into the closing quarter of the Twentieth Century, the status of amateur radio in the communities of the world emphasize to the beginning radio amateur

that his hobby is the gateway to a career in the expanding field of electronics, if he wishes it, and that amateur radio is indeed an impressive introduction to one of the most exciting fields of endeavor in this century.

1-2 Amateur Station and **Operator Licenses**

Every radio transmitting station in the United States (with the exception of certain low-power communication devices) must have a license from the Federal Government before being operated; some classes of stations must have a permit from the government even before being constructed. And every operator of a licensed transmitting station must have an operator's license before operating a transmitter. There are no exceptions. Similar laws apply in practically every major country.

Classes of Amateur **Operator Licenses**

The Amateur Radio Service in the United States is in the process

of going through a major change in the license structure. At the time of publication of this Handbook, there exist six classes of amateur operator licenses authorized by the Federal Communications Commission. These classes differ in many important respects, so each will be discussed briefly.

Novice Class-The Novice Class license is available to any U.S. citizen or national who has not previously held an amateur license of any class issued by any agency of the U.S. Government, military or civilian. The license is valid for a period of five years

and is renewable.

The examination may be taken only by mail, under the direct supervision of an amateur holding a General Class license or higher, or a commercial radiotelegraph licensee. The examination consists of a code test at a speed of 5 words per minute, plus a written examination on the rules and regulations essential to beginners operation, including sufficient elementary radio theory for the understanding of these rules. Restricted c-w privileges in segments of the 80-, 40-, 15- and 10-meter amateur bands are currently available to the Novice licensee, whose transmitter is limited to an input power not exceeding 250 watts.

Technician Class—The Technician Class exists for the purpose of encouraging a greater interest in experimentation and development of the higher frequencies among experimenters and would-be radio amateurs. This Class of license is available to any U.S. Citizen or national. The examination is similar to that given for the General Class license, except that the code test in sending and receiving is at a speed of 5 words per minute.

The holder of a Technician Class license is accorded all authorized amateur privileges in all amateur bands above 50 MHz. This class of license may be taken only by mail, under the direct supervision of an amateur (18 years of age, or older) holding a General Class License, or higher, or a commercial radiotelegraph license. The license is valid for a period of five years, and may be

renewed on proper application.

General Class—The General Class license is the standard radio amateur license and is available to any U.S. Citizen or national. The license is valid for a period of five years and is renewable on proper application. Applicants for the General Class license must take the examination before an FCC representative (with certain exceptions discussed under the Conditional Class license). The examination consists of a code test at a speed of 13 words per minute, plus a written examination in basic theory and regulations. It conveys all amateur privileges, with the exceptions noted for the Advanced and Extra Class licenses.

Conditional Class—The Conditional Class license is equivalent to the General Class license in the privileges accorded by its use. This license is issued to an applicant who: (1) lives more than 175 miles airline distance from the nearest point at which the FCC conducts examinations twice yearly, or oftener; (2) is unable to appear for examination because of physical disability to travel; (3) is unable to appear for examination because of military service; (4) is temporarily resident outside the United States, its territories, or possessions for a year or more. The Conditional Class license may be taken only by mail and is renewable.

Advanced Class—The Advanced Class license is equivalent to the old Class-A

license and is available to any U.S. Citizen or national. The license is valid for a period of five years and is renewable on proper application. Applicants for the Advanced Class. license must take the examination before an FCC representative. The examination consists of a general code test at 13 words per minute, questions covering general amateur practice and regulations involving radio operation, and technical questions covering intermediate-level radio theory and operation as applicable to modern amateur techniques, including, but not limited to, radiotelephony and radiotelegraphy. An applicant for the Advanced Class license will be given credit for that portion of the examination and the code test covered by the General Class license, if a valid license of that grade is held at the time of examination.

The Advanced Class license accords certain radiotelephone privileges in the amateur bands between 80 and 6 meters, which are unavailable to holders of lower-grade amateur licenses.

Amateur Extra Class-The Amateur Extra Class license is the highest-grade amateur license issued by the FCC and the recipient, on request, may receive a special diplomatype certificate from the District FCC Engineer-in-Charge. The license is valid for a period of five years and is renewable. Applicants for the Amateur Extra Class license must take the examination before an FCC representative. The examination consists of a code test at a speed of 20 words per minute, a standard written examination in theory and regulations (credit will be given to holders of General and Advanced Class licenses for this requirement), and a written examination based on advanced radio theory and operation as applicable to modern amateur techniques, including, but not limited radiotelephony, radiotelegraphy, and transmission of energy for measurements and observations applied to propagation, for the radio control of remote objects, and for similar experimental purposes. An applicant for the Amateur Extra Class license will be given credit for that portion of the examination covered by the General and Advanced Class licenses, if a valid license of either grade is held at the time of examination.

The Amateur Extra Class license accords certain radiotelephone and radiotelegraph privileges in the amateur bands between 80 and 6 meters, unavailable to holders of lower-grade licenses.

The Amateur The station license author-Station License izes the radio apparatus of the radio amateur for a particular address and designates the official call sign to be used. The license is a portion of the combined station-operator license normally issued to the radio amateur. Authorization is included for portable or mobile operation within the continental limits of the United States, its territories or possessions, on any amateur frequency authorized to the class of license granted the operator. The station license must be modified on a permanent change in address. The station license is customarily renewed with the operator license.

International The domestic regulatory pat-Regulations tern of the United States agrees with the international agreements established by the International Telecommunications Union and to which the United States is a signatory power. The frequency bands reserved for the Amateur Radio Service are included in the ITU frequency allocations table, as one of the services to which frequencies are made available. In the lower-frequency amateur bands, the international allocations provide for joint use of the bands by several services in addition to the amateur service in various areas of the world.

Article I of the ITU Radio Regulations defines the amateur service as: "A service of self-training, intercommunication, and technical investigations carried on by amateurs, that is, by duly authorized persons interested in radio technique solely with a personal aim and without a pecuniary interest." Within this concept, the U. S. radio regulations governing radio amateur licensing and regulation are formulated.

By reciprocal treaty, the United States now has a number of agreements with other countries permitting amateurs of one country to operate in the other. On the other hand, by international agreement, notification to the ITU may forbid international communications with radio amateurs of certain countries.

A comprehensive coverage of United States licensing procedure for radio amateurs and applicable rules and regulations may be found in "The Radio Amateur's License Manual," published by the American Radio Relay League, Newington, Conn. 06111.

The World Administrative In the fall of 1979, Radio Conference or shortly thereafter, a World Administrative Radio Conference is scheduled to be held in Geneva, Switzerland by the International Telecommunications Union. One of the duties of this Conference will be to examine—and change if deemed necessary—the frequency allocations of all services in the radio spectrum. The possibility exists that the amateur bands will come under close scrutiny. The present bands, as summarized in the following section, may therefore be left unchanged or may be altered as a result of the Conference. Since the United States is a signatory power to the ITU, the results of that Conference will be binding and all radio services must be braced to expect some changes in their frequency allocations, the Amateur Radio Service included. It is quite possible that an expansion of some amateur bands could come about, but the reverse might be equally true. Only time will resolve this interesting speculation.

1-3 The Amateur Bands

Certain small segments of the radio-frequency spectrum between 1800 kHz and 22,000 MHz are reserved for operation of amateur radio stations. These segments are in general agreement throughout the world, although certain parts of different amateur bands may be used for other purposes in various geographic regions. In particular, the 40-meter amateur band is used legally (and illegally) for short-wave broadcasting by many countries in Europe, Africa and Asia. Parts of the 80-meter band are used for short distance marine work in Europe, and for broadcasting in Europe and Asia. The amateur bands available to United States radio amateurs are: