

**Kirk-Othmer**

**Encyclopedia  
of Chemical  
Technology**

**Third Edition**

**Volume 4**

**Blood, Coagulants and Anticoagulants  
to Cardiovascular Agents**



**KIRK-OTHMER**

# **ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY**

**THIRD EDITION**

**VOLUME 4**

**BLOOD, COAGULANTS AND ANTICOAGULANTS  
TO  
CARDIOVASCULAR AGENTS**

**A WILEY-INTERSCIENCE PUBLICATION**

**John Wiley & Sons**

**NEW YORK • CHICHESTER • BRISBANE • TORONTO**

Copyright © 1978 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons, Inc.

**Library of Congress Cataloging in Publication Data:**

Main entry under title:

Encyclopedia of chemical technology.

At head of title: Kirk-Othmer.

"A Wiley-Interscience publication."

Includes bibliographies.

1. Chemistry, Technical—Dictionaries. I. Kirk, Raymond Eller, 1890–1957. II. Othmer, Donald Frederick, 1904– III. Grayson, Martin. IV. Eckroth, David. V. Title: Kirk-Othmer encyclopedia of chemical technology.

TP9.E685 1978 660'.03 77-15820

ISBN 0-471-02040-0

**Printed in the United States of America**

10 9 8 7 6 5 4 3 2

**KIRK-OTHMER**  
**ENCYCLOPEDIA  
OF CHEMICAL  
TECHNOLOGY**

**Third Edition**

**VOLUME 4**

**Blood, Coagulants and  
Anticoagulants  
to  
Cardiovascular Agents**

## **EDITORIAL BOARD**

**HERMAN F. MARK**

Polytechnic Institute of New York

**DONALD F. OTHMER**

Polytechnic Institute of New York

**CHARLES G. OVERBERGER**

University of Michigan

**GLENN T. SEABORG**

University of California, Berkeley

## **EXECUTIVE EDITOR**

**MARTIN GRAYSON**

## **ASSOCIATE EDITOR**

**DAVID ECKROTH**

## EDITORIAL STAFF FOR VOLUME 4

---

*Executive Editor:* **Martin Grayson**

*Associate Editor:* **David Eckroth**

*Production Supervisor:* **Michalina Bickford**

*Editors:* **Galen J. Bushey**      **Loretta Campbell**      **Anna Klingsberg**  
**Lorraine van Nes**

## CONTRIBUTORS TO VOLUME 4

---

**Edward Abrams**, *Chemetron Corp., Chicago, Illinois*, Carbonic and chloroformic esters

**George T. Armstrong**, *National Bureau of Standards, Washington, D.C.*, Calorimetry

**W. Robert Ballou**, *C & I Girdler Incorporated, Louisville, Kentucky*, Carbon dioxide

**Charles M. Bartish**, *Air Products and Chemicals, Inc., Allentown, Pennsylvania*, Carbon monoxide

**Friederich Benesovsky**, *Metallwerke Plansee A. G., Reutle/ Tyrol, Austria*, Survey Industrial heavy-metal carbides both under Carbides

**N. L. Bottone**, *Union Carbide Corp., Cleveland, Ohio*, Carbon and artificial graphite under Carbon

**Joseph G. Bower**, *U.S. Borax & Chemical Corp., Sanford Station, California*, Boron, elemental

**J. R. Brotherton**, *U.S. Borax Research Corp., Anaheim, California*, Boric acid esters under Boron compounds

**R. M. Bushong**, *Union Carbide Corp., Cleveland, Ohio*, Carbon and artificial graphite under Carbon

viii      **CONTRIBUTORS TO VOLUME 4**

- S. C. Carapella, Jr.**, *ASARCO Incorporated, South Plainfield, New Jersey*, Cadmium and cadmium alloys
- Ared Cezairliyan**, *National Bureau of Standards, Washington, D.C.*, Calorimetry
- Eli M. Dannenberg**, *Cabot Corporation, Billerica, Massachusetts*, Carbon black under Carbon
- Daniel J. Doonan**, *U.S. Borax Research Corp., Anaheim, California*, Boron oxides, boric acid, and borates under Boron compounds
- Gerald M. Drissel**, *Air Products and Chemicals, Inc., Allentown, Pennsylvania*, Carbon monoxide
- Gary B. Dunks**, *Union Carbide Corp., Tarrytown, New York*, Boron hydrides, heteroboranes, and their metalloderivatives (commercial aspects) under Boron compounds
- Leon Goldman**, *Lederle Laboratories, American Cyanamid Co., Pearl River, New York*, Cardiovascular agents
- William F. Hauschildt**, *Amoco Chemicals Corp., Naperville, Illinois*, Butylenes
- Heinz Hefti**, *Ciba-Geigy Ltd., Basel, Switzerland*, Brighteners, fluorescent
- Paul L. Henkels**, *United States Gypsum Co., Des Plaines, Illinois*, Calcium sulfate under Calcium compounds
- Melvorn C. Hoff**, *Amoco Chemicals Corporation, Naperville, Illinois*, Butylenes
- M. L. Hollander**, *ASARCO Incorporated, South Plainfield, New Jersey*, Cadmium and cadmium alloys
- E. D. Howell**, *The Carborundum Co., Niagara Falls, New York*, Silicon carbides under Carbides
- Judith K. Hruschka**, *Ohio Northern University, Ada, Ohio*, Blood, coagulants and anticoagulants
- Un K. Im**, *Amoco Chemicals Corporation, Naperville, Illinois*, Butylenes
- M. P. Ingham**, *Shell International Chemical Co., Ltd., London, England*, Trialkylacetic acids under Carboxylic acids
- M. G. Jacko**, *Bendix Corporation, Southfield, Michigan*, Brake linings and clutch facings
- Robert W. Johnson, Jr.**, *Union Camp Corporation, Savannah, Georgia*, Branched-chain acids; Fatty acid from tall oil both under Carboxylic acids
- Martha B. Jones**, *Royal Crown Cola Company, Columbus, Georgia*, Carbonated beverages
- B. R. Joyce**, *Union Carbide Corp., Cleveland, Ohio*, Carbon and artificial graphite under Carbon
- Richard Kieffer**, *Technical University, Vienna, Austria*, Survey; Industrial heavy-metal carbides, Cemented carbides all under Carbides
- Isidor Kirschenbaum**, *Exxon Research and Engineering Co., Linden, New Jersey*, Butadiene
- T. M. Korzekwa**, *The Carborundum Co., Niagara Falls, New York*, Silicon carbides under Carbides
- Charles J. Kunesh**, *Pfizer, Inc., Easton, Pennsylvania*, Calcium and calcium alloys
- S. M. Kuntz**, *The Carborundum Co., Niagara Falls, New York*, Silicon carbides under Carbides
- Richard H. Lepley**, *Pfizer, Inc., Easton, Pennsylvania*, Calcium carbonate under Calcium compounds
- J. C. Long**, *Union Carbide Corp., Cleveland, Ohio*, Carbon and artificial graphite under Carbon
- Loren D. Lower**, *U.S. Borax Research Corp., Boron, California*, Boron oxides, boric acid, and borates under Boron compounds

- J. T. Meers**, *Union Carbide Corp., Cleveland, Ohio*, Carbon and artificial graphite under Carbon
- H. C. Miller**, *Super-Cut, Inc., Chicago, Illinois*, Diamond, natural under Carbon
- George E. Moore**, *Consultant, Schenectady, New York*, Burner technology
- J. W. Parker**, *Shell International Chemical Co., Ltd., London, England*, Trialkylacetic acids under Carboxylic acids
- P. D. Parker**, *AMAX Base Metal Research and Development, Inc., Carteret, New Jersey*, Cadmium compounds
- Edward G. Perkins**, *University of Illinois, Urbana, Illinois*, Analysis and standards under Carboxylic acids
- E. L. Piper**, *Union Carbide Corporation, Cleveland, Ohio*, Carbon and artificial graphite under Carbon
- Ralph H. Potts**, *Armak Company, McCook, Illinois*, Manufacture under Carboxylic acids
- Everett H. Pryde**, *United States Department of Agriculture, Peoria, Illinois*, Introduction; Economic aspects both under Carboxylic acids
- Imre Puskas**, *Amoco Chemical Corporation, Naperville, Illinois*, Butylenes
- Derek L. Ransley**, *Chevron Research Company, Richmond, California*, BTX processing
- R. L. Reddy**, *Union Carbide Corp., Cleveland, Ohio*, Carbon and artificial graphite under Carbon
- Charles E. Reineke**, *Dow Chemical U.S.A., Midland, Michigan*, Bromine
- S. K. Rhee**, *Bendix Corporation, Southfield, Michigan*, Brake linings and clutch facings
- Carl L. Rollinson**, *University of Maryland, College Park, Maryland*, Survey under Calcium compounds
- Ralph W. Rudolph**, *University of Michigan, Ann Arbor, Michigan*, Boron hydrides, heteroboranes, and their metalloderivatives under Boron compounds
- R. Russell**, *Union Carbide Corp., Cleveland, Ohio*, Carbon and artificial graphite under Carbon
- P. M. Scherer**, *Union Carbide Corp., Cleveland, Ohio*, Carbon and artificial graphite under Carbon
- Sherwood B. Seeley**, *Consultant, Marco Island, Florida*, Natural graphite under Carbon
- Walker L. Shearer**, *Dow Chemical U.S.A., Midland, Michigan*, Calcium chloride under Calcium compounds
- Paul Dwight Sherman, Jr.**, *Union Carbide Corp., South Charleston, West Virginia*, Butyl alcohols; Butyraldehyde
- Noel B. Shine**, *Shawinigan Products Dept. Gulf Oil Chemicals, Houston, Texas*, Calcium carbide under Carbides
- H. D. Smith, Jr.**, *Virginia Polytechnic Institute and State University, Blacksburg, Virginia*, Organic boron nitrogen compounds under Boron compounds
- Richard A. Smoak**, *The Carborundum Company, Niagara Falls, New York*, Silicon carbide under Carbides
- R. W. Soffel**, *Union Carbide Corp., Cleveland, Ohio*, Carbon and artificial graphite under Carbon
- V. A. Stenger**, *Dow Chemical U.S.A., Midland, Michigan*, Bromine compounds
- Martin H. Stryker**, *The New York Blood Center, New York, New York*, Blood fractionation
- David M. Stuart**, *Ohio Northern University, Ada, Ohio*, Blood, coagulants and anticoagulants
- Robert W. Timmerman**, *FMC Corporation, Princeton, New Jersey*, Carbon disulfide



x      **CONTRIBUTORS TO VOLUME 4**

- R. J. Turner**, *Shell International Chemical Co., Ltd., London, England*, Trialkylacetic acids under Carboxylic acids
- H. F. Volk**, *Union Carbide Corp., Cleveland, Ohio*, Carbon and artificial graphite under Carbon
- Frank S. Wagner**, *Strem Chemicals, Inc., Newburyport, Massachusetts*, Carbonyls
- Alan A. Waldman**, *The New York Blood Center, New York, New York*, Blood fractionation
- Robert J. Wenk**, *United States Gypsum Co., Des Plaines, Illinois*, Calcium sulfate under Calcium compounds
- R. H. Wentorf, Jr.**, *General Electric Company, Schenectady, New York*, Refractory boron compounds under Boron compounds; Diamond, synthetic under Carbon
- Roy L. Whistler**, *Purdue University, West Lafayette, Indiana*, Carbohydrates
- L. L. Winter**, *Union Carbide Corp., Cleveland, Ohio*, Carbon and artificial graphite under carbon
- J. H. Woode**, *Shell International Chemical Co., Ltd., London, England*, Trialkylacetic acids under Carboxylic acids
- Reinhard Zweidler**, *Ciba-Geigy Ltd., Basel, Switzerland*, Brighteners, fluorescent
- John R. Zysk**, *Purdue University, West Lafayette, Indiana*, Carbohydrates

## NOTE ON CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBERS AND NOMENCLATURE

---

Chemical Abstracts Service (CAS) Registry Numbers are unique numerical identifiers assigned to substances recorded in the CAS Registry System. They appear in brackets in the *Chemical Abstracts* (CA) substance and formula indexes following the names of compounds. A single compound may have many synonyms in the chemical literature. A simple compound like phenethylamine can be named  $\beta$ -phenylethylamine or, as in *Chemical Abstracts*, benzenethanamine. The usefulness of the Encyclopedia depends on accessibility through the most common correct name of a substance. Because of this diversity in nomenclature careful attention has been given the problem in order to assist the reader as much as possible, especially in locating the systematic CA index name by means of the Registry Number. For this purpose, the reader may refer to the CAS Registry Handbook-Number Section which lists in numerical order the Registry Number with the Chemical Abstracts index name and the molecular formula; eg, 458-88-8, Piperidine, 2-propyl-, (S)-,  $C_8H_{17}N$ ; in the Encyclopedia this compound would be found under its common name, coniine [458-88-8]. The Registry Number is a valuable link for the reader in retrieving additional published information on substances and also as a point of access for such on-line data bases as Chemline, Medline, and Toxline.


In all cases, the CAS Registry Numbers have been given for title compounds in articles and for all compounds in the index. All specific substances indexed in *Chemical Abstracts* since 1965 are included in the CAS Registry System as are a large number of substances derived from a variety of reference works. The CAS Registry System identifies a substance on the basis of an unambiguous computer-language description of its molecular structure including stereochemical detail. The Registry Number is a machine-checkable number (like a Social Security number) assigned in sequential order to each substance as it enters the registry system. The value of the number lies in the fact that it is a concise and unique means of substance identification, which is

independent of, and therefore bridges, many systems of chemical nomenclature. For polymers, one Registry Number is used for the entire family; eg, polyoxyethylene (20)sorbitan monolaurate has the same number as all of its polyoxyethylene homologues.

Registry numbers for each substance will be provided in the third edition index (eg, Alkaloids will show the Registry Number of all alkaloids (title compounds) in a table in the article as well, but the intermediates will have their Registry Numbers shown only in the index). Articles such as Absorption, Adsorptive separation, Air conditioning, Air pollution, Air pollution control methods will have no Registry Numbers in the text.

Cross-references have been inserted in the index for many common names and for some systematic names. Trademark names appear in the index. Names that are incorrect, misleading or ambiguous are avoided. Formulas are given very frequently in the text to help in identifying compounds. The spelling and form used, even for industrial names, follow American chemical usage, but not always the usage of *Chemical Abstracts* (eg, *coniine* is used instead of *(S)-2-propylpiperidine*, *aniline* instead of *benzenamine*, and *acrylic acid* instead of *2-propenoic acid*).

There are variations in representation of rings in different disciplines. The dye industry does not designate aromaticity or double bonds in rings. All double bonds and aromaticity will be shown in the Encyclopedia as a matter of course. For example, tetralin has an aromatic ring and a saturated ring and its structure will appear in the



Encyclopedia with its common name, Registry Number enclosed in brackets, and parenthetical CA index name, ie, tetralin, [119-64-2] (1,2,3,4-tetrahydronaphthalene). With names and structural formulas, and especially with CAS Registry Numbers, the aim is to help the reader have a concise means of substance identification.



# CONVERSION FACTORS, ABBREVIATIONS, AND UNIT SYMBOLS

---

## SI Units (Adopted 1960)

A new system of measurement, the International System of Units (abbreviated SI), is being implemented throughout the world. This system is a modernized version of the MKSA (meter, kilogram, second, ampere) system, and its details are published and controlled by an international treaty organization (The International Bureau of Weights and Measures) (1).

SI units are divided into three classes:

### BASE UNITS

length	meter <sup>†</sup> (m)
mass <sup>‡</sup>	kilogram (kg)
time	second (s)
electric current	ampere (A)
thermodynamic temperature <sup>§</sup>	kelvin (K)
amount of substance	mole (mol)
luminous intensity	candela (cd)

<sup>†</sup> The spellings “metre” and “litre” are preferred by ASTM; however “-er” will be used in the Encyclopedia.

<sup>‡</sup> “Weight” is the commonly used term for “mass”.

<sup>§</sup> Wide use is made of “Celsius temperature” ( $t$ ) defined by

$$t = T - T_0$$

where  $T$  is the thermodynamic temperature, expressed in kelvins, and  $T_0 = 273.15$  K by definition. A temperature interval may be expressed in degrees Celsius as well as in kelvins.

SUPPLEMENTARY UNITS

plane angle	radian (rad)
solid angle	steradian (sr)

DERIVED UNITS AND OTHER ACCEPTABLE UNITS

These units are formed by combining base units, supplementary units, and other derived units (2–4). Those derived units having special names and symbols are marked with an asterisk in the list below:

<i>Quantity</i>	<i>Unit</i>	<i>Symbol</i>	<i>Acceptable equivalent</i>
*absorbed dose	gray	Gy	J/kg
acceleration	meter per second squared	m/s <sup>2</sup>	
*activity (of ionizing radiation source)	becquerel	Bq	1/s
area	square kilometer	km <sup>2</sup>	
	square hectometer	hm <sup>2</sup>	ha (hectare)
	square meter	m <sup>2</sup>	
*capacitance	farad	F	C/V
concentration (of amount of substance)	mole per cubic meter	mol/m <sup>3</sup>	
*conductance	siemens	S	A/V
current density	ampere per square meter	A/m <sup>2</sup>	
density, mass density	kilogram per cubic meter	kg/m <sup>3</sup>	g/L; mg/cm <sup>3</sup>
dipole moment (quantity)	coulomb meter	C·m	
*electric charge, quantity of electricity	coulomb	C	A·s
electric charge density	coulomb per cubic meter	C/m <sup>3</sup>	
electric field strength	volt per meter	V/m	
electric flux density	coulomb per square meter	C/m <sup>2</sup>	
*electric potential, potential difference, electromotive force	volt	V	W/A
*electric resistance	ohm	Ω	V/A
*energy, work, quantity of heat	megajoule	MJ	
	kilojoule	kJ	
	joule	J	N·m
	electron volt <sup>†</sup>	eV <sup>†</sup>	
	kilowatt-hour <sup>†</sup>	kW·h <sup>†</sup>	

<sup>†</sup> This non-SI unit is recognized by the CIPM as having to be retained because of practical importance or use in specialized fields (1).

<i>Quantity</i>	<i>Unit</i>	<i>Symbol</i>	<i>Acceptable equivalent</i>
energy density	joule per cubic meter	J/m <sup>3</sup>	
*force	kilonewton	kN	
	newton	N	kg·m/s <sup>2</sup>
*frequency	megahertz	MHz	
	hertz	Hz	1/s
heat capacity, entropy	joule per kelvin	J/K	
heat capacity (specific), specific entropy	joule per kilogram kelvin	J/(kg·K)	
heat transfer coefficient	watt per square meter kelvin	W/(m <sup>2</sup> ·K)	
*illuminance	lux	lx	lm/m <sup>2</sup>
*inductance	henry	H	Wb/A
linear density	kilogram per meter	kg/m	
luminance	candela per square meter	cd/m <sup>2</sup>	
*luminous flux	lumen	lm	cd·sr
magnetic field strength	ampere per meter	A/m	
*magnetic flux	weber	Wb	V·s
*magnetic flux density	tesla	T	Wb/m <sup>2</sup>
molar energy	joule per mole	J/mol	
molar entropy, molar heat capacity	joule per mole kelvin	J/(mol·K)	
moment of force, torque	newton meter	N·m	
momentum	kilogram meter per second	kg·m/s	
permeability	henry per meter	H/m	
permittivity	farad per meter	F/m	
*power, heat flow rate, radiant flux	kilowatt watt	kW W	J/s
power density, heat flux density, irradiance	watt per square meter	W/m <sup>2</sup>	
*pressure, stress	megapascal kilopascal pascal	MPa kPa Pa	N/m <sup>2</sup>
sound level	decibel	dB	
specific energy	joule per kilogram	J/kg	
specific volume	cubic meter per kilogram	m <sup>3</sup> /kg	
surface tension	newton per meter	N/m	
thermal conductivity	watt per meter kelvin	W/(m·K)	
velocity	meter per second kilometer per hour	m/s km/h	
viscosity, dynamic	pascal second millipascal second	Pa·s mPa·s	
viscosity, kinematic	square meter per second	m <sup>2</sup> /s	



Quantity	Unit	Symbol	Acceptable equivalent
	square millimeter		
	per second	mm <sup>2</sup> /s	
volume	cubic meter	m <sup>3</sup>	
	cubic decimeter	dm <sup>3</sup>	L(liter) (5)
	cubic centimeter	cm <sup>3</sup>	mL
wave number	1 per meter	m <sup>-1</sup>	
	1 per centimeter	cm <sup>-1</sup>	

In addition, there are 16 prefixes used to indicate order of magnitude, as follows:

Multiplication factor	Prefix	Symbol	Note
10 <sup>18</sup>	exa	E	
10 <sup>15</sup>	peta	P	
10 <sup>12</sup>	tera	T	
10 <sup>9</sup>	giga	G	
10 <sup>6</sup>	mega	M	
10 <sup>3</sup>	kilo	k	
10 <sup>2</sup>	hecto	h <sup>a</sup>	<sup>a</sup> Although hecto, deka, deci, and centi are SI prefixes, their use should be avoided except for SI unit-multiples for area and volume and nontechnical use of centimeter, as for body and clothing measurement.
10	deka	da <sup>a</sup>	
10 <sup>-1</sup>	deci	d <sup>a</sup>	
10 <sup>-2</sup>	centi	c <sup>a</sup>	
10 <sup>-3</sup>	milli	m	
10 <sup>-6</sup>	micro	μ	
10 <sup>-9</sup>	nano	n	
10 <sup>-12</sup>	pico	p	
10 <sup>-15</sup>	femto	f	
10 <sup>-18</sup>	atto	a	

For a complete description of SI and its use the reader is referred to ASTM E 380 (4) and the article Units and Conversion Factors which will appear in a later volume of the *Encyclopedia*.

A representative list of conversion factors from non-SI to SI units is presented herewith. Factors are given to four significant figures. Exact relationships are followed by a dagger. A more complete list is given in ASTM E 380-76(4) and ANSI Z210.1-1976 (6).

### Conversion Factors to SI Units

To convert from	To	Multiply by
acre	square meter (m <sup>2</sup> )	4.047 × 10 <sup>3</sup>
angstrom	meter (m)	1.0 × 10 <sup>-10†</sup>
are	square meter (m <sup>2</sup> )	1.0 × 10 <sup>2†</sup>
astronomical unit	meter (m)	1.496 × 10 <sup>11</sup>
atmosphere	pascal (Pa)	1.013 × 10 <sup>5</sup>
bar	pascal (Pa)	1.0 × 10 <sup>5†</sup>
barrel (42 U.S. liquid gallons)	cubic meter (m <sup>3</sup> )	0.1590
Bohr magneton μ <sub>B</sub>	J/T	9.274 × 10 <sup>-24</sup>
Btu (International Table)	joule (J)	1.055 × 10 <sup>3</sup>

† Exact.

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
Btu (mean)	joule (J)	$1.056 \times 10^3$
Btu (thermochemical)	joule (J)	$1.054 \times 10^3$
bushel	cubic meter (m <sup>3</sup> )	$3.524 \times 10^{-2}$
calorie (International Table)	joule (J)	4.187
calorie (mean)	joule (J)	4.190
calorie (thermochemical)	joule (J)	4.184 <sup>†</sup>
centipoise	pascal second (Pa·s)	$1.0 \times 10^{-3}\dagger$
centistoke	square millimeter per second (mm <sup>2</sup> /s)	1.0 <sup>†</sup>
cfm (cubic foot per minute)	cubic meter per second (m <sup>3</sup> /s)	$4.72 \times 10^{-4}$
cubic inch	cubic meter (m <sup>3</sup> )	$1.639 \times 10^{-5}$
cubic foot	cubic meter (m <sup>3</sup> )	$2.832 \times 10^{-2}$
cubic yard	cubic meter (m <sup>3</sup> )	0.7646
curie	becquerel (Bq)	$3.70 \times 10^{10}\dagger$
debye	coulomb·meter (C·m)	$3.336 \times 10^{-30}$
degree (angle)	radian (rad)	$1.745 \times 10^{-2}$
denier (international)	kilogram per meter (kg/m)	$1.111 \times 10^{-7}$
	tex <sup>†</sup>	0.1111
dram (apothecaries')	kilogram (kg)	$3.888 \times 10^{-3}$
dram (avoirdupois)	kilogram (kg)	$1.772 \times 10^{-3}$
dram (U.S. fluid)	cubic meter (m <sup>3</sup> )	$3.697 \times 10^{-6}$
dyne	newton (N)	$1.0 \times 10^{-5}\dagger$
dyne/cm	newton per meter (N/m)	$1.00 \times 10^{-3}\dagger$
electron volt	joule (J)	$1.602 \times 10^{-19}$
erg	joule (J)	$1.0 \times 10^{-7}\dagger$
fathom	meter (m)	1.829
fluid ounce (U.S.)	cubic meter (m <sup>3</sup> )	$2.957 \times 10^{-5}$
foot	meter (m)	0.3048 <sup>†</sup>
footcandle	lux (lx)	10.76
furlong	meter (m)	$2.012 \times 10^{-2}$
gal	meter per second squared (m/s <sup>2</sup> )	$1.0 \times 10^{-2}\dagger$
gallon (U.S. dry)	cubic meter (m <sup>3</sup> )	$4.405 \times 10^{-3}$
gallon (U.S. liquid)	cubic meter (m <sup>3</sup> )	$3.785 \times 10^{-3}$
gauss	tesla (T)	$1.0 \times 10^{-4}$
gilbert	ampere (A)	0.7958
gill (U.S.)	cubic meter (m <sup>3</sup> )	$1.183 \times 10^{-4}$
grad	radian	$1.571 \times 10^{-2}$
grain	kilogram (kg)	$6.480 \times 10^{-5}$
gram force per denier	newton per tex (N/tex)	$8.826 \times 10^{-2}$
hectare	square meter (m <sup>2</sup> )	$1.0 \times 10^4\dagger$
horsepower (550 ft·lbf/s)	watt (W)	$7.457 \times 10^2$
horsepower (boiler)	watt (W)	$9.810 \times 10^3$
horsepower (electric)	watt (W)	$7.46 \times 10^2\dagger$
hundredweight (long)	kilogram (kg)	50.80
hundredweight (short)	kilogram (kg)	45.36
inch	meter (m)	$2.54 \times 10^{-2}\dagger$
inch of mercury (32°F)	pascal (Pa)	$3.386 \times 10^3$

† Exact.

‡ See footnote on p. xiv.

<i>To convert from</i>	<i>To</i>	<i>Multiply by</i>
inch of water (39.2°F)	pascal (Pa)	$2.491 \times 10^2$
kilogram force	newton (N)	9.807
kilowatt hour	megajoule (MJ)	3.6†
kip	newton (N)	$4.48 \times 10^3$
knot (international)	meter per second (m/s)	0.5144
lambert	candela per square meter (cd/m <sup>2</sup> )	$3.183 \times 10^3$
league (British nautical)	meter (m)	$5.559 \times 10^3$
league (statute)	meter (m)	$4.828 \times 10^3$
light year	meter (m)	$9.461 \times 10^{15}$
liter (for fluids only)	cubic meter (m <sup>3</sup> )	$1.0 \times 10^{-3}\dagger$
maxwell	weber (Wb)	$1.0 \times 10^{-8}\dagger$
micron	meter (m)	$1.0 \times 10^{-6}\dagger$
mil	meter (m)	$2.54 \times 10^{-5}\dagger$
mile (U.S. nautical)	meter (m)	$1.852 \times 10^3\dagger$
mile (statute)	meter (m)	$1.609 \times 10^3$
mile per hour	meter per second (m/s)	0.4470
millibar	pascal (Pa)	$1.0 \times 10^2$
millimeter of mercury (0°C)	pascal (Pa)	$1.333 \times 10^2\dagger$
minute (angular)	radian	$2.909 \times 10^{-4}$
myriagram	kilogram (kg)	10
myriameter	kilometer (km)	10
oersted	ampere per meter (A/m)	79.58
ounce (avoirdupois)	kilogram (kg)	$2.835 \times 10^{-2}$
ounce (troy)	kilogram (kg)	$3.110 \times 10^{-2}$
ounce (U.S. fluid)	cubic meter (m <sup>3</sup> )	$2.957 \times 10^{-5}$
ounce-force	newton (N)	0.2780
peck (U.S.)	cubic meter (m <sup>3</sup> )	$8.810 \times 10^{-3}$
pennyweight	kilogram (kg)	$1.555 \times 10^{-3}$
pint (U.S. dry)	cubic meter (m <sup>3</sup> )	$5.506 \times 10^{-4}$
pint (U.S. liquid)	cubic meter (m <sup>3</sup> )	$4.732 \times 10^{-4}$
poise (absolute viscosity)	pascal second (Pa·s)	0.10†
pound (avoirdupois)	kilogram (kg)	0.4536
pound (troy)	kilogram (kg)	0.3732
poundal	newton (N)	0.1383
pound-force	newton (N)	4.448
pound per square inch (psi)	pascal (Pa)	$6.895 \times 10^3$
quart (U.S. dry)	cubic meter (m <sup>3</sup> )	$1.101 \times 10^{-3}$
quart (U.S. liquid)	cubic meter (m <sup>3</sup> )	$9.464 \times 10^{-4}$
quintal	kilogram (kg)	$1.0 \times 10^2\dagger$
rad	gray (Gy)	$1.0 \times 10^{-2}\dagger$
rod	meter (m)	5.029
roentgen	coulomb per kilogram (C/kg)	$2.58 \times 10^{-4}$
second (angle)	radian (rad)	$4.848 \times 10^{-6}$
section	square meter (m <sup>2</sup> )	$2.590 \times 10^6$
slug	kilogram (kg)	14.59

† Exact.