

KIRK-OTHMER

ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

FOURTH EDITION

VOLUME 2

**ALKANOLAMINES
TO
ANTIBIOTICS (GLYCOPEPTIDES)**



**A Wiley-Interscience Publication
JOHN WILEY & SONS**

New York • Chichester • Brisbane • Toronto • Singapore

In recognition of the importance of preserving what has been written, it is the policy of John Wiley & Sons, Inc., to have books of enduring value published in the United States printed on acid-free paper, and we exert our best efforts to that end.

Copyright © 1992 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons, Inc.

Library of Congress Cataloging-in-Publication Data

Encyclopedia of chemical technology / executive editor, Jacqueline

I. Kroschwitz; editor, Mary Howe-Grant.—4th ed.

p. cm.

At head of title: Kirk-Othmer.

"A Wiley-Interscience publication."

Includes index.

Contents: v. 2. Alkanolamines to antibiotics (glycopeptides).

ISBN 0-471-52669-X (v. 1)

1. Chemistry, Technical—Encyclopedias. I. Kirk, Raymond E. (Raymond Eller), 1890–1957. II. Othmer, Donald F. (Donald Frederick), 1904–. III. Kroschwitz, Jacqueline I., 1942–. IV. Howe-Grant, Mary, 1943–. V. Title: Kirk-Othmer encyclopedia of chemical technology.

TP9.E685 1991

660'.03—dc20

91-16789

CIP

Printed and bound by the Hamilton Printing Company.

Printed in the United States of America

JOHN WILEY & SONS

New York • Chichester • Brisbane • Toronto • Singapore

KIRK-OTHMER

EXECUTIVE EDITOR
Jacqueline Kroschwitz

Editor
Mary Howe-Grant

ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

FOURTH EDITION

VOLUME 2

**ALKANOLAMINES
TO
ANTIBIOTICS (GLYCOPEPTIDES)**

EXECUTIVE EDITOR
Jacqueline I. Kroschwitz

Editor
Mary Howe-Grant

EDITORIAL STAFF FOR VOLUME 2

Executive Editor: Jacqueline I. Kroschwitz

Editor: Mary Howe-Grant

Assistant Managing Editor: Lindy J. Humphreys

Copy Editor: Lee Gray

CONTRIBUTORS TO VOLUME 2

Bijan Amini, E. I. du Pont de Nemours & Co., Inc., Deepwater, New Jersey, Aniline and its derivatives (under Amines, aromatic)

Frederick J. Antosz, The Upjohn Company, Kalamazoo, Michigan, Ansamacrolides (under Antibiotics)

Kazumi Araki, University of East Asia, Shimonoseki, Japan, Survey (under Amino acids)

Peter R. Bernstein, ICI Americas Corporation, Wilmington, Delaware, Antiasthmatic agents

Allen F. Bollmeier, Jr., ANGUS Chemical Company, Northbrook, Illinois, Alkanolamines from nitro alcohols

- Donald Borders**, *American Cyanamid Company, Pearl River, New York*, Survey (under Antibiotics)
- Jeremiah Casey**, *Air Products and Chemicals, Inc., Allentown, Pennsylvania*, Cycloaliphatic amines
- B. Cavalleri**, *Merrell-Dow Research Institute, Gerenzano, Italy*, Glycopeptides (under Antibiotics)
- A. J. Cofrancesco**, *Windward Meadows, Delanson, New York*, Anthraquinone
- Howard Cottam**, *University of California, San Diego, California*, Antiaging agents
- Tom A. Czuppon**, *M. W. Kellogg Company, Houston, Texas*, Ammonia
- K. V. Darragh**, *Rhône-Poulenc, Inc., Cranbury, New Jersey*, Aluminum sulfate and alums (under Aluminum compounds)
- Ross Dowbenko**, *PPG Industries, Allison Park, Pennsylvania*, Allyl monomers and polymers
- Wayne P. Duncan**, *Hewlett-Packard Company, Palo Alto, California*, Hyphenated instruments (under Analytical methods)
- Frank H. Ebetino**, *Norwich Eaton Pharmaceuticals Corporation, Norwich, New York*, Nitrofurans (under Antibacterial agents)
- Martha R. Edens**, *The Dow Chemical Company, Freeport, Texas*, Alkanolamines from olefin oxides and ammonia
- Carolyn A. Ertell**, *Rhône-Poulenc, Inc., Cranbury, New Jersey*, Aluminum sulfate and alums (under Aluminum compounds)
- William O. Foye**, *Massachusetts College of Pharmacy and Allied Health Sciences, Boston, Massachusetts*, Sulfonamides (under Antibacterial agents)
- Gary Grams**, *Witco Corporation, Oakland, New Jersey*, Aluminum halides and aluminum nitrate (under Aluminum compounds)
- Charles M. Hall**, *The Upjohn Company, Kalamazoo, Michigan*, Analgesics, antipyretics, and antiinflammatory agents
- H. U. Hammershalm**, *UOP, Des Plaines, Illinois*, Alkylation
- Warren Haupin**, *Aluminum Company of America, Alcoa, Pennsylvania*, Aluminum and aluminum alloys
- Michael Horn**, *Hüls A.G., Rheinfelden, Germany*, Alkoxides, metal
- U. Horns**, *Hüls America, Inc., Alkoxides, metal*
- T. Imai**, *UOP, Des Plaines, Illinois*, Alkylation
- Thomas A. Johnson**, *Air Products and Chemicals, Inc., Allentown, Pennsylvania*, Aliphatic amines
- Weldon B. Jolley**, *ICN Pharmaceuticals Corporation, Costa Mesa, California*, Antiaging agents
- Tetsuya Kawakita**, *Ajinomoto Company, Saga, Japan*, Monosodium glutamate (MSG) (under Amino acids)
- Robert J. Keller**, *Vinings Industries, Inc., Atlanta, Georgia*, Aluminates (under Aluminum compounds)
- Stan A. Knez**, *M. W. Kellogg Company, Houston, Texas*, Ammonia
- Gregory Lambeth**, *Schenectady Chemicals, Inc., Schenectady, New York*, Alkylphenols

- Robert W. Layer**, *B.F. Goodrich Research Center, Brecksville, Ohio*, Phenylenediamines; Diarylamines (under Amines, aromatic)
- Joseph J. Len**, *Vinings Industries, Inc., Atlanta, Georgia*, Aluminates (under Aluminum compounds)
- George R. Lenz**, *The BOC Group Technical Center, Murray Hill, New Jersey*, Anesthetics
- George Y. Leshner**, *Sterling-Winthrop Research Institute, Rensselaer, New York*, Quinolones (under Antibacterial agents)
- K. F. Lin**, *Hercules Incorporated, Wilmington, Delaware*, Alkyd resins
- J. Fred Lochary**, *The Dow Chemical Company, Freeport, Texas*, Alkanolamines from olefin oxides and ammonia
- John F. Lorenc**, *Schenectady Chemicals, Inc., Schenectady, New York*, Alkylphenols
- Steven Lowenkron**, *The Dow Chemical Company, LaPorte, Texas*, Methylenedianiline (under Aromatic amines)
- George MacZura**, *Aluminum Company of America, Pittsburgh, Pennsylvania*, Alumina, calcined and tabular (under Aluminum compounds)
- Donald McGregor**, *Bristol-Myers Squibb Company, Wallingford, Connecticut*, Aminoglycosides (under Antibiotics)
- Arthur McKenna**, *Witco Corporation, Chicago, Illinois*, Aluminum carboxylates (under Aluminum compounds)
- Hubert Maehr**, *Hoffmann-LaRoche, Inc., Nutley, New Jersey*, Efamycins (under Antibiotics)
- Bernard Maisonneuve**, *Akzo Chemicals, Inc., Dobbs Ferry, New York*, Amine oxides
- George H. Miller**, *Schering-Plough Research, Bloomfield, New Jersey*, Chloramphenicol and analogues (under Antibiotics)
- Chanakya Misra**, *Aluminum Company of America, Alcoa Center, Pennsylvania*, Alumina, hydrated (under Aluminum compounds)
- Stephen Mitchell**, *University of London, Birmingham, England*, Aminophenols
- Anthony J. Montana**, *Warner-Lambert Company, Morris Plains, New Jersey*, Trends (under Analytical methods)
- Tattanahalli Nagabhushan**, *Schering-Plough Research, Bloomfield, New Jersey*, Chloramphenicols and analogues (under Antibiotics)
- Nobuyuki Nagato**, *Showa Denko K.K., Tokyo, Japan*, Allyl alcohol and its derivatives
- Richard A. Nugent**, *The Upjohn Company, Kalamazoo, Michigan*, Analgesics, antipyretics, and antiinflammatory agents
- Ross Opsahl**, *Akzo Chemicals Corporation, McCook, Illinois*, Amides, fatty acid
- Toshitsugu Ozeki**, *Kyowa Hakko Kogyo Company, Yokkaichi, Japan*, Survey (under Amino acids)
- Anthony J. Papa**, *Union Carbide Corporation, South Charleston, West Virginia*, Amyl alcohols
- F. Parenti**, *Merrell-Dow Research Institute, Gerezano, Italy*, Glycopeptides (under Antibiotics)
- Alan Pearson**, *Aluminum Company of America, Alcoa Center, Pennsylvania*, Alumina, activated (under Aluminum compounds)

- Michael Reuman**, *Sterling-Winthrop Research Institute, Rensselaer, New York*,
Quinolones (under Antibacterial agents)
- Jerry M. Royner**, *M. W. Kellogg Company, Houston, Texas*, Ammonia
- William Scheffer**, *Schenectady Chemicals, Inc., Schenectady, New York*, Alkyl-
phenols
- Steven L. Schilling**, *Mobay Corporation, New Martinsville, West Virginia*, Amines by
reduction
- Hollis G. Schoepke**, *Anaquest, Murray Hill, New Jersey*, Anesthetics
- Thomas J. Schwan**, *Norwich Eaton Pharmaceuticals Corporation, Norwich, New
York*, Nitrofurans (under Antibacterial agents)
- Kristine S. Siefert**, *Nalco Chemical Company, Naperville, Illinois*, Polyaluminum
chlorides (under Aluminum compounds)
- William C. Sleppy**, *Aluminum Company of America, Alcoa Center, Pennsylvania*,
Introduction (under Aluminum compounds)
- Theodore C. Spaulding**, *Anaquest, Murray Hill, New Jersey*, Anesthetics
- James T. Staley**, *Aluminum Company of America, Alcoa, Pennsylvania*, Aluminum
and aluminum alloys
- G. J. Thompson**, *UOP, Des Plaines, Illinois*, Alkylation
- Bernard Toseland**, *Air Products and Chemicals, Inc., Allentown, Pennsylvania*, Di-
aminotoluenes (under Amines, aromatic)
- Michael G. Turcotte**, *Air Products and Chemicals, Inc., Allentown, Pennsylvania*,
Aliphatic amines
- Kanwal J. Varma**, *Schering-Plough Research, Bloomfield, New Jersey*, Chloram-
phenicols and analogues (under Antibiotics)
- Kenneth Visek**, *Akzo Chemicals, Inc., McCook, Illinois*, Fatty amines
- B. V. Vora**, *UOP, Des Plaines, Illinois*, Alkylation
- Rosemary Waring**, *University of Birmingham, Birmingham, England*, Aminophenols
- Charles W. Weston**, *Freeport Research and Engineering Company, Bell Chase,
Louisiana*, Ammonium compounds
- Laurence L. Williams**, *American Cyanamid Company, Stamford, Connecticut*, Amino
resins and plastics

NOTE ON CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBERS AND NOMENCLATURE

Chemical Abstracts Service (CAS) Registry Numbers are unique numerical identifiers assigned to substances recorded in the CAS Registry System. They appear in brackets in the *Chemical Abstracts* (CA) substance and formula indexes following the names of compounds. A single compound may have synonyms in the chemical literature. A simple compound like phenethylamine can be named β -phenylethylamine or, as in *Chemical Abstracts*, benzeneethanamine. The usefulness of the *Encyclopedia* depends on accessibility through the most common correct name of a substance. Because of this diversity in nomenclature careful attention has been given to the problem in order to assist the reader as much as possible, especially in locating the systematic CA index name by means of the Registry Number. For this purpose, the reader may refer to the CAS Registry Handbook—Number Section which lists in numerical order the Registry Number with the *Chemical Abstracts* index name and the molecular formula; eg, 458-88-8, Piperidine, 2-propyl-, (S)-, $C_8H_{17}N$; in the *Encyclopedia* this compound would be found under its common name, coniine [458-88-8]. Alternatively, this information can be retrieved electronically from CAS Online. In many cases molecular formulas have also been provided in the *Encyclopedia* text to facilitate electronic searching. The Registry Number is a valuable link for the reader in retrieving additional published information on substances and also as a point of access for on-line data bases.

In all cases, the CAS Registry Numbers have been given for title compounds in articles and for all compounds in the index. All specific substances indexed in *Chemical Abstracts* since 1965 are included in the CAS Registry System as are a large number of substances derived from a variety of reference works. The CAS Registry System identifies a substance on the basis of an unambiguous computer-language description of its molecular structure including stereochemical detail. The Registry Number is a machine-checkable number (like a Social Security number) assigned in sequential order to each substance as it enters the registry system. The value of the number lies in the fact that it is a concise and unique means of substance identification, which is independent of, and therefore bridges,

many systems of chemical nomenclature. For polymers, one Registry Number may be used for the entire family; eg, polyoxyethylene (20) sorbitan monolaurate has the same number as all of its polyoxyethylene homologues.

Cross-references are inserted in the index for many common names and for some systematic names. Trademark names appear in the index. Names that are incorrect, misleading, or ambiguous are avoided. Formulas are given very frequently in the text to help in identifying compounds. The spelling and form used, even for industrial names, follow American chemical usage, but not always the usage of *Chemical Abstracts* (eg, *coniine* is used instead of *(S)-2-propylpiperidine*, *aniline* instead of *benzenamine*, and *acrylic acid* instead of *2-propenoic acid*).

There are variations in representation of rings in different disciplines. The dye industry does not designate aromaticity or double bonds in rings. All double bonds and aromaticity are shown in the *Encyclopedia* as a matter of course. For example, tetralin has an aromatic ring and a saturated ring and its structure



appears in the *Encyclopedia* with its common name, Registry Number enclosed in brackets, and parenthetical CA index name, ie, tetralin [119-64-2] (1,2,3,4-tetrahydronaphthalene). With names and structural formulas, and especially with CAS Registry Numbers, the aim is to help the reader have a concise means of substance identification.

CONVERSION FACTORS, ABBREVIATIONS, AND UNIT SYMBOLS

SI Units (Adopted 1960)

The International System of Units (abbreviated SI), is being implemented throughout the world. This measurement system is a modernized version of the MKSA (meter, kilogram, second, ampere) system, and its details are published and controlled by an international treaty organization (The International Bureau of Weights and Measures) (1).

SI units are divided into three classes:

BASE UNITS

length	meter [†] (m)
mass	kilogram (kg)
time	second (s)
electric current	ampere (A)
thermodynamic temperature [‡]	kelvin (K)
amount of substance	mole (mol)
luminous intensity	candela (cd)

SUPPLEMENTARY UNITS

plane angle	radian (rad)
solid angle	steradian (sr)

[†]The spellings "metre" and "litre" are preferred by ASTM; however "-er" is used in the *Encyclopedia*.

[‡]Wide use is made of Celsius temperature (*t*) defined by

$$t = T - T_0$$

where *T* is the thermodynamic temperature, expressed in kelvin, and *T*₀ = 273.15 K by definition. A temperature interval may be expressed in degrees Celsius as well as in kelvin.

DERIVED UNITS AND OTHER ACCEPTABLE UNITS

These units are formed by combining base units, supplementary units, and other derived units (2-4). Those derived units having special names and symbols are marked with an asterisk in the list below.

Quantity	Unit	Symbol	Acceptable equivalent
*absorbed dose	gray	Gy	
acceleration	meter per second squared	m/s^2	J/kg
*activity (of a radionuclide)	becquerel	Bq	1/s
area	square kilometer	km^2	
	square hectometer	hm^2	ha (hectare)
	square meter	m^2	
concentration (of amount of substance)	mole per cubic meter	mol/m^3	
current density	ampere per square meter	A/m^2	
density, mass density	kilogram per cubic meter	kg/m^3	g/L; mg/cm^3
dipole moment (quantity)	coulomb meter	C·m	
*dose equivalent	sievert	Sv	J/kg
*electric capacitance	farad	F	C/V
*electric charge, quantity of electricity	coulomb	C	A·s
electric charge density	coulomb per cubic meter	C/m^3	
*electric conductance	siemens	S	A/V
electric field strength	volt per meter	V/m	
electric flux density	coulomb per square meter	C/m^2	
*electric potential, potential difference, electromotive force	volt	V	W/A
*electric resistance	ohm	Ω	V/A
*energy, work, quantity of heat	megajoule	MJ	
	kilojoule	kJ	
	joule	J	N·m
	electronvolt [†]	eV [†]	
	kilowatt-hour [†]	$\text{kW}\cdot\text{h}^{\dagger}$	
energy density	joule per cubic meter	J/m^3	
*force	kilonewton	kN	
	newton	N	$\text{kg}\cdot\text{m/s}^2$

[†]This non-SI unit is recognized by the CIPM as having to be retained because of practical importance or use in specialized fields (1).

Quantity	Unit	Symbol	Acceptable equivalent
*frequency	megahertz	MHz	
	hertz	Hz	1/s
heat capacity, entropy	joule per kelvin	J/K	
heat capacity (specific), specific entropy	joule per kilogram kelvin	J/(kg·K)	
heat transfer coefficient	watt per square meter kelvin	W/(m ² ·K)	
*illuminance	lux	lx	lm/m ²
*inductance	henry	H	Wb/A
linear density	kilogram per meter	kg/m	
luminance	candela per square meter	cd/m ²	
*luminous flux	lumen	lm	cd·sr
magnetic field strength	ampere per meter	A/m	
*magnetic flux	weber	Wb	V·s
*magnetic flux density	tesla	T	Wb/m ²
molar energy	joule per mole	J/mol	
molar entropy, molar heat capacity	joule per mole kelvin	J/(mol·K)	
moment of force, torque	newton meter	N·m	
momentum	kilogram meter per second	kg·m/s	
permeability	henry per meter	H/m	
permittivity	farad per meter	F/m	
*power, heat flow rate, radiant flux	kilowatt	kW	
	watt	W	J/s
power density, heat flux density, irradiance	watt per square meter	W/m ²	
*pressure, stress	megapascal	MPa	
	kilopascal	kPa	
	pascal	Pa	N/m ²
sound level	decibel	dB	
specific energy	joule per kilogram	J/kg	
specific volume	cubic meter per kilogram	m ³ /kg	
surface tension	newton per meter	N/m	
thermal conductivity	watt per meter kelvin	W/(m·K)	
velocity	meter per second	m/s	
	kilometer per hour	km/h	
viscosity, dynamic	pascal second	Pa·s	
	millipascal second	mPa·s	
viscosity, kinematic	square meter per second	m ² /s	
	square millimeter per second	mm ² /s	

Quantity	Unit	Symbol	Acceptable equivalent
volume	cubic meter	m ³	
	cubic decimeter	dm ³	L (liter) (5)
	cubic centimeter	cm ³	mL
wave number	1 per meter	m ⁻¹	
	1 per centimeter	cm ⁻¹	

In addition, there are 16 prefixes used to indicate order of magnitude, as follows:

Multiplication factor	Prefix	Symbol	Note
10 ¹⁸	exa	E	
10 ¹⁵	peta	P	
10 ¹²	tera	T	
10 ⁹	giga	G	
10 ⁶	mega	M	
10 ³	kilo	k	
10 ²	hecto	h ^a	^a Although hecto, deka, deci, and centi are SI prefixes, their use should be avoided except for SI unit-multiples for area and volume and nontechnical use of centimeter, as for body and clothing measurement.
10	deka	da ^a	
10 ⁻¹	deci	d ^a	
10 ⁻²	centi	c ^a	
10 ⁻³	milli	m	
10 ⁻⁶	micro	μ	
10 ⁻⁹	nano	n	
10 ⁻¹²	pico	p	
10 ⁻¹⁵	femto	f	
10 ⁻¹⁸	atto	a	

For a complete description of SI and its use the reader is referred to ASTM E 380 (4) and the article UNITS AND CONVERSION FACTORS which appears in Vol. 24.

A representative list of conversion factors from non-SI to SI units is presented herewith. Factors are given to four significant figures. Exact relationships are followed by a dagger. A more complete list is given in the latest editions of ASTM E 380 (4) and ANSI Z210.1 (6).

Conversion Factors to SI Units

To convert from	To	Multiply by
acre	square meter (m ²)	4.047×10^3
angstrom	meter (m)	$1.0 \times 10^{-10}^\dagger$
are	square meter (m ²)	$1.0 \times 10^2^\dagger$
astronomical unit	meter (m)	1.496×10^{11}

[†]Exact.

To convert from	To	Multiply by
atmosphere, standard	pascal (Pa)	1.013×10^5
bar	pascal (Pa)	$1.0 \times 10^{5\dagger}$
barn	square meter (m^2)	$1.0 \times 10^{-28\dagger}$
barrel (42 U.S. liquid gallons)	cubic meter (m^3)	0.1590
Bohr magneton (μ_B)	J/T	9.274×10^{-24}
Btu (International Table)	joule (J)	1.055×10^3
Btu (mean)	joule (J)	1.056×10^3
Btu (thermochemical)	joule (J)	1.054×10^3
bushel	cubic meter (m^3)	3.524×10^{-2}
calorie (International Table)	joule (J)	4.187
calorie (mean)	joule (J)	4.190
calorie (thermochemical)	joule (J)	4.184 [†]
centipoise	pascal second (Pa·s)	$1.0 \times 10^{-3\dagger}$
centistokes	square millimeter per second (mm^2/s)	1.0 [†]
cfm (cubic foot per minute)	cubic meter per second (m^3/s)	4.72×10^{-4}
cubic inch	cubic meter (m^3)	1.639×10^{-5}
cubic foot	cubic meter (m^3)	2.832×10^{-2}
cubic yard	cubic meter (m^3)	0.7646
curie	becquerel (Bq)	$3.70 \times 10^{10\dagger}$
debye	coulomb meter (C·m)	3.336×10^{-30}
degree (angle)	radian (rad)	1.745×10^{-2}
denier (international)	kilogram per meter (kg/m)	1.111×10^{-7}
dram (apothecaries')	text [†]	0.1111
dram (avoirdupois)	kilogram (kg)	3.888×10^{-3}
dram (U.S. fluid)	kilogram (kg)	1.772×10^{-3}
dyne	cubic meter (m^3)	3.697×10^{-6}
dyne/cm	newton (N)	$1.0 \times 10^{-5\dagger}$
electronvolt	newton per meter (N/m)	$1.0 \times 10^{-3\dagger}$
erg	joule (J)	1.602×10^{-19}
fathom	joule (J)	$1.0 \times 10^{-7\dagger}$
fluid ounce (U.S.)	meter (m)	1.829
foot	cubic meter (m^3)	2.957×10^{-5}
footcandle	meter (m)	0.3048 [†]
furlong	lux (lx)	10.76
gal	meter (m)	2.012×10^{-2}
gallon (U.S. dry)	meter per second squared (m/s^2)	$1.0 \times 10^{-2\dagger}$
gallon (U.S. liquid)	cubic meter (m^3)	4.405×10^{-3}
gallon per minute (gpm)	cubic meter (m^3)	3.785×10^{-3}
	cubic meter per second (m^3/s)	6.309×10^{-5}
	cubic meter per hour (m^3/h)	0.2271

†Exact.

‡See footnote on p. xiv.

To convert from	To	Multiply by
gauss	tesla (T)	1.0×10^{-4}
gilbert	ampere (A)	0.7958
gill (U.S.)	cubic meter (m ³)	1.183×10^{-4}
grade	radian	1.571×10^{-2}
grain	kilogram (kg)	6.480×10^{-5}
gram force per denier	newton per tex (N/tex)	8.826×10^{-2}
hectare	square meter (m ²)	$1.0 \times 10^{4\dagger}$
horsepower (550 ft·lbf/s)	watt (W)	7.457×10^2
horsepower (boiler)	watt (W)	9.810×10^3
horsepower (electric)	watt (W)	$7.46 \times 10^{2\dagger}$
hundredweight (long)	kilogram (kg)	50.80
hundredweight (short)	kilogram (kg)	45.36
inch	meter (m)	$2.54 \times 10^{-2\dagger}$
inch of mercury (32°F)	pascal (Pa)	3.386×10^3
inch of water (39.2°F)	pascal (Pa)	2.491×10^2
kilogram-force	newton (N)	9.807
kilowatt hour	megajoule (MJ)	3.6 [†]
kip	newton (N)	4.448×10^3
knot (international)	meter per second (m/s)	0.5144
lambert	candela per square meter (cd/m ²)	3.183×10^3
league (British nautical)	meter (m)	5.559×10^3
league (statute)	meter (m)	4.828×10^3
light year	meter (m)	9.461×10^{15}
liter (for fluids only)	cubic meter (m ³)	$1.0 \times 10^{-3\dagger}$
maxwell	weber (Wb)	$1.0 \times 10^{-8\dagger}$
micron	meter (m)	$1.0 \times 10^{-6\dagger}$
mil	meter (m)	$2.54 \times 10^{-5\dagger}$
mile (statute)	meter (m)	1.609×10^3
mile (U.S. nautical)	meter (m)	$1.852 \times 10^3\dagger$
mile per hour	meter per second (m/s)	0.4470
millibar	pascal (Pa)	1.0×10^2
millimeter of mercury (0°C)	pascal (Pa)	$1.333 \times 10^{2\dagger}$
minute (angular)	radian	2.909×10^{-4}
myriagram	kilogram (kg)	10
myriameter	kilometer (km)	10
oersted	ampere per meter (A/m)	79.58
ounce (avoirdupois)	kilogram (kg)	2.835×10^{-2}
ounce (troy)	kilogram (kg)	3.110×10^{-2}
ounce (U.S. fluid)	cubic meter (m ³)	2.957×10^{-5}
ounce-force	newton (N)	0.2780
peck (U.S.)	cubic meter (m ³)	8.810×10^{-3}
pennyweight	kilogram (kg)	1.555×10^{-3}
pint (U.S. dry)	cubic meter (m ³)	5.506×10^{-4}

†Exact.