## KIRK-OTHMER

# ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

Third Edition
VOLUME 23

## **KIRK-OTHMER**

# ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY

THIRD EDITION

VOLUME 23

THYROID AND ANTITHYROID PREPARATIONS
TO
VINYL POLYMERS

A WILEY-INTERSCIENCE PUBLICATION

John Wiley & Sons

NEW YORK • CHICHESTER • BRISBANE • TORONTO • SINGAPORE

Copyright @ 1983 by John Wiley & Sons, Inc.

All rights reserved Published simultaneously in Canada

Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons Inc.

### Library of Congress Cataloging in Publication Data

Main entry under title

Encyclopedia of chemical technology

At head of title Kirk-Othmer

"A Wiley-Interscience publication"

Includes bibliographies

1 Chemistry, Technical - Dictionaries I Kirk, Raymond Eller, 1890 1957 II Othmer Donald Frederick 1904-

III Grayson, Martin IV Eckroth David V Title Kirk-Othmer encyclopedia of chemical technology

TP9 E685 1978 660′ 03 77-15820 ISBN 0-471-02076-1

Printed in the United States of America

## **KIRK-OTHMER**

## OF CHEMICAL TECHNOLOGY

Third Edition VOLUME 23

Thyroid and Antithyroid Preparations to Vinyl Polymers

## **EDITORIAL BOARD**

HERMAN F. MARK
Polytechnic Institute of New York

DONALD F. OTHMER
Polytechnic Institute of New York

CHARLES G. OVERBERGER University of Michigan

GLENN T. SEABORG
University of California, Berkeley

**EXECUTIVE EDITOR** 

**MARTIN GRAYSON** 

ASSOCIATE EDITOR

**DAVID ECKROTH** 

# EDITORIAL STAFF FOR VOLUME 23

Executive Editor: Martin Grayson Associate Editor: David Eckroth

Production Supervisor: Michalina Bickford

Editors: Joyce Brown Caroline L. Eastman Carolyn Golojuch

Anna Klingsberg Mimi Wainwright

## CONTRIBUTORS TO VOLUME 23

- V. E. Archer, Vulcan Materials Co., Birmingham, Alabama, Detinning under Tin and tin alloys
- **Derek Bannister,** CIBA-GEIGY Corporation, Toms River, New Jersey, Triphenylmethane and related dyes
- **Edmund F. Baroch, International Titanium, Inc., Moses Lake, Washington, Vanadium and vanadium alloys**
- Jon A. Baumgarten, Paskus, Gordon & Hyman, Washington, D. C., Trademarks and copyrights
- **David L. Cincera,** Air Products and Chemicals, Inc., Allentown, Pennsylvania, Poly(vinyl alcohol) under Vinyl polymers
- J. A. Cowfer, BFGoodrich Co., Brecksville, Ohio, Vinyl chloride under Vinyl polymers
- Wiley Daniels, Air Products and Chemicals, Inc., Allentown, Pennsylvania, Poly(vinyl acetate) under Vinyl polymers
- John A. Davidson, BFGoodrich Co, Avon Lake, Ohio, Poly(vinyl chloride) under Vinyl polymers

- **J. D. Desai,** General Electric Company, Schenectady, New York, Tool materials **Martin Dexter,** CIBA-GEIGY Corporation, Ardsley, New York, Uv stabilizers
- R. B. Dougherty, American Cyanamid, Princeton, New Jersey, Veterinary drugs
- **John Elliott,** CIBA-GEIGY Corporation, Toms River, New Jersey, Triphenylmethane and related dyes
- **Keith L. Gardner**, *BFGoodrich Co*, *Avon Lake*, *Ohio*, Poly(vinyl chloride) under Vinyl polymers
- **R. C. Gasman,** GAF Corporation, West Milford, New Jersey, Vinyl ether monomers and polymers under Vinyl polymers
- **William Germain,** Vulcan Materials Co , Birmingham, Alabama, Detinning under Tin and tin alloys
- **Dale S. Gibbs,** Dow Chemical U.S.A., Midland, Michigan, Vinylidene chloride and poly(vinylidene chloride)
- Melvin H. Gitlitz, M&T Chemicals, Inc., Rahway, New Jersey, Tin compounds
- W. Hamm, Unilever Research, Colworth Laboratory, London, United Kingdom, Vegetable oils
- M. C. Hoff, Amoco Chemicals Corporation, Naperville, Illinois, Toluene
- Stanley Hoffman, Union Carbide Corporation, Danbury, Connecticut, Transportation
- **Eugene V. Hort,** GAF Corporation, Wayne, New Jersey, Vinyl ether monomers and polymers, N-Vinyl monomers and polymers both under Vinyl polymers
- V. A. Jagede, Lederle Laboratories, Américan Cyanamid Co., Pearl River, New York, Vaccine technology
- T. K. Kim, GTE Products Corporation, Towanda, Pennsylvania, Tungsten compounds
- P. Klinkowski, Dorr-Oliver, Inc. Stamford, Connecticut, Ultrafiltration
- Donald Knittel, Cabot Corporation, Kokomo, Indiana, Titanium and titanium alloys
- R. Komanduri, General Electric Company, Schenectady, New York, Tool materials
- **K. J. Kowal,** Lederle Laboratories, American Cyanamid Co , Pearl River, New York Vaccine technology
- **Edward Lavin,** Monsanto Company, Indian Orchard, Massachusetts, Poly(vinyl acetal)s under Vinyl polymers
- **Pedro A. Lehmann F.,** Centro de Investigación y de Estudios Avanzados del IPN México 0700 D F, Thyroid and antithyroid preparations
- Charles H. Lieb, Paskus, Gordon & Hyman, New York, New Yori Trademarks and copyrights
- **W. Lin,** Lederle Laboratories, American Cyanamid Co , Pearl River, New York Vaccine .technology
- **Robert P. Lukens,** American Society for Testing and Materials, Philadelphia, Pennsylvania, Units and conversion factors
- M. B. MacInnis, GTE Products Corporation, Towanda, Pennsylvania, Tungsten compounds
- **A. J. Magistro,** BFGoodrich Co, Brecksville, Ohio, Vinyl chloride under Vinyl polymers **Ivo Mavrovic,** Consultant, New York, New York, Urea
- D. J. Maykuth, Tin Research Institute, Inc., Columbus, Ohio, Tin and tin alloys
- **Bruce McDuffie**, State University of New York at Binghamton, Binghamton, New York, Trace and residue analysis
- Ron E. McKeighen, Krautkramer-Branson, Inc., Lewiston Pennsylvania, Ultrasonics, low power
- Craig S. Miller, Krautkramer-Branson, Inc., Lewiston, Pennsylvania, Ultrasonics, low power

Norman Milleron, EMR Photoelectric, Princeton, New Jersey, Vacuum technology Marguerite K. Moran, M&T Chemicals, Inc., Rahway, New Jersey, Tin compounds James A. Mullendore, GTE Product Corp., Towanda, Pennsylvania, Tungsten and tungsten alloys

**David M. Petrick,** American Cyanamid Co, Princeton, New Jersey, Veterinary drugs **M. Ritchey,** Lederle Laboratories, American Cyanamid Co, Pearl River, New York, Vaccine technology

**Christian S. Rondestvedt, Jr.,** E. I. du Pont de Nemours & Co., Inc., Wilmington, Delaware, Titanium compounds, organic

Joseph Rose, Drexel University, Philadelphia, Pennsylvania, Ultrasonics, low power Joe B. Rosenbaum, Consultant, Salt Lake City, Utah, Vanadium compounds

A. Ray Shirley, Jr., Applied Chemical Technology, Muscle Shoals, Alabama, Urea Andrew Shoh, Branson Sonic Power Company, Danbury, Connecticut, Ultrasonics, high power

**Leonard Skolnik,** BFGoodrich Co, University Heights, Ohio, Tire cords **James A. Snelgrove,** Monsanto Company, Indian Orchard, Massachusetts, Poly(vinyl acetal)s under Vinyl polymers

L. G. Sylvester, CIBA-GEIGY Corporation, Ardsley, New York, Uric acid Henri Ulrich, The Upjohn Company, North Haven, Connecticut, Urethane polymers

J. H. Van Ness, Monsanto Company, St. Louis, Missouri, Vanillin
B. H. Waxman, GAF Corporation, Wayne, New Jersey, N-Vinyl monome

**B. H. Waxman,** *GAF Corporation, Wayne, New Jersey, N-*Vinyl monomers and polymers under Vinyl polymers

A. D. Webb, University of California, Davis, Davis, California, Vinegar

Fritz Weigel, University of Munich, Munich, Federal Republic of Germany, Uranium and uranium compounds

- **R. A. Wessling,** Dow Chemical USA, Midland, Michigan, Vinylidene chloride and poly-(vinylidene) chloride
- J. Whitehead, Tioxide Group PLC, Stockton on Tees, Cleveland, United Kingdon, Titanium compounds, inorganic
- **H. P. Wilson,** Vulcan Materials Co , Birmingham, Alabama, Detinning under Tin and tin alloys

# NOTE ON CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBERS AND NOMENCLATURE

Chemical Abstracts Service (CAS) Registry Numbers are unique numerical identifiers assigned to substances recorded in the CAS Registry System. They appear in brackets in the Chemical Abstracts (CA) substance and formula indexes following the names of compounds. A single compound may have many synonyms in the chemical literature. A simple compound like phenethylamine can be named  $\beta$ -phenylethylamine or, as in Chemical Abstracts, benzeneethanamine. The usefulness of the Encyclopedia depends on accessibility through the most common correct name of a substance. Because of this diversity in nomenclature careful attention has been given the problem in order to assist the reader as much as possible, especially in locating the systematic CA index name by means of the Registry Number. For this purpose, the reader may refer to the CAS Registry Handbook-Number Section which lists in numerical order the Registry Number with the Chemical Abstracts index name and the molecular formula; eg. 458-88-8, Piperidine, 2-propyl-, (S)-, C<sub>8</sub>H<sub>17</sub>N; in the Encyclopedia this compound would be found under its common name, coniine [458-88-8]. The Registry Number is a valuable link for the reader in retrieving additional published information on substances and also as a point of access for such on-line data bases as Chemline, Medline, and Toxline.

In all cases, the CAS Registry Numbers have been given for title compounds in articles and for all compounds in the index. All specific substances indexed in Chemical Abstracts since 1965 are included in the CAS Registry System as are a large number of substances derived from a variety of reference works. The CAS Registry System identifies a substance on the basis of an unambiguous computer-language description of its molecular structure including stereochemical detail. The Posistry Number is a machine-checkable number (like a Social Security number) assigned in sequential order to each substance as it enters the registry system. The value of the number lies in the fact that it is a concise and unique means of substance identification, which is

independent of, and therefore bridges, many systems of chemical nomenclature. For polymers, one Registry Number is used for the entire family; eg, polyoxyethylene (20) sorbitan monolaurate has the same number as all of its polyoxyethylene homologues

Registry numbers for each substance will be provided in the third edition cumulative index and appear as well in the annual indexes (eg, Alkaloids shows the Registry Number of all alkaloids (title compounds) in a table in the article as well, but the intermediates have their Registry Numbers shown only in the index). Articles such as Analytical methods, Batteries and electric cells, Chemurgy, Distillation, Economic evaluation, and Fluid mechanics have no Registry Numbers in the text.

Cross-references are inserted in the index for many common names and for some systematic names. Trademark names appear in the index. Names that are incorrect, misleading or ambiguous are avoided. Formulas are given very frequently in the text to help in identifying compounds. The spelling and form used, even for industrial names, follow American chemical usage, but not always the usage of Chemical Abstracts (eg, coniine is used instead of (S)-2-propylpiperidine, aniline instead of benzenamine, and acrylic acid instead of 2-propenoic acid).

There are variations in representation of rings in different disciplines. The dye industry does not designate aromaticity or double bonds in rings. All double bonds and aromaticity are shown in the *Encyclopedia* as a matter of course. For example, tetralin has an aromatic ring and a saturated ring and its structure appears in the



Encyclopedia with its common name, Registry Number enclosed in brackets, and parenthetical CA index name, ie, tetralin, [119-64-2] (1,2,3,4-tetrahydronaphthalene). With names and structural formulas, and especially with CAS Registry Numbers the aim is to help the reader have a concise means of substance identification.

## CONVERSION FACTORS, ABBREVIATIONS, AND UNIT SYMBOLS

## Si Units (Adopted 1960)

A new system of measurement, the International System of Units (abbreviated SI), is being implemented throughout the world. This system is a modernized version of the MKSA (meter, kilogram, second, ampere) system, and its details are published and controlled by an international treaty organization (The International Bureau of Weights and Measures) (1).

SI units are divided into three classes:

#### **BASE UNITS**

length	meter† (m)
mass <sup>‡</sup>	kilogram (kg)
time	second (s)
electric current	ampere (A)
thermodynamic temperature	kelvin (K)
amount of substance	mole (mol)
luminous intensity	candela (cd)

#### SUPPLEMENTARY UNITS

plane angle radian (rad) solid angle steradian (sr)

$$t = T - T_0$$

where T is the thermodynamic temperature, expressed in kelvins, and  $T_0 = 273.15$  K by definition. A temperature interval may be expressed in degrees Celsius as well as in kelvins.

<sup>†</sup> The spellings "metre" and "litre" are preferred by ASTM, however 'er are used in the Encyclo pedia

<sup>&</sup>lt;sup>1</sup> "Weight" is the commonly used term for "mass

<sup>\*</sup> Wide use is made of "Celsius temperature" (t) defined by

## xiv FACTORS, ABBREVIATIONS, AND SYMBOLS

#### SUPPLEMENTARY UNITS

plane angle radian (rad) solid angle steradian (sr)

## DERIVED UNITS AND OTHER ACCEPTABLE UNITS

These units are formed by combining base units, supplementary units, and other derived units (2-4). Those derived units having special names and symbols are marked with an asterisk in the list below:

Quantity	Unit	Symbol	Acceptable equivalent
*absorbed dose	gray	Gy	J/kg
acceleration	meter per second squared	$m/s^2$	-
*activity (of ionizing radiation source)	becquerel	Bq	1/s
area	square kilometer	$ m km^2$	
	square hectometer	$\mathbf{hm^2}$	ha (hectare)
	square meter	$\mathbf{m^2}$	
*capacitance	farad	F	C/V
concentration (of amount of substance)	mole per cubic meter	mol/m <sup>3</sup>	
*conductance	siemens	S	A/V
current density	ampere per square meter	A/m <sup>2</sup>	
density, mass density	kilogram per cubic meter	kg/m <sup>3</sup>	g/L; mg/cm <sup>3</sup>
dipole moment (quantity)	coulomb meter	C·m	
*electric charge, quantity of electricity	coulomb	C	A-s
electric charge density	coulomb per cubic meter	C/m <sup>3</sup>	
electric field strength	volt per meter	V/m	
electric flux density	coulomb per square meter	C/m <sup>2</sup>	•
*electric potential, potential difference, electromotive force	volt	V	W/A
*electric resistance	ohm	Ω	V/A
*energy, work, quantity	megajoule	MJ	•
of heat	kilojoule	kJ	
	joule	J	N-m
	electron volt <sup>†</sup>	$eV^{\dagger}$	*
	kilowatt hour†	kW-h <sup>†</sup>	
energy density	joule per cubic meter	$J/m^3$	
4 0m 1 OT 14 1 1	11 (1 070)		

<sup>&</sup>lt;sup>†</sup> This non-SI unit is recognized by the CIPM as having to be retained because of practical importance or use in specialized fields (1).

			Acceptable
Quantity	Unit	Symbol	equivalent
*force	kilonewton	kN	1
10106	newton	N	kg·m/s <sup>2</sup>
*frequency	megahertz	MHz	
Hequency	hertz	Hz	1/ <b>s</b>
heat capacity, entropy	joule per kelvin	J/K	1,0
heat capacity (specific),	joule per kilogram	J/(kg·K)	
specific entropy	kelvin	0/ (NG 11/	
heat transfer coefficient	watt per square meter	$W/(m^2 \cdot K)$	
near transfer coefficient	kelvin	///(III II/	
*illuminance	lyx	l <sub>X</sub>	lm/m²
*inductance	henry	H	Wb/A
linear density	kilogram per meter	kg/m	***************************************
luminance	candela per square	cd/m <sup>2</sup>	
Tummanee	meter	cu/m	
*luminous flux	lumen	lm	cd-sr
magnetic field strength	ampere per meter	A/m	
*magnetic flux	weber	Wb	V-s
*magnetic flux density	tesla	Т	$\mathbf{Wb/m}^2$
molar energy	joule per mole	J/mol	
molar entropy, molar heat	joule per mole	$J/(mol\cdot K)$	
capacity	kelvin		
moment of force, torque	newton meter	N∙m	
momentum	kilogram meter per	kg·m/s	
3 *3*,	second	T T /	
permeability	henry per meter	H/m	
permittivity	farad per meter	F/m	
*power, heat flow rate,	kilowatt	kW	† /_
radiant flux	watt	<b>W</b>	J/s
power density, heat flux	watt per square	$W/m^2$	
density, irradiance	meter	MD.	
*pressure, stress	megapascal	MPa	
	kilopascal	kPa	N1/9
11	pascal	Pa	$N/m^2$
sound level	decibel	dB	
specific energy	joule per kilogram	J/kg	
specific volume	cubic meter per kilogram	m <sup>3</sup> /kg	
surface tension	newton per meter	N/m	
thermal conductivity	watt per meter kelvin	$W/(m\cdot K)$	
velocity	meter per second	m/s	
<del>-</del>	kilometer per hour	km/h	
viscosity, dynamic	pascal second	Pa·s	
2 . 2	millipascal second	mPa·s	
viscosity, kinematic	square meter	$m^2/s$	
-	per second		
	square millimeter	mm²/s	
	per second		

## xvi FACTORS, ABBREVIATIONS, AND SYMBOLS

Quantity	Unit	Symbol	Acceptable equivalent
volume	cubic meter	$\mathbf{m}^3$	T (114 ) (P)
	cubic decimeter cubic centimeter	dm³ cm³	L(liter) (5) mL
wave number	1 per meter	$\mathbf{m}^{-1}$	
	1 per centimeter	$cm^{-1}$	

In addition, there are 16 prefixes used to indicate order of magnitude, as follows:

10W9.			
Multiplication			
factor	Prefix	Symbol	Note
$10^{18}$	exa	${f E}$	
$10^{15}$	peta	P	
$10^{12}$	tera	${f T}$	
10 <sup>9</sup>	giga	$\mathbf{G}$	
$10^{6}$	mega	M	
$10^{3}$	kilo	k	
$10^{2}$	hecto	$\mathbf{h}^{a}$	<sup>a</sup> Although hecto, deka, deci, and centi
10	deka	$\mathrm{d} a^a$	are SI prefixes, their use should be
$10^{-1}$	deci	$\mathbf{d}^{a}$	avoided except for SI unit-mul-
$10^{-2}$	centi	Ca	tiples for area and volume and
$10^{-3}$	milli	$\mathbf{m}$	nontechnical use of centimeter,
$10^{-6}$	micro	μ	as for body and clothing
$10^{-9}$	nano	n	measurement.
$10^{-12}$	pico	P	
$10^{-15}$	femto	f	
$10^{-18}$	atto	а	

For a complete description of SI and its use the reader is referred to ASTM E 380 (4) and the article Units and Conversion Factors which will appear in a later volume of the *Encyclopedia*.

A representative list of conversion factors from non-SI to SI units is presented herewith. Factors are given to four significant figures. Exact relationships are followed by a dagger. A more complete list is given in ASTM E 380-79(4) and ANSI Z210.1-1976 (6).

### **Conversion Factors to SI Units**

To convert from	To	Multiply by
acre	square meter $(m^2)$	$4.047\times10^3$
angstrom	meter (m)	$1.0\times10^{-10\dagger}$
are	square meter $(m^2)$	$1.0 \times 10^{2\dagger}$
astronomical unit	meter (m)	$1.496 \times 10^{11}$
atmosphere	pascal (Pa)	$1.013 \times 10^{5}$
bar	pascal (Pa)	$1.0 \times 10^{5\dagger}$
barn	square meter $(m^2)$	$1.0\times10^{-28\dagger}$
barrel (42 U.S. liquid gallons)	cubic meter (m <sup>3</sup> )	0.1590

<sup>†</sup> Exact.

To convert from	To	Multiply by
Bohr magneton $(\mu_{\beta})$	J/T	$9.274 \times 10^{-24}$
Btu (International Table)	joule (J)	$1.055 \times 10^{3}$
Btu (mean)	joule (J)	$1.056 \times 10^{3}$
Btu (thermochemical)	joule (J)	$1.054 \times 10^{3}$
bushel	cubic meter (m <sup>3</sup> )	$3.524 \times 10^{-2}$
calorie (International Table)	joule (J)	4.187
calorie (mean)	joule (J)	4.190
calorie (thermochemical)	joule (J)	4.184†
centipoise	pascal second (Pa-s)	$1.0 \times 10^{-3\dagger}$
centistokes	square millimeter per second (mm <sup>2</sup> /s)	1.0†
cfm (cubic foot per minute)	cubic meter per second (m <sup>3</sup> /s)	$4.72 \times 10^{-4}$
cubic inch	cubic meter (m <sup>3</sup> )	$1.639 \times 10^{-5}$
cubic foot	cubic meter (m³)	$2.832 \times 10^{-2}$
cubic yard	cubic meter (m³)	0.7646
curie	becquerel (Bq)	$3.70 \times 10^{10†}$
debye	coulomb-meter (C-m)	$3.336 \times 10^{-30}$
degree (angle)	radian (rad)	$1.745 \times 10^{-2}$
denier (international)	kilogram per meter (kg/m)	$1.111 \times 10^{-7}$
	tex <sup>‡</sup>	0.1111
dram (apothecaries')	kilogram (kg)	$3.888 \times 10^{-3}$
dram (avoirdupois)	kilogram (kg)	$1.772 \times 10^{-3}$
dram (U.S. fluid)	cubic meter (m³)	$3.697 \times 10^{-6}$
dyne	newton (N)	$1.0 \times 10^{-5\dagger}$
dyne/cm	newton per meter (N/m)	$1.0\times10^{-3\dagger}$
electron volt	joule (J)	$1.602 \times 10^{-19}$
erg	joule (J)	$1.0 \times 10^{-7\dagger}$
fathom	meter (m)	1.829
fluid ounce (U.S.)	cubic meter (m³)	$2.957 \times 10^{-5}$
foot	meter (m)	0.3048 <sup>†</sup>
footcandle	lux (lx)	10.76
furlong	meter (m)	$2.012 \times 10^{-2}$
gal	meter per second squared (m/s²)	$1.0\times10^{-2\dagger}$
gallon (U.S. dry)	cubic meter (m³)	$4.405 \times 10^{-3}$
gallon (U.S. liquid)	cubic meter (m³)	$3.785 \times 10^{-3}$
gallon per minute (gpm)	cubic meter per second (m <sup>3</sup> /s)	$6.308 \times 10^{-5}$
	cubic meter per hour (m³/h)	0.2271
gauss	tesla (T)	$1.0 \times 10^{-4}$
gilbert	ampere (A)	0.7958
gill (U.S.)	cubic meter (m³)	$1.183 \times 10^{-4}$
grad	radian	$1.571 \times 10^{-2}$
grain	kilogram (kg)	$6.480 \times 10^{-5}$
gram-force per denier	newton per tex (N/tex)	$8.826 \times 10^{-2}$
hectare	square meter (m <sup>2</sup> )	$1.0 \times 10^{4\dagger}$

<sup>†</sup> Exact.

<sup>&</sup>lt;sup>‡</sup> See footnote on p. xiv.

## xviii FACTORS, ABBREVIATIONS, AND SYMBOLS

To convert from	To	Multiply by
horsepower (550 ft-lbf/s)	watt (W)	$7.457 \times 10^2$
horsepower (boiler)	watt (W)	$9.810 \times 10^{3}$
horsepower (electric)	watt (W)	$7.46 \times 10^{2\dagger}$
hundredweight (long)	kilogram (kg)	50.80
hundredweight (short)	kilogram (kg)	45.36
inch	meter (m)	$2.54 \times 10^{-2\dagger}$
inch of mercury (32°F)	pascal (Pa)	$3.386 \times 10^{3}$
inch of water (39.2°F)	pascal (Pa)	$2.491 \times 10^{2}$
kilogram-force	newton (N)	9.807
kilowatt hour	megajoule (MJ)	<b>3</b> .6 <sup>†</sup>
kip	newton (N)	$4.48 \times 10^{3}$
knot (international)	meter per second (m/s)	0.5144
lambert	candela per square meter	0.0144
lambert	(cd/m <sup>2</sup> )	$3.183 \times 10^{3}$
league (British nautical)	meter (m)	$5.559 \times 10^3$
league (statute)	meter (m)	$4.828 \times 10^3$
light year	meter (m)	$9.461 \times 10^{15}$
liter (for fluids only)	cubic meter (m <sup>3</sup> )	$1.0 \times 10^{-3\dagger}$
maxwell	weber (Wb)	$1.0 \times 10^{-8}$
micron	meter (m)	$1.0 \times 10^{-6}$
mil		$2.54 \times 10^{-5}$
	meter (m)	
mile (statute)	meter (m)	$1.609 \times 10^3$
mile (U.S. nautical)	meter (m)	$1.852 \times 10^{3\dagger}$
mile per hour	meter per second (m/s)	0.4470
millibar	pascal (Pa)	$1.0 \times 10^2$
millimeter of mercury (0°C)	pascal (Pa)	$1.333 \times 10^{2\dagger}$
minute (angular)	radian	$2.909 \times 10^{-4}$
myriagram	kilogram (kg)	10
myriameter	kilometer (km)	10
oersted	ampere per meter (A/m)	79.58
ounce (avoirdupois)	kilogram (kg)	$2.835 \times 10^{-2}$
ounce (troy)	kilogram (kg)	$3.110 \times 10^{-2}$
ounce (U.S. fluid)	cubic meter (m <sup>3</sup> )	$2.957 \times 10^{-5}$
ounce-force	newton (N)	0.2780
peck (U.S.)	cubic meter (m <sup>3</sup> )	$8.810 \times 10^{-3}$
pennyweight	kilogram (kg)	$1.555 \times 10^{-3}$
pint (U.S. dry)	cubic meter (m³)	$5.506 \times 10^{-4}$
pint (U.S. liquid)	cubic meter (m³)	$4.732 \times 10^{-4}$
poise (absolute viscosity)	pascal second (Pa·s)	$0.10^{\dagger}$
pound (avoirdupois)	kilogram (kg)	0.4536
pound (troy)	kilogram (kg)	0.3732
poundal	newton (N)	0.1383
pound-force	newton (N)	4.448
pound-per square inch (psi)	pascal (Pa)	$6.895 \times 10^{3}$
quart (U.S. dry)	cubic meter (m³)	$1.101 \times 10^{-3}$
quart (U.S. liquid)	cubic meter (m <sup>3</sup> )	$9.464 \times 10^{-4}$
quintal	kilogram (kg)	$1.0 \times 10^{2\dagger}$

<sup>†</sup> Exact