


The Chemical Formulary

*Collection of Commercial Formulas
for Making Thousands of Products*



Director, B.R. Laboratory
(Formula Consultants)
Miami Beach, Florida 33140

CHEMICAL PUBLISHING COMPANY, INC.

© 1989

Chemical Publishing Co., Inc.

H. Bennett

ISBN 0-8206-0328-7

Printed in the United States of America

CONTRIBUTORS

Alcolac
3440 Fairfield Rd.
Baltimore, MD 21226

Amerchol Corp.
PO Box 4051, 136 Talmadge Rd.
Edison, NJ 08818

Amoco Chemicals Corp.
200 E. Randolph Dr.
Chicago, IL 60601

Bernel Chemical Co. Inc.
PO Box 777
Tenafly, NJ 07670

Colorcon, Inc.
Moyer Blvd.
West Point, PA 19486

Croda Inc.
51 Madison Ave.
New York, NY 10010

Cyclo Chemical Corp.
7500 N.W. 66th St.
Miami, FL 33166

Dow Chemical Co.
1703 S. Saginaw Rd.
Midland, MI 48640

E.I. DuPont de Nemours & Co.
Nemours Bldg.
Wilmington, DE 19898

Dura Commodities Corp./Durachem
111 Calvert St., PO Box 618
Harrison, NY 10528

FMC Corp.
2000 Market St.
Philadelphia, PA 19103

GAF Corp.
1361 Alps Rd.
Wayne, NJ 07470

General Electric Co.
Silicone Product Div.
Rubber & Fluid Product Dept.
Mechanicsville Rd.
Waterford, NY 12188

Gist-Brocades USA Inc.
PO Box 241068
Charlotte, NC 28224-1068

Goodyear Tire & Rubber Co.
1144 East Market St.
Akron, OH 44316

W.R. Grace & Co./
Evans Chemetics
55 Hayden Ave.
Lexington, MA 02173

Henkel Corp.
300 Brookside Ave.
Ambler, PA 19002

Henkel Resins Div.
4620 W. 77th St.
Minneapolis, MN 55435

ICI Americas
New Murphy Rd. & Concord Pike
Wilmington, DE 19897

Inolex Chem. Co.
Jackson & Swanson Sts.
Philadelphia, PA 19148

Jordan Chemical Co.
1830 Columbia Ave.
Folcroft, PA 19032

Kaopolite Inc.
Office Park
Route 22E, Box 3110
Union, NJ 07083

Lowenstein Dyes & Cosmetics, Inc.
420 Morgan Ave.
Brooklyn, NY 11222

Edward Mendell Co., Inc.
Route 52
Carmel, NY 10512

Mini Fibers Inc.
PO Box 2186
Weber City, VA 24251

Mona Industries Inc.
PO Box 425, 76 E. 24th St.
Paterson, NJ 07544

Nyco
Mt. View Dr.
Willsboro, NY 12996-0368

Patco Products/
Div. C.J. Patterson Co.
3947 Broadway
Kansas City, MO 64111

PPG Industries
One Gateway Center
Pittsburgh, PA 15222

Frank B. Ross Co., Inc.
22 Halladay St., PO Box 4086
Jersey City, NJ 07304-0055

Shell Chemical Co.
One Shell Plaza
Houston, TX 77002

Texaco Chemical Co.
PO Box 15730
Austin, TX 78761

Van Dyk & Co., Inc.
11 Williams St.
Belleville, NJ 07109

R.T. Vanderbilt & Co., Inc.
30 Winfield St.
Norwalk, CT 06855

PREFACE

Chemistry, as taught in our schools and colleges, concerns chiefly synthesis, analysis, and engineering—and properly so. It is part of the right foundation for the education of the chemist.

Many a chemist entering an industry soon finds that most of the products manufactured by his concern are not synthetic or definite chemical compounds, but are mixtures, blends, or highly complex compounds of which he knows little or nothing. The literature in this field, if any, may be meager, scattered, or obsolete.

Even chemists with years of experience in one or more industries spend considerable time and effort in acquainting themselves with any new field which they may enter. Consulting chemists similarly have to solve problems brought to them from industries foreign to them. There was a definite need for an up-to-date compilation of formulas for chemical compounding and treatment. Since the fields to be covered are many and varied, an editorial board of chemists and engineers engaged in many industries was formed.

Many publications, laboratories, manufacturing firms, and individuals have been consulted to obtain the latest and best information. It is felt that the formulas given in this volume will save chemists and allied workers much time and effort.

Manufacturers and sellers of chemicals will find, in these formulas, new uses for their products. Nonchemical executives, professional men, and interested laymen will make through this volume a "speaking acquaintance" with products which they may be using, trying, or selling.

It often happens that two individuals using the same ingredients in the same formula get different results. This may be due to slight deviations in the raw materials or unfamiliarity with the intricacies of a new technique. Accordingly, repeated experiments may be necessary to get the best results. Although many of the formulas given are being used commercially, many have been taken from the literature and may be subject to various errors and omissions. This should be taken into consideration. Wherever possible, it

is advisable to consult with other chemists or technical workers regarding commercial production. This will save time and money and help avoid trouble.

A formula will seldom give exactly the results which one requires. Formulas are useful as starting points from which to work out one's ideas. Also, formulas very often give us ideas which may help us in our specific problems. In a compilation of this kind, errors of omission, commission, and printing may occur. I shall be glad to receive any constructive criticism.

H. BENNETT

PREFACE TO VOLUME XXVIII

This new volume of the **CHEMICAL FORMULARY** series is a collection of new, up-to-date formulas. The only repetitious material is the introduction (Chapter I) which is used in every volume for the benefit of those who may have bought only one volume and who have no educational background or experience in chemical compounding. The simple basic formulas and compounding methods given in the introduction will serve as a guide for beginners and students. It is suggested that they read the introduction carefully and even make a few preparations described there before compounding the more intricate formulas included in the later chapters.

The list of chemicals and their suppliers has been enlarged with new trademark chemicals. All tradename chemicals appear in the formulas in boldface and these tradenames are listed alphabetically in the appendix followed by a list of corresponding manufacturers. Thus buying the required ingredients will present no problem.

Grateful acknowledgement is made to the Contributors for their valuable suggestions and contributions.

H. BENNETT

NOTE: All the formulas in Volumes I through XXVIII (except in the Introduction) are different. Thus, if you do not find what you want in this volume, you may find it in one of the others.

NOTE: This book is the result of cooperation of many chemists and engineers who have given freely of their time and knowledge. It is their business to act as consultants and to give advice on technical matters for a fee. As publishers, we do not maintain a laboratory or consulting service to compete with them. Therefore, please do not ask us for advice or opinions, but consult a chemist.

BOOKS BY H. BENNETT

The Chemical Formulary Vols. I—XXVII

The Cumulative Index Vols. I—XXV—The Chemical Formulary

Concise Chemical & Technical Dictionary

New Cosmetic Formulary

Chemical Specialties

Industrial Waxes, Vols. I, II

Practical Emulsions, Vols. I, II

More For Your Money

Encyclopedia of Chemical Trademarks and Synonyms, Vols. I—III

ABBREVIATIONS

act.	active, activity
AM	active matter
amp	ampere(s)
anhyd	anhydrous
approx.	approximately
aq.	aqueous
ASTM	American Society for Testing and Materials
avoir	avoirdu pois
Bé	Baumé
B.P.	boiling point
°C	degrees Centigrade
cc	cubic centimeter(s)
cm	centimeter(s)
cm ³	cubic centimeter(s)
conc	concentrated, concentration
c.p.	chemically pure
cp, cP, cps	centipoise(s)
cs	centistoke(s)
cu ft	cubic foot
cu in.	cubic inch
cwt	hundredweight
dil	dilute
dm	decimeter(s)
dr	dram(s)
°F	degrees Fahrenheit
fl	fluid
fl dr	fluid dram(s)
fl oz	fluid ounce(s)
F.P.	freezing point
ft	foot
ft ²	square foot
ft ³	cubic foot
g	gram(s)
gal	gallon(s)
gr	grain(s)
h	hour(s)
hl	hectoliter(s)
in.	inch(es)
in. ³	cubic inch(es)
K.U	Krebs units
kg	kilogram(s)
l	liter(s)
lb	pound(s)
liq	liquid

ABBREVIATIONS

m	milli or meter(s)
MIL	Military specifications
min	minimum, minute
ml	milliliter(s)
mm	millimeter(s)
M.P.	melting point
MPa	mega pascal
N	newton or Normal
N.F.	National Formulary
NV	nonvolatiles
o/w	oil-in-water
oz	ounce(s)
P/B	pigment/binder
Pa	pascal
pH	hydrogen-ion concentration
phr	parts per hundred rubber
pkg.	package
ppm	parts per million
psi	pounds per square inch
psig	pounds per square inch gauge
pt	pint(s)
PVC	pigment volume concentration
pwt	pennyweight
q.s.	a quantity sufficient to make
qt	quart
®	registered trademark
R.T.	room temperature
rpm	revolutions per minute
s	second(s)
sol'n.	solution
Sp. Gr.	specific gravity
T.P.	triple pressed
tbsp.	tablespoon(s)
tech.	technical
tinc.	tincture
™	trademark
tsp	teaspoon(s)
USP	United States Pharmacopeia
UV	ultraviolet
V	volt(s)
visc	viscosity
vol	volume
w/o	water-in-oil
wt	weight

CONTENTS

I	Introduction	1
II	Adhesives	41
III	Beverages and Foods	52
IV	Cosmetics	89
V	Coatings	290
VI	Detergents	341
VII	Drugs	353
VIII	Metal Treatments	367
IX	Polishes	373
X	Elastomers, Polymers and Resins	381
XI	Miscellaneous	394
	Appendix	402
	Index	429

Chapter I

INTRODUCTION

The following introductory matter has been included at the suggestion of teachers of chemistry and home economics.

This section will enable anyone, with or without technical education or experience, to start making simple products without any complicated or expensive machinery. For commercial production, however, suitable equipment is necessary

Chemical specialties are composed of pigments, gums, resins, solvents, oils, greases, fats, waxes, emulsifying agents, dyestuffs, perfumes, water, and chemicals of great diversity. To compound certain of these with some of the others requires definite and well studied procedures, any departure from which will inevitably result in failure. The steps for successful compounding are given with the formulas. Follow them rigorously. If the directions require that (*a*) is added to (*b*), carry this out literally, and do not reverse the order. The preparation of an emulsion is often quite as tricky as the making of mayonnaise. In making mayonnaise, you add the oil to the egg, slowly, with constant and even stirring. If you do it correctly, you get mayonnaise. If you depart from any of these details: if you add the egg to the oil, or pour the oil in too quickly, or fail to stir regularly, the result is a complete disappointment. The same disappointment may be expected if the prescribed procedure of any other formulation is violated.

The point next in importance is the scrupulous use of the proper ingredients. Substitutions are sure to result in inferior quality, if not in complete failure. Use what the formula calls for. If a cheaper product is desired, do not prepare it by substituting a cheaper ingredient for the one prescribed: use a different formula. Not infrequently, a formula will call for an ingredient which is difficult to obtain. In such cases, either reject the formula or substitute a similar substance only after a preliminary experiment demonstrates its usability. There is a limit to which this rule may reasonably be extended. In some cases, substitution of an equivalent ingredient may be

made legitimately. For example, when the formula calls for white wax (beeswax), yellow wax can be used, if the color of the finished product is a matter of secondary importance. Yellow beeswax can often replace white beeswax making due allowance for color, but paraffin wax will not replace beeswax, even though its light color seems to place it above yellow beeswax.

This leads to the third point: the use of good-quality ingredients, and ingredients of the correct quality. Ordinary lanolin is not the same thing as anhydrous lanolin. The replacement of one with the other, weight for weight, will give discouragingly different results. Use exactly what the formula calls for: if you are not acquainted with the substance and you are in doubt as to just what is meant, discard the formula and use one you understand. Buy your chemicals from reliable sources. Many ingredients are obtainable in a number of different grades: if the formula does not designate the grade, it is understood that the best grade is to be used. Remember that a formula and the directions can tell you only part of the story. Some skill is often required to attain success. Practice with a small batch in such cases until you are sure of your technique. Many examples can be cited. If the formula calls for steeping quince seed for 30 min in cold water, steeping for 1 h may yield a mucilage of too thin a consistency. The originator of the formula may have used a fresher grade of seed, or his conception of what "cold" water means may be different from yours. You should have a feeling for the right degree of mucilaginousness, and if steeping the seed for 30 min fails to produce it, steep them longer until you get the right kind of mucilage. If you do not know what the right kind is, you will have to experiment until you find out. This is the reason for the recommendation to make small experimental batches until successful results are obtained. Another case is the use of dyestuffs for coloring lotions and the like. Dyes vary in strength; they are all very powerful in tinting value; it is not always easy to state in quantitative terms how much to use. You must establish the quantity by carefully adding minute quantities until you have the desired tint. Gum tragacanth is one of those products which can give much trouble. It varies widely in solubility and bodying power; the quantity listed in the formula may be entirely unsuitable for your grade of tragacanth. Therefore, correction is necessary, which can be made only after experiments with the available gum.

In short, if you are completely inexperienced, you can profit greatly by experimenting. Such products as mouthwashes, hair tonics, and astringent lotions need little or no experience, because they are, as a rule, merely mixtures of simple liquid and solid ingredients, which dissolve without difficulty and the end product is a clear solution that is ready for use when

mixed. However, face creams, toothpastes, lubricating greases, wax polishes, etc., whose formulation requires relatively elaborate procedures and which must have a definite final viscosity, need some skill and not infrequently some experience.

FIGURING

Some prefer proportions expressed by weight or volume, others use percentages. In different industries and foreign countries different systems of weights and measures are used. For this reason, no one set of units could be satisfactory for everyone. Thus diverse formulas appear with different units, in accordance with their sources of origin. In some cases, parts are given instead of percentage or weight or volume. On the pages preceding the index, conversion tables of weights and measures are listed. These are used for changing from one system to another. The following examples illustrate typical units.

Example No. 1

Ink for Marking Glass

Glycerin	40	Ammonium Sulfate	10
Barium Sulfate	15	Oxalic Acid	8
Ammonium Bifluoride	15	Water	12

Here no units are mentioned. In this case, it is standard practice to use parts by weight throughout. Thus here we may use ounces, grams, pounds, or kilograms as desired. But if ounces are used for one item, the ounce must be the unit for all the other items in the formula.

Example No. 2

Flexible Glue

Powdered Glue	30.90%	Glycerin	5.15%
Sorbitol (85%)	15.45%	Water	48.50%

Where no units of weight or volume, but percentages are given, forget the percentages and use the same method as given in Example No. 1.

Example No. 3

Antiseptic Ointment

Petrolatum	16 parts	Benzoic Acid	1 part
Coconut Oil	12 parts	Chlorothymol	1 part
Salicylic Acid	1 parts		

The instructions given for Example No. 1 also apply to Example No. 3. In many cases, it is not wise to make up too large a quantity of a product before making a number of small batches to first master the necessary technique and also to see whether the product is suitable for the particular purpose for which it is intended. Since, in many cases, a formula may be given in proportions as made up on a factory scale, it is advisable to reduce the quantities proportionately.

Example No. 4

Neutral Cleansing Cream

Mineral Oil	80 lb	Water	90 lb
Spermaceti	30 lb	Glycerin	10 lb
Glyceryl Monostearate	24 lb	Perfume	To suit

Here, instead of pounds, ounces or even grams may be used. This formula would then read:

Mineral Oil	80 g	Water	90 g
Spermaceti	30 g	Glycerin	10 g
Glyceryl Monostearate	24 g	Perfume	To suit

Reduction in bulk may also be obtained by taking the same fractional part of portion of each ingredient in a formula. Thus in the following formula:

Example No. 5

Vinegar Face Lotion

Acetic Acid (80%)	20	Alcohol	440
Glycerin	20	Water	500
Perfume	20		

We can divide each amount by ten and then the finished bulk will be only one tenth of the original formula. Thus it becomes:

Acetic Acid (80%)	2	Alcohol	44
Glycerin	2	Water	50
Perfume	2		

APPARATUS

For most preparations, pots, pans, china, and glassware, which are used in every household, will be satisfactory. For making fine mixtures and emulsions, a malted-milk mixer or egg beater is necessary. For weighing, a small, low-priced scale should be purchased from a laboratory-supply house. For measuring fluids, glass graduates or measuring glasses may be purchased from your local druggist. Where a thermometer is necessary, a chemical thermometer should be obtained from a druggist or chemical-supply firm.

METHODS

To understand better the products which you intend to make, it is advisable that you read the complete section covering such products. You may learn different methods that may be used and also to avoid errors which many beginners are prone to make.

CONTAINERS FOR COMPOUNDING

Where discoloration or contamination is to be avoided, as in light-colored, or food and drug products, it is best to use enameled or earthenware vessels. Aluminum is also highly desirable in such cases, but it should not be used with alkalis as these dissolve and corrode aluminum.

HEATING

To avoid overheating, it is advisable to use a double boiler when temperatures below 212 F (temperature of boiling water) will suffice. If a double boiler is not at hand, any pot may be filled with water and the vessel containing