

Frank Stajano  
Hyoung Joong Kim  
Jong-Suk Chae  
Seong-Dong Kim (Eds.)

LNCS 4412

# Ubiquitous Convergence Technology

First International Conference, ICUCT 2006  
Jeju Island, Korea, December 2006  
Revised Selected Papers



Springer

TP3-53  
I17  
2006

Frank Stajano Hyoung Joong Kim  
Jong-Suk Chae Seong-Dong Kim (Eds.)

# Ubiquitous Convergence Technology

First International Conference, ICUCT 2006  
Jeju Island, Korea, December 5-6, 2006  
Revised Selected Papers



Springer



E2007003175

## Volume Editors

Frank Stajano  
University of Cambridge  
Cambridge CB3 0FD, United Kingdom  
E-mail: fms27@cam.ac.uk

Hyoung Joong Kim  
Korea University  
Seoul 136-701, Korea  
E-mail: khj-@korea.ac.kr

Jong-Suk Chae  
ETRI  
Daejeon, 305-700, Korea  
E-mail: jschae@etri.re.kr

Seong-Dong Kim  
KETI/Ubiquitous Research  
Gyeonggi-do 463-816, Korea  
E-mail: sdkim@keti.re.kr

Library of Congress Control Number: 2007923849

CR Subject Classification (1998): C.2, C.3, D.4, D.2, K.6.5, H.5.3, K.4

LNCS Sublibrary: SL 3 – Information Systems and Application, incl. Internet/Web and HCI

ISSN 0302-9743  
ISBN-10 3-540-71788-9 Springer Berlin Heidelberg New York  
ISBN-13 978-3-540-71788-1 Springer Berlin Heidelberg New York

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, re-use of illustrations, recitation, broadcasting, reproduction on microfilms or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable to prosecution under the German Copyright Law.

Springer is a part of Springer Science+Business Media  
springer.com

© Springer-Verlag Berlin Heidelberg 2007  
Printed in Germany

Typesetting: Camera-ready by author, data conversion by Scientific Publishing Services, Chennai, India  
Printed on acid-free paper SPIN: 12044061 06/3180 5 4 3 2 1 0

*Commenced Publication in 1973*

Founding and Former Series Editors:

Gerhard Goos, Juris Hartmanis, and Jan van Leeuwen

## Editorial Board

David Hutchison

*Lancaster University, UK*

Takeo Kanade

*Carnegie Mellon University, Pittsburgh, PA, USA*

Josef Kittler

*University of Surrey, Guildford, UK*

Jon M. Kleinberg

*Cornell University, Ithaca, NY, USA*

Friedemann Mattern

*ETH Zurich, Switzerland*

John C. Mitchell

*Stanford University, CA, USA*

Moni Naor

*Weizmann Institute of Science, Rehovot, Israel*

Oscar Nierstrasz

*University of Bern, Switzerland*

C. Pandu Rangan

*Indian Institute of Technology, Madras, India*

Bernhard Steffen

*University of Dortmund, Germany*

Madhu Sudan

*Massachusetts Institute of Technology, MA, USA*

Demetri Terzopoulos

*University of California, Los Angeles, CA, USA*

Doug Tygar

*University of California, Berkeley, CA, USA*

Moshe Y. Vardi

*Rice University, Houston, TX, USA*

Gerhard Weikum

*Max-Planck Institute of Computer Science, Saarbruecken, Germany*

## Preface

Ubiquitous computing is already with us and is changing our lifestyle, way of thinking and quality of life. Everyday objects with embedded computing capabilities are now commonplace and, between mobile phones and RFID tags, further deployment proceeds at an unstoppable pace. The next major step of the ubiquitous computing evolution is the move, already partly underway, from isolated smart objects to distributed systems of smart objects and appropriate back-end infrastructure: microelectronics and communication technology converging with healthcare technology, communication technology, sports and entertainment, housing, vehicular technology, middleware, sensor networks and so on.

You will have noticed that many people in the field now use the word “ubiquitous” not to mean “present everywhere” but as a shorthand for “ubiquitous computing and communications”—leading to otherwise inexplicable locutions such as “the ubiquitous society”. Rather than continuing to fight this synecdochical use we have chosen to go with the flow, in so far as the change in language is an indication of the global spread of the meme. We have therefore chosen “ubiquitous convergence” as a concise description of the above view: a systems-oriented perspective encompassing both the technology and its applications.

The First International Conference on Ubiquitous Convergence Technology (ICUCT) was held on Jeju Island, Korea on December 5–6, 2006. This was the first conference organized by the Institute of Electronics Engineers in Korea (IEEK) to celebrate its 60<sup>th</sup> anniversary. This conference was organized to pave the way for the ubiquitous society by contributing to the development of ubiquitous technologies and their integration in the appropriate application domains. This volume collects the post-proceedings of the conference.

At ICUCT 2006 we accepted only 30 papers from around 640 submissions. We believe the acceptance rate of less than 5% is a clear indication of our commitment to ensuring a very high quality conference. This would not have been possible without the support of our excellent Technical Program Committee members who accurately reviewed and ranked an extraordinarily high number of papers under pressing deadlines. We express our extreme gratitude to all the Program Committee members for their dedication and hard work.

Due to the overwhelming number of submissions, it was impossible to evaluate all papers in one pass in the usual way. Thus, the evaluation process was twofold. In the first round, each reviewer reviewed and classed around 30 papers. After the first round of evaluation, 90 papers were selected. In the second round, 30 papers were accepted. One no-show paper was excluded from the post-proceedings. In addition, we invited Hide Tokuda and Yo-Sung Ho to deliver keynote talks, and we thank them for their valuable contributions. Yo-Sung Ho also wrote up his

talk as an invited paper. This volume therefore contains one invited paper and 29 refereed papers.

All accepted authors were asked to revise and update their papers after the conference based on the written comments from the reviewers and on the formal and informal feedback they received at the conference from other attendees following their presentation. In choosing which papers to accept we tried to achieve a balance among important topics while keeping the paper quality high. Mobile and wireless communication techniques, multimedia technologies, security issues, RFID, sensor networks, applications and convergence aspects of relevant technologies are covered in this conference. These papers address both theoretical and practical issues which, we believe, are of broad interest to our community.

We hope the reader will find this volume to be a timely collection of quality papers that will help to advance the field of ubiquitous convergence technology.

December 2006

Frank Stajano  
Hyoung Joong Kim  
Jong-Suk Chae  
Seong-Dong Kim

# Conference Organizers

## Conference Chair

Injung Park (DKU, Korea)

## Technical Program Committee Chairs

Frank Stajano (University of Cambridge, UK)

Hyoung Joong Kim (Korea University, Korea)

## Financial Committee

Kyle J. Kim (KETI, Korea)

## Publications Committee

Soo-Hyun Park (Kookmin University, Korea)

Beongku An (Hongik University, Korea)

## Local Arrangement Committee

Sang Yep Nam (Kyungmoon College, Korea)

Do Hyun Kim (Jeju National University, Korea)

## Technical Program Committee

Beongku An, Hongik University, Korea

Alastair Beresford, University of Cambridge, UK

Ki-Seok Chung, Hanyang University, Korea

Jon Crowcroft, University of Cambridge, UK

Anind Dey, Carnegie Mellon University, USA

Nigel Davies, Lancaster University, UK

Alois Ferscha, Johannes Kepler Universität Linz, Austria

Christian Flörkemeier, ETH Zurich, Switzerland

Enrico Gregori, CNR, Italy

Marco Gruteser, Rutgers University, USA

Yo-Sung Ho, GIST, Korea

Yu Huihua, Fudan University, China

Young Huh, KERI, Korea

Sozo Inoue, Kyushu University, Japan

Jae Ji Jung, Hanyang University, Korea

## VIII Organization

Daeyoung Kim, Information and Communications University, Korea  
Hyoung Joong Kim, Korea University, Korea  
Seong-Dong Kim, KETI, Korea  
Ho Yeol Kwon, Dangwon National University, Korea  
Yong Joon Lee, ETRI, Korea  
Petri Mähönen, Aachen University, Germany  
Cecilia Mascolo, University College London, UK  
Young Shik Moon, Hanyang University, Korea  
Jae In Oh, Dankook University, Korea  
Shingo Ohmori, NICT, Japan  
Neeli Prasad, Aalborg University, Denmark  
Kasim Rehman, Cambridge Systems Associates, UK  
Tapani Ryhänen, Nokia Research Center, Finland  
Alberto Sanna, Scientific Institute H San Raffaele, Italy  
Ichiro Satoh, National Institute of Informatics, Japan  
Hideyuki Tokuda, Keio University, Japan  
Pim Tuyls, Philips Research, Netherlands  
Pablo Vidales, Deutsche Telekom Laboratories, Germany  
Dirk Westhoff, NEC Laboratories, Germany



# Lecture Notes in Computer Science

For information about Vols. 1–4339

please contact your bookseller or Springer

- Vol. 4453: T. Speed, H. Huang (Eds.), *Research in Computational Molecular Biology*. XVI, 550 pages. 2007. (Sublibrary LNBI).
- Vol. 4448: M. Giacobini (Ed.), *Applications of Evolutionary Computing*. XXIII, 755 pages. 2007.
- Vol. 4447: E. Marchiori, J.H. Moore, J.C. Rajapakse (Eds.), *Evolutionary Computation, Machine Learning and Data Mining in Bioinformatics*. XI, 302 pages. 2007.
- Vol. 4446: C. Cotta, J. van Hemert (Eds.), *Evolutionary Computation in Combinatorial Optimization*. XII, 241 pages. 2007.
- Vol. 4445: M. Ebner, M. O'Neill, A. Ekárt, L. Vanneschi, A.I. Esparcia-Alcázar (Eds.), *Genetic Programming*. XI, 382 pages. 2007.
- Vol. 4444: T. Reps, M. Sagiv, J. Bauer (Eds.), *Program Analysis and Compilation, Theory and Practice*. X, 361 pages. 2007.
- Vol. 4443: R. Kotagiri, P.R. Krishna, M.K. Mohania, E. Nantajeewarawat (Eds.), *Advances in Databases: Concepts, Systems and Applications*. XXI, 1126 pages. 2007.
- Vol. 4430: C.C. Yang, D. Zeng, M. Chau, K. Chang, Q. Yang, X. Cheng, J. Wang, F.-Y. Wang, H. Chen (Eds.), *Intelligence and Security Informatics*. XII, 330 pages. 2007.
- Vol. 4429: R. Lu, J.H. Siekmann, C. Ullrich (Eds.), *Cognitive Systems*. X, 161 pages. 2007. (Sublibrary LNAI).
- Vol. 4427: S. Uhlig, K. Papagiannaki, O. Bonaventure (Eds.), *Passive and Active Network Measurement*. XI, 274 pages. 2007.
- Vol. 4425: G. Amati, C. Carpineto, G. Romano (Eds.), *Advances in Information Retrieval*. XIX, 759 pages. 2007.
- Vol. 4424: O. Grumberg, M. Huth (Eds.), *Tools and Algorithms for the Construction and Analysis of Systems*. XX, 738 pages. 2007.
- Vol. 4423: H. Seidl (Ed.), *Foundations of Software Science and Computational Structures*. XVI, 379 pages. 2007.
- Vol. 4422: M.B. Dwyer, A. Lopes (Eds.), *Fundamental Approaches to Software Engineering*. XV, 440 pages. 2007.
- Vol. 4421: R. De Nicola (Ed.), *Programming Languages and Systems*. XVII, 538 pages. 2007.
- Vol. 4420: S. Krishnamurthi, M. Odersky (Eds.), *Compiler Construction*. XIV, 233 pages. 2007.
- Vol. 4419: P.C. Diniz, E. Marques, K. Bertels, M.M. Fernandes, J.M.P. Cardoso (Eds.), *Reconfigurable Computing: Architectures, Tools and Applications*. XIV, 391 pages. 2007.
- Vol. 4418: A. Gagalowicz, W. Philips (Eds.), *Computer Vision/Computer Graphics Collaboration Techniques*. XV, 620 pages. 2007.
- Vol. 4416: A. Bemporad, A. Bicchi, G. Buttazzo (Eds.), *Hybrid Systems: Computation and Control*. XVII, 797 pages. 2007.
- Vol. 4415: P. Lukowicz, L. Thiele, G. Tröster (Eds.), *Architecture of Computing Systems - ARCS 2007*. X, 297 pages. 2007.
- Vol. 4414: S. Hochreiter, R. Wagner (Eds.), *Bioinformatics Research and Development*. XVI, 482 pages. 2007. (Sublibrary LNBI).
- Vol. 4412: F. Stajano, H.J. Kim, J.-S. Chae, S.-D. Kim (Eds.), *Ubiquitous Convergence Technology*. XI, 302 pages. 2007.
- Vol. 4410: A. Branco (Ed.), *Anaphora: Analysis, Algorithms and Applications*. X, 191 pages. 2007. (Sublibrary LNAI).
- Vol. 4407: G. Puebla (Ed.), *Logic-Based Program Synthesis and Transformation*. VIII, 237 pages. 2007.
- Vol. 4405: L. Padgham, F. Zambonelli (Eds.), *Agent-Oriented Software Engineering VII*. XII, 225 pages. 2007.
- Vol. 4403: S. Obayashi, K. Deb, C. Poloni, T. Hiroyasu, T. Murata (Eds.), *Evolutionary Multi-Criterion Optimization*. XIX, 954 pages. 2007.
- Vol. 4400: J.F. Peters, A. Skowron, V.W. Marek, E. Orłowska, R. Slowinski, W. Ziarko (Eds.), *Transactions on Rough Sets VII, Part II*. X, 381 pages. 2007.
- Vol. 4399: T. Kovacs, X. Llorà, K. Takadama, P.L. Lanzi, W. Stolzmann, S.W. Wilson (Eds.), *Learning Classifier Systems*. XII, 345 pages. 2007. (Sublibrary LNAI).
- Vol. 4398: S. Marchand-Maillet, E. Bruno, A. Nürnberger, M. Detyniecki (Eds.), *Adaptive Multimedia Retrieval: User, Context, and Feedback*. XI, 269 pages. 2007.
- Vol. 4397: C. Stephanidis, M. Pieper (Eds.), *Universal Access in Ambient Intelligence Environments*. XV, 467 pages. 2007.
- Vol. 4396: J. García-Vidal, L. Cerdà-Alabern (Eds.), *Wireless Systems and Mobility in Next Generation Internet*. IX, 271 pages. 2007.
- Vol. 4395: M. Daydé, J.M.L.M. Palma, Á.L.G.A. Coutinho, E. Pacitti, J.C. Lopes (Eds.), *High Performance Computing for Computational Science - VEC- PAR 2006*. XXIV, 721 pages. 2007.
- Vol. 4394: A. Gelbukh (Ed.), *Computational Linguistics and Intelligent Text Processing*. XVI, 648 pages. 2007.
- Vol. 4393: W. Thomas, P. Weil (Eds.), *STACS 2007*. XVIII, 708 pages. 2007.

- Vol. 4392: S.P. Vadhan (Ed.), *Theory of Cryptography*. XI, 595 pages. 2007.
- Vol. 4391: Y. Stylianou, M. Faundez-Zanuy, A. Esposito (Eds.), *Progress in Nonlinear Speech Processing*. XII, 269 pages. 2007.
- Vol. 4390: S.O. Kuznetsov, S. Schmidt (Eds.), *Formal Concept Analysis*. X, 329 pages. 2007. (Sublibrary LNAI).
- Vol. 4389: D. Weyns, H.V.D. Parunak, F. Michel (Eds.), *Environments for Multi-Agent Systems III*. X, 273 pages. 2007. (Sublibrary LNAI).
- Vol. 4385: K. Coninx, K. Luyten, K.A. Schneider (Eds.), *Task Models and Diagrams for Users Interface Design*. XI, 355 pages. 2007.
- Vol. 4384: T. Washio, K. Satoh, H. Takeda, A. Inokuchi (Eds.), *New Frontiers in Artificial Intelligence*. IX, 401 pages. 2007. (Sublibrary LNAI).
- Vol. 4383: E. Bin, A. Ziv, S. Ur (Eds.), *Hardware and Software, Verification and Testing*. XII, 235 pages. 2007.
- Vol. 4381: J. Akiyama, W.Y.C. Chen, M. Kano, X. Li, Q. Yu (Eds.), *Discrete Geometry, Combinatorics and Graph Theory*. XI, 289 pages. 2007.
- Vol. 4380: S. Spaccapietra, P. Atzeni, F. Fages, M.-S. Hacid, M. Kifer, J. Mylopoulos, B. Pernici, P. Shvaiko, J. Trujillo, I. Zaihrayeu (Eds.), *Journal on Data Semantics VIII*. XV, 219 pages. 2007.
- Vol. 4378: I. Virbitskaite, A. Voronkov (Eds.), *Perspectives of Systems Informatics*. XIV, 496 pages. 2007.
- Vol. 4377: M. Abe (Ed.), *Topics in Cryptology – CT-RSA 2007*. XI, 403 pages. 2006.
- Vol. 4376: E. Frachtenberg, U. Schwiegelshohn (Eds.), *Job Scheduling Strategies for Parallel Processing*. VII, 257 pages. 2007.
- Vol. 4374: J.F. Peters, A. Skowron, I. Düntsch, J. Grzymala-Busse, E. Orlowska, L. Polkowski (Eds.), *Transactions on Rough Sets VI, Part I*. XII, 499 pages. 2007.
- Vol. 4373: K. Langendoen, T. Voigt (Eds.), *Wireless Sensor Networks*. XIII, 358 pages. 2007.
- Vol. 4372: M. Kaufmann, D. Wagner (Eds.), *Graph Drawing*. XIV, 454 pages. 2007.
- Vol. 4371: K. Inoue, K. Satoh, F. Toni (Eds.), *Computational Logic in Multi-Agent Systems*. X, 315 pages. 2007. (Sublibrary LNAI).
- Vol. 4370: P.P. Lévy, B. Le Grand, F. Poulet, M. Soto, L. Darago, L. Toubiana, J.-F. Vibert (Eds.), *Pixelization Paradigm*. XV, 279 pages. 2007.
- Vol. 4369: M. Umeda, A. Wolf, O. Bartenstein, U. Geske, D. Seipel, O. Takata (Eds.), *Declarative Programming for Knowledge Management*. X, 229 pages. 2006. (Sublibrary LNAI).
- Vol. 4368: T. Erlebach, C. Kaklamani (Eds.), *Approximation and Online Algorithms*. X, 345 pages. 2007.
- Vol. 4367: K. De Bosschere, D. Kaeli, P. Stenström, D. Whalley, T. Ungerer (Eds.), *High Performance Embedded Architectures and Compilers*. XI, 307 pages. 2007.
- Vol. 4366: K. Tuyls, R. Westra, Y. Saeys, A. Nowé (Eds.), *Knowledge Discovery and Emergent Complexity in Bioinformatics*. IX, 183 pages. 2007. (Sublibrary LNBI).
- Vol. 4364: T. Kühne (Ed.), *Models in Software Engineering*. XI, 332 pages. 2007.
- Vol. 4362: J. van Leeuwen, G.F. Italiano, W. van der Hoek, C. Meinel, H. Sack, F. Plášil (Eds.), *SOFSEM 2007: Theory and Practice of Computer Science*. XXI, 937 pages. 2007.
- Vol. 4361: H.J. Hoogetboom, G. Păun, G. Rozenberg, A. Salomaa (Eds.), *Membrane Computing*. IX, 555 pages. 2006.
- Vol. 4360: W. Dubitzky, A. Schuster, P.M.A. Sloot, M. Schroeder, M. Romberg (Eds.), *Distributed, High-Performance and Grid Computing in Computational Biology*. X, 192 pages. 2007. (Sublibrary LNBI).
- Vol. 4358: R. Vidal, A. Heyden, Y. Ma (Eds.), *Dynamical Vision*. IX, 329 pages. 2007.
- Vol. 4357: L. Buttyán, V. Gligor, D. Westhoff (Eds.), *Security and Privacy in Ad-Hoc and Sensor Networks*. X, 193 pages. 2006.
- Vol. 4355: J. Jullian, O. Kouchnarenko (Eds.), *B 2007: Formal Specification and Development in B*. XIII, 293 pages. 2006.
- Vol. 4354: M. Hanus (Ed.), *Practical Aspects of Declarative Languages*. X, 335 pages. 2006.
- Vol. 4353: T. Schwentick, D. Suciu (Eds.), *Database Theory – ICDT 2007*. XI, 419 pages. 2006.
- Vol. 4352: T.-J. Cham, J. Cai, C. Dorai, D. Rajan, T.-S. Chua, L.-T. Chia (Eds.), *Advances in Multimedia Modeling, Part II*. XVIII, 743 pages. 2006.
- Vol. 4351: T.-J. Cham, J. Cai, C. Dorai, D. Rajan, T.-S. Chua, L.-T. Chia (Eds.), *Advances in Multimedia Modeling, Part I*. XIX, 797 pages. 2006.
- Vol. 4349: B. Cook, A. Podelski (Eds.), *Verification, Model Checking, and Abstract Interpretation*. XI, 395 pages. 2007.
- Vol. 4348: S.T. Taft, R.A. Duff, R.L. Brukardt, E. Ploedereder, P. Leroy (Eds.), *Ada 2005 Reference Manual*. XXII, 765 pages. 2006.
- Vol. 4347: J. Lopez (Ed.), *Critical Information Infrastructures Security*. X, 286 pages. 2006.
- Vol. 4346: L. Brim, B. Haverkort, M. Leucker, J. van de Pol (Eds.), *Formal Methods: Applications and Technology*. X, 363 pages. 2007.
- Vol. 4345: N. Maglaveras, I. Chouvarda, V. Koutkias, R. Brause (Eds.), *Biological and Medical Data Analysis*. XIII, 496 pages. 2006. (Sublibrary LNBI).
- Vol. 4344: V. Gruhn, F. Oquendo (Eds.), *Software Architecture*. X, 245 pages. 2006.
- Vol. 4342: H. de Swart, E. Orlowska, G. Schmidt, M. Roubens (Eds.), *Theory and Applications of Relational Structures as Knowledge Instruments II*. X, 373 pages. 2006. (Sublibrary LNAI).
- Vol. 4341: P.Q. Nguyen (Ed.), *Progress in Cryptology - VIETCRYPT 2006*. XI, 385 pages. 2006.
- Vol. 4340: R. Prodan, T. Fahringer, *Grid Computing*. XXIII, 317 pages. 2007.

¥516.00元

# Table of Contents

## Keynotes

Video Coding Techniques for Ubiquitous Multimedia Services.....	1
<i>Yo-Sung Ho and Seung-Hwan Kim</i>	

## Multimedia

Residual Signal Compression Based on the Blind Signal Decomposition for Video Coding .....	11
<i>Sea-Nae Park, Dong-Gyu Sim, Seoung-Jun Oh, Chang-Beom Ahn, Yung-Lyul Lee, Hochong Park, Chae-Bong Sohn, and Jeongil Seo</i>	
Personalized Life Log Media System in Ubiquitous Environment .....	20
<i>Ig-Jae Kim, Sang Chul Ahn, and Hyoung-Gon Kim</i>	
An Embedded Variable Bit-Rate Audio Coder for Ubiquitous Speech Communications .....	30
<i>Do Young Kim and Jong Won Park</i>	
Performance Enhancement of Error Resilient Entropy Coding Using Bitstream of Block Based SPIHT .....	40
<i>Jeong-Sig Kim and Keun-Young Lee</i>	
A Study on the Personal Program Guide Technique Within Ubiquitous Media Community Environment Using Multi-band Sensor Gateway ....	50
<i>Sang Won Lee, Byoung Ha Park, Sung Hee Hong, Chan Gyu Kim, In Hwa Hong, Seok Pil Lee, and Sang Yep Nam</i>	

## Applications

Remote Diagnostic Protocol and System for U-Car .....	60
<i>Doo-Hee Jung, Gu-Min Jeong, Hyun-Sik Ahn, Minsoo Ryu, and Masayoshi Tomizuka</i>	
Map-Building and Localization by Three-Dimensional Local Features for Ubiquitous Service Robot .....	69
<i>Younghin Park, Seungdo Jeong, Il Hong Suh, and Byung-Uk Choi</i>	
LRMAP: Lightweight and Resynchronous Mutual Authentication Protocol for RFID System .....	80
<i>JeaCheol Ha, JungHoon Ha, SangJae Moon, and Colin Boyd</i>	
Novel Process Methodology of Smart Combi Card (SCC) Manufacturing for RFID/USN .....	90
<i>JeongJin Kang, HongJun Yoo, and SungRok Lee</i>	

Product Control System Using RFID Tag Information and Data Mining ..... 100  
    *Cheonshik Kim, San-Yep Nam, Duk-Je Park, Injung Park, and Taek-Young Hyun*

iSCSI Protocol Parameter Optimization for Mobile Appliance Remote Storage System at Smart Home Environment Approach ..... 110  
    *Shaikh Muhammad Allayear, Sung Soon Park, and Cheonshik Kim*

**Mobile, Wireless, and Ad Hoc Networking**

A Study on Optimal Fast Handover Scheme in Fast Handover for Mobile IPv6 (FMIPv6) Networks ..... 120  
    *Byungjoo Park, Youn-Hee Han, and Haniph Latchman*

DCAR: Dynamic Congestion Aware Routing Protocol in Mobile Ad Hoc Networks ..... 130  
    *Young-Duk Kim, Sang-Heon Lee, and Dong-Ha Lee*

Anonymous Secure Communication in Wireless Mobile Ad-Hoc Networks ..... 140  
    *Sk. Md. Mizanur Rahman, Atsuo Inomata, Takeshi Okamoto, Masahiyo Mambo, and Eiji Okamoto*

A DiffServ Management Scheme Considering the Buffer Traffic Rate in Ubiquitous Convergence Network ..... 150  
    *Hyojun Lee, Mintaig Kim, and Byung-Gi Kim*

An Approach to Reliable and Efficient Routing Scheme for TCP Performance Enhancement in Mobile IPv6 Networks ..... 160  
    *Byungjoo Park, Youn-Hee Han, and Haniph Latchman*

Ant Colony Optimization for Satellite Customer Assignment ..... 170  
    *S.S. Kim, H.J. Kim, V. Mani, and C.H. Kim*

Advanced Remote-Subscription Scheme Supporting Cost Effective Multicast Routing for Broadband Ubiquitous Convergence IP-Based Network ..... 180  
    *Soo-Young Shin, Young-Muk Yoon, Soo-Hyun Park, Yoon-Ho Seo, and Chul-Ung Lee*

**Smart Sensors and Sensor Networks**

Dual Priority Scheduling Based on Power Adjust Context Switching for Wireless Sensor Network ..... 190  
    *Taeo Hwang, Jung-Guk Kim, Kwang-Ho Won, Seong-Dong Kim, and Dong-Sun Kim*

WODEM: Wormhole Attack Defense Mechanism in Wireless Sensor Networks .....	200
<i>Ji-Hoon Yun, Il-Hwan Kim, Jae-Han Lim, and Seung-Woo Seo</i>	
Layer-Based ID Assigning Method for Sensor Networks .....	210
<i>Jung Hun Kang and Myong-Soon Park</i>	
A Smart Sensor Overlay Network for Ubiquitous Computing .....	220
<i>Eui-Hyun Jung, Yong-Pyo Kim, Yong-Jin Park, and Su-Young Han</i>	
An Efficient Sensor Network Architecture Using Open Platform in Vehicle Environment .....	232
<i>Hong-bin Yim, Pyung-sun Park, Hee-seok Moon, and Jae-il Jung</i>	
 <b>Privacy and Security</b>	
Improved Reinforcement Computing to Implement AntNet-Based Routing Using General NPs for Ubiquitous Environments .....	242
<i>Hyuntae Park, Byung In Moon, and Sungho Kang</i>	
 <b>Web-Based Simulation, Natural System</b>	
Design of a Cooperative Distributed Intrusion Detection System for AODV .....	252
<i>Trang Cao Minh and Hyung-Yun Kong</i>	
Towards a Security Policy for Ubiquitous Healthcare Systems (Position Paper) .....	263
<i>Joonwoong Kim, Alastair R. Beresford, and Frank Stajano</i>	
Architecture of an LBS Platform to Support Privacy Control for Tracking Moving Objects in a Ubiquitous Environments .....	273
<i>JungHee Jo, KyoungWook Min, and YongJoon Lee</i>	
A New Low-Power and High Speed Viterbi Decoder Architecture .....	283
<i>Chang-Jin Choi, Sang-Hun Yoon, Jong-Wha Chong, and Shouyin Lin</i>	
Dynamic EPG Implementation for Ubiquitous Environment .....	292
<i>In Jung Park, Duck Je Park, and CheonShik Kim</i>	
<b>Author Index</b> .....	301

# Video Coding Techniques for Ubiquitous Multimedia Services

Yo-Sung Ho and Seung-Hwan Kim

Gwangju Institute of Science and Technology (GIST)  
1 Oryong-dong, Buk-gu, Gwangju, 500-712, Korea  
{hoyo, kshkim}@gist.ac.kr

**Abstract.** Emerging ubiquitous multimedia services are expected to be available anytime, anywhere, and using different computing devices. Video compression is necessary for transmission of digital video over today's band-limited networks, or for storage constrained applications. This paper gives a short overview over previous video coding standards and analyzes in more detail H.264, which is the latest international video coding standard. Since scalable video coding (SVC) provides the capability of reconstructing lower resolution or lower quality signals from partial bitstream, it is a good paradigm to the streaming video application for ubiquitous multimedia service. Hence, we also discuss several coding techniques and frameworks for SVC including fine granular scalability (FGS).

**Keywords:** Video coding standard, ubiquitous, H.264, scalable video coding, fine granular scalability.

## 1 Introduction

The deployment of multimedia services such as audio/video-on-demand, digital library, remote camera surveillance, and distributed visual tracking is becoming ubiquitous. Since limited transmission bandwidth or storage capacity stresses the demand for higher video compression ratios, video compression has been a critical component of many multimedia applications available today. Meanwhile, international study groups, VCEG (Video Coding Experts Group) of ITU-T (International Telecommunication Union - Telecommunication sector) and MPEG (Moving Picture Experts Group) of ISO/IEC, have researched the video coding techniques for various applications of moving pictures since the early 1990s.

ITU-T developed H.261 as the first video coding standard for videoconferencing application. H.261 [1] supports video telephony and videoconferencing over ISDN circuit-switched networks. These networks operate at multiples of 64 kbps and the standard was designed to offer computationally simple video coding for these bitrate. The coding algorithm is a hybrid of transform coding and inter-picture prediction with an integer-accuracy motion compensation. The block-based inter-picture prediction is used to remove temporal redundancy between consecutive frames. If the time domain data is smooth with little variation then frequency data will make low frequency data larger

and high frequency data smaller. Hence, discrete cosine transform (DCT) is used to convert data in time domain to data in frequency domain. In order to remove any further statistical redundancy in the motion data and transformed coefficients, variable length coding (VLC) is used.

The first MPEG standard, MPEG-1 video [2] was developed for the specific application of video storage and playback on Compact Disks. MPEG-1 video was conceived to support the video CD, a format for consumer storage and playback that was intended to compete with VHS videocassettes. The standard uses block-based motion compensation, DCT and quantization and is optimized for a compressed video bitrate of around 1.2 Mbps. MPEG-1 video is still widely used for PC and web-based storage of compressed video files.

Following on from MPEG-1 video, MPEG-2 video [3] (ITU-T adopted it as H.262) standard aimed to support a large potential market, digital broadcasting of compressed television. MPEG-2 video was a great success, with world wide adoption for digital TV broad-casting via cable, satellite and terrestrial channels. For several years, MPEG-2 video has been improved, but it is reaching its theoretical limitations. Additional improvements were attempted, using other techniques, such as fractals and wavelets, with no significant improvement in video results. The original MPEG-4 Visual[4] standard attempted to bring the object-oriented perception into the compression world, with limited success, due to its complexity and overhead. In order to cover the very wide range of applications such as shaped regions of video objects as well as rectangular pictures, MPEG-4 Visual [4] standard was developed. This includes also natural and synthetic video/audio combinations with interactivity built in.

In an attempt to improve on the compression performance of H.261, the ITU-T working group developed H.263 [5]. This provides better compression than H.261, supporting basic video quality at bitrate of below 30 kbps, and is part of a suite of standards designed to operate over a wide range of circuit-switched and packet-switched networks. The coding algorithm used in H.263 is similar to that used by H.261, however with some improvements and changes to improve performance and error recovery. Half pixel based motion compensation technique is used and some parts of the hierarchical structure of the data stream is provided optionally. There are now four negotiable options included to improve performance: Unrestricted Motion Vectors, Syntax-based arithmetic coding, Advance prediction, and forward and back-ward frame prediction. After finalizing the original H.263 standard for video telephony in 1995, the ITU-T Video Coding Experts Group (VCEG) started working on a long-term effort to develop a new standard for low bitrate visual communications. This effort leads to the H.26L standard draft, offering significantly better video compression efficiency than previous standards [6].

The organization of the paper is as follows. We first explain several key features of H.264 in Section 2 and present the basic coding structure for MPEG-4 FGS and the scalable extension of H.264 (JSVM) which is the newest SVC standard in Section 3. In Section IV, we show two kinds of experimental results: One is related to the comparison of coding efficiency between H.264 and MPEG-4 visual and the other one is related to between MPEG-FGS and JSVM. Section V draws conclusions and summarizes future perspectives of video coding techniques for ubiquitous multimedia services.

## 2 Overview of H.264/AVC

H.264 video coding standard has been developed to satisfy the requirements of applications for various purposes, better picture quality, higher coding efficiency, and more error robustness. In this Section, we describe an overview of H.264.

### 2.1 Profiles and Levels

A Profile specifies a subset of entire bitstream of syntax and limits that shall be supported by all decoders conforming to corresponding Profile. There are three Profiles in the first version: Baseline, Main, and Extended. Baseline Profile is to be applicable to real-time conversational services such as video conferencing and videophone. Main Profile is designed for digital storage media and television broadcasting. Extended Profile is aimed at multimedia services over Internet. Also there are four High Profiles defined in the fidelity range extensions [7] for applications such as content-contribution, content-distribution, and studio editing and post-processing : High, High 10, High 4:2:2, and High 4:4:4. High Profile is to support the 8-bit video with 4:2:0 sampling for applications using high resolution. High 10 Profile is to support the 4:2:0 sampling with up to 10 bits of representation accuracy per sample. High 4:2:2 Profile is to support up to 4:2:2 chroma sampling and up to 10 bits per sample. High 4:4:4 Profile is to support up to 4:4:4 chroma sampling, up to 12 bits per sample, and integer residual color transform for coding RGB signal.

The Profiles have both the common coding parts and as well specific coding parts as shown in Fig. 1. For any given Profile, Levels generally correspond to processing power and memory capability of a codec. Each Level may support a different picture size - QCIF, CIF, ITU-R 601 (SDTV), HDTV, S-HDTV, D-Cinema [7]. Also each Level sets the limits for data bitrate, frame size, picture buffer size, etc [7].




Fig. 1. Profiles and coding tools in H.264/AVC



## 2.2 Video Coding Algorithm

H.264 improves the rate distortion performance by exploiting advanced video coding technologies, such as variable block size motion estimation, multiple reference prediction, spatial prediction in intra coding, context based variable length coding (CAVLC) and context-based adaptive binary arithmetic coding (CABAC). The testing results of H.264/AVC show that it significantly outperforms existing video coding standards in both peak signal-to-noise ratio (PSNR) and visual quality [6].

For encoding a block or macroblock in intra-coded mode, H.264 predicts a block based on previously reconstructed blocks. The residual signal between the current block and the prediction is finally encoded. For the luminance samples, the prediction block may be formed for each 4x4 block, each 8x8 block, or for a 16x16 macroblock. One case is selected from a total of 9 prediction modes for each 4x4 and 8x8 luminance blocks; four modes for a 16x16 luminance block; and four modes for each chroma blocks.

Inter prediction is to reduce the temporal correlation with help of motion estimation and compensation. In H.264, the current picture can be partitioned into block sizes up to 4x4. For 16x16 macroblock mode, there are four cases: 16x16, 16x8, 8x16 or 8x8, also four cases: 8x8, 8x4, 4x8 or 4x4 for 8x8 mode. Hence, the inter prediction process can form segmentations for motion representation as small as 4x4 block in size, using motion vector accuracy of one-quarter of the sample. Sub-pel motion compensation can provide significantly better compression performance than integer-pel compensation [7]. The process for inter prediction also involve the selection of the pictures to be used as the reference pictures from a number of stored previously-decoded pictures.

After inter prediction or intra prediction, the resulting prediction residual in a macroblock is split into small blocks according to the size of transform. H.264 uses also an adaptive transform block size, 4x4 and 8x8 (High Profiles only). In general transform and quantization require several multiplications resulting in high complexity for implementation. So, for simple implementation, the exact transform process is modified to avoid the multiplications. Then the transform and quantization are combined by the modified integer forward transform, quantization, scaling. For improved compression efficiency, H.264 also employs a hierarchical transform structure, in which the DC coefficients of neighboring 4x4 transforms for the luminance signals are grouped into 4x4 blocks and transformed again by the Hadamard transform. In order to utilize correlation among transform DC coefficients of neighboring blocks, the standard specifies the 4x4 Hadamard transform for luminance DC coefficients for 16x16 Intra-mode only, and 2x2 Hadamard transform for chroma DC coefficients.

Unlike fixed tables of variable length codes used in previous standards such as MPEG-1, 2, 4, H.261, H.262 and H.263, H.264 uses different VLCs in order to match a symbol to a code based on the context characteristics. In Baseline profile, all syntax elements except for the residual data are encoded by the Exp-Golomb codes and residual data is coded with more sophisticated entropy coding method called context-based adaptive variable length coding (CAVLC). In Main and High profiles, context-based adaptive binary arithmetic coding (CABAC) is can be used for all syntax elements including residual data. CABAC has more coding efficiency but higher complexity compared to CAVLC.