

**ENCYCLOPEDIA OF**

**CHEMICAL**

**TECHNOLOGY**

VOLUME **4**

---

FOURTH EDITION

**KIRK-OTHMER**

# **ENCYCLOPEDIA OF CHEMICAL TECHNOLOGY**

**FOURTH EDITION**

**VOLUME 4**

**BEARING MATERIALS  
TO  
CARBON**



A Wiley-Interscience Publication  
**JOHN WILEY & SONS**

New York • Chichester • Brisbane • Toronto • Singapore

In recognition of the importance of preserving what has been written, it is the policy of John Wiley & Sons, Inc., to have books of enduring value published in the United States printed on acid-free paper, and we exert our best efforts to that end.

Copyright © 1992 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons, Inc.

#### **Library of Congress Cataloging-in-Publication Data**

Encyclopedia of chemical technology / executive editor, Jacqueline

I. Kroschwitz; editor, Mary Howe-Grant.—4th ed.

p. cm.

At head of title: Kirk-Othmer.

“A Wiley-Interscience publication.”

Includes index.

Contents: v. 4. Bearing materials to carbon.

ISBN 0-471-52672-x (vol. 4)

1. Chemistry, Technical—Encyclopedias. I. Kirk, Raymond E. (Raymond Eller), 1890–1957. II. Othmer, Donald F. (Donald Frederick), 1904–. III. Kroschwitz, Jacqueline I., 1942–. IV. Howe-Grant, Mary, 1943–. V. Title: Kirk-Othmer encyclopedia of chemical technology.

TP9.E685 1992

660'.03—dc20

91-16789

CIP

**Printed in the United States of America**

**EXECUTIVE EDITOR**

Jacqueline I. Kroschwitz

**Editor**

Mary Howe-Grant

**KIRK-OTHMER**

**ENCYCLOPEDIA OF  
CHEMICAL  
TECHNOLOGY**

**FOURTH EDITION**

**VOLUME 4**

**BEARING MATERIALS  
TO  
CARBON**

## EDITORIAL STAFF FOR VOLUME 4

*Executive Editor:* **Jacqueline I. Kroschwitz**

*Editor:* **Mary Howe-Grant**

*Assistant Editor:* **Cathleen A. Treacy**

*Assistant Managing Editor:* **Lindy J. Humphreys**

*Copy Editor:* **Linda M. Kim**

## CONTRIBUTORS TO VOLUME 4

**Fazlul Alam**, *U.S. Borax Research Corp., Anaheim, California*, Boron halides (under Boron compounds)

**Frederick S. Baker**, *Westvaco Corp., North Charleston, South Carolina*, Activated carbon (under Carbon)

**Joseph Barendt**, *Callery Chemical Company, Pittsburgh, Pennsylvania*, Boron hydrides, commercial aspects (under Boron compounds)

**William R. Bell, Jr.**, *The Johns Hopkins University Hospital, Baltimore, Maryland*, Blood, coagulants and anticoagulants

**James N. BeMiller**, *Whistler Center for Carbohydrate Research, Purdue University, West Lafayette, Indiana*, Carbohydrates

- Ernst Billig**, *Union Carbide Corporation, South Charleston, West Virginia*, Butyl alcohols; Butyraldehydes
- E. R. Booser**, *Consulting Engineer, Scotia, New York*, Bearing materials
- Edward Brown**, *Kalama Chemical Incorporated, Kalama, Washington*, Benzaldehyde; Benzoic acid
- P. F. Bryan**, *Chevron Research and Technology Co., Richmond, California*, BTX processing
- John E. Bujake**, *Brown-Forman Corp., Louisville, Kentucky*, Beverage spirits, distilled
- N. Calamur**, *Amoco Chemical Company, Naperville, Illinois*, Butylenes
- William L. Cameron**, *Cyanamid Canada, Inc., Niagara Falls, Ontario, Canada*, Calcium carbide (under Carbides)
- Dodd S. Carr**, *International Lead Zinc Research Organization, Inc., Research Triangle Park, North Carolina*, Cadmium and cadmium alloys
- F. Patrick Carr**, *OMYA, Inc., Proctor, Vermont*, Calcium carbonate (under Calcium compounds)
- M. E. Carrera**, *Amoco Chemical Company, Naperville, Illinois*, Butylenes
- Mark Chagnon**, *Metalspecialties, Fairfield, Connecticut*, Bismuth and bismuth alloys
- K. Y. Chia**, *The Carborundum Company, Niagara Falls, New York*, Silicon carbide (under Carbides)
- Gregory S. Conn**, *Kalama Chemical, Inc., Kalama, Washington*, Benzaldehyde; Benzoic acid
- Lamberto Crescentini**, *Allied-Signal, Inc., Petersburg, Virginia*, Caprolactam
- J. M. Criscione**, *UCAR Carbon Company, Inc., Cleveland, Ohio*, Carbon and artificial graphite (under Carbon)
- Ell M. Dannenberg**, *Consultant, Bellerica, Massachusetts*, Carbon black (under Carbon)
- Robert DeVries**, *Burut Hills, New York*, Diamond, natural (under Carbon)
- R. Divakar**, *The Carborundum Company, Niagara Falls, New York*, Silicon carbides (under Carbides)
- G. O. Doak**, *North Carolina State University, Raleigh, North Carolina*, Bismuth compounds
- C. J. Dobratz**, *Kalama Chemical, Inc., Kalama, Washington*, Benzaldehyde; Benzoic acid
- Edward L. Docks**, *U.S. Borax Research Corp., Anaheim, California*, Boric acid esters (under Boron compounds)
- Beth Dryden**, *Callery Chemical Company, Pittsburgh, Pennsylvania*, Boron hydrides, commercial aspects (under Boron compounds)
- A. J. Dzermejko**, *UCAR Carbon Company, Inc., Cleveland, Ohio*, Carbon and artificial graphite (under Carbon)
- Mark N. Emly**, *Brush Wellman Inc., Elmore, Ohio*, Beryllium compounds
- James P. Farr**, *The Clorox Company, Pleasanton, California*, Survey (under Bleaching agents)
- James A. Finnegan**, *Arthur D. Little, Inc., Cambridge, Massachusetts*, Building materials, plastic

- F. F. Fisher**, *UCAR Carbon Company, Inc., Cleveland, Ohio*, Carbon and artificial graphite (under Carbon)
- William B. Fisher**, *Allied-Signal, Inc., Petersburg, Virginia*, Caprolactam
- David K. Frederick**, *OMYA, Inc., Proctor, Vermont*, Calcium carbonate (under Calcium compounds)
- Leon D. Freedman**, *North Carolina State University, Raleigh, North Carolina*, Bismuth compounds
- Mark B. Freilich**, *Memphis State University, Memphis, Tennessee*, Survey (under Calcium compounds)
- William Fruscella**, *Unocal Corp., Brea, California*, Benzene
- C. F. Fulgenzi**, *UCAR Carbon Company, Inc., Cleveland, Ohio*, Carbon and artificial graphite (under Carbon)
- Brian P. Gersh**, *Arthur D. Little, Inc., Cambridge, Massachusetts*, Building materials, plastic
- T. S. Griffen**, *U.S. Borax Research Corp., Anaheim, California*, Organic boron-nitrogen compounds (under Boron compounds)
- Harry Gwinne**, *Cabot Corporation, Billerica, Massachusetts*, Carbon black (under Carbon)
- John Harkness**, *Brush Wellman, Inc., Elmore, Ohio*, Beryllium and beryllium alloys
- J. B. Hedge**, *UCAR Carbon Company, Inc., Cleveland, Ohio*, Carbon and artificial graphite (under Carbon)
- Norman Herron**, *E. I. du Pont de Nemours & Co., Inc., Wilmington, Delaware*, Cadmium compounds
- Raymond K. Hertz**, *Brush Wellman, Inc., Elmore, Ohio*, Beryllium and beryllium alloys
- Stephen G. Hibbins**, *Timminco Metals, Timminco Ltd., Haly, Ontario, Canada*, Calcium and calcium alloys
- T. R. Hupp**, *UCAR Carbon Company, Inc., Cleveland, Ohio*, Carbon and artificial graphite (under Carbon)
- Phillip F. Jackisch**, *Ethyl Technical Center, Baton Rouge, Louisiana*, Bromine; Bromine compounds
- M. G. Jacko**, *Allied-Signal Inc., Troy, Michigan*, Brake linings and clutch facings
- Linda H. Jansen**, *Callery Chemical Co., Pittsburgh, Pennsylvania*, Boron, elemental
- Norbert W. Kaleta**, *National Gypsum, Gold Bond Research Center, Buffalo, New York*, Calcium sulfate (under Calcium compounds)
- Richard Kieffer**, *Technical University, Vienna, Austria*, Survey
- Larry W. Kingston**, *National Gypsum, Gold Bond Research Center, Buffalo, New York*, Calcium sulfate (under Calcium compounds)
- S. M. Kunz**, *The Carborundum Company, Niagara Falls, New York*, Silicon carbides (under Carbides)
- Roger Kust**, *Tetra Chemicals, Houston, Texas*, Calcium chloride (under Calcium compounds)
- Julie B. Lang**, *Arthur D. Little, Inc., Cambridge, Massachusetts*, Building materials, plastic
- S. K. Lau**, *The Carborundum Company, Niagara Falls, New York*, Silicon carbide (under Carbides)



- Ronald Levy**, *Arthur D. Little, Inc., Cambridge, Massachusetts*, Building Materials, plastic
- I. C. Lewis**, *UCAR Carbon Company Inc., Cleveland, Ohio*, Carbon and artificial graphite (under Carbon)
- Jason Liang**, *Kalama Chemical, Inc., Kalama, Washington*, Benzaldehyde; Benzoic acid
- G. Gilbert Long**, *North Carolina State University, Raleigh, North Carolina*, Bismuth compounds
- J. C. Long**, *UCAR Carbon Company Inc., Cleveland, Ohio*, Carbon and artificial graphite (under Carbon)
- Mark J. Manning**, *U.S. Borax Research Corp., Anaheim, California*, Organic boron–nitrogen compounds (under Boron compounds)
- Robert B. McBroom**, *U.S. Borax Research Corp., Anaheim, California*, Boron oxides, boric acid, and borates (under Boron compounds)
- Thomas McDonough**, *Institute of Paper Science and Technology, Atlanta, Georgia*, Pulp and paper (under Bleaching agents)
- Theodore Michelsen**, *Schuller International, Littleton, Colorado*, Survey (under Building materials)
- Charles E. Miller**, *Westvaco Corp., North Charleston, South Carolina*, Activated carbon (under Carbon)
- Braja D. Mookherjee**, *International Flavor & Fragrances, Union Beach, New Jersey*, Benzyl alcohol and  $\beta$ -phenethyl alcohol
- J. F. Nissen**, *Brygerifoneningen (The Danish Brewer's Association), Kobenbarn K, Denmark*, Beer
- Jarl L. Opgrande**, *Kalama Chemical, Inc., Kalama, Washington*, Benzaldehyde; Benzoic acid
- S. Ted Oyama**, *Clarkson University, Potsdam, New York*, Survey (under Carbides)
- D. J. Page**, *UCAR Carbon Company, Inc., Cleveland, Ohio*, Carbon and artificial graphite (under Carbon)
- Lyn Paquin**, *Cabot Corporation, Billerica, Massachusetts*, Carbon black (under Carbon)
- Donald J. Petersen**, *National Gypsum, Gold Bond Research Center, Buffalo, New York*, Calcium sulfate (under Calcium compounds)
- Richard L. Petersen**, *Memphis State University, Memphis, Tennessee*, Survey (under Calcium compounds)
- Ronald Pierantozzi**, *Air Products and Chemicals, Inc., Allentown Pennsylvania*, Carbon dioxide
- William Pietro**, *York University, North York, Ontario, Canada*, Biosensors
- R. L. Reddy**, *UCAR Carbon Company, Inc., Cleveland, Ohio*, Carbon and artificial graphite (under Carbon)
- Kenneth I. G. Reid**, *Tetra Chemicals, Houston, Texas*, Calcium chloride (under Calcium compounds)
- Albert J. Repik**, *Westvaco Corp., North Charleston, South Carolina*, Activated carbon (under Carbon)

- S. K. Rhee**, *Allied-Signal Inc., Troy, Michigan*, Brake linings and clutch facings
- A. T. Santhanam**, *Kennametal Inc., LaTrobe, Pennsylvania*, Cemented carbides (under Carbides); Industrial hard carbides (under Carbides)
- David M. Schubert**, *U.S. Borax Research Corp., Anaheim, California*, Boron hydrides (under Boron compounds)
- Frederick A. Shelton**, *Chatterton Petrochemical Corp., Delta, British Columbia, Canada*, Benzaldehyde; Benzoic acid
- Robert A. Smith**, *U.S. Borax Research Corp., Anaheim, California*, Boron oxides, boric acid, and borates (under Boron compounds)
- William L. Smith**, *The Clorox Company, Pleasanton, California*, Survey (under Bleaching agents)
- William Spiegelberg**, *Brush Wellman, Inc., Elmore, Ohio*, Beryllium and beryllium alloys
- Dale S. Steichen**, *The Clorox Company, Pleasanton, California*, Survey (under Bleaching agents)
- W. M. Stoll**, *Kennametal Inc., LaTrobe, Pennsylvania*, Industrial hard carbides (under Carbides)
- A. James Stonehouse**, *Brush Wellman Inc., Elmore, Ohio*, Beryllium and beryllium alloys; Beryllium compounds
- H. N. Sun**, *Exxon Chemical Company, Baytown, Texas*, Butadiene
- W. A. Sweeney**, *Chevron Research and Technology Co., Richmond, California*, BTX processing
- Harold A. Taylor, Jr.**, *Bureau of Mines, U.S. Department of the Interior, Washington, D.C.*, Natural graphite (under Carbon)
- Quentin E. Thompson**, *Monsanto Company, Millstadt, Illinois*, Biphenyl and terphenils
- E. Donald Tolles**, *Westvaco Corp., North Charleston, South Carolina*, Activated carbon (under Carbon)
- D. L. Turk**, *UCAR Carbon Company Inc., Cleveland, Ohio*, Carbon and artificial graphite (under Carbon)
- Timothy Ward**, *Millsap College, Jackson, Mississippi*, Analytical techniques (under Biopolymers)
- Robert H. Wentorf, Jr.**, *Greenwich, New York*, Diamond, synthetic (under Carbons); Refractory boron compounds (under Boron compounds)
- R. A. Wilsak**, *Amoco Chemical Company, Naperville, Illinois*, Butylenes
- Richard Wilson**, *International Flavor & Fragrances, Union Beach, New Jersey*, Benzyl alcohol and  $\beta$ -phenethyl alcohol
- Robert M. Winslow**, *University of California, San Diego*, Blood, artificial
- Jan With**, *Chatterton Petrochemical Corp., Delta, British Columbia, Canada*, Benzaldehyde; Benzoic acid
- J. P. Wristers**, *Exxon Chemical Company, Baytown, Texas*, Butadiene

## NOTE ON CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBERS AND NOMENCLATURE


Chemical Abstracts Service (CAS) Registry Numbers are unique numerical identifiers assigned to substances recorded in the CAS Registry System. They appear in brackets in the *Chemical Abstracts* (CA) substance and formula indexes following the names of compounds. A single compound may have synonyms in the chemical literature. A simple compound like phenethylamine can be named  $\beta$ -phenylethylamine or, as in *Chemical Abstracts*, benzeneethanamine. The usefulness of the *Encyclopedia* depends on accessibility through the most common correct name of a substance. Because of this diversity in nomenclature careful attention has been given to the problem in order to assist the reader as much as possible, especially in locating the systematic CA index name by means of the Registry Number. For this purpose, the reader may refer to the CAS Registry Handbook—Number Section which lists in numerical order the Registry Number with the *Chemical Abstracts* index name and the molecular formula; eg, 458-88-8, Piperidine, 2-propyl-, (S)-,  $C_8H_{17}N$ ; in the *Encyclopedia* this compound would be found under its common name, coniine [458-88-8]. Alternatively, this information can be retrieved electronically from CAS Online. In many cases molecular formulas have also been provided in the *Encyclopedia* text to facilitate electronic searching. The Registry Number is a valuable link for the reader in retrieving additional published information on substances and also as a point of access for on-line data bases.

In all cases, the CAS Registry Numbers have been given for title compounds in articles and for all compounds in the index. All specific substances indexed in *Chemical Abstracts* since 1965 are included in the CAS Registry System as are a large number of substances derived from a variety of reference works. The CAS Registry System identifies a substance on the basis of an unambiguous computer-language description of its molecular structure including stereochemical detail. The Registry Number is a machine-checkable number (like a Social Security number) assigned in sequential order to each substance as it enters the registry system. The value of the number lies in the fact that it is a concise and unique means of substance identification, which is independent of, and therefore bridges,

many systems of chemical nomenclature. For polymers, one Registry Number may be used for the entire family; eg, polyoxyethylene (20) sorbitan monolaurate has the same number as all of its polyoxyethylene homologues.

Cross-references are inserted in the index for many common names and for some systematic names. Trademark names appear in the index. Names that are incorrect, misleading, or ambiguous are avoided. Formulas are given very frequently in the text to help in identifying compounds. The spelling and form used, even for industrial names, follow American chemical usage, but not always the usage of *Chemical Abstracts* (eg, *coniine* is used instead of *(S)-2-propylpiperidine*, *aniline* instead of *benzenamine*, and *acrylic acid* instead of *2-propenoic acid*).

There are variations in representation of rings in different disciplines. The dye industry does not designate aromaticity or double bonds in rings. All double bonds and aromaticity are shown in the *Encyclopedia* as a matter of course. For example, tetralin has an aromatic ring and a saturated ring and its structure



appears in the *Encyclopedia* with its common name, Registry Number enclosed in brackets, and parenthetical CA index name, ie, tetralin [119-64-2] (1,2,3,4-tetrahydronaphthalene). With names and structural formulas, and especially with CAS Registry Numbers, the aim is to help the reader have a concise means of substance identification.

# CONVERSION FACTORS, ABBREVIATIONS, AND UNIT SYMBOLS

## SI Units (Adopted 1960)

The International System of Units (abbreviated SI), is being implemented throughout the world. This measurement system is a modernized version of the MKSA (meter, kilogram, second, ampere) system, and its details are published and controlled by an international treaty organization (The International Bureau of Weights and Measures) (1).

SI units are divided into three classes:

### BASE UNITS

length	meter <sup>†</sup> (m)
mass	kilogram (kg)
time	second (s)
electric current	ampere (A)
thermodynamic temperature <sup>‡</sup>	kelvin (K)
amount of substance	mole (mol)
luminous intensity	candela (cd)

### SUPPLEMENTARY UNITS

plane angle	radian (rad)
solid angle	steradian (sr)

<sup>†</sup>The spellings "metre" and "litre" are preferred by ASTM; however "-er" is used in the *Encyclopedia*.

<sup>‡</sup>Wide use is made of Celsius temperature ( $t$ ) defined by

$$t = T - T_0$$

where  $T$  is the thermodynamic temperature, expressed in kelvin, and  $T_0 = 273.15$  K by definition. A temperature interval may be expressed in degrees Celsius as well as in kelvin.

**DERIVED UNITS AND OTHER ACCEPTABLE UNITS**

These units are formed by combining base units, supplementary units, and other derived units (2–4). Those derived units having special names and symbols are marked with an asterisk in the list below.

Quantity	Unit	Symbol	Acceptable equivalent
*absorbed dose	gray	Gy	J/kg
acceleration	meter per second squared	m/s <sup>2</sup>	
*activity (of a radionuclide)	becquerel	Bq	1/s
area	square kilometer	km <sup>2</sup>	
	square hectometer	hm <sup>2</sup>	ha (hectare)
	square meter	m <sup>2</sup>	
concentration (of amount of substance)	mole per cubic meter	mol/m <sup>3</sup>	
current density	ampere per square meter	A/m <sup>2</sup>	
density, mass density	kilogram per cubic meter	kg/m <sup>3</sup>	g/L; mg/cm <sup>3</sup>
dipole moment (quantity)	coulomb meter	C·m	
*dose equivalent	sievert	Sv	J/kg
*electric capacitance	farad	F	C/V
*electric charge, quantity of electricity	coulomb	C	A·s
electric charge density	coulomb per cubic meter	C/m <sup>3</sup>	
*electric conductance	siemens	S	A/V
electric field strength	volt per meter	V/m	
electric flux density	coulomb per square meter	C/m <sup>2</sup>	
*electric potential, potential difference, electromotive force	volt	V	W/A
*electric resistance	ohm	Ω	V/A
*energy, work, quantity of heat	megajoule	MJ	
	kilojoule	kJ	
	joule	J	N·m
	electronvolt <sup>†</sup>	eV <sup>†</sup>	
	kilowatt-hour <sup>†</sup>	kW·h <sup>†</sup>	
energy density	joule per cubic meter	J/m <sup>3</sup>	
*force	kilonewton	kN	
	newton	N	kg·m/s <sup>2</sup>

<sup>†</sup>This non-SI unit is recognized by the CIPM as having to be retained because of practical importance or use in specialized fields (1).

Quantity	Unit	Symbol	Acceptable equivalent
*frequency	megahertz	MHz	
	hertz	Hz	1/s
heat capacity, entropy	joule per kelvin	J/K	
heat capacity (specific), specific entropy	joule per kilogram kelvin	J/(kg·K)	
heat transfer coefficient	watt per square meter kelvin	W/(m <sup>2</sup> ·K)	
*illuminance	lux	lx	lm/m <sup>2</sup>
*inductance	henry	H	Wb/A
linear density	kilogram per meter	kg/m	
luminance	candela per square meter	cd/m <sup>2</sup>	
*luminous flux	lumen	lm	cd·sr
magnetic field strength	ampere per meter	A/m	
*magnetic flux	weber	Wb	V·s
*magnetic flux density	tesla	T	Wb/m <sup>2</sup>
molar energy	joule per mole	J/mol	
molar entropy, molar heat capacity	joule per mole kelvin	J/(mol·K)	
moment of force, torque	newton meter	N·m	
momentum	kilogram meter per second	kg·m/s	
permeability	henry per meter	H/m	
permittivity	farad per meter	F/m	
*power, heat flow rate, radiant flux	kilowatt watt	kW W	J/s
power density, heat flux density, irradiance	watt per square meter	W/m <sup>2</sup>	
*pressure, stress	megapascal kilopascal pascal	MPa kPa Pa	N/m <sup>2</sup>
sound level	decibel	dB	
specific energy	joule per kilogram	J/kg	
specific volume	cubic meter per kilogram	m <sup>3</sup> /kg	
surface tension	newton per meter	N/m	
thermal conductivity	watt per meter kelvin	W/(m·K)	
velocity	meter per second kilometer per hour	m/s km/h	
viscosity, dynamic	pascal second millipascal second	Pa·s mPa·s	
viscosity, kinematic	square meter per second square millimeter per second	m <sup>2</sup> /s mm <sup>2</sup> /s	

Quantity	Unit	Symbol	Acceptable equivalent
volume	cubic meter	m <sup>3</sup>	
	cubic decimeter	dm <sup>3</sup>	L (liter) (5)
	cubic centimeter	cm <sup>3</sup>	mL
wave number	1 per meter	m <sup>-1</sup>	
	1 per centimeter	cm <sup>-1</sup>	

In addition, there are 16 prefixes used to indicate order of magnitude, as follows:

Multiplication factor	Prefix	Symbol	Note
10 <sup>18</sup>	exa	E	
10 <sup>15</sup>	peta	P	
10 <sup>12</sup>	tera	T	
10 <sup>9</sup>	giga	G	
10 <sup>6</sup>	mega	M	
10 <sup>3</sup>	kilo	k	
10 <sup>2</sup>	hecto	h <sup>a</sup>	<sup>a</sup> Although hecto, deka, deci, and centi are SI prefixes, their use should be avoided except for SI unit-multiples for area and volume and nontechnical use of centimeter, as for body and clothing measurement.
10	deka	da <sup>a</sup>	
10 <sup>-1</sup>	deci	d <sup>a</sup>	
10 <sup>-2</sup>	centi	c <sup>a</sup>	
10 <sup>-3</sup>	milli	m	
10 <sup>-6</sup>	micro	μ	
10 <sup>-9</sup>	nano	n	
10 <sup>-12</sup>	pico	p	
10 <sup>-15</sup>	femto	f	
10 <sup>-18</sup>	atto	a	

For a complete description of SI and its use the reader is referred to ASTM E 380 (4) and the article UNITS AND CONVERSION FACTORS which appears in Vol. 24.

A representative list of conversion factors from non-SI to SI units is presented herewith. Factors are given to four significant figures. Exact relationships are followed by a dagger. A more complete list is given in the latest editions of ASTM E 380 (4) and ANSI Z210.1 (6).

### Conversion Factors to SI Units

To convert from	To	Multiply by
acre	square meter (m <sup>2</sup> )	4.047 × 10 <sup>3</sup>
angstrom	meter (m)	1.0 × 10 <sup>-10†</sup>
are	square meter (m <sup>2</sup> )	1.0 × 10 <sup>2†</sup>
astronomical unit	meter (m)	1.496 × 10 <sup>11</sup>

<sup>†</sup>Exact.



To convert from	To	Multiply by
atmosphere, standard	pascal (Pa)	$1.013 \times 10^5$
bar	pascal (Pa)	$1.0 \times 10^{5\dagger}$
barn	square meter (m <sup>2</sup> )	$1.0 \times 10^{-28\dagger}$
barrel (42 U.S. liquid gallons)	cubic meter (m <sup>3</sup> )	0.1590
Bohr magneton ( $\mu_B$ )	J/T	$9.274 \times 10^{-24}$
Btu (International Table)	joule (J)	$1.055 \times 10^3$
Btu (mean)	joule (J)	$1.056 \times 10^3$
Btu (thermochemical)	joule (J)	$1.054 \times 10^3$
bushel	cubic meter (m <sup>3</sup> )	$3.524 \times 10^{-2}$
calorie (International Table)	joule (J)	4.187
calorie (mean)	joule (J)	4.190
calorie (thermochemical)	joule (J)	$4.184^\dagger$
centipoise	pascal second (Pa·s)	$1.0 \times 10^{-3\dagger}$
centistokes	square millimeter per second (mm <sup>2</sup> /s)	$1.0^\dagger$
cfm (cubic foot per minute)	cubic meter per second (m <sup>3</sup> /s)	$4.72 \times 10^{-4}$
cubic inch	cubic meter (m <sup>3</sup> )	$1.639 \times 10^{-5}$
cubic foot	cubic meter (m <sup>3</sup> )	$2.832 \times 10^{-2}$
cubic yard	cubic meter (m <sup>3</sup> )	0.7646
curie	becquerel (Bq)	$3.70 \times 10^{10\dagger}$
debye	coulomb meter (C·m)	$3.336 \times 10^{-30}$
degree (angle)	radian (rad)	$1.745 \times 10^{-2}$
denier (international)	kilogram per meter (kg/m)	$1.111 \times 10^{-7}$
	tex <sup>‡</sup>	0.1111
dram (apothecaries')	kilogram (kg)	$3.888 \times 10^{-3}$
dram (avoirdupois)	kilogram (kg)	$1.772 \times 10^{-3}$
dram (U.S. fluid)	cubic meter (m <sup>3</sup> )	$3.697 \times 10^{-6}$
dyne	newton (N)	$1.0 \times 10^{-5\dagger}$
dyne/cm	newton per meter (N/m)	$1.0 \times 10^{-3\dagger}$
electronvolt	joule (J)	$1.602 \times 10^{-19}$
erg	joule (J)	$1.0 \times 10^{-7\dagger}$
fathom	meter (m)	1.829
fluid ounce (U.S.)	cubic meter (m <sup>3</sup> )	$2.957 \times 10^{-5}$
foot	meter (m)	$0.3048^\dagger$
footcandle	lux (lx)	10.76
furlong	meter (m)	$2.012 \times 10^{-2}$
gal	meter per second squared (m/s <sup>2</sup> )	$1.0 \times 10^{-2\dagger}$
gallon (U.S. dry)	cubic meter (m <sup>3</sup> )	$4.405 \times 10^{-3}$
gallon (U.S. liquid)	cubic meter (m <sup>3</sup> )	$3.785 \times 10^{-3}$
gallon per minute (gpm)	cubic meter per second (m <sup>3</sup> /s)	$6.309 \times 10^{-5}$
	cubic meter per hour (m <sup>3</sup> /h)	0.2271

<sup>†</sup>Exact.

<sup>‡</sup>See footnote on p. xvi.