

Mechanics of Engineering Materials

second edition

工程材料力学 第2版

PP Benham, RJ Crawford
& CG Armstrong

世界图书出版公司


710 /

B135

627

Mechanics of Engineering Materials

Second edition



P. P. BENHAM

Professor Emeritus and formerly Professor of Aeronautical Engineering,
The Queen's University of Belfast

R. J. CRAWFORD

Professor of Mechanical and Manufacturing Engineering
and Director of the School of Mechanical and Process Engineering,
The Queen's University of Belfast

C. G. ARMSTRONG

Reader in the Department of Mechanical and Manufacturing Engineering,
The Queen's University of Belfast

世界图书出版公司

Addison Wesley Longman Limited
Edinburgh Gate
Harlow,
Essex CM20 2JE, England.
and Associated Companies throughout the world

© P. P. Benham and R. J. Crawford 1987
This edition © Longman Group Limited 1996

All rights reserved; no part of this publication may be reproduced, stored in any retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without either the prior written permission of the Publishers or a licence permitting restricted copying in the United Kingdom issued by the Copyright Licensing Agency Ltd, 90 Tottenham Court Road, London, W1P 9HE

First Published 1987
Second Edition 1996. Reprinted 1996 and 1997
Reprinted 1998

British Library Cataloguing in Publication Data
A catalogue entry for this title is available from the British Library
ISBN 0-582-25164-8

Library of Congress Cataloging-in-Publication Data
A catalog entry for this title is available from the Library of Congress

This edition of **Mechanics of Engineering Materials**,
Second Edition is published by arrangement with
Pearson Education Limited.

书 名: Mechanics of Engineering Materials 2nd ed.
作 者: P.P.Benham, R.J.Crawford, et al.
中 译 名: 工程材料力学 第2版
出 版 者: 世界图书出版公司北京公司
印 刷 者: 北京中西印刷厂
发 行: 世界图书出版公司北京公司 (北京朝内大街 137 号 100010)
开 本: 1/24 711×1245. 印 张: 27
出版年代: 2000 年 6 月
书 号: ISBN 7-5062-4724-0/O · 304
版权登记: 图字 01-1999-2127
定 价: 110.00 元

世界图书出版公司北京公司已获得 Pearson Education Limited 授权在中国大陆独家重印发行。

Preface to the Second Edition

The historical development of this text was outlined in the Preface to the previous edition. During the nine years since its publication there have been no major changes in the theory of the subject but there have been advances in some of the manipulative tools which can be used to solve problems related to the strength of materials. In addition, with experience and hindsight one can always improve the presentation of material to make it more digestible to the reader.

In this new edition we have engaged the services of a new author Dr Cecil Armstrong to assist in a complete update of the text. New features of the book include the use of versatile solution techniques based on spreadsheets, the use of colour to enhance diagrams and provide emphasis of key concepts, an introduction to matrix methods as a powerful tool in engineering analysis, and the incorporation of additional practical problems to illustrate the application of the theory.

The essential structure and content of Chapters 1–9 has not been changed although regular users of the previous text will see subtle changes in the mode of presentation to make this important fundamental information more meaningful to students. Chapter 10 from the original text has been removed because it was felt that modern computer programs provide powerful tools for the solutions of problems in structures. In a general text of this type it is impossible to do justice to the wide range of methods available to analyse structures. Hence, we have moved the important fundamental information on tension coefficients, energy methods, etc. to other

chapters and omitted the superficial and to some extent outdated solution methods based on scale drawings.

The remaining chapters have benefited from a complete overhaul and the chapter on Finite Elements has been almost totally re-written. Throughout the text the reader is introduced to the concept of creating a spreadsheet representation of a problem in strength of materials. Once such a solution has been formulated it is then a relatively simple matter to study the effects of changes in variables, to plot graphs of key variables and to optimize solutions. This is shown to be a very powerful solution methodology which provides a completely new insight to each problem and open up a whole new approach to problem solving in many subject areas.

The authors derived a great deal of pleasure in working on this new version of the text. However, although he participated fully in the revision of the book, regrettably Peter Benham died before he was able to see the new book in print. We know that the many young people who studied under him, and the readers all over the world who benefited from his books, were greatly saddened by his death. It is our hope that this new edition, about which he was very excited and proud, will be a fitting tribute to his memory.

R. J. CRAWFORD
C. G. ARMSTRONG
10 November 1995

Preface to the First Edition

The S.I. edition of *Mechanics of Solids and Structures* by P. P. Benham and F. V. Warnock was first published in 1973. It appears to have been very well received over the ensuing period. This preface is therefore written both for those who are familiar with the past text and also those who are approaching this subject for the first time. Although the subject matter is still basically the same today as it has been for decades, there are a few developing topics which have been introduced into undergraduate courses such as finite element analysis, fracture mechanics and fibre composite materials. In addition, style of presentation and illustrations in engineering texts have changed for the better and certain limitations of the previous edition, e.g. the number of problems and worked examples, needed to be rectified. Professor Warnock died in 1976 after a period of happy retirement and so it was left to the other author and the publisher to take the initiative to construct a new textbook.

In order to provide fresh thinking and reduce the time of rewriting Dr Roy Crawford, Reader in Mechanical Engineering at the Queen's University of Belfast, was invited, and kindly agreed, to join the project as a co-author. Although the present text might be regarded as a further edition of the original book the new authorship team preferred to make a completely fresh start. This is reflected in the change of title which is widely used as an alternative to *Mechanics of Solids*. The dropping of the reference to structures does not imply any reduction in that topic as will be seen in the contents.

In order that the book should not become any larger with the proposed expansion of material in some chapters, it was decided that the previous three chapters on experimental stress analysis should be omitted as there are several excellent texts in this field. The retention of that part of the book dealing with mechanical properties of materials for design was regarded as important even though there are also specialized texts in this area.

The main part (Ch. 1–18) of this new book of course still deals with the basic subject of Solid Mechanics, or Mechanics of Materials, whichever title one may prefer, being the study of equilibrium and displacement systems in engineering components and structures to enable designs to be effected in terms of stress and strain and the selection of materials. These eighteen chapters cover virtually all that is required in the three-year

syllabus of a university or polytechnic degree course in engineering, or the examinations of the engineering Council, C.N.A.A. etc.

Although there is a fairly natural ordering of the material there is some scope for variation and lecturers will have their own particular detailed preferences.

As in the previous text, the first eleven chapters are concerned with forces and displacements in statically-determinate and indeterminate components and structures, and the analysis of uniaxial stress and strain due to various forms of loading such as bending, torsion, pressure and temperature change. The basic concepts of strain energy (Ch. 9) and elastic stability (Ch. 11) are also introduced. In Chapter 12 a study is made of two-dimensional states of stress and strain with special emphasis on principal stresses and the analysis of strain measurements using strain gauges. Chapter 13 combines two chapters of the previous book and brings together the topics of yield prediction and stress concentration which are of such importance in design.

Also included in these two chapters is an elementary introduction to the stress analysis and failure of fibre composite materials. These relatively new advanced structural materials are becoming increasingly used, particularly in the aerospace industry, and it is essential for engineers to receive a basic introduction to them. These thirteen chapters constitute the bulk of the syllabuses covered in first and second-year courses.

Four of the next five chapters appeared in the previous text and deal with more advanced or specialized topics such as thick-walled pressure vessels, rotors, thin plates and shells and post-yield or plastic behaviour, which will probably occupy part of final-year courses.

One essential new addition is an introductory chapter on finite element analysis. It may seem presumptuous even to attempt an introduction to such a broad subject in one chapter, but it is an attempt to provide initial encouragement and confidence to proceed to the complete texts on finite elements.

Chapters 19 to 22 cover much the same ground as in the previous text, but have been brought up to date particularly in relation to fracture mechanics. Since these chapters have such importance in relation to design, a number of worked examples have been introduced, together with problems at the end of each chapter. Bibliographies have still been included for further reading as required.

The first Appendix covers the essential material on properties of areas. The second deals with the simple principles of matrix algebra. A useful table of mechanical properties is provided in the third Appendix.

One of the recommendations of the Finniston Report to higher education was that theory should be backed up by more practical industrial applications. In this context the authors have attempted to incorporate into the worked examples and problems at the end of each chapter realistic engineering situations apart from the conventional examination-type applications of theory.

There had been a number of enquiries for a solutions manual for the previous text and this can be very helpful to both lecturer and student. Consequently this text is accompanied by another volume which contains worked solutions to nearly 300 problems. The manual should be used alongside the main text, so that steps in each solution can be referred back to the appropriate

development in the relevant chapter. It is most important not to approach solutions on the basis of plucking the 'appropriate formula' out of the text, inserting the numbers, and manipulating a calculator!

Every effort has been made by the authors to ensure accuracy of text and solutions, but lengthy experience demonstrates human fallibility in this respect. When errors subsequently come to light they will be corrected at the next reprinting and readers' patience and comments will be appreciated!

Some use has been made of data and diagrams from other published literature and, in addition to the individual references, the authors wish to make grateful acknowledgement to all persons and organizations concerned.

P. P. BENHAM
R. J. CRAWFORD
1987

Notation

α	angle, coefficient of thermal expansion
β	angle
γ	shear strain, surface energy per unit area
δ	deflection, displacement
ϵ	direct strain
η	efficiency, viscosity
θ	angle, angle of twist, co-ordinate
λ	lack of fit
ν	Poisson's ratio
ρ	radius of curvature, density
σ	direct stress
τ	shear stress
ϕ	angle, co-ordinate, stress function
ω	angular velocity
A	area
C	complementary energy
D	diameter
E	Young's modulus of elasticity
F	force
G	shear or rigidity modulus of elasticity, strain energy release rate
H	force
I	second moment of area, product moment of area
J	polar second moment of area
K	bulk modulus of elasticity, fatigue strength factor, stress concentration factor, stress intensity factor
L	length
M	bending moment
N	number of stress cycles, speed of rotation
P	force
Q	shear force
R	force, radius of curvature, stress ratio
S	cyclic stress
T	temperature, torque
U	strain energy
V	volume
W	weight, load
X	body force
Y	body force
Z	body force, section modulus
a	area, distance, crack length
b	breadth, distance, crack length
c	distance
d	depth, diameter
e	eccentricity, base of Napierian logarithms
g	gravitational constant
h	distance

j	number of joints
k	diameter ratio of cylinder
l	length
m	mass, modular ratio, number of members
n	number
p	pressure
q	shear flow
r	co-ordinate, radius, radius of gyration
s	length
t	thickness, time
u	displacement in the x - or r -direction
v	deflection, displacement in the y - or θ -direction, velocity
w	displacement in the z -direction, load intensity
x	co-ordinate, distance
y	co-ordinate, distance
z	co-ordinate, distance

It should be noted that a number of these symbols have also been used to denote constants in various equations.

Contents

<i>Preface to the second edition</i>	ix	2.9 Torsion of a thin circular tube	57
<i>Preface to the first edition</i>	x	2.10 Joints	58
<i>Notation</i>	xii	Summary	59
		Problems	60
1 Statically Determinate Force Systems	1	3 Stress-Strain Relations	64
1.1 Revision of statics	1	3.1 Deformation	64
1.2 Resultant force and moment	5	3.2 Strain	64
1.3 Types of structural and solid-body components	6	3.3 Elastic load-deformation behaviour of materials	67
1.4 Types of support and connection for structural components	7	3.4 Elastic stress-strain behaviour of materials	67
1.5 Statical determinacy	9	3.5 Lateral strain and Poisson's ratio	70
1.6 Free-body diagrams	9	3.6 Thermal strain	70
1.7 Determinacy criteria for structures	10	3.7 General stress-strain relationships	71
1.8 Determination of axial forces by equilibrium statements	12	3.8 Strains in a statically determinate problem	74
1.9 Forces by the method of tension coefficients	18	3.9 Elastic strain energy	75
1.10 Bending of slender members	21	3.10 Strain energy from normal stress	75
1.11 Force and moment equilibrium during bending	23	3.11 Strain energy from shear stress	76
1.12 Sign convention for bending	23	3.12 Plastic stress-strain behaviour of materials	77
1.13 Shear-force and bending-moment diagrams	24	3.13 Viscoelastic stress-strain behaviour of materials	78
1.14 Cantilever carrying a concentrated load	24	Summary	79
1.15 Cantilever carrying a uniformly distributed load	25	Problems	79
1.16 Simply supported beam carrying a uniformly distributed load	26	4 Statically Indeterminate Stress Systems	82
1.17 Point of contraflexure	28	4.1 Interaction between components of different stiffness	82
1.18 Torsion of members	28	4.2 Restraint of thermal strain	88
1.19 Members subjected to axial force, bending moment and torque	29	4.3 Volume changes	91
1.20 Torque diagram	30	4.4 Constrained material	93
1.21 The principle of superposition	31	4.5 Maximum stress due to a suddenly applied load	94
Summary	32	4.6 Maximum stress due to impact	95
Problems	33	Summary	97
		Problems	97
2 Statically Determinate Stress Systems	43	5 Torsion	102
2.1 Stress: normal, shear and hydrostatic	43	5.1 Torsion of a thin-walled cylinder	102
2.2 A statically determinate stress system	45	5.2 Torsion of a solid circular shaft	103
2.3 Assumptions and approximations	46	5.3 Relation between stress, strain and angle of twist	104
2.4 Tie bar and strut (or column)	46	5.4 Relation between torque and shear stress	104
2.5 Suspension-bridge cables	50	5.5 The torsion relationship	105
2.6 Thin ring or cylinder rotating	51	5.6 Torsion of a hollow circular shaft	106
2.7 Thin shells under pressure	52	5.7 Torsion of non-uniform and composite shafts	108
2.8 Shear in a coupling	57	5.8 Torsion of a thin tube of non-circular section	112
		5.9 Torsion of thin rectangular strip	115
		5.10 Effect of warping during torsion	118

5.11 Torsion of solid rectangular and square cross-sections	119	9.3 Elastic strain energy: normal stress and shear stress	236
Summary	119	9.4 Strain energy in torsion	236
References	120	9.5 Strain energy in bending	237
Problems	120	9.6 Helical springs	240
6 Bending: Stress	125	9.7 Shear deflection of beams	243
6.1 Shear-force and bending-moment distributions	125	9.8 Virtual work	245
6.2 Relationships between loading, shear force and bending moment	130	9.9 Displacements by the virtual work method	246
6.3 Stress distribution in pure bending	132	9.10 Strain energy solutions for forces	248
6.4 Deformation in pure bending	133	9.11 Complementary energy solution for deflections	249
6.5 Stress-strain relationship	134	9.12 Bending deflection of beams	252
6.6 Equilibrium of forces and moments	135	9.13 The reciprocal theorem	257
6.7 The bending relationship	136	Summary	259
6.8 The general case of bending	136	Problems	259
6.9 Section modulus	137	10 Buckling Instability	264
6.10 Beams made of dissimilar materials	139	10.1 Stability of equilibrium	264
6.11 Combined bending and end loading	147	10.2 Buckling characteristics for real struts	268
6.12 Eccentric end loading	148	10.3 Eccentric loading of slender columns	274
6.13 Asymmetrical or skew bending	151	10.4 Struts having initial curvature	276
6.14 Shear stresses in bending	156	10.5 Empirical formulae for design	279
6.15 Bending and shear stresses in I-section beams	160	10.6 Buckling under combined compression and transverse loading	280
6.16 Shear stress in thin-walled open sections and shear centre	164	10.7 Pin-ended strut carrying a uniformly distributed lateral load	281
6.17 Bending of initially curved bars	168	10.8 Other examples of instability	284
6.18 Beams with a small radius of curvature	196	10.9 Local buckling	285
Summary	173	Summary	287
Reference	173	References	287
Problems	173	Problems	287
7 Bending: Slope and Deflection	185	11 Stress and Strain Transformations	292
7.1 The curvature-bending-moment relationship	185	11.1 Symbols, signs and elements	292
7.2 Slope and deflection by the double-integration method	186	11.2 Stresses on a plane inclined to the direction of loading	293
7.3 Discontinuous loading: Macaulay's method	193	11.3 Element subjected to normal stresses	294
7.4 Superposition method	202	11.4 Element subjected to shear stresses	295
7.5 Deflections due to asymmetrical bending	204	11.5 Element subjected to general two-dimensional stress system	296
7.6 Beams of uniform strength	205	11.6 Mohr's stress circle	298
Summary	206	11.7 Principal stresses and planes	301
Problems	207	11.8 Maximum shear stress in terms of principal stresses	302
8 Statically Indeterminate Beams	211	11.9 General two-dimensional state of stress at a point	302
8.1 Double-integration method	211	11.10 Maximum shear stress in three dimensions	306
8.2 Superposition method	216	11.11 States of strain	307
8.3 Moment-area method	220	11.12 Normal strain in terms of co-ordinate strains	307
Summary	232	11.13 Shear strain in terms of co-ordinate strains	308
Problems	232	11.14 Mohr's strain circle	310
9 Energy Methods	235	11.15 Principal strain and maximum shear strain	310
9.1 Work done by a single load	235	11.16 Experimental stress analysis	311
9.2 Work done by a single moment	235	11.17 Rosette strain computation and circle construction	314

11.18 Spreadsheet solution for strain gauge rosette	317	14.11 Stresses in a rotor of varying thickness with rim loading	403
11.19 Relationships between the elastic constants	319	Summary	407
11.20 Stress and strain transformations in composites	321	Problems	407
11.21 Analysis of a lamina	322		
11.22 Analysis of a laminate	329		
11.23 In-plane behaviour of a symmetric laminate	330		
11.24 Flexural behaviour of a symmetric laminate	334	15 Elementary Plasticity	413
Summary	334	15.1 Plastic bending of beams: plastic moment	413
References	335	15.2 Plastic collapse of beams	418
Problems	335	15.3 Plastic torsion of shafts: plastic torque	423
		15.4 Plasticity in a pressurized thick-walled cylinder	425
12 Yield Criteria and Stress Concentration	340	15.5 Plasticity in a rotating thin disc	429
12.1 Yield criteria: ductile materials	340	15.6 Residual stress distributions after plastic deformation	431
12.2 Fracture criteria: brittle materials	348	Summary	436
12.3 Strength of laminates	350	Problems	436
12.4 Concepts of stress concentration	351		
12.5 Concentrated loads and contact stresses	353		
12.6 Geometrical discontinuities	356		
12.7 Yield and plastic stress concentration factors	362	16 Thin Plates and Shells	439
Summary	363	16.1 Assumptions for small deflection of thin plates	439
References	363	16.2 Relationships between moments and curvatures for pure bending	439
Problems	363	16.3 Relationships between bending moment and bending stress	444
		16.4 Relationships between load, shear force and bending moment	444
13 Variation of Stress and Strain	367	16.5 Relationships between deflection, slope and loading	445
13.1 Equilibrium equations: plane stress Cartesian co-ordinates	367	16.6 Plate subjected to uniform pressure	446
13.2 Equilibrium equations: plane stress cylindrical co-ordinates	368	16.7 Plate with central circular hole	448
13.3 Strain in terms of displacement: Cartesian co-ordinates	370	16.8 Solid plate with central concentrated force	450
13.4 Strain in terms of displacement: cylindrical co-ordinates	371	16.9 Other forms of loading and boundary condition	451
13.5 Compatibility equations: Cartesian co-ordinates	373	16.10 Axi-symmetrical thin shells	453
13.6 Compatibility equations: cylindrical co-ordinates	374	16.11 Local bending stresses in thin shells	454
13.7 Equilibrium in terms of displacement: plane stress Cartesian co-ordinates	377	16.12 Bending in a cylindrical storage tank	458
Summary	377	Summary	459
Problems	378	Bibliography	460
		Problems	460
14 Applications of the Equilibrium and Strain-Displacement Relationships	379		
14.1 Boundary conditions	379	17 Finite Element Method	463
14.2 Shear stress in a beam	380	17.1 Principle of finite element method	463
14.3 Transverse normal stress in a beam	381	17.2 Analysis of uniaxial bars	464
14.4 Stress distribution in a pressurized thick-walled cylinder	382	17.3 Analysis of frameworks	469
14.5 Methods of containing high pressure	390	17.4 Analysis of beam elements	476
14.6 Stresses set up by a shrink-fit assembly	391	17.5 Analysis of continua	483
14.7 Stress distribution in a pressurized compound cylinder	392	17.6 Stiffness matrix for a triangular element	484
14.8 Spreadsheet solution for stress in a compound cylinder	395	17.7 Effect of mesh density	488
14.9 Stress distribution in a thin rotating disc	397	17.8 Other continuum elements	489
14.10 Rotational speed for initial yielding	401	Summary	490
		Reference	490
		Bibliography	490
		Problems	491

18	Tension, Compression, Torsion and Hardness	493	20.5	Fracture mechanics for fatigue	554
18.1	Stress-strain response in a uniaxial tension test	493	20.6	Influential factors	558
18.2	Stress-strain response in a compression test	497	20.7	Cumulative damage	563
18.3	Stress-strain response in a torsion test	498	20.8	Failure under multi-axial cyclic stresses	564
18.4	Plastic overstrain and hysteresis	500	20.9	Fatigue of plastics and composites	567
18.5	Hardness measurement	500		Summary	568
18.6	Hardness of viscoelastic materials	506		References	569
18.7	Factors influencing strength, ductility and hardness	506		Bibliography	569
	Summary	510		Problems	569
	Reference	511	21	Creep and Viscoelasticity	573
	Bibliography	511	21.1	Stress-strain-time-temperature relationships	573
	Problems	512	21.2	Empirical representations of creep behaviour	574
19	Fracture Mechanics	514	21.3	Creep-rupture testing	577
19.1	Fracture concepts	514	21.4	Tension creep test equipment	578
19.2	Linear-elastic fracture mechanics	515	21.5	Creep during pure bending of a beam	578
19.3	Strain energy release rate	516	21.6	Creep under multi-axial stresses	580
19.4	Stress intensity factor	518	21.7	Stress relaxation	582
19.5	Modes of crack tip deformation	521	21.8	Stress relaxation in a bolt	583
19.6	Experimental determination of critical stress intensity factor	521	21.9	Creep during variable load or temperature	584
19.7	Fracture mechanics for ductile materials	525	21.10	Creep-fatigue interaction	586
19.8	Toughness measurement by impact testing	534	21.11	Viscoelasticity	587
19.9	Relationship between impact testing and fracture mechanics	535	21.12	Creep behaviour of plastics	588
	Summary	537	21.13	Designing for creep in plastics	590
	References	537	21.14	Creep rupture of plastics	593
	Bibliography	538		Summary	593
	Problems	538		References	594
				Bibliography	594
				Problems	594
20	Fatigue	544		<i>Appendix A: Properties of Areas</i>	598
20.1	Forms of stress cycle	544		<i>Appendix B: Introduction to Matrix Algebra</i>	609
20.2	Test methods	546		<i>Appendix C: Table of Mechanical Properties of Engineering Materials</i>	613
20.3	Fatigue data	548		<i>Appendix D: Answers to Problems</i>	614
20.4	Micromechanisms of fatigue: initiation and propagation	552		<i>Index</i>	624

1 Statically Determinate Force Systems

Structural and solid-body mechanics are concerned with analysing the effects of applied loads. These are *external* to the material of the structure or body and result in *internal* reacting forces, together with deformations and displacements, conforming to the principles of Newtonian mechanics. Hence a familiarity with the principles of statics, the cornerstone of which is the concept of *equilibrium of forces*, is essential.

A force system is said to be statically determinate if the internal forces can be calculated by considering only the forces acting on the system.

Forces result in four basic forms of deformation or displacement of structures or solid bodies and these are *tension*, *compression*, *bending*, and *twisting*.

The equilibrium conditions in these situations are discussed so that the forces may be determined for simple engineering examples.

1.1 Revision of statics

A particle is in a state of equilibrium if the resultant force and moment acting on it are zero. This hypothesis can be extended to clusters of particles that interact with each other with equal and opposite forces but have no overall resultant. Thus it is evident that solid bodies, structures, or any subdivided part, will be in equilibrium if the resultant of all external forces and the resultant of all moments are zero. This may be expressed mathematically in the following six equations which relate to Cartesian co-ordinate axes x , y and z .

$$\left. \begin{aligned} \Sigma F_x &= 0 \\ \Sigma F_y &= 0 \\ \Sigma F_z &= 0 \end{aligned} \right\} \quad [1.1]$$

where F_x , F_y and F_z represent the components of force vectors in the co-ordinate directions.

$$\left. \begin{aligned} \Sigma M_x &= 0 \\ \Sigma M_y &= 0 \\ \Sigma M_z &= 0 \end{aligned} \right\} \quad [1.2]$$

where M_x , M_y and M_z are components of moment vectors caused by the external forces acting about the axes x , y , z .

The above six equations are the necessary and sufficient conditions for equilibrium of a body.

If the forces all act in one plane, say $z = 0$, then

$$\Sigma F_z = \Sigma M_x = \Sigma M_y = 0$$

are automatically satisfied and the equilibrium conditions to be satisfied in a two-dimensional system are


$$\left. \begin{aligned} \Sigma F_x &= 0 \\ \Sigma F_y &= 0 \\ \Sigma M_z &= 0 \end{aligned} \right\} \quad [1.3]$$

Forces and moments are vector quantities and may be resolved into components; that is to say, a force or a moment of a certain magnitude and direction may be replaced and exactly represented by two or more components of different magnitudes and in different directions.

Considering firstly the two-dimensional case shown in Fig. 1.1, the force F may be replaced by the two components F_x and F_y , provided that

$$\left. \begin{aligned} F_x &= F \cos \alpha \\ F_y &= F \sin \alpha \end{aligned} \right\} \quad [1.4]$$

Fig. 1.1



Note that throughout this book, externally applied forces will be shown coloured. Internal forces, that is those within a structural element, will be shown in black.

If the force F were arbitrarily oriented with respect to three axes x , y , z as in Fig. 1.2, then it could be replaced or represented by the following components:

$$\left. \begin{aligned} F_x &= F \cos \alpha \\ F_y &= F \cos \beta \\ F_z &= F \cos \gamma \end{aligned} \right\} \quad [1.5]$$

Fig. 1.2





Fig. 1.3



A couple or moment vector about an axis can similarly be resolved into a representative system of component vectors about other axes, as shown in Fig. 1.3 and represented by the following equations:

$$\left. \begin{aligned} M_x &= M \cos \alpha \\ M_y &= M \cos \beta \\ M_z &= M \cos \gamma \end{aligned} \right\} \quad [1.6]$$

Example 1.1

A set of concurrent forces F_i are defined by their components F_x, F_y, F_z in kN as

	F_x	F_y	F_z
F_1	80	-20	-40
F_2	-40	60	-80
F_3	100	-20	30
F_4	-30	10	40

Calculate the magnitude and direction of the resultant of this force system.

$$\bar{F}_x = \Sigma F_x = 80 - 40 + 100 - 30 = 110 \text{ kN}$$

$$\bar{F}_y = \Sigma F_y = -20 + 60 - 20 + 10 = 30 \text{ kN}$$

$$\bar{F}_z = \Sigma F_z = -40 - 80 + 30 + 40 = -50 \text{ kN}$$

The magnitude of the resultant force is

$$F_R = \sqrt{(\bar{F}_x^2 + \bar{F}_y^2 + \bar{F}_z^2)} = \sqrt{(110^2 + 30^2 + (-50)^2)} = 124 \text{ kN}$$

to three significant figures. The angles between the resultant force and the axes shown in Fig. 1.2 can now be found using

$$\cos \alpha = \frac{\bar{F}_x}{F_R} = \frac{110}{124} = 0.884, \text{ so } \alpha = 27.9^\circ$$

$$\cos \beta = \frac{\bar{F}_y}{F_R} = \frac{30}{124} = 0.241, \text{ so } \beta = 76.1^\circ$$

$$\cos \gamma = \frac{\bar{F}_z}{\bar{F}_R} = \frac{-50}{124} = -0.402, \text{ so } \gamma = -66.3^\circ$$

Since all the forces are concurrent, none of them have any moment about the common point through which they all act and there is therefore no resultant moment about that point.

Spreadsheet solution

In engineering practice there are few investigations where the problem is as clearly defined and straightforward as that given above. There is usually a degree of uncertainty about the supplied information, some data may be missing and the numerical computations are significantly more complicated. Thus laborious calculations are needed and the sensitivity of the results to variations in the given or assumed information has to be evaluated. This has lead many engineers to develop computer programs in languages such as Fortran, Basic or C to automate the required calculations.

In this book, selected numerical problems will be solved using commercial programming and modelling tools called spreadsheets. Probably the best known of these are Lotus 1-2-3, Borland Quattro and Microsoft Excel. A computer spreadsheet can be considered as a grid of cells which can contain text labels, numbers or formulae which may refer to numbers or numerical results in other cells. If the cell contains a formula, and a number is changed in any cell to which that formula refers, then the formula is automatically recalculated and the updated result is displayed. A range of alternatives can be quickly evaluated by entering different numbers

Fig. 14

	A	B	C	D	E
1		Fx	Fy	Fz	Magnitude
2	F1	80	-20	-40	
3	F2	-40	60	-80	
4	F3	100	-20	30	
5	F4	-30	10	40	
6					
7	FR	+B2+B3+B4+B5	@SUM(C2..C5)	@SUM(D2..D5)	@SQRT(B7^2+C7^2+D7^2)
8					
9	Direction Cosines				
10		alpha	beta	gamma	
11		+B7/E7	+C7/E7	+D7/E7	

	A	B	C	D	E
1		Fx	Fy	Fz	Magnitude
2	F1	80	-20	-40	
3	F2	-40	60	-80	
4	F3	100	-20	30	
5	F4	-30	10	40	
6					
7	FR	110	30	-50	124.5
8					
9	Direction Cosines				
10		alpha	beta	gamma	
11		0.884	0.241	-0.402	