


# Color Atlas of Brainstem Surgery

plus videos

Robert F. Spetzler  
M. Yashar S. Kalani  
Peter Nakaji  
Kaan Yağmurlu



# Color Atlas of Brainstem Surgery

**Robert F. Spetzler, MD**

Department of Neurosurgery  
Barrow Neurological Institute  
St. Joseph's Hospital and Medical Center  
Phoenix, Arizona

**M. Yashar S. Kalani, MD, PhD**

Department of Neurosurgery  
Barrow Neurological Institute  
St. Joseph's Hospital and Medical Center  
Phoenix, Arizona

**Peter Nakaji, MD**

Department of Neurosurgery  
Barrow Neurological Institute  
St. Joseph's Hospital and Medical Center  
Phoenix, Arizona

**Kaan Yağmurlu, MD**

Department of Neurosurgery  
Barrow Neurological Institute  
St. Joseph's Hospital and Medical Center  
Phoenix, Arizona

With 1700 Figures

Thieme

New York · Stuttgart · Delhi · Rio de Janeiro



Executive Editor: Timothy Hiscock  
Managing Editor: Sarah Landis  
Director, Editorial Services: Mary Jo Casey  
Production Editor: Barbara A. Chernow  
International Production Director: Andreas Schabert  
Senior Vice President, Editorial and E-Product Development: Vera Spillner  
International Marketing Director: Fiona Henderson  
International Sales Director: Louisa Turrell  
Director of Sales, North America: Mike Roseman  
Senior Vice President and Chief Operating Officer: Sarah Vanderbilt  
President: Brian D. Scanlan  
Typesetting by Toppan Best-set Premedia Limited  
Cover art by Kristen Larson Keil, MS, CMI

Library of Congress Cataloging-in-Publication Data

Names: Spetzler, Robert F. (Robert Friedrich), 1944- author. | Kalani, M. Yashar S., author. | Nakaji, Peter, author. | Yağmurlu, Kaan, author.  
Title: Color atlas of brainstem surgery / Robert F. Spetzler, M. Yashar S. Kalani, Peter Nakaji, Kaan Yağmurlu.  
Description: New York : Thieme, [2017] | Includes bibliographical references and index.  
Identifiers: LCCN 2016050689 (print) | LCCN 2016051551 (ebook) | ISBN 9781626230279 (alk. paper) | ISBN 9781626230286 (ebook) | ISBN 9781626230286  
Subjects: | MESH: Brain Stem-surgery | Neurosurgical Procedures | Atlases Classification: LCC RD594 (print) | LCC RD594 (ebook) | NLM WL 17 | DDC 617.4/81-dc23  
LC record available at <https://lccn.loc.gov/2016050689>

© 2017 Thieme Medical Publishers, Inc.  
Thieme Medical Publishers, Inc.  
333 Seventh Avenue, New York, NY 10001 USA  
+1 800 782 3488, [customerservice@thieme.com](mailto:customerservice@thieme.com)

Thieme Publishers Stuttgart  
Rüdigerstrasse 14, 70469 Stuttgart, Germany  
+49 [0]711 8931 421, [customerservice@thieme.de](mailto:customerservice@thieme.de)

Thieme Publishers Delhi  
A-12, Second Floor, Sector-2, Noida-201301  
Uttar Pradesh, India  
+91 120 45 566 00, [customerservice@thieme.in](mailto:customerservice@thieme.in)

Thieme Publishers Rio de Janeiro, Thieme Publicações Ltda.  
Edifício Rodolpho de Paoli, 25o andar  
Av. Nilo Peçanha, 50 – Sala 2508  
Rio de Janeiro 20020-906 Brasil  
+55 21 3172 2297

Barrow Neurological Institute holds copyright to all diagnostic images, photographs, intraoperative videos, animations, and art, including the cover art, used in this work and the accompanying digital content, unless otherwise stated. Used with permission from Barrow Neurological Institute, Phoenix, Arizona.

**Important note:** Medicine is an ever-changing science undergoing continual development. Research and clinical experience are continually expanding our knowledge, in particular our knowledge of proper treatment and drug therapy. Insofar as this book mentions any dosage or application, readers may rest assured that the authors, editors, and publishers have made every effort to ensure that such references are in accordance with **the state of knowledge at the time of production of the book.**

Nevertheless, this does not involve, imply, or express any guarantee or responsibility on the part of the publishers in respect to any dosage instructions and forms of applications stated in the book. **Every user is requested to examine carefully** the manufacturers' leaflets accompanying each drug and to check, if necessary in consultation with a physician or specialist, whether the dosage schedules mentioned therein or the contraindications stated by the manufacturers differ from the statements made in the present book. Such examination is particularly important with drugs that are either rarely used or have been newly released on the market. Every dosage schedule or every form of application used is entirely at the user's own risk and responsibility. The authors and publishers request every user to report to the publishers any discrepancies or inaccuracies noticed. If errors in this work are found after publication, errata will be posted at [www.thieme.com](http://www.thieme.com) on the product description page.

Some of the product names, patents, and registered designs referred to in this book are in fact registered trademarks or proprietary names even though specific reference to this fact is not always made in the text. Therefore, the appearance of a name without designation as proprietary is not to be construed as a representation by the publisher that it is in the public domain.



Printed in China by Everbest Printing Investment

5 4 3 2 1

ISBN 978-1-62623-027-9

Also available as an ebook:  
eISBN 978-1-62623-028-6

This book, including all parts thereof, is legally protected by copyright. Any use, exploitation, or commercialization outside the narrow limits set by copyright legislation without the publisher's consent is illegal and liable to prosecution. This applies in particular to photostat reproduction, copying, mimeographing or duplication of any kind, translating, preparation of microfilms, and electronic data processing and storage.

# Study smarter with the online videos and animations at MediaCenter.Thieme.com!

Simply visit [MediaCenter.thieme.com](http://MediaCenter.thieme.com) and, when prompted during the registration process, enter the code below to get started today.

2JQJ-FWXP-WJ5R-VLVS

	WINDOWS	MAC	TABLET
Recommended Browser(s)**	Recent browser versions on all major platforms and any mobile operating system that supports HTML5 video playback <i>** all browsers should have JavaScript enabled</i>		
Flash Player Plug-in	Flash Player 9 or Higher * <i>* Mac users: ATI Rage 128 GPU does not support full-screen mode with hardware scaling</i>		Tablet PCs with Android OS support Flash 10.1
Recommended for optimal usage experience	Monitor resolutions: <ul style="list-style-type: none"><li>• Normal (4:3) 1024×768 or Higher</li><li>• Widescreen (16:9) 1280×720 or Higher</li><li>• Widescreen (16:10) 1440×900 or Higher</li></ul> DSL/Cable internet connection at a minimum speed of 384.0 Kbps or faster WiFi 802.11 b/g preferred.		7-inch and 10-inch tablets on maximum resolution.  WiFi connection is required.



Connect with us on social media





This Atlas is dedicated to all my patients who have entrusted their care into my hands.  
They have been my greatest inspiration and teachers.

*Robert F. Spetzler, MD*

To my wife Kristin.

*M. Yashar S. Kalani, MD, PhD*

To my residents and fellows, ever toiling upward in the night.

*Peter Nakaji, MD*

To my mother, Huriye Meral, and to my father, Edip, who always supported me unconditionally and encouraged me in all avenues of my life. Also, in loving memory of Dr. Albert L. Rhoton, Jr., who was the greatest mentor and teacher and who will always be a source of inspiration to me.

*Kaan Yağmurlu, MD*

# Video Contents

## Thalamus and Pineal

- 5.01 Endoscopic-assisted Supracerebellar Infratentorial Approach for Pineal Cyst
- 5.02 Keyhole Supracerebellar Infratentorial Approach for Pineal Cyst
- 5.03 Endoscopic-assisted Supracerebellar Infratentorial Approach for Pineal Parenchymal Tumor
- 5.04 Endoscopic-assisted Supracerebellar Infratentorial Approach for Pineal Cavernous Malformation
- 5.05 Supracerebellar Transtentorial Approach for Posterior Thalamic Cavernous Malformation
- 5.06 Supracerebellar Infratentorial Approach for Complex Thalamic Cavernous Malformation
- 5.07 Parieto-occipital Transventricular Approach for Thalamic Cavernous Malformation
- 5.08 Anterior Interhemispheric Transcallosal Transchoroidal Fissure Approach for Thalamic Cavernous Malformation
- 5.09 Anterior Interhemispheric Transcallosal Transchoroidal Fissure Approach for Third Ventricular Thalamic Cavernous Malformation
- 5.10 Interhemispheric Craniotomy for Thalamic Cavernous Malformation
- 5.11 Supracerebellar Transtentorial Approach for Deep-seated Thalamic Cavernous Malformation
- 5.12 Transcortical Resection of Ruptured Grade V Thalamic Arteriovenous Malformation

## Midbrain

- 5.13 Orbitozygomatic Craniotomy for Midline Cavernous Malformation
- 5.14 Supracerebellar Infratentorial Approach for Mesencephalic Cavernous Malformation
- 5.15 Lateral Supracerebellar Infratentorial Approach for Midbrain Cavernous Malformation
- 5.16 Orbitozygomatic Craniotomy for Pontine Cavernous Malformation
- 5.17 Transcallosal Posterior Interforniceal Approach for Midbrain Cavernous Malformation
- 5.18 Lateral Supracerebellar Infratentorial Approach for Midbrain Cavernous Malformation
- 5.19 Orbitozygomatic Craniotomy for Pontomesencephalic Cavernous Malformation
- 5.20 Lateral Supracerebellar Infratentorial Approach for Midbrain Pilocytic Astrocytoma

## Pons

- 5.21 Orbitozygomatic Craniotomy for Superficial Temporal Artery-to-Superior Cerebellar Artery Bypass for a Complex Basilar Artery Aneurysm
- 5.22 Retrosigmoid Craniotomy for Cerebellopontine Angle Arteriovenous Malformation

- 5.23 Suboccipital Craniotomy for Fourth Ventricle Cavernous Malformation
- 5.24 Supracerebellar Infratentorial Approach for Brainstem Cavernous Malformation
- 5.25 Supracerebellar Infratentorial Approach for Cavernous Malformation
- 5.26 Retrosigmoid Craniotomy for Pontomedullary Junction Cavernous Malformation
- 5.27 Retrosigmoid Craniotomy for Pontomedullary Junction Cavernous Malformation
- 5.28 Suboccipital Telovelar Approach for Pontine Cavernous Malformation
- 5.29 Retrosigmoid Craniotomy for Pontine Cavernous Malformation
- 5.30 Retrosigmoid Craniotomy for Giant Pontine Cavernous Malformation
- 5.31 Suboccipital Craniotomy for Pontine Cavernous Malformation
- 5.32 Retrosigmoid Craniotomy for Posterior Fossa Neuroenteric Cyst
- 5.33 Retrosigmoid Craniotomy for Resection of Metastatic Lesion

## Medulla

- 5.34 Far-lateral Approach for Medullary Cavernous Malformation
- 5.35 Suboccipital Craniotomy for Dorsal Pontomedullary Cavernous Malformation
- 5.36 Retrosigmoid Craniotomy for Lateral Pontomedullary Cavernous Malformation
- 5.37 Far-lateral Approach for Cervicomedullary Hemangioblastoma
- 5.38 Midline Suboccipital Craniotomy for Medullary Glioma
- 5.39 Midline Suboccipital Craniotomy for Fourth Ventricle Ependymoma
- 5.40 Retrosigmoid Craniotomy for Severe Left V1 and V2 Distribution Trigeminal Neuralgia and Essential Hypertension

## Cervicomedullary Junction

- 5.41 Far-lateral Approach for Occipital Artery-to-Posterior Inferior Cerebellar Artery Bypass for a Complex Posterior Inferior Cerebellar Artery Aneurysm
- 5.42 Far-lateral Approach for Posterior Inferior Cerebellar Artery-to-Posterior Inferior Cerebellar Artery Bypass for a Posterior Inferior Cerebellar Artery Aneurysm
- 5.43 Far-lateral Approach for Posterior Inferior Cerebellar Artery-to-Posterior Inferior Cerebellar Artery Bypass for a Complex Posterior Inferior Cerebellar Artery Aneurysm

- |  |   |
|--|---|
| 5.44 Dorsal C3 to C4 Laminoplasty for Cavernous Malformation         | 5.48 Posterior C2 to C6 Laminoplasty for Arteriovenous Malformation       |
| 5.45 Dorsal C2 to C3 Laminoplasty for Cavernous Malformation         | 5.49 Midline Approach for Cervicomedullary Ependymoma                     |
| 5.46 Dorsal Approach for Ventrolateral Spinal Cavernous Malformation | 5.50 Suboccipital Craniotomy for Posterior Fossa Epidermoid Tumor         |
| 5.47 Dorsal Approach for Ventral Spinal Cavernous Malformation       | 5.51 Midline Approach for Cervicomedullary Juvenile Pilocytic Astrocytoma |



---

# Animation Contents

5.1 Midline Supracerebellar Infratentorial Approach  
5.2 Safe Entry Zones to the Brainstem  
5.3 Orbitozygomatic Approach  
5.4 Lateral Supracerebellar Infratentorial Approach

5.5 Suboccipital Approach  
5.6 Retrosigmoid Approach  
5.7 Far-lateral Approach

# Foreword

No one has done more than Robert Spetzler to advance the idea that the brainstem is *not* inviolable, inoperable territory. When I was a resident at Barrow Neurological Institute in the 1990s, he began to prove this point, and patients flocked to Barrow from around the world. Other neurosurgeons, it seemed, believed that brainstem surgery was impossible, and so they referred their patients to someone brave enough to believe that it was. That extensive referral network, combined with a large Latino patient population in whom cavernous malformations were prevalent, fueled the discovery that the microsurgical resection of brainstem cavernous malformations was safe and even advisable in many patients. The convergence of a stream of cases and a master neurosurgeon practicing both high-level microsurgery and skull base surgery, at a time when other centers were moving toward endoscopic and endovascular techniques, shaped a new discipline within vascular neurosurgery. Brainstem cavernous malformation surgery began with simple concepts such as the two-point method to select the right approach to expose the lesion. This discipline adapted complex skull base surgical approaches developed for tumors to the simpler pathology of cavernous malformations. Brainstem microsurgery applied technology such as intraoperative navigation for submerged lesions, tractography for pathologies that deviate neural pathways, and micro-instruments that bring precision and light to deep, dark surgical corridors. In the end, our perception of the brainstem as an impenetrable monolith was transformed, and we appreciated it instead as a complex labyrinth with zones that could tolerate safe entry.

After hundreds of cases and innumerable contributions to the literature by Dr. Spetzler and his disciples, both at Barrow Neurological Institute and beyond, the microsurgical resection of brainstem cavernous malformations has become an accepted management option in centers around the world whose specialists are well versed in the techniques described in this book. This book is a singular achievement that describes the nuanced anatomy of the brainstem, the complex surgical approaches to the skull base, and the pioneering experience of Dr. Spetzler. The insights of a master neurosurgeon, and the meticulous work of his coauthors Drs. Kalani, Nakaji, and Yağmurlu, are presented through case examples and stunning illustrations by the virtuoso artists in Neuroscience Publications at Barrow Neurological Institute.

This *Color Atlas of Brainstem Surgery* is destined to become a classic on the shelf of every cranial neurosurgeon.

As I reflect on Dr. Spetzler's legacy and his contributions to brainstem surgery at this, the twilight of his brilliant neurosurgical career, the parallels to Charles Drake and vertebrobasilar aneurysm surgery are striking. In his era, Drake was the recipient of a steady stream of difficult aneurysm cases and London, Ontario, became the crucible of discovery for posterior circulation aneurysm surgery. He amassed an experience that has never been replicated, and he advanced the idea that the posterior circulation was *not* an inviolable territory for aneurysm surgery. Furthermore, he inspired a generation of young neurosurgeons to refine the techniques for basilar aneurysm surgery and to practice them around the world. The same can be said of the unique experience with brainstem surgery amassed by Dr. Spetzler, which has made Phoenix, Arizona, a crucible of discovery for brainstem surgery. The pearls embedded in this atlas will similarly inspire future generations of neurosurgeons to perform safe, curative surgery on the brainstem.

It is worth stating that brainstem surgery is not for the faint of heart or the unsteady of hand. Brainstem cavernous malformations and arteriovenous malformations are particularly challenging, and the line between success and failure is razor thin. Although this book is a testament that brainstem surgery can be safe and curative, it is also a reminder that brainstem surgery can be morbid and sometimes fatal. The pages of this book will undoubtedly inspire the reader to perform this surgery, but they do not contain the intangibles required for its success. I have learned many of these techniques throughout the years I have spent working with Dr. Spetzler, from the judicious selection of patients for surgery to the thoughtful construction of operative strategy, the dexterous dissection to reach the targets, the keen recognition of localizing anatomy, and the judgment to know how aggressively to dissect and when to stop. Learning the special art of brainstem surgery begins with the careful study of books like this one, but it continues by observing master neurosurgeons in action who possess and practice these intangibles.

Michael T. Lawton, MD  
San Francisco, CA



# Preface

The brainstem, until quite recently, was considered inviolable because of its tightly packed tracts and deep nuclei. Thus, patients with pathology in this region were generally managed conservatively, and their fates were often left to the natural history of their diseases. Early surgery was confounded by inadequate visualization, incomplete understanding of brainstem anatomy, lack of appropriate instrumentation, and poor results from attempted resection of brainstem pathology, particularly the failed surgical attempts to treat infiltrating gliomas.

However, improvements over time in imaging, instrumentation, patient monitoring, operating microscopes, and especially neuronavigation have led to the obvious recognition that the brainstem is just another part of the central nervous system. The natural evolution of tentative steps based on previous successes has led us to understand that the brainstem is not inviolate to surgical manipulation but instead requires proven avenues for safe resection. Brainstem cavernous malformations, whose repeated hemorrhages often demand surgical intervention, have been our greatest teachers as we sought to define safe corridors in this eloquent region. With neuronavigation enabling the neurosurgeon to delineate both a target and a path, lesions deep in the brainstem that were not visible on the surface became reasonable targets for excision. As our experience in operating in the brainstem accrued, the safest entry routes became better defined. This atlas draws on the lessons learned from more than a thousand operations in and around the brainstem conducted by the senior author, and we hope that it proves to be of benefit to our colleagues and their patients.

Many factors influence the decision about whether to operate on a specific patient, including the patient's age and medical condition, the severity of symptoms, the number of hemorrhages, the extent of accessibility, and the experience of the neurosurgeon. The associated venous anomaly frequently requires an approach from a more direct to an

alternative route because experience has taught us to preserve these large veins. Although the brainstem is technically surgically accessible, it remains an extremely eloquent structure that demands rigorous decision-making when considering surgery. For example, a patient with a small asymptomatic pontine cavernous malformation in the midline below the floor of the fourth ventricle should never be considered for resection. Alternatively, a patient with a large lateral pontine cavernous malformation that has resulted in clinically significant neurologic deficits will likely receive dramatic benefit from its surgical removal.

This atlas builds on the legacy of many previous atlases. As neurosurgeons, we tend to be visually oriented. Being able to see the anatomy through artists' illustrations and animations, clinical images, operative photographs, and intraoperative videos enables us to better grasp the intricacy of the anatomic relationships and the delicate corridors that are necessary for exposure. As one might expect, this atlas approaches the brainstem regionally. Thus, the reader will find a logical and accessible map to the separate subdivisions of the brainstem, each of which has its own special anatomic and surgical considerations. The thoughtful reader will find much illumination from these shared, hard-learned lessons. We began with the assertion that the nuances found herein will translate to many more areas of neurosurgery than brainstem surgery alone. It is our sincere hope that you, the neurosurgeon, will gain from this knowledge to the ultimate benefit of your patients. We invite you to turn the pages, open your mind, and enter into the hallowed halls of the brainstem.

*Robert F. Spetzler, MD  
M. Yashar S. Kalani, MD, PhD  
Peter Nakaji, MD  
Kaan Yağmurlu, MD  
Phoenix, Arizona*



---

# Acknowledgments

No book of this magnitude could come to fruition without the ceaseless efforts of our talented and hard-working support staff in Neuroscience Publications. They include our editorial coordinators, Rogena Lake and Samantha Soto, who handled manuscript intake and formatting, and who maintained an ongoing record of the project. We thank our production editor, Jaime-Lynn Canales, whose meticulous attention to detail enabled her to keep track of more than 1,700 clinical images, photographs, and illustrations through numerous iterations. She also handled copyright and permissions for all the figures used in the atlas. To our medical editors Mary Ann Clift, Dawn Mutchler, and Lynda Orescanin, we express appreciation for their skill in polishing our prose and ensuring consistency across the sections of the book and throughout the cases. We thank our video editor Marie Clarkson, who sifted through hours of intraoperative videos to select the intraoperative images used in the side-by-side illustrations in the cases and trimmed the videos to our specifications, then edited our recorded narrative explanations of them. She also edited the narration for the superb animations created by Michael Hickman and Joshua Lai. Above all, we thank our lead medical illustrator Kristen Larson Keil, who so admirably guided—throughout her pregnancy and after her maternity leave—a team of contract artists and in-house illustrators that included Peter Lawrence

and Mark Schornak, the manager of Neuroscience Publications. Ms. Keil's artistic talent is showcased in countless illustrations throughout this atlas, particularly in the illustration she prepared for the cover. She and the other illustrators relied not only on their inherent artistic talent but also on their intensive training and their in-depth understanding of anatomy to create beautifully detailed medical illustrations of the anatomy, pathology, and neurosurgical techniques that we describe in depth. They also prepared detailed side-by-side line drawings interpreting the intraoperative photographs to clearly illustrate our step-by-step approach to each case.

Intraoperative photographs showing the positioning of patients for operations were provided by medical photographer Gary Armstrong.

We thank our families for their patience and ongoing support, and our colleagues here and elsewhere—including our current and former residents and fellows—for their input. We also thank our patients, without whom a book such as this would not be possible.

Finally, we thank the team at Thieme Medical Publishers, which includes Timothy Hiscock, Sarah Landis, Barbara Chernow, and their many colleagues. Only with their encouragement and assistance could this book have been produced.

---



# Contents

<b>Video Contents</b>	ix
<b>Animation Contents</b>	xi
<b>Foreword</b>	xiii
<b>Preface</b>	xv
<b>Acknowledgments</b>	xvii
<b>Section 1 Anatomy</b>	1
<b>Section 2 Safe Entry Zones</b>	85
<b>Section 3 Tenets of Brainstem Surgery</b>	103
<b>Section 4 Approaches to Thalamic, Pineal, and Brainstem Lesions</b>	129
<b>Section 5 Case Examples</b>	251
<b>Index</b>	539




# 1 Anatomy

## Internal Anatomy of the Brainstem




**Figure 1.1. (a–e)** Sequential coronal sections of the brain and brainstem depicting the structures of the diencephalon.






c




d



e

Figure 1.1. (Continued)





**Figure 1.2. (a–d)** Sequential axial sections of the brain and brainstem depicting the structures of the diencephalon.




Figure 1.2. (Continued)