

TURING


图灵原版数学·统计学系列

# An Introduction to the Theory of Numbers

# 数论导引

英文版·第5版

[英] G. H. Hardy 著  
E. M. Wright



人民邮电出版社  
POSTS & TELECOM PRESS

**TURING** 图灵原版数学·统计学系列

An Introduction to the  
Theory of Numbers

# 数论导引

(英文版·第5版)

[英] G. H. Hardy 著  
E. M. Wright

人民邮电出版社  
北 京

## 图书在版编目 (CIP) 数据

数论导引: 第5版: 英文 / (英) 哈代, (英) 爱德华, (英) 莱特著.

—北京: 人民邮电出版社, 2007.3

(图灵原版数学·统计学系列)

ISBN 978-7-115-15611-2

I. 数... II. ①哈...②爱...③莱... III. 数论—研究—英文 IV. 0156  
中国版本图书馆 CIP 数据核字 (2006) 第 150188 号

## 内 容 提 要

本书是一本经典的数论名著, 书的内容取材于作者在牛津大学、剑桥大学等大学授课的讲义。书中从各个不同角度对数论进行了阐述, 包括素数、无理数、同余、费马定理、同余式、连分数、不定式、二次域、算术函数、分划等等。第二作者为此书每章增加了必要的注解, 便于读者理解并进一步学习。

本书读者对象为大学数学专业学生以及对数论感兴趣的专业人士。

图灵原版数学·统计学系列

### 数论导引 (英文版·第5版)

- 
- ◆ 著 [英] G.H. Hardy E.M. Wright  
责任编辑 明永玲 武卫东
  - ◆ 人民邮电出版社出版发行 北京市崇文区夕照寺街 14 号  
邮编 100061 电子函件 315@ptpress.com.cn  
网址 <http://www.ptpress.com.cn>  
北京铭成印刷有限公司印刷  
新华书店总店北京发行所经销
  - ◆ 开本: 700 × 1000 1/16  
印张: 28.25  
字数: 542 千字 2007 年 3 月第 1 版  
印数: 1-3 000 册 2007 年 3 月北京第 1 次印刷

著作权合同登记号 图字: 01-2006-7032 号

ISBN 978-7-115-15611-2/O1

定价: 69.00 元

读者服务热线: (010)88593802 印装质量热线: (010)67129223

## 版权声明

This edition of *An Introduction to the Theory of Numbers, Fifth Edition* is published under licence from Oxford University Press for sale in Mainland part of the People's Republic of China (i. e. excluding the territories of Hong Kong, Macau, Taiwan) only and not for export therefrom.

Copyright © Oxford University Press 1979.

本书由牛津大学出版社授权人民邮电出版社出版，仅限于在中华人民共和国（不包括香港、澳门特别行政区和台湾地区）销售，不得向其他国家或地区销售和出口。

## PREFACE TO THE FIRST EDITION

THIS book has developed gradually from lectures delivered in a number of universities during the last ten years, and, like many books which have grown out of lectures, it has no very definite plan.

It is not in any sense (as an expert can see by reading the table of contents) a systematic treatise on the theory of numbers. It does not even contain a fully reasoned account of any one side of that many-sided theory, but is an introduction, or a series of introductions, to almost all of these sides in turn. We say something about each of a number of subjects which are not usually combined in a single volume, and about some which are not always regarded as forming part of the theory of numbers at all. Thus Chs. XII–XV belong to the ‘algebraic’ theory of numbers, Chs. XIX–XXI to the ‘additive’, and Ch. XXII to the ‘analytic’ theories; while Chs. III, XI, XXIII, and XXIV deal with matters usually classified under the headings of ‘geometry of numbers’ or ‘Diophantine approximation’. There is plenty of variety in our programme, but very little depth; it is impossible, in 400 pages, to treat any of these many topics at all profoundly.

There are large gaps in the book which will be noticed at once by any expert. The most conspicuous is the omission of any account of the theory of quadratic forms. This theory has been developed more systematically than any other part of the theory of numbers, and there are good discussions of it in easily accessible books. We had to omit something, and this seemed to us the part of the theory where we had the least to add to existing accounts.

We have often allowed our personal interests to decide our programme, and have selected subjects less because of their importance (though most of them are important enough) than because we found them congenial and because other writers have left us something to say. Our first aim has been to write an interesting book, and one unlike other books. We may have succeeded at the price of too much eccentricity, or we may have failed; but we can hardly have failed completely, the subject-matter being so attractive that only extravagant incompetence could make it dull.

The book is written for mathematicians, but it does not demand any great mathematical knowledge or technique. In the first eighteen chapters we assume nothing that is not commonly taught in schools, and any intelligent university student should find them comparatively easy reading. The last six are more difficult, and in them we presuppose

a little more, but nothing beyond the content of the simpler university courses.

The title is the same as that of a very well-known book by Professor L. E. Dickson (with which ours has little in common). We proposed at one time to change it to *An introduction to arithmetic*, a more novel and in some ways a more appropriate title; but it was pointed out that this might lead to misunderstandings about the content of the book.

A number of friends have helped us in the preparation of the book. Dr. H. Heilbronn has read all of it both in manuscript and in print, and his criticisms and suggestions have led to many very substantial improvements, the most important of which are acknowledged in the text. Dr. H. S. A. Potter and Dr. S. Wylie have read the proofs and helped us to remove many errors and obscurities. They have also checked most of the references to the literature in the notes at the ends of the chapters. Dr. H. Davenport and Dr. R. Rado have also read parts of the book, and in particular the last chapter, which, after their suggestions and Dr. Heilbronn's, bears very little resemblance to the original draft.

We have borrowed freely from the other books which are catalogued on pp. 417-19, and especially from those of Landau and Perron. To Landau in particular we, in common with all serious students of the theory of numbers, owe a debt which we could hardly overstate.

G. H. H.  
E. M. W.

OXFORD  
August 1938

## REMARKS ON NOTATION

We borrow four symbols from formal logic, viz.

$$\rightarrow, \equiv, \exists, \in.$$

$\rightarrow$  is to be read as 'implies'. Thus

$$l \mid m \rightarrow l \mid n \quad (\text{p. 2})$$

means '“ $l$  is a divisor of  $m$ ” implies “ $l$  is a divisor of  $n$ ”', or, what is the same thing, 'if  $l$  divides  $m$  then  $l$  divides  $n$ '; and

$$b \mid a . c \mid b \rightarrow c \mid a \quad (\text{p. 1})$$

means 'if  $b$  divides  $a$  and  $c$  divides  $b$  then  $c$  divides  $a$ '.

$\equiv$  is to be read 'is equivalent to'. Thus

$$m \mid ka - ka' \equiv m_1 \mid a - a' \quad (\text{p. 51})$$

means that the assertions ' $m$  divides  $ka - ka'$ ' and ' $m_1$  divides  $a - a'$ ' are equivalent; either implies the other.

These two symbols must be distinguished carefully from  $\rightarrow$  (tends to) and  $\equiv$  (is congruent to). There can hardly be any misunderstanding, since  $\rightarrow$  and  $\equiv$  are always relations between *propositions*.

$\exists$  is to be read as 'there is an'. Thus

$$\exists l . 1 < l < m . l \mid m \quad (\text{p. 2})$$

means 'there is an  $l$  such that (i)  $1 < l < m$  and (ii)  $l$  divides  $m$ '.

$\in$  is the relation of a member of a class to the class. Thus

$$m \in S . n \in S \rightarrow (m \pm n) \in S \quad (\text{p. 19})$$

means 'if  $m$  and  $n$  are members of  $S$  then  $m + n$  and  $m - n$  are members of  $S$ '.

A star affixed to the number of a theorem (e.g. Theorem 15\*) means that the proof of the theorem is too difficult to be included in the book. It is not affixed to theorems which are not proved but may be proved by arguments similar to those used in the text.

## PREFACE TO THE FIFTH EDITION

THE main changes in this edition are in the Notes at the end of each chapter. I have sought to provide up-to-date references for the reader who wishes to pursue a particular topic further and to present, both in the Notes and in the text, a reasonably accurate account of the present state of knowledge. For this I have been dependent on the relevant sections of those invaluable publications, the *Zentralblatt* and the *Mathematical Reviews*. But I was also greatly helped by several correspondents who suggested amendments or answered queries. I am especially grateful to Professors J. W. S. Cassels and H. Halberstam, each of whom supplied me at my request with a long and most valuable list of suggestions and references.

There is a new, more transparent proof of Theorem 445 and an account of my changed opinion about Theodorus' method in irrationals. To facilitate the use of this edition for reference purposes, I have, so far as possible, kept the page numbers unchanged. For this reason, I have added a short appendix on recent progress in some aspects of the theory of prime numbers, rather than insert the material in the appropriate places in the text.

E. M. W.

ABERDEEN

October 1978



# CONTENTS

<b>I. THE SERIES OF PRIMES (1)</b>	
1.1. Divisibility of integers	1
1.2. Prime numbers	1
1.3. Statement of the fundamental theorem of arithmetic	3
1.4. The sequence of primes	3
1.5. Some questions concerning primes	5
1.6. Some notations	7
1.7. The logarithmic function	8
1.8. Statement of the prime number theorem	9
<b>II. THE SERIES OF PRIMES (2)</b>	
2.1. First proof of Euclid's second theorem	12
2.2. Further deductions from Euclid's argument	12
2.3. Primes in certain arithmetical progressions	13
2.4. Second proof of Euclid's theorem	14
2.5. Fermat's and Mersenne's numbers	14
2.6. Third proof of Euclid's theorem	16
2.7. Further remarks on formulae for primes	17
2.8. Unsolved problems concerning primes	19
2.9. Moduli of integers	19
2.10. Proof of the fundamental theorem of arithmetic	21
2.11. Another proof of the fundamental theorem	21
<b>III. FAREY SERIES AND A THEOREM OF MINKOWSKI</b>	
3.1. The definition and simplest properties of a Farey series	23
3.2. The equivalence of the two characteristic properties	24
3.3. First proof of Theorems 28 and 29	24
3.4. Second proof of the theorems	25
3.5. The integral lattice	26
3.6. Some simple properties of the fundamental lattice	27
3.7. Third proof of Theorems 28 and 29	29
3.8. The Farey dissection of the continuum	29
3.9. A theorem of Minkowski	31
3.10. Proof of Minkowski's theorem	32
3.11. Developments of Theorem 37	34
<b>IV. IRRATIONAL NUMBERS</b>	
4.1. Some generalities	38
4.2. Numbers known to be irrational	38
4.3. The theorem of Pythagoras and its generalizations	39

4.4. The use of the fundamental theorem in the proofs of Theorems 43-45	41
4.5. A historical digression	42
4.6. Geometrical proof of the irrationality of $\sqrt{5}$	44
4.7. Some more irrational numbers	45
<b>V. CONGRUENCES AND RESIDUES</b>	
5.1. Highest common divisor and least common multiple	48
5.2. Congruences and classes of residues	49
5.3. Elementary properties of congruences	50
5.4. Linear congruences	51
5.5. Euler's function $\phi(m)$	52
5.6. Applications of Theorems 59 and 61 to trigonometrical sums	54
5.7. A general principle	57
5.8. Construction of the regular polygon of 17 sides	57
<b>VI. FERMAT'S THEOREM AND ITS CONSEQUENCES</b>	
6.1. Fermat's theorem	63
6.2. Some properties of binomial coefficients	63
6.3. A second proof of Theorem 72	65
6.4. Proof of Theorem 22	66
6.5. Quadratic residues	67
6.6. Special cases of Theorem 79: Wilson's theorem	68
6.7. Elementary properties of quadratic residues and non-residues	69
6.8. The order of $a \pmod{m}$	71
6.9. The converse of Fermat's theorem	71
6.10. Divisibility of $2^{p-1} - 1$ by $p^2$	72
6.11. Gauss's lemma and the quadratic character of 2	73
6.12. The law of reciprocity	76
6.13. Proof of the law of reciprocity	77
6.14. Tests for primality	78
6.15. Factors of Mersenne numbers; a theorem of Euler	80
<b>VII. GENERAL PROPERTIES OF CONGRUENCES</b>	
7.1. Roots of congruences	82
7.2. Integral polynomials and identical congruences	82
7.3. Divisibility of polynomials $\pmod{m}$	83
7.4. Roots of congruences to a prime modulus	84
7.5. Some applications of the general theorems	85
7.6. Lagrange's proof of Fermat's and Wilson's theorems	87
7.7. The residue of $\{\frac{1}{2}(p-1)\}!$	87
7.8. A theorem of Wolstenholme	88
7.9. The theorem of von Staudt	90
7.10. Proof of von Staudt's theorem	91

## VIII. CONGRUENCES TO COMPOSITE MODULI

8.1.	Linear congruences	94
8.2.	Congruences of higher degree	95
8.3.	Congruences to a prime-power modulus	96
8.4.	Examples	97
8.5.	Bauer's identical congruence	98
8.6.	Bauer's congruence: the case $p = 2$	100
8.7.	A theorem of Leudesdorf	100
8.8.	Further consequences of Bauer's theorem	102
8.9.	The residues of $2^{p-1}$ and $(p-1)!$ to modulus $p^2$	104

## IX. THE REPRESENTATION OF NUMBERS BY DECIMALS

9.1.	The decimal associated with a given number	107
9.2.	Terminating and recurring decimals	109
9.3.	Representation of numbers in other scales	111
9.4.	Irrationals defined by decimals	112
9.5.	Tests for divisibility	114
9.6.	Decimals with the maximum period	114
9.7.	Bachet's problem of the weights	115
9.8.	The game of Nim	117
9.9.	Integers with missing digits	120
9.10.	Sets of measure zero	121
9.11.	Decimals with missing digits	122
9.12.	Normal numbers	124
9.13.	Proof that almost all numbers are normal	125

## X. CONTINUED FRACTIONS

10.1.	Finite continued fractions	129
10.2.	Convergents to a continued fraction	130
10.3.	Continued fractions with positive quotients	131
10.4.	Simple continued fractions	132
10.5.	The representation of an irreducible rational fraction by a simple continued fraction	133
10.6.	The continued fraction algorithm and Euclid's algorithm	134
10.7.	The difference between the fraction and its convergents	136
10.8.	Infinite simple continued fractions	138
10.9.	The representation of an irrational number by an infinite continued fraction	139
10.10.	A lemma	140
10.11.	Equivalent numbers	141
10.12.	Periodic continued fractions	143
10.13.	Some special quadratic surds	146
10.14.	The series of Fibonacci and Lucas	148
10.15.	Approximation by convergents	151

### XI. APPROXIMATION OF IRRATIONALS BY RATIONALS

11.1. Statement of the problem	154
11.2. Generalities concerning the problem	155
11.3. An argument of Dirichlet	156
11.4. Orders of approximation	158
11.5. Algebraic and transcendental numbers	159
11.6. The existence of transcendental numbers	160
11.7. Liouville's theorem and the construction of transcendental numbers	161
11.8. The measure of the closest approximations to an arbitrary irrational	163
11.9. Another theorem concerning the convergents to a continued fraction	164
11.10. Continued fractions with bounded quotients	165
11.11. Further theorems concerning approximation	168
11.12. Simultaneous approximation	169
11.13. The transcendence of $e$	170
11.14. The transcendence of $\pi$	173

### XII. THE FUNDAMENTAL THEOREM OF ARITHMETIC IN $k(i)$ , $k(\rho)$ , AND $k(\rho)$

12.1. Algebraic numbers and integers	178
12.2. The rational integers, the Gaussian integers, and the integers of $k(\rho)$	178
12.3. Euclid's algorithm	179
12.4. Application of Euclid's algorithm to the fundamental theorem in $k(1)$	180
12.5. Historical remarks on Euclid's algorithm and the fundamental theorem	181
12.6. Properties of the Gaussian integers	182
12.7. Primes in $k(i)$	183
12.8. The fundamental theorem of arithmetic in $k(i)$	185
12.9. The integers of $k(\rho)$	187

### XIII. SOME DIOPHANTINE EQUATIONS

13.1. Fermat's last theorem	190
13.2. The equation $x^2 + y^2 = z^2$	190
13.3. The equation $x^4 + y^4 = z^4$	191
13.4. The equation $x^3 + y^3 = z^3$	192
13.5. The equation $x^3 + y^3 = 3z^3$	196
13.6. The expression of a rational as a sum of rational cubes	197
13.7. The equation $x^3 + y^3 + z^3 = l^3$	199

### XIV. QUADRATIC FIELDS (1)

14.1. Algebraic fields	204
14.2. Algebraic numbers and integers; primitive polynomials	205
14.3. The general quadratic field $k(\sqrt{m})$	206

14.4. Unities and primes	208
14.5. The unities of $k(\sqrt{2})$	209
14.6. Fields in which the fundamental theorem is false	211
14.7. Complex Euclidean fields	212
14.8. Real Euclidean fields	213
14.9. Real Euclidean fields ( <i>continued</i> )	215
XV. QUADRATIC FIELDS (2)	
15.1. The primes of $k(i)$	218
15.2. Fermat's theorem in $k(i)$	219
15.3. The primes of $k(\rho)$	220
15.4. The primes of $k(\sqrt{2})$ and $k(\sqrt{5})$	221
15.5. Lucas's test for the primality of the Mersenne number $M_{4n+3}$	223
15.6. General remarks on the arithmetic of quadratic fields	225
15.7. Ideals in a quadratic field	227
15.8. Other fields	230
XVI. THE ARITHMETICAL FUNCTIONS $\phi(n)$ , $\mu(n)$ , $d(n)$ , $\sigma(n)$ , $r(n)$	
16.1. The function $\phi(n)$	233
16.2. A further proof of Theorem 63	234
16.3. The Möbius function	234
16.4. The Möbius inversion formula	236
16.5. Further inversion formulae	237
16.6. Evaluation of Ramanujan's sum	237
16.7. The functions $d(n)$ and $\sigma_k(n)$	239
16.8. Perfect numbers	239
16.9. The function $r(n)$	241
16.10. Proof of the formula for $r(n)$	242
XVII. GENERATING FUNCTIONS OF ARITHMETICAL FUNCTIONS	
17.1. The generation of arithmetical functions by means of Dirichlet series	244
17.2. The zeta function	245
17.3. The behaviour of $\zeta(s)$ when $s \rightarrow 1$	246
17.4. Multiplication of Dirichlet series	248
17.5. The generating functions of some special arithmetical functions	250
17.6. The analytical interpretation of the Möbius formula	251
17.7. The function $\Lambda(n)$	253
17.8. Further examples of generating functions	254
17.9. The generating function of $r(n)$	256
17.10. Generating functions of other types	257
XVIII. THE ORDER OF MAGNITUDE OF ARITHMETICAL FUNCTIONS	
18.1. The order of $d(n)$	260
18.2. The average order of $d(n)$	263

18.3. The order of $\sigma(n)$	266
18.4. The order of $\phi(n)$	267
18.5. The average order of $\phi(n)$	268
18.6. The number of squarefree numbers	269
18.7. The order of $r(n)$	270
<b>XIX. PARTITIONS</b>	
19.1. The general problem of additive arithmetic	273
19.2. Partitions of numbers	273
19.3. The generating function of $p(n)$	274
19.4. Other generating functions	276
19.5. Two theorems of Euler	277
19.6. Further algebraical identities	280
19.7. Another formula for $F(x)$	280
19.8. A theorem of Jacobi	282
19.9. Special cases of Jacobi's identity	283
19.10. Applications of Theorem 353	285
19.11. Elementary proof of Theorem 358	286
19.12. Congruence properties of $p(n)$	287
19.13. The Rogers-Ramanujan identities	290
19.14. Proof of Theorems 362 and 363	292
19.15. Ramanujan's continued fraction	294
<b>XX. THE REPRESENTATION OF A NUMBER BY TWO OR FOUR SQUARES</b>	
20.1. Waring's problem: the numbers $g(k)$ and $G(k)$	298
20.2. Squares	299
20.3. Second proof of Theorem 366	299
20.4. Third and fourth proofs of Theorem 366	300
20.5. The four-square theorem	302
20.6. Quaternions	303
20.7. Preliminary theorems about integral quaternions	306
20.8. The highest common right-hand divisor of two quaternions	307
20.9. Prime quaternions and the proof of Theorem 370	309
20.10. The values of $g(2)$ and $G(2)$	310
20.11. Lemmas for the third proof of Theorem 369	311
20.12. Third proof of Theorem 369: the number of representations	312
20.13. Representations by a larger number of squares	314
<b>XXI. REPRESENTATION BY CUBES AND HIGHER POWERS</b>	
21.1. Biquadrates	317
21.2. Cubes: the existence of $G(3)$ and $g(3)$	318
21.3. A bound for $g(3)$	319
21.4. Higher powers	320

21.5. A lower bound for $g(k)$	321
21.6. Lower bounds for $G(k)$	322
21.7. Sums affected with signs: the number $v(k)$	325
21.8. Upper bounds for $v(k)$	326
21.9. The problem of Prouhet and Tarry: the number $P(k, j)$	328
21.10. Evaluation of $P(k, j)$ for particular $k$ and $j$	329
21.11. Further problems of Diophantine analysis	332
<b>XXII. THE SERIES OF PRIMES (3)</b>	
22.1. The functions $\vartheta(x)$ and $\psi(x)$	340
22.2. Proof that $\vartheta(x)$ and $\psi(x)$ are of order $x$	341
22.3. Bertrand's postulate and a 'formula' for primes	343
22.4. Proof of Theorems 7 and 9	345
22.5. Two formal transformations	346
22.6. An important sum	347
22.7. The sum $\sum p^{-1}$ and the product $\prod (1-p^{-1})$	349
22.8. Mertens's theorem	351
22.9. Proof of Theorems 323 and 328	353
22.10. The number of prime factors of $n$	354
22.11. The normal order of $\omega(n)$ and $\Omega(n)$	356
22.12. A note on round numbers	358
22.13. The normal order of $d(n)$	359
22.14. Selberg's theorem	359
22.15. The functions $R(x)$ and $V(\xi)$	362
22.16. Completion of the proof of Theorems 434, 6 and 8	365
22.17. Proof of Theorem 335	367
22.18. Products of $k$ prime factors	368
22.19. Primes in an interval	371
22.20. A conjecture about the distribution of prime pairs $p, p+2$	371
<b>XXIII. KRONECKER'S THEOREM</b>	
23.1. Kronecker's theorem in one dimension	375
23.2. Proofs of the one-dimensional theorem	376
23.3. The problem of the reflected ray	378
23.4. Statement of the general theorem	381
23.5. The two forms of the theorem	382
23.6. An illustration	388
23.7. Lettenmeyer's proof of the theorem	390
23.8. Estermann's proof of the theorem	386
23.9. Bohr's proof of the theorem	
23.10. Uniform distribution	394
	395
<b>XXIV. GEOMETRY OF NUMBERS</b>	
24.1. Introduction and restatement of the fundamental theorem	
24.2. Simple applications	

24.3. Arithmetical proof of Theorem 448	397
24.4. Best possible inequalities	399
24.5. The best possible inequality for $\xi^2 + \eta^2$	400
24.6. The best possible inequality for $ \xi\eta $	401
24.7. A theorem concerning non-homogeneous forms	402
24.8. Arithmetical proof of Theorem 455	405
24.9. Tchebotaref's theorem	405
24.10. A converse of Minkowski's Theorem 446	407
APPENDIX	
1. Another formula for $p_n$	414
2. A generalization of Theorem 22	414
3. Unsolved problems concerning primes	415
A LIST OF BOOKS	417
INDEX OF SPECIAL SYMBOLS AND WORDS	420
INDEX OF NAMES	423



# I

## THE SERIES OF PRIMES (1)

**1.1. Divisibility of integers.** The numbers

$$\dots, -3, -2, -1, 0, 1, 2, \dots$$

are called the *rational integers*, or simply the *integers*; the numbers

$$0, 1, 2, 3, \dots$$

the *non-negative integers*; and the numbers

$$1, 2, 3, \dots$$

the *positive integers*. The positive integers form the primary subject-matter of arithmetic, but it is often essential to regard them as a subclass of the integers or of some larger class of numbers.

In what follows the letters

$$a, b, \dots, n, p, \dots, x, y, \dots$$

will usually denote integers, which will sometimes, but not always, be subject to further restrictions, such as to be positive or non-negative. We shall often use the word 'number' as meaning 'integer' (or 'positive integer', etc.), when it is clear from the context that we are considering only numbers of this particular class.

An integer  $a$  is said to be *divisible* by another integer  $b$ , not 0, if there is a third integer  $c$  such that

$$a = bc.$$

If  $a$  and  $b$  are positive,  $c$  is necessarily positive. We express the fact that  $a$  is divisible by  $b$ , or  $b$  is a *divisor* of  $a$ , by

$$b \mid a.$$

Thus

$$1 \mid a, \quad a \mid a;$$

and  $b \mid 0$  for every  $b$  but 0. We shall also sometimes use

$$b \nmid a$$

to express the contrary of  $b \mid a$ . It is plain that

$$b \mid a \cdot c \mid b \rightarrow c \mid a,$$

$$b \mid a \rightarrow bc \mid ac$$

if  $c \neq 0$ , and

$$c \mid a \cdot c \mid b \rightarrow c \mid ma + nb$$

for all integral  $m$  and  $n$ .

**1.2. Prime numbers.** In this section and until § 2.9 the numbers considered are generally positive integers.† Among the positive integers

† There are occasional exceptions, as in §§ 1.7, where  $e^x$  is the exponential function of analysis.