


FIFTEENTH EDITION
英文影印版

MEDICAL MICROBIOLOGY

医学微生物学 第15版

DAVID GREENWOOD
RICHARD SLACK
JOHN PEUTHERER



科学出版社



Harcourt Asia



CHURCHILL LIVINGSTONE

医学微生物学

MEDICAL MICROBIOLOGY

Fifteenth Edition

第 15 版

David Greenwood

Richard C. B. Slack

John F. Peutherer

科学出版社

Harcourt Asia

Churchill Livingstone

Medical Microbiology 15th Edition

- © F&S Livingstone 1960, 1965
- © Longman Group Limited 1973, 1975, 1978
- © Longman Group UK Limited 1992, assigned to Pearson Professional Limited 1995
- © Pearson Professional Limited 1997

本书由科学出版社经 Harcourt Asia Pte, Ltd. 许可后在中国印刷。本版本是最新美国版, 唯一获正式授权的完整和无节略的复制版, 仅限在中国境内(不包括香港特别行政区和台湾省)出版和标价销售。

本书任何部分之内容, 未经出版者书面同意, 不得用任何方式抄袭、节录或翻印。

北京市版权局著作权登记号: 01-1999-1544

图书在版编目(CIP)数据

医学微生物学: 第15版: 英文/(英)格林伍德(Greenwood, D.)等主编

-北京: 科学出版社, 1999. 10

ISBN 7-03-007727-X

Reprint ISBN 981-4033-63-4

I. 医… II. 格… III. 医药学: 微生物学-英文 IV. R37

中国版本图书馆 CIP 数据核字(1999)第 27620 号

31144/03

科学出版社

Harcourt Asia 出版

Churchill Livingstone

北京市东黄城根北街 16 号

邮政编码: 100717

中国科学院印刷厂 印刷

新华书店北京发行所发行 各地新华书店经销

*

1999 年 10 月第 一 版 开本: 787×1092 1/16

1999 年 10 月第一次印刷 印张: 44

印数: 1-3 000 字数: 1 043 000

定价: 88.00 元

(如有印装质量问题, 我社负责调换〈北燕〉)

Medical Microbiology

A Guide to Microbial Infections:
Pathogenesis, Immunity, Laboratory Diagnosis and Control

Edited by

David Greenwood BSc PhD DSc FRCPath

Professor of Antimicrobial Science, Division of
Microbiology, University of Nottingham Medical School,
Nottingham, UK; Honorary Microbiologist, Public Health
Laboratory Service

Richard C. B. Slack MA MB BChir MRCPath DRCOG

Senior Lecturer, Division of Microbiology, University of
Nottingham Medical School, Nottingham, UK; Consultant in
Communicable Disease Control, Nottingham Health
Authority; Honorary Consultant, Public Health Laboratory
Service

John F. Peutherer BSc MB ChB MD FRCPath FRCPE

Senior Lecturer, Department of Medical Microbiology,
University of Edinburgh Medical School; Honorary
Consultant, The Royal Infirmary of Edinburgh NHS Trust, Edinburgh, UK

FIFTEENTH EDITION

SCIENCE PRESS

Harcourt Asia

CHURCHILL LIVINGSTONE

SCIENCE PRESS

16 Donghuangchenggen North Street,
Beijing 100717
China

HARCOURT ASIA PTE,LTD

A Harcourt Publishers International Company
583 Orchard Road # 09-01 Forum
Singapore 238884

Distribute in the Mainland China by Science Press,
16 Donghuangchenggen North Street, Beijing 100717, China

- © F&S Livingstone 1960,1965
- © Longman Group Limited 1973,1975,1978
- © Longman Group UK Limited 1992, assigned to pearson Professional Limited 1995
- © Pearson Professional Limited 1997

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form of by any means, electronic, mechanical, photocopying, recording or otherwise, without either the prior permission of the publishers (Churchill Livingstone, Robert Stevenson House, 1-3 Baxter's Place, Leith Walk, Edinburgh EH1 3AF), or a licence permitting restricted copying in the United Kingdom issued by the Copyright Licensing Agency Ltd, 90 Tottenham Court Road, London, W1P 9HE

Printed in China by HARCOURT ASIA PTE LTD and SCIENCE PRESS under special arrangement with Churchill Livingstone, A Harcourt Health Science Company. This edition is the only authorized complete and unabridged reproduction of the latest American Edition, published and priced for sale in China only, not including Hong Kong SAR and Taiwan.

Unauthorized export of this edition is a violation of the Copyright Act Violation of this Law is subject to Civil and Criminal penalties.

This Edition First Printed in China in 1999.

China ISBN 7-03-007727-X/R • 481

Reprint Edition ISBN 981-4033-63-4

Printed in China

Preface

If T. J. Mackie and J. E. McCartney, the original authors of this book (first published in 1925 as *An Introduction to Practical Bacteriology as Applied to Medicine and Public Health*) were able to see the latest edition, they would be astonished at how the subject has grown. Vastly more infective agents of all kinds – bacteria, viruses, protozoa, helminths and fungi – are recognized. Spectacular advances in molecular genetics have fostered a detailed understanding of microbial physiology, mechanisms of microbial pathogenicity and the host response to microbial invasion. Antimicrobial agents and vaccines beyond the wildest dreams of workers in the 1920s are in common use. Many infectious diseases have been controlled and one scourge, smallpox, eradicated. The subject is now so large that the practical laboratory aspects, once considered essential to a proper knowledge of microbiology, have long been hived off into a companion volume: *Mackie and McCartney: Practical Medical Microbiology*, edited by J. G. Collee, A. G. Fraser, B. P. Marmion and A. Simmons.

Despite our increased understanding of microbes, and the means to control them, infection continues to flourish: one third of the population of the world is estimated to harbour the bacillus of tuberculosis; millions of infants die of bacterial, viral and protozoal infection before they reach their fifth birthday; food-borne disease, even in developed countries, is at an all time high; AIDS continues its inexorable spread; the growth of antimicrobial drug resistance is causing considerable alarm. The lesson is clear. Microbes will not be easily subdued, and medical students, indeed, all health-care professionals, need to understand the principles of infection and its control. The trouble is, that with the subject now so vast, learning is necessarily selective. Moreover, with so many other demands on students' time it is easy to consign the study of infection to a minor

place in the curriculum in the mistaken belief that microbial disease has been controlled by antimicrobial drugs and vaccines. Nothing could be further from the truth, and microbiology must retain a high profile in medical schools. In this book we have tried to concentrate on essentials, while providing enough background to help the student to understand the full context of microbial disease, including the often neglected topics of the epidemiology and control of infection. The emphasis is very much on clinical microbiology, but with sufficient explanation of the laboratory aspects of the subject to allow an intelligent use of diagnostic laboratory services. Readers seeking fuller information about laboratory techniques are referred to the excellent companion volume. Rather than provide an exhaustive reference list for each chapter, a few key publications are recommended to the interested reader seeking further information.

For this new edition the text has been brought fully up to date. We are most grateful to our contributors, who have suffered our constant cajoling with equanimity and produced, mostly on time, manuscripts that required very little editorial interference. Unusually among textbooks, we have been able to encompass new developments without increase – in fact, with a modest decrease – in the size of the book. This has been achieved by attention to layout and by some rationalization of the tables, figures and text. Nothing of importance, we believe, has been sacrificed.

Once more we thank our contributing authors and the editorial staff of Churchill Livingstone, who have also endured much badgering during the genesis of this book.

David Greenwood, Richard Slack, John Peutherer
Nottingham and Edinburgh, UK, 1997

165934

Contributors

R. P. Allaker BSc PhD
Lecturer in Oral Microbiology
St Bartholomew's and the Royal London School of
Medicine and Dentistry
London, UK

Michael R. Barer MB BS PhD MRCPath
Reader
Department of Microbiology
University of Newcastle upon Tyne
Newcastle upon Tyne, UK

Sheila M. Burns MB ChB MRCPath
Consultant Virologist
The Royal Infirmary of Edinburgh NHS Trust
Director, Regional Virus Laboratory
City Hospital
Edinburgh, UK

Evan Owen Caul PhD FIBMS FRCPath
Deputy Director
Bristol PHL
Consultant Clinical Scientist
Bristol Public Health Laboratory
Bristol, UK

A. Cockayne BSc PhD
Research Fellow
Department of Microbiology
University Hospital
Nottingham, UK

Joyce D. Coghlan BSc PhD
Formerly Director, *Leptospira* Reference
Laboratory
Public Health Laboratory Service
London
Formerly Lecturer in Bacteriology
University of Edinburgh Medical School
Edinburgh, UK

J. G. Collee CBE MD FRCPath FRCP(Edin) FRSE
Emeritus Professor of Medical Microbiology
University of Edinburgh Medical School
Edinburgh, UK

Heather A. Cubie BSc MSc PhD MRCPath
Consultant Clinical Scientist
Regional Virus Laboratory
City Hospital
Edinburgh, UK

W. David Cubitt BTech MSc PhD MIBiol
Consultant Clinical Scientist, Honorary Senior
Lecturer
Great Ormond Street Hospital for Children
and Institute of Child Health NHS Trust
London, UK

J. Mervyn Darville BSc PhD FRCPath
Lecturer in Medical Virology
University of Bristol
(Honorary) Clinical Virologist
Bristol Public Health Laboratory
Bristol, UK

Ulrich Desselberger MD FRCPath FRCP(Glas, Lon)
Consultant Virologist and Director
Clinical Microbiology and Public Health
Laboratory
Addenbrooke's Hospital
Cambridge, UK

E. Glyn V. Evans BSc PhD CBiol FIBiol FRCPath
Professor of Medical Mycology
PHLS Mycology Reference Laboratory
Department of Microbiology
University of Leeds and General Infirmary
Leeds, UK

R. J. Fallon BSc MD FRCPath FRCP(Glas)
Formerly Consultant in Laboratory
Medicine, Ruchill Hospital
Formerly Honorary Senior Clinical
Lecturer in Bacteriology and
Infectious Diseases
University of Glasgow
Glasgow, UK

Roger G. Finch FRCP FRCPath FFPM
Professor of Infectious Diseases
Division of Microbiology and Infectious Diseases
The City Hospital
Nottingham, UK

K. L. Gage PhD
Plague Section Chief (Acting)
Division of Vector-Borne Infectious Diseases
Centers for Disease Control and Prevention
Colorado, USA

John R. W. Govan PhD DSc
Reader
Department of Medical Microbiology
University of Edinburgh Medical School
Edinburgh, UK

John Grange MD MSc
Reader in Clinical Microbiology
Imperial College School of Medicine at the
National Heart and Lung Institute
London, UK

D. Greenwood BSc PhD DSc FRCPath
Professor of Antimicrobial Science
Division of Microbiology
Department of Clinical Laboratory Sciences
University of Nottingham
Honorary Microbiologist
Public Health Laboratory Service, UK

J. M. Hardie BDS PhD DipBact FRCPath
Professor of Oral Microbiology
St Bartholomew's & the Royal London School of
Medicine and Dentistry
London, UK

H. Humphreys MD FRCPI MRCPath
Senior Lecturer
University of Nottingham
Honorary Consultant Microbiologist
University Hospital and Public Health Laboratory
Service
Nottingham, UK

James Ironside BMSc(Hons) MBChB MRCPath
Senior Lecturer in Pathology
University of Edinburgh
Honorary Consultant in Neuropathology
Western General Hospitals Trust, Edinburgh, UK

M. J. Lewis MD DipBact
Formerly Director
Nottingham Area Public Health Laboratory
Formerly Senior Lecturer
University of Nottingham
Nottingham, UK

Alasdair P. MacGowan BMedBiol(Hons) MD MRCPath
Consultant Medical Microbiologist
Regional Antimicrobial Reference Laboratory
Department of Medical Microbiology
Southmead Health Services NHS Trust
Bristol, UK

C. R. Madeley MD FRCPath
Professor of Clinical Virology
Department of Virology
The Medical School
University of Newcastle upon Tyne
Newcastle upon Tyne, UK

Ruth C. Matthews MS PhD FRCPath
Reader in Medical Microbiology
Director, Pertussis Reference Laboratory
University of Manchester, Clinical Sciences
Building
Manchester Royal Infirmary, UK

Donald M. McLean MD FRCP FRCPath
Professor Emeritus of Pathology
University of British Columbia
Canada

P. Morgan-Capner BSc MBBS FRCPath
Consultant Virologist
Public Health Laboratory Service North West
Preston, UK

Mary Norval BSc PhD DSc
Reader
Department of Medical Microbiology
University of Edinburgh Medical School
Edinburgh, UK

M. M. Ogilvie MD BSc(Hons) MRCPath
Senior Lecturer (Hon Consultant)
Department of Medical Microbiology
University of Edinburgh Medical School,
Edinburgh, UK

J. R. Pattison MA BSc DM FRCPath
Professor of Medical Microbiology
University College London Medical School
London, UK

J. S. M. Peiris MBBS FRCPath DPhil(Oxon)
Senior Lecturer
Department of Microbiology
University of Hong Kong
Hong Kong

T. H. Pennington MB BS PhD FRCPath
Professor of Bacteriology
University of Aberdeen
Aberdeen, UK

J. F. Peutherer BSc MB ChB MD FRCPath FRCPE
Senior Lecturer
Department of Medical Microbiology
University of Edinburgh Medical School
Honorary Consultant
The Royal Infirmary of Edinburgh NHS Trust
Edinburgh, UK

T. L. Pitt MPhil PhD
Deputy Director
Laboratory of Hospital Infection
Central Public Health Laboratory
London, UK

Noel W. Preston MD DpBact FRCPath LRCP LRCS LRFPS
Honorary Fellow in Microbial Immunology,
Department of Medical Microbiology
University of Manchester
WHO Expert Adviser on Bacterial Diseases
Formerly Director of Pertussis Reference
Laboratory, University of Manchester
Formerly Honorary Consultant Microbiologist,
Public Health Laboratory Service
UK

D. Reid DBE MD FRCP(Glas) FRCP(Edin) FFPHM DPH
Director, Scottish Centre for Infection and
Environmental Health, Ruchill Hospital, Glasgow
Honorary Professor, University of Glasgow
Visiting Professor, University of Strathclyde,
Glasgow, UK

P. W. Ross TD MD FRCPath FRCPE CBiol FIBiol FLS
Reader
Department of Medical Microbiology
University of Edinburgh
Honorary Consultant Bacteriologist
Royal Infirmary of Edinburgh NHS Trust
Edinburgh, UK

R. A. Simpson PhD MRCPath
Director of Laboratory Services
Healthcare Science Ltd, UK

M. B. Skirrow MB PhD FRCPath DTM&H
Honorary Emeritus Consultant Microbiologist
Public Health Laboratory Service
Gloucestershire Royal Hospital, UK

Mary P. E. Slack MA MB BChir FRCPath
University Lecturer, Nuffield Department of
Pathology and Bacteriology
University of Oxford
Honorary Consultant Microbiologist
Oxford Radcliffe Hospital
Honorary Consultant, Public Health Laboratory
Service
Oxford, UK

Richard Slack MA MB BChir MRCPath DRCOG
Senior Lecturer and Consultant in Communicable
Disease Control
University of Nottingham Medical School
Nottingham
Honorary Consultant, Public Health Laboratory
Service
UK

Isabel W. Smith BSc PhD
Formerly Senior Lecturer
Department of Medical Microbiology
University of Edinburgh Medical School
Edinburgh, UK

John Stewart BSc PhD
Lecturer
Department of Medical Microbiology
University of Edinburgh Medical School
Edinburgh, UK

Sheena Sutherland MBChB FRCPath
Senior Lecturer
Department of Medical Microbiology
University of Edinburgh Medical School
Honorary Consultant
The Royal Infirmary of Edinburgh NHS Trust
Edinburgh, UK

David Taylor-Robinson MD MRCP FRCPath
Professor of Genitourinary Microbiology and
Medicine
Imperial College School of Medicine at St Mary's
Jefferiss Research Trust Laboratories
London, UK

K. J. Towner BSc PhD
Consultant Clinical Scientist
Division of Microbiology and Infectious Diseases &
PHLS Laboratory
University Hospital
Queen's Medical Centre
Nottingham, UK

David H. Walker MD
Professor and Chairman
Department of Pathology
University of Texas Medical Branch at Galveston
Director
WHO Collaborating Center for Tropical Diseases,
UTMB
USA

D. M. Weir MD FRCPE
Formerly Professor of Microbial Immunology
University of Edinburgh Medical School
Edinburgh, UK

Contents

PART 1 MICROBIAL BIOLOGY

- 1 Microbiology and medicine** 2
D. Greenwood
- 2 Morphology and nature of micro-organisms** 8
D. Greenwood
- 3 Classification and identification of micro-organisms** 25
T. L. Pitt
- 4 Bacterial growth and physiology** 36
M. R. Barer
- 5 Antimicrobial agents** 45
D. Greenwood
- 6 Bacterial genetics** 57
K. J. Towner
- 7 Sterilization and disinfection** 70
R. A. Simpson
- 8 Bacterial pathogenicity** 80
A. Cockayne
- 9 Virus-cell interactions: antiviral agents** 90
M. Norval

PART 2 INFECTION AND IMMUNITY

- 10 Antigens** 108
J. Stewart, D. M. Weir
- 11 Innate and acquired immunity** 119
J. Stewart, D. M. Weir
- 12 Immunity in viral infections** 146
J. Stewart, D. M. Weir
- 13 Parasitic infections: pathogenesis and immunity** 154
J. Stewart, D. M. Weir
- 14 Immunity in bacterial infections** 161
J. Stewart, D. M. Weir

PART 3 BACTERIAL PATHOGENS AND ASSOCIATED DISEASES

- 15 Staphylococcus** 168
Skin infections; osteomyelitis; food poisoning; foreign body infections
H. Humphreys
- 16 Streptococcus and enterococcus** 175
Sore throat; scarlet fever; impetigo; rheumatic fever; glomerulonephritis; bacterial endocarditis
P. W. Ross
- 17 Pneumococcus** 185
Respiratory infections; meningitis
R. G. Finch
- 18 Coryneform bacteria, listeria and erysipelothrux** 91
Diphtheria; listeriosis; erysipeloid
A. P. MacGowan
- 19 Mycobacterium** 200
Tuberculosis; leprosy
J. M. Grange
- 20 Environmental mycobacteria** 215
Opportunist disease
J. M. Grange
- 21 Actinomyces and nocardia** 222
Actinomycosis; nocardiasis
J. M. Grange
- 22 Bacillus** 226
Anthrax; food poisoning
R. C. B. Slack
- 23 Clostridium** 232
Gas gangrene; tetanus; food poisoning; pseudomembranous colitis
J. G. Collee
- 24 Neisseria and moraxella (branhamella)** 243
Meningitis; gonorrhoea; respiratory infections
R. J. Fallon, R. C. B. Slack

- 25 Salmonella** 252
Food poisoning; enteric fever
M. J. Lewis
- 26 Shigella** 262
Bacillary dysentery
M. J. Lewis
- 27 Escherichia** 267
Urinary tract infection; travellers' diarrhoea; haemorrhagic colitis; haemolytic uraemic syndrome
M. J. Lewis
- 28 Klebsiella, enterobacter, proteus and other enterobacteria** 276
Pneumonia; urinary tract infection; opportunist infection
M. J. Lewis
- 29 Pseudomonads and non-fermenters** 284
Opportunistic infection; cystic fibrosis; melioidosis
J. R. W. Govan
- 30 Campylobacter and helicobacter** 290
Enteritis; gastritis; peptic ulcer
M. B. Skirrow
- 31 Vibrio, mobiluncus, gardnerella and spirillum** 298
Cholera; vaginosis; rat bite fever
M. J. Lewis
- 32 Haemophilus** 307
Respiratory infections; meningitis; chancroid
M. P. E. Slack
- 33 Bordetella** 314
Whooping cough
N. W. Preston, R. C. Matthews
- 34 Legionella** 321
Legionnaires' disease; Pontiac fever
R. J. Fallon
- 35 Brucella, bartonella and streptobacillus** 325
Brucellosis; Oroya fever; trench fever; cat scratch disease; rat-bite fever
J. D. Coghlan
- 36 Yersinia, pasteurilla and francisella** 332
Plague; mesenteric adenitis; tularaemia
J. D. Coghlan
- 37 Non-sporing anaerobes** 340
Wound infection; periodontal disease
J. M. Hardie, R. P. Allaker
- 38 Treponema and borrelia** 347
Syphilis; yaws; relapsing fever; Lyme disease
A. Cockayne
- 39 Leptospira** 356
Leptospirosis; Weil's disease
J. D. Coghlan
- 40 Chlamydia** 361
Genital infections; trachoma; psittacosis; pneumonia
I. W. Smith
- 41 Rickettsia, orientia, ehrlichia and coxiella** 371
Typhus; spotted fevers; scrub typhus; ehrlichioses; Q fever
D. H. Walker, K. L. Gage
- 42 Mycoplasmas** 381
Atypical pneumonia; genital tract infection
D. Taylor-Robinson
- PART 4 VIRAL PATHOGENS AND ASSOCIATED DISEASES**
- 43 Adenoviruses** 394
Respiratory disease; conjunctivitis; gut infections
C. R. Madeley, J. S. M. Peiris
- 44 Herpesviruses** 401
Herpes simplex; varicella and zoster; infectious mononucleosis; cytomegalovirus disease; roseola infantum; Kaposi's sarcoma; herpes B
M. M. Ogilvie
- 45 Poxviruses** 423
Smallpox; molluscum contagiosum; parapoxvirus infections
T. H. Pennington
- 46 Papovaviruses** 431
Warts; warts and skin cancers; progressive multifocal leuco-encephalopathy
H. Cubie
- 47 Hepadnaviruses** 439
Hepatitis B infection; delta virus infection
J. F. Peutherer
- 48 Parvoviruses** 448
B19 infection; erythema infectiosum
J. R. Pattison
- 49 Picornaviruses** 454
Meningitis; paralysis; rashes; intercostal myositis; myocarditis; infectious hepatitis; common cold
S. M. Burns

- 50 Orthomyxoviruses** 468
Influenza
S. Sutherland
- 51 Paramyxoviruses** 476
Respiratory infections; mumps; measles
C. R. Madeley, J. S. M. Peiris
- 52 Arboviruses: alphaviruses, flaviviruses (including rubella and hepatitis C) and bunyaviruses** 485
Encephalitis; yellow fever; dengue; haemorrhagic fever; miscellaneous tropical fevers; undifferentiated fever; rubella; hepatitis C
D. M. McLean, P. Morgan-Capner, J. F. Peutherer
- 53 Arenaviruses and filoviruses** 506
Lassa fever; Marburg and Ebola fevers
J. F. Peutherer
- 54 Reoviruses** 512
Gastro-enteritis
U. Desselberger
- 55 Retroviruses** 518
Leukaemia; lymphoma; acquired immune deficiency syndrome
J. F. Peutherer
- 56 Caliciviruses and astroviruses** 528
Diarrhoeal disease
W. D. Cubitt
- 57 Coronaviruses** 536
Upper respiratory tract disease
E. O. Caul, J. M. Darville
- 58 Rhabdoviruses** 541
Rabies
S. Sutherland
- 59 Transmissible spongiform encephalopathies** 548
Scrapie; kuru; Creutzfeldt–Jakob disease
J. W. Ironside
- PART 5 FUNGAL PATHOGENS AND PARASITIC INFECTIONS**
- 60 Fungi** 556
Thrush; ringworm; subcutaneous and systemic mycoses
E. G. V. Evans
- 61 Protozoa** 577
Malaria; toxoplasmosis; cryptosporidiosis; amoebic dysentery; sleeping sickness; Chagas' disease; leishmaniasis; giardiasis; trichomoniasis; pneumocystis pneumonia
D. Greenwood
- 62 Helminths** 587
Intestinal worm infections; filariasis; schistosomiasis; hydatid disease
D. Greenwood
- PART 6 DIAGNOSIS, TREATMENT AND CONTROL OF INFECTION**
- 63 Infective syndromes** 604
R. C. B. Slack
- 64 Diagnostic procedures** 616
R. C. B. Slack
- 65 Strategy of antimicrobial chemotherapy** 624
R. C. B. Slack
- 66 Epidemiology and control of community infections** 635
D. Reid
- 67 Hospital infection** 644
R. A. Simpson
- 68 Prophylactic immunization** 652
J. G. Collee
- Index** 663



Part 1

MICROBIAL BIOLOGY

Microbiology and medicine

D. Greenwood

Applications of microbiology have transformed the diagnosis, prevention and cure of disease. Along with improved nutrition and living conditions, they have – at least in developed communities – revolutionized human health, doubled the average length of life and ensured the safe upbringing of most children born, where before only a minority survived.

The conquest of epidemic and fatal infections has sometimes seemed so conclusive that the main challenges in medicine are often seen to lie in other fields, such as those of the mental illnesses and degenerative diseases, but a major shift of attention away from the problems of infection could be dangerous. The relative freedom of society from fatal infections depends on the continued, informed deployment of complex countermeasures: on correct diagnosis and treatment of infections, full implementation of immunization programmes, alert epidemiological surveillance and rigorous environmental sanitation. Moreover, on a global scale, infection is far from defeated. In the developing nations of the world, an estimated 10 million young children die each year from the effects of infectious diarrhoeas, measles, malaria, tetanus, diphtheria and whooping cough alone. The tragedy is that we have the means to hand to prevent nearly all these deaths.

Even in the developed world, infection is still extremely common: at least a quarter of all illnesses for which patients consult their doctors are infective; a substantial proportion of patients acquire infection while in hospital, sometimes with multiresistant organisms. Intensive farming methods and a shift in eating habits to pre-prepared 'fast foods' have led to a sharp increase in food-related infection. In hospitals, new approaches to therapy that deplete the competence of the patient's immune system to cope with infection, as well as the increasing use of shunts, intravenous cannulae and prosthetic devices, all provide the ever-resourceful microbes with new opportunities to invade the host. Previously unsuspected

links between microbes and diseases such as cancer, peptic ulcer, inflammatory bowel disease and rheumatoid arthritis have been uncovered. Surprisingly, 'new' agents of infectious disease continue to be recognized (Table 1.1). The most notorious of these is undoubtedly the human immunodeficiency virus (HIV), the causative agent of acquired immune deficiency syndrome (AIDS). The rise and spread of this condition provides a sobering reminder of the potential impact of microbial disease. It is as essential now as it ever was that health care personnel should be well trained in matters relating to infection.

Table 1.1 Some newly recognized infectious agents, 1975–90

Agent	Disease
<i>Bartonella henselae</i>	Cat scratch disease
<i>Borrelia burgdorferi</i>	Lyme disease
<i>Campylobacter jejuni</i>	Enteritis
<i>Chlamydia pneumoniae</i>	Pneumonia
<i>Clostridium difficile</i>	Pseudomembranous colitis
<i>Cryptosporidium parvum</i>	Diarrhoea
<i>Cyclospora cayentanensis</i>	Diarrhoea
<i>Escherichia coli</i> O157	Haemolytic uraemic syndrome
<i>Helicobacter pylori</i>	Gastritis
Hepatitis C virus	Hepatitis
Hepatitis E virus	Hepatitis
Hepatitis G virus	Hepatitis
Human herpesvirus 6	Exanthem subitum
Human herpesvirus 8	Kaposi's sarcoma
Human immunodeficiency virus	Acquired immune deficiency syndrome (AIDS)
Human T cell lymphotropic virus	Adult T cell leukaemia; tropical spastic paraparesis
<i>Legionella pneumophila</i>	Legionnaires' disease
Microspora (various genera)	Diarrhoea
<i>Mobiluncus</i> spp.	Bacterial vaginosis
Parvovirus B19	Fifth disease
'Small round' viruses	Gastro-enteritis
<i>Tropheryma whippelii</i>	Whipple's disease



DEVELOPMENT OF MICROBIOLOGY

Microbiology is the study of living organisms of microscopic size. The term was introduced by the French chemist Louis Pasteur, whose demonstration that fermentation was caused by the growth of bacteria and yeasts (1857–60) provided a main impetus for the development of the science.

Micro-organisms were first seen about 1675 by the Dutchman Antony van Leeuwenhoek. His microscopes consisted of a single biconvex lens that magnified about $\times 200$ and resolved bodies with diameters down to about $1\ \mu\text{m}$. He found many micro-organisms in materials such as water, mud, saliva and the intestinal contents of healthy subjects, and he recognized them as living creatures ('animalcules') because they swam about actively. That he saw bacteria as well as the larger microbes is known from his measurements of their size ('one-sixth the diameter of a red blood corpuscle') and his drawings of the forms we now recognize as cocci (spheres), bacilli (rods) and spirochaetes (spiral filaments).

Leeuwenhoek observed that very large numbers of bacteria appeared in watery infusions of animal or vegetable matter which were left to stand for a week or two at room temperature. He believed that these huge populations were the progeny of a few parental organisms, or seeds, that were originally present in the materials of the infusion or had entered it from the air. Other scientists suggested that the organisms arose by spontaneous generation from dead organic matter, and this began a controversy that lasted for 200 years. The prototype of the experiment that ultimately was to settle the matter was first described by the French microscopist Louis Joblot in 1718. Joblot boiled a flask of an infusion of hay for 15 min to kill any microbes originally present, covered it with a parchment cap to prevent the later entry of other microbes from the air and showed that, on subsequent standing, it remained free from microbial growth. Similar experiments, notably those of John Needham (1749), showed, by contrast, that heated, covered infusions gave a growth of organisms and so appeared to demonstrate the occurrence of spontaneous generation. It was not at first realized how exacting were the conditions needed to kill all micro-organisms, and maintain sterility. The necessary techniques were perfected only after much further work, particularly that by Lazzaro Spallanzani (1765, 1776) and Louis Pasteur (1860–64). Pasteur's flasks of infusions, sterilized by autoclaving at $115\text{--}120^\circ\text{C}$, always remained sterile despite the entry of unheated air through a dust-stopping 'swan neck' or cotton-

wool stopper, and so finally proved the absence of spontaneous generation.

The controversy over spontaneous generation had the valuable outcome of establishing many of the basic techniques of bacteriology. Convenient nutrient media for preparing cultures of bacteria in the laboratory were derived from meat and vegetable infusions, and reliable methods were developed for the sterilization and maintenance of sterility of culture media and equipment. The mechanism of bacterial reproduction by asexual fission was discovered by De Saussure (1760), and the need for high temperatures for sterilization was explained by Ferdinand Cohn's (1876) discovery that certain bacteria form heat-resistant spores. Other techniques essential for the rapid progress of bacteriology were developed by the German bacteriologist Robert Koch, who in 1877 described methods for the easy microscopical examination of bacteria in dried, fixed films stained with aniline dyes, and in 1881 devised the simple method for isolating pure cultures of bacteria by plating out mixed material on a solid culture medium on which the progeny of single bacteria grow in separate colonies.

MICRO-ORGANISMS AND DISEASE

Few of the micro-organisms that abound in nature are disease-producing, or *pathogenic*, for humans. Most are free-living in soil, water and similar habitats, and are unable to invade the living body. Some free-living micro-organisms obtain their energy from daylight or by the oxidation of inorganic matter, but the majority feed on dead organic matter, and are termed *saprophytes*. In contrast, a parasite lives in or on, and obtains its nourishment from, a living host. In medical usage, the term *parasite* is nowadays usually reserved for parasitic protozoa, helminths and arthropods. The last usually affect the outside of the body, and are termed *ectoparasites*. *Commensal* micro-organisms constitute the normal flora of the healthy body. They live on the skin and on the mucous membranes of the upper respiratory tract, intestines and vagina, and obtain nourishment from the secretions and food residues. They are generally harmless, but under certain circumstances, as when the body's defences are impaired, they may invade the tissues and cause disease, thus acting as *opportunistic* pathogens. True pathogens are the micro-organisms that are adapted to overcoming the normal defences of the body and invading the tissues; their growth in the tissues, or their production of poisonous

substances (*toxins*), damages the tissues and causes the manifestations of disease. The process of microbial invasion of the body is called *infection*. Those infective diseases that are readily communicable from person to person are called *infectious* or *contagious*.

The germ theory of disease was slow in gaining acceptance, though it was early recognized that epidemic diseases such as smallpox, measles, typhus and syphilis were probably spread from person to person. The Italian scholar Girolamo Fracastoro, in his book *De Contagione* (1546), distinguished three modes of transmission: (1) by direct contact, i.e. touching a patient's body; (2) by contact with clothing and household goods contaminated by a patient; and (3) at a distance through the air. He explained contagion as being due to the transmission of invisible seeds, or germs, different kinds of which were the specific causes of the different diseases. It is unclear whether he regarded the germs as living, but their ability to multiply in successive hosts would certainly be necessary for their continued spread.

Fracastoro's views were largely forgotten by the time Leeuwenhoek discovered micro-organisms, but speculations then began that these organisms might be the cause of certain diseases. The first clear demonstration of a pathogenic role was made by the Italian civil servant Agostino Bassi (1835), who showed that the calcino disease of silkworms was invariably associated with an invasion of their tissues by a fungus and that the disease could be transmitted by the inoculation of material from the tissues of an infected worm into those of a healthy one.

Despite Bassi's work, the germ theory of disease did not become firmly established until 1876, when Robert Koch, a country doctor in East Prussia, reported his observations on anthrax. Ten years earlier, C. J. Davaine had shown that the blood of sheep dying from anthrax contained numerous non-motile filaments and that its inoculation into healthy sheep caused them to develop anthrax. These findings, however, did not exclude the possibility that the filaments were inanimate products of the disease rather than its cause. Koch began his work by transmitting anthrax from infected sheep and cattle to the mouse, an unnatural but convenient laboratory host. He observed filaments in the blood and tissues of the infected mouse, and proved that they were living bacteria by watching them grow and form spores in drops of sterile ox serum or aqueous humour seeded with fragments of infected tissue. He showed that the bacteria alone were the cause of the disease by growing them in a series of eight pure cultures in aqueous humour, each seeded with a

small proportion of the preceding one, and then reproducing the disease by inoculation of the final culture into a mouse. He thus provided the evidence, now described as *Koch's postulates*, which Jacob Henle had earlier stated would be needed to prove that the particular micro-organism was the cause of a particular disease, namely: that the microbe be found in the body in all cases of the disease; that it be isolated from a case and grown in a series of pure cultures in vitro; and that it reproduce the disease on the inoculation of a late pure culture into a susceptible animal.

Koch obtained a research appointment in Berlin and there built up a successful school of bacteriology. He demonstrated the pathogenic roles of the tubercle bacillus (1882) and cholera vibrio (1883), and established the general principle that specific micro-organisms cause different kinds of disease. This principle is not absolute, and in 1883 some exceptions were demonstrated by the Scottish surgeon Alexander Ogston, who showed that *Staphylococcus aureus* and *Streptococcus pyogenes* could each cause various suppurative infections, such as abscesses and wound sepsis.

Alongside the discovery of the pathogenic role of bacteria the involvement of protozoa, helminths and fungi was soon established. Worms visible to the naked eye had, of course, been recognized in antiquity, but great strides were made in the 19th century. Among notable events were: the discovery by James Paget (while a first-year medical student at St Bartholomew's Hospital, London) of the larvae of *Trichinella spiralis* in muscle during an autopsy (1835); the observation by Alfred Donné of *Trichomonas vaginalis* in vaginal secretions (1836); the discovery of adult worms of *Schistosoma haematobium* by Theodor Bilharz in Cairo (1851); demonstration of the fungal nature of thrush by Langenbeck (1859); and the recognition of the parasites of malaria in human blood by the French Army surgeon Alphonse Laveran (1880). The complex life cycles of many of the parasitic worms and protozoa were later worked out by painstaking studies by numerous workers, of whom Patrick Manson, Ronald Ross and David Bruce are among the most celebrated.

The viruses were more difficult to demonstrate, for most were too small to be seen with the light microscope and none could be grown on an inanimate culture medium. At first they could be demonstrated only by observation of the disease they produced when infected tissue was inoculated into a susceptible animal. Thus, in studies of rabies, Pasteur and his colleagues in 1881 failed to isolate any micro-organism capable of causing the disease. They were able to

reproduce the disease in dogs and rabbits by the intracerebral injection of brain tissue or saliva from a fatal case, and they suggested that the causal agent was an organism too small to be seen. Their experiments, however, did not exclude the possibility that the agent might be a bacterium, or a larger microbe which was present but undetected in the inoculum. The means of excluding such a possibility was devised by Ivanowski (1892) in experiments with the viral mosaic disease of tobacco; he transmitted the disease to healthy plants by the inoculation of juice from a diseased plant after it had been filtered through a porcelain filter fine enough to prevent the passage of bacteria. Filter-passing viruses were soon similarly demonstrated in foot-and-mouth disease of cattle by Loeffler and Frosch (1898), in yellow fever by Reed, Carroll, Agramonte and Lazear (1900), who had to test their inoculations in human volunteers, and in other diseases. Virology did not progress rapidly, however, until after the Second World War, when the availability of the electron microscope enabled viruses to be visualized and the use of living human and animal tissue cells for the in-vitro culture of viruses was developed by John Enders (1949) and others from the earlier work of pioneers such as Alexis Carrel.

IMMUNITY AND IMMUNIZATION

It was known from ancient times that persons who had suffered from a distinctive disease, such as smallpox or measles, resisted it on subsequent exposures and rarely contracted it a second time. Such an acquired immunity is generally effective only against the same type of infection as that previously suffered.

Artificial immunization against smallpox was practised in various communities by the unsafe method of inoculating smallpox exudate through the skin (*variolation*), until, in 1796, the safer method of inoculating cowpox exudate (*vaccination*) was discovered by the Gloucestershire doctor Edward Jenner. Present-day vaccinia virus has been shown to be different from cowpox virus, and its origin is obscure. Nevertheless, it is highly effective and has been instrumental in the world eradication of natural smallpox, the last case of which occurred in Somalia in 1977. The natural existence of a safe immunizing agent such as vaccinia virus is exceptional, and we owe to Pasteur the development of immunizing strains of pathogenic microbes which are artificially *attenuated* (reduced in virulence) by prolonged or repeated culture under laboratory conditions. Pasteur derived such attenuated live *vaccines* for fowl cholera,

anthrax, swine erysipelas and rabies, and called them *vaccines* in honour of Jenner's work with cowpox, or vaccinia (Latin *vacca* = cow). In 1881 he made a convincing controlled trial of his anthrax vaccine, in which a vaccinated group of cows and sheep survived a later challenge by the inoculation of virulent anthrax bacilli, while a control group of unvaccinated animals perished from the same challenge. Today, attenuated live vaccines are used with outstanding success against such diseases as tuberculosis, poliomyelitis, measles and yellow fever.

The efficacy of vaccines consisting of killed bacteria was discovered by Salmon and Smith in 1886 in experiments on salmonellosis in pigeons, and today killed vaccines are used against, for example, typhoid fever, whooping cough and influenza. About 1900, Loewenstein in Vienna and Glenny in London discovered that bacterial toxins rendered non-poisonous by treatment with formaldehyde were effective in immunizing against diphtheria and tetanus, diseases in which the serious effects are due to the toxin. The *toxoids* are now used routinely for immunization.

The first step in elucidating the mechanisms of acquired immunity was the discovery of *antibodies* by Behring and Kitasato in 1890. They found that the injection of sublethal doses of diphtheria or tetanus toxin into guinea-pigs rendered the animals immune to the later injection of large doses of the same toxin. The immunity was associated with the appearance in the animal's blood of a substance, *antitoxin*, that specifically neutralized the toxin. These diphtheria and tetanus antitoxins were the first known antibodies, but protective antibodies which reacted directly with bacteria and viruses were soon demonstrated by other workers. Antibodies have a highly specific affinity for the microbial substances, or *antigens*, that have induced their formation, and this property is exploited in the common use of blood serum containing antibodies (*antiserum*) in laboratory tests for the precise identification of micro-organisms. Discovery of the means of perpetuating the growth of single antibody-producing cells has enabled these techniques to be further refined by the use of *monoclonal antibodies* that exhibit absolute specificity for the target antigens.

SEROTHERAPY AND CHEMOTHERAPY

The work of Behring and Kitasato led to the successful use of antisera raised in animals for the treatment of patients with diphtheria, tetanus, pneumonia and other diseases. Because, however, the antisera con-