

Grundlehren der mathematischen Wissenschaften 258
A Series of Comprehensive Studies in Mathematics

Joel Smoller

Shock Waves and Reaction-Diffusion Equations

Second Edition

激波和反应扩散方程

第 2 版



Springer-Verlag

世界图书出版公司

Joel Smoller

Shock Waves and Reaction–Diffusion Equations

Second Edition

With 165 Illustrations

Grundlehren der mathematischen Wissenschaften

- 290. Conway/Sloane: Sphere Packings, Lattices and Groups
- 291. Hahn/O'Meara: The Classical Groups and K-Theory
- 292. Kashiwara/Schapira: Sheaves on Manifolds
- 293. Revuz/Yor: Continuous Martingales and Brownian Motion
- 294. Knus: Quadratic and Hermitian Forms over Rings
- 295. Dierkes/Hildebrandt/Küster/Wohlrab: Minimal Surfaces I
- 296. Dierkes/Hildebrandt/Küster/Wohlrab: Minimal Surfaces II
- 297. Pastur/Figotin: Spectra of Random and Almost-Periodic Operators
- 298. Berline/Getzler/Vergne: Heat Kernels and Dirac Operators
- 299. Pommerenke: Boundary Behaviour of Conformal Maps
- 300. Orlik/Terao: Arrangements of Hyperplanes
- 301. Loday: Cyclic Homology
- 302. Lange/Birkenhake: Complex Abelian Varieties
- 303. DeVore/Lorentz: Constructive Approximation
- 304. Lorentz/v. Golitschek/Makovoz: Constructive Approximation. Advanced Problems
- 305. Hiriart-Urruty/Lemaréchal: Convex Analysis and Minimization Algorithms I. Fundamentals
- 306. Hiriart-Urruty/Lemaréchal: Convex Analysis and Minimization Algorithms II. Advanced Theory and Bundle Methods
- 307. Schwarz: Quantum Field Theory and Topology

书 名: Shock Waves and Reaction-Diffusion Equations 2nd ed.

作 者: J. Smoller

中译名: 激波和反应扩散方程 第2版

出版者: 世界图书出版公司北京公司

印刷者: 北京中西印刷厂

发 行: 世界图书出版公司北京公司 (北京市朝阳区门内大街 137 号 100010)

开 本: 1/32 850 × 1168 印 张: 20.5

版 次: 1999 年 3 月第 1 版 1999 年 3 月第 1 次印刷

书 号: 7-5062-4100-5/O·236

版权登记: 图字 01-99-0017

定 价: 79.00 元

世界图书出版公司北京公司已获得 Springer-Verlag 授权在中国
境内独家重印发行。

Acknowledgment

I get by with a little help from my friends.

LENNON AND MCCARTNEY

Throughout my career, I have had the good fortune to be closely associated with many very gifted mathematicians. I learned a great deal from each of them; this book is really not much more than a compilation of what they taught me.

First, I want to thank Louis Nirenberg for initially inspiring me and for giving me an early opportunity to visit the Courant Institute. It was there that I met Edward Conway, my friend and collaborator, who showed me the mathematics of shock waves, and convinced me (with difficulty!) of the value of difference schemes. Years later, he introduced me to the equations of mathematical ecology, the study of which led to much fruitful joint research.

I must also thank Peter Lax, whose work has always interested me, for inviting me to visit the Courant Institute once again. The second time at the "Courant" I met my other good friend and collaborator, Charles Conley. It was he who enthusiastically taught me so much deep and exciting mathematics. Among N (≥ 1) other things, I learned from him the power and beauty of topological methods in analysis. He has also generously shared with me many of his brilliant insights. His ideas continue to influence my research to the present day.

To Takaaki Nishida, I owe thanks for sharing his ideas with me, and for actively collaborating with me on so many occasions.

Claude Bardos also deserves thanks for his willingness to discuss many of his ideas, his constant encouragement, and for introducing me to the Paris school of mathematics.

This book could not have been written were it not for the many able students who attended my courses on differential equations at Michigan. Their enthusiasm and hard work constantly served as a stimulation to me. In particular, special thanks too are due to Bob Gardner, David Hoff, Jeffrey Johnson, and Tai-Ping Liu, each of whom very quickly became my collaborator and teacher.

To my colleagues at Michigan: Paul Federbush, Carl Simon, Al Taylor, and especially to Jeff Rauch, Joe Ullman, and Ricky Wasserman, I owe many thanks for so often giving me their time in order to help me get over some rough spots.

Portions of this book are an outgrowth of lectures which I gave at the following institutions: Universidad Autonoma de Madrid, Université de Paris, Orsay, University of Warwick, and the University of Wisconsin. I am grateful to the mathematicians at these places for giving me the opportunity to lecture.

Charles Conley, Edward Conway, Bob Gardner, David Hoff, Tai-Ping Liu, Takaaki Nishida, Jeffrey Rauch, Blake Temple, and Peter Wolfe, each read portions of the manuscript. I am grateful to all of them for their many helpful suggestions.

Finally, I want to thank James Glimm for being a constant source of inspiration and encouragement over the years.

I should like to take this opportunity to thank both the U.S. Airforce Office of Scientific Research, and its mathematics director, Robert Buchel, as well as the National Science Foundation and its applied mathematics directors, Ettore Infante, and James Greenberg, for supporting my research.

Preface to the Second Edition

For this edition, a number of typographical errors and minor slip-ups have been corrected. In addition, following the persistent encouragement of Olga Oleinik, I have added a new chapter, Chapter 25, which I titled "Recent Results." This chapter is divided into four sections, and in these I have discussed what I consider to be some of the important developments which have come about since the writing of the first edition. Section I deals with reaction-diffusion equations, and in it are described both the work of C. Jones, on the stability of the travelling wave for the Fitz-Hugh-Nagumo equations, and symmetry-breaking bifurcations. Section II deals with some recent results in shock-wave theory. The main topics considered are L. Tartar's notion of compensated compactness, together with its application to pairs of conservation laws, and T.-P. Liu's work on the stability of viscous profiles for shock waves. In the next section, Conley's connection index and connection matrix are described; these general notions are useful in constructing travelling waves for systems of nonlinear equations. The final section, Section IV, is devoted to the very recent results of C. Jones and R. Gardner, whereby they construct a general theory enabling them to locate the point spectrum of a wide class of linear operators which arise in stability problems for travelling waves. Their theory is general enough to be applicable to many interesting reaction-diffusion systems.

Many people have been kind in assisting me with this revision; in particular, special thanks are due to Bob Gardner, Xavier Garaizer, David Hoff, Chen Jing, Tai-Ping Liu, Blake Temple, Rick Wasserman, Zhou-Ping Xin, and especially to Vijay Pant for his careful reading of the manuscript. In addition, I received many letters from mathematicians all over the world, who either corrected some of my errors, or showed me "different proofs." I wish to thank all of them for their interest.

In closing, I want to dedicate this edition to the memory of both Charles Conley and Edward Conway.

Preface to the First Edition

... the progress of physics will to a large extent depend on the progress of nonlinear mathematics, of methods to solve nonlinear equations ... and therefore we can learn by comparing different nonlinear problems.

WERNER HEISENBERG

I undertook to write this book for two reasons. First, I wanted to make easily available the basics of both the theory of hyperbolic conservation laws and the theory of systems of reaction-diffusion equations, including the generalized Morse theory as developed by C. Conley. These important subjects seem difficult to learn since the results are scattered throughout the research journals.¹ Second, I feel that there is a need to present the modern methods and ideas in these fields to a wider audience than just mathematicians. Thus, the book has some rather sophisticated aspects to it, as well as certain textbook aspects. The latter serve to explain, somewhat, the reason that a book with the title *Shock Waves and Reaction-Diffusion Equations* has the first nine chapters devoted to linear partial differential equations. More precisely, I have found from my classroom experience that it is far easier to grasp the subtleties of nonlinear partial differential equations *after* one has an understanding of the basic notions in the linear theory.

This book is divided into four main parts: linear theory, reaction-diffusion equations, shock wave theory, and the Conley index, in that order. Thus, the text begins with a discussion of ill-posed problems. The aim here was to show that partial differential equations are not divorced from side conditions; indeed specific side conditions are required for specific equations. And in view of Lewy's example, which is presented in its entirety, no side conditions can force solutions on some equations. We discuss an example of a nonlinear scalar conservation law which has no global classical solution, thereby foreshadowing the notion of "weak" solution. In Chapter 2 we consider characteristics, an important notion which comes up widely in nonlinear contexts. Chapter 3 deals with the simple one-dimensional wave equation. Here is where we introduce the reader to the important ideas of

¹ This is not quite true; there are some good survey articles on shock waves (e.g., [Lx 5]) but these do not contain many proofs. Also in the theory of reaction-diffusion equations, there are the books [Fi] and [Mu], but they both seem to me to be research monographs.

domains of dependence, energy integrals, and finite differences. The purpose of the following chapter is to demonstrate the power, generality, and elegance of energy integral methods. In the course of the development we present several basic techniques for obtaining inequalities.

The next chapter is devoted to Holmgren's uniqueness theorem. We view it in a modern context, where we can use it later to motivate Oleinik's uniqueness theorems for conservation laws. In Chapter 6 we consider general hyperbolic operators and show how energy integrals, together with Fourier transform methods, are used to prove global existence theorems. The uniqueness of these solutions is obtained via Holmgren's theorem. Chapter 7 is devoted to the theory of distributions. The importance of this subject for linear operators is, of course, well known. This author firmly believes that the great advances in *nonlinear* partial differential equations over the last twenty years could not have been made were it not for distribution theory. The ideas of this discipline provided the conceptual framework for studying partial differential equations in the context of weak solutions. This "philosophy" carried over, rather easily, to many important nonlinear equations. In Chapters 8 and 9 we study linear elliptic and parabolic equations, respectively, and we prove the basic maximum principles. We also describe the estimates of Schauder, as well as those of Agmon, Douglis, and Nirenberg, which we need in later chapters. The proofs of these important estimates are (happily) omitted since it is difficult to improve upon the exposition given in Gilbarg-Trudinger [GT]. (We point out here that the material in Chapters 1–9 can serve as an introductory course in partial differential equations.)

A quick glance at the contents serves to explain the flavor of those topics which form the major portion of the book. I have made a deliberate effort to explain the main ideas in a coherent, readable manner, and in particular I have avoided excess generality. To be specific, Chapter 10 contains a discussion of how far one can go with the maximum principle for a scalar nonlinear parabolic (or elliptic) equation. It is used to prove the basic comparison and existence theorems; the latter done via the method of upper and lower solutions. The text contains several carefully chosen examples which are used both to illustrate the theorems and to prepare the way for some later topics; e.g., bifurcation theory. The next chapter begins with a development of the variational properties of the eigenvalues for a linear second-order elliptic operator on a bounded domain in \mathbb{R}^n . There follows a careful discussion of linearized stability for a class of evolution equations broad enough to include systems of reaction–diffusion equations. In Chapter 12, we give a complete development of degree theory in Banach spaces for operators of the form (Id. + compact). The discussion begins with the finite-dimensional case, culminating with Brouwer's fixed point theorem. This is applied to flows on manifolds; specifically, we give two applications, one to flows on balls and one to flows on tori. The Leray–Schauder degree is then developed, and we illustrate its use in nonlinear elliptic equations. The

second half of this chapter is devoted to Morse theory. Our aim is to reinterpret the Morse index in an intrinsic topological way (using the stable manifold theorem), as the homotopy type of a quotient space. This is done in preparation for Chapters 22 and 23, where we consider Conley's extension of the Morse index. We give a proof of Reeb's theorem on the characterization of spheres in terms of Morse functions. The chapter ends with an appendix on algebraic topology where homotopy theory, homology theory, and cohomology theory are discussed. The goal was to make these important ideas accessible to nonspecialists.

In Chapter 13, some of the standard bifurcation theorems are proved; namely, those which come under the heading "bifurcation from a simple eigenvalue." We then use degree theory to prove the bifurcation theorems of both Krasnoselski and Rabinowitz. Again, these theorems are illustrated by applications to specific differential equations. In the final section we discuss, with an example, another more global type of bifurcation which we term "spontaneous" bifurcation. This is related back to earlier examples, and it is also made use of in Chapter 24.

Chapter 14 may be considered the "high point" in this group. It is here where the notion of an invariant region is defined, and all of the basic theorems concerning it are proved. As a first application, we prove a comparison theorem which allows us to obtain rather precise (but somewhat coarse) qualitative statements on solutions. We then give a general theorem on the asymptotic behavior of solutions. Thus, we isolate a parameter which, when positive, implies that for large time, every solution gets close to a spatially independent one; in particular, no bifurcation to nonconstant steady-state solutions can occur. There follows a section which makes quantitative the notion of an invariant region; the statement is that the flow is gradient-like near the boundary of this region. This means that attracting regions for the kinetic equations are also attracting regions for the full system of reaction-diffusion equations, provided that the geometry of the region under consideration is compatible with the diffusion matrix. In the final section, these results are applied to the general Kolmogorov form of the equations which describe the classical two-species ecological interactions, where now diffusion and spatial dependence are taken into account. One sees here how the standard ecological assumptions lead in a fairly direct way to the mathematical conditions which we have considered.

In Chapter 15, we begin to discuss the theory of shock waves. This is a notoriously difficult subject due to the many subtleties not usually encountered in other areas of mathematics. The very fact that the entire subject is concerned with *discontinuous* functions, means that many of the modern mathematical techniques are virtually inapplicable. I have given much effort in order to overcome these difficulties, by leading the reader gently along, step by step. It is here where I have leaned most upon my classroom experience. Thus, the development begins with a chapter describing the basic phenomena: the formation of shock waves, the notion

of a weak solution and its consequences, the loss of uniqueness, the entropy conditions, etc. These things are all explained with the aid of examples. There follows next a chapter which gives a rather complete description of the theory of a single conservation law: existence, uniqueness, and asymptotic behavior of solutions. The existence proof follows Oleinik and is done via the Lax–Friedrichs difference scheme. The reasons why I have chosen this method over the several other ones available are discussed at the beginning of the chapter; suffice it to say that it requires no sophisticated background, and that the method of finite differences is, in principle, capable of generalization to systems. The entrance into systems of conservation laws, is made via a discussion of the Riemann problem for the “ p -system.” Here it is possible to explain things geometrically, by actually drawing the shock- and rarefaction-wave curves. We then develop the basic properties of these waves, and following Lax, we solve the Riemann problem for general systems. These ideas are applied in the next chapter to the equations of gas dynamics, where we solve the Riemann problem for arbitrary data, both analytically and geometrically. We prove Weyl’s entropy theorem, as well as von Neumann’s shock-interaction theorem. The next chapter, the Glimm Difference Scheme, is one of the most difficult ones in the book (the others being Chapters 22 and 23 on the Conley index). Glimm’s theorem continues to be the most important result in conservation laws, and it must be mastered by anyone seriously interested in this field. I feel that the proof is not nearly as difficult as is commonly believed, and I have tried hard to make it readable for the beginner.

The final chapter in this group is designed to give the reader a flavor of some of the general results that are known for systems, the emphasis being on systems of two equations. I have also included a proof of Oleinik’s uniqueness theorem for the p -system; her paper is available only in the original Russian. Having been sufficiently “turned on” by the superb lectures of T. Nishida at Michigan (in academic year 1981/82), I was unable to resist including a chapter on quasi-linear parabolic systems. The main result here is Kanel’s existence proof for the isentropic gas dynamics equations with viscosity.

With Chapter 22, I begin Part Four of the book. These last three chapters deal mainly with the Conley index, together with its applications. Thus, the first chapter opens with a long descriptive discussion in which the basic ideas of the theory are explained; namely the concept of an isolated invariant set and its index, together with their main properties. These are illustrated by an easily understood example, in which things are worked out in detail and the connections with the classical Morse index are noted. I have also included a discussion of the so-called “Hopf bifurcation,” from this point of view. Although the sections which follow are independent of this one, I strongly recommend that the reader not skim over it, but rather that he give it serious thought. The remaining sections in this chapter contain all of the basic definitions, together with proofs of the existence of an isolating block, and the theorem that the index of the isolated invariant set is independent of the

particular isolating block containing it. This is all done for flows, where the reader can “see” the geometrical and topological constructions. I have also given some applications to differential equations in \mathbf{R}^n , as well as a proof of the “connecting orbit” theorem. In Chapter 23, the theory is developed from a more general, more abstract point of view, in a form suitable for applications to partial differential equations. We define the notions of index pairs, and Morse decompositions of an isolated invariant set. The concept of local flow is also introduced, again with an eye towards the applications. We prove both the existence of index pairs for Morse decompositions, as well as the well-definedness of the Conley index. That is, we show that the index $h(S)$ of an isolated invariant set S , depends only on the homotopy class of the space N_1/N_0 , where (N_1, N_0) is any index pair for S . This result immediately puts at our disposal the algebraic invariants associated with the cohomology groups which form exact sequences on a Morse decomposition of S . These are powerful tools for computing indices, in addition to being of theoretical use. They lead, for example, to an easy proof of the “generalized” Morse inequalities. We then prove the continuation property of the Conley index, in a rather general setting. The final section serves both to illustrate some of the theorems, as well as to derive additional results which will be used in the applications. We point out that these two chapters monotonically increase in difficulty as one proceeds. This is done by design in order to meet the needs of readers having assorted degrees of mathematical maturity—one can proceed along as far as his background will take him (and further, if he is willing to work hard!).

The last chapter contains a sample of the applications to travelling waves. We first study the shock structure problem of the existence of an orbit connecting two rest points, and in particular, we solve the shock structure problem for magnetohydrodynamic shock waves having arbitrary strength. We then prove the existence of a periodic travelling wave solution for the Nagumo equations. An isolating neighborhood is constructed, and the Conley index is explicitly computed, in order to demonstrate the different topological techniques which are involved. We also show how to obtain the desired information a different way by using an exact sequence of cohomology groups in order to determine the nontriviality of the index. Next follows a long section, where we apply the theory to reaction-diffusion equations, and we use the Conley index together with some previously obtained (global) bifurcation diagrams, to study the stability of steady-state solutions, and to determine in some cases, the entire global picture of the solution set. The chapter closes with a section in which we give some instability theorems for nonconstant stationary solutions of the Neumann problem.

Each of the four sections in this book (in any order) is suitable for a one-semester graduate course. In particular, as we have remarked earlier, the first section can be used for an introductory graduate-level course in partial differential equations. The prerequisite for this is one year of graduate-level mathematics as given in the average American university.

List of Frequently Used Symbols

\mathbf{Z}	the integers
\mathbf{Z}_+	the nonnegative integers
\mathbf{R}_+	the nonnegative real numbers
\mathbf{R}	the real numbers
\mathbf{R}^n	n -dimensional Euclidean space
\mathbf{C}	the complex numbers
L_p	the usual space of measurable functions whose p th power is Lebesgue integrable
L_∞	the space of measurable functions which are bounded almost everywhere
L_p^{loc}	the space of functions which are locally in L_p
C^k	the space of functions having k continuous derivatives, $k \in \mathbf{Z}_+$
C	the space C^0
$\text{spt } f$	the support of the function f
\equiv	denotes definition of a symbol
∂	boundary
$f _A$	the restriction of the function f to the set A
$f _A$	$f _A$
$A \setminus B$	the elements in A which are not in B
$B(X, Y)$	the bounded operators from X into Y
$C([0, T]; X)$	the space of continuous curves defined on $0 \leq t \leq T$ with values in X
Σ^k	the pointed k -sphere
S^k	the k -sphere
A'	the transpose of A
∇	the gradient operator
Δ	the Laplace operator
\det	determinant
$[A]$	the equivalence class of A
\sim	homotopically equivalent to
\approx	isomorphic to
$I(N)$	the maximal invariant set in N
id.	identity

$\text{int}(N)$	the interior of the set N
$\text{cl}(N)$	the closure of the set N
\bar{N}	$\text{cl}(N)$
$[v_1, \dots, v_n]$	the linear space spanned by the vectors $\{v_1, \dots, v_n\}$
$[v_1, \dots, v_k, \dots, v_n]$	the linear space spanned by the vectors v_i , $1 \leq i \leq n, i \neq k$
$h(S)$	the Conley index of S
$\int^y f(s)$	the indefinite integral of f
δ_{ij}	the Kronecker delta; $\delta_{ij} = 0$ if $i \neq j$, and $\delta_{ii} = 1$
$\ u(\cdot, t)\ _B$	the B -norm of the function $u(\cdot, t)$, where t is fixed
$A \sqcup B$	the disjoint union of A and B ; i.e., $A \cup B$ where $A \cap B = \emptyset$
$C_0(\Omega)$	the space of continuous functions having compact support in Ω
$C_0^k(\Omega)$	$C_0(\Omega) \cap C^k(\Omega)$
b^+	the exit set on ∂B
b^-	the entrance set on ∂B
$\bar{\mathcal{O}}$	the one-point pointed space
$\bar{\mathbb{I}}$	the pointed zero sphere
du/dv	$\nabla u \cdot v$
$\alpha(\gamma)$	α -limit set of γ
$w(\gamma)$	w -limit set of γ
$C^{k, \alpha}$	the set of C^k functions whose k th derivative is Hölder continuous with component α

Contents

Acknowledgment	vii
Preface to the Second Edition	ix
Preface to the First Edition	xi
List of Frequently Used Symbols	xxi
PART I	
Basic Linear Theory	1
CHAPTER 1	
Ill-Posed Problems	3
§A. Some Examples	3
§B. Lewy's Example	7
CHAPTER 2	
Characteristics and Initial-Value Problems	13
CHAPTER 3	
The One-Dimensional Wave Equation	17
CHAPTER 4	
Uniqueness and Energy Integrals	26
CHAPTER 5	
Holmgren's Uniqueness Theorem	33
CHAPTER 6	
An Initial-Value Problem for a Hyperbolic Equation	39
CHAPTER 7	
Distribution Theory	45
§A. A Cursory View	45
§B. Fundamental Solutions	52
§C. Appendix	61

CHAPTER 8	
Second-Order Linear Elliptic Equations	64
§A. The Strong Maximum Principle	65
§B. A-Priori Estimates	70
§C. Existence of Solutions	72
§D. Elliptic Regularity	76
CHAPTER 9	
Second-Order Linear Parabolic Equations	78
§A. The Heat Equation	78
§B. Strong Maximum Principles	83
PART II	
Reaction–Diffusion Equations	91
CHAPTER 10	
Comparison Theorems and Monotonicity Methods	93
§A. Comparison Theorems for Nonlinear Equations	93
§B. Upper and Lower Solutions	96
§C. Applications	99
CHAPTER 11	
Linearization	106
§A. Spectral Theory for Self-Adjoint Operators	106
§B. Linearized Stability	114
§C. Appendix: The Krein–Rutman Theorem	122
CHAPTER 12	
Topological Methods	126
§A. Degree Theory in \mathbf{R}^n	126
§B. The Leray–Schauder Degree	139
§C. An Introduction to Morse Theory	146
§D. A Rapid Course in Topology	156
CHAPTER 13	
Bifurcation Theory	167
§A. The Implicit Function Theorem	168
§B. Stability of Bifurcating Solutions	176
§C. Some General Bifurcation Theorems	181
§D. Spontaneous Bifurcation; An Example	185
CHAPTER 14	
Systems of Reaction–Diffusion Equations	192
§A. Local Existence of Solutions	193
§B. Invariant Regions	198
§C. A Comparison Theorem	212
§D. Decay to Spatially Homogeneous Solutions	222
§E. A Lyapunov Function for Contracting Rectangles	227
§F. Applications to the Equations of Mathematical Ecology	230

PART III	
The Theory of Shock Waves	237
 CHAPTER 15	
Discontinuous Solutions of Conservation Laws	239
§A. Discontinuous Solutions	241
§B. Weak Solutions of Conservation Laws	246
§C. Evolutionary Systems	254
§D. The Shock Inequalities	259
§E. Irreversibility	261
 CHAPTER 16	
The Single Conservation Law	265
§A. Existence of an Entropy Solution	266
§B. Uniqueness of the Entropy Solution	281
§C. Asymptotic Behavior of the Entropy Solution	291
§D. The Riemann Problem for a Scalar Conservation Law	301
 CHAPTER 17	
The Riemann Problem for Systems of Conservation Laws	306
§A. The p -System	306
§B. Shocks and Simple Waves	320
§C. Solution of the General Riemann Problem	334
 CHAPTER 18	
Applications to Gas Dynamics	337
§A. The Shock Inequalities	338
§B. The Riemann Problem in Gas Dynamics	346
§C. Interaction of Shock Waves	358
 CHAPTER 19	
The Glimm Difference Scheme	368
§A. The Interaction Estimate	369
§B. The Difference Approximation	376
§C. Convergence	385
 CHAPTER 20	
Riemann Invariants, Entropy, and Uniqueness	391
§A. Riemann Invariants	392
§B. A Concept of Entropy	397
§C. Solutions with "Big" Data	403
§D. Instability of Rarefaction Shocks	414
§E. Oleinik's Uniqueness Theorem	416
 CHAPTER 21	
Quasi-Linear Parabolic Systems	426
§A. Gradient Systems	426
§B. Artificial Viscosity	431
§C. Isentropic Gas Dynamics	435

PART IV	
The Conley Index	445
CHAPTER 22	
The Conley Index	447
§A. An Impressionistic Overview	448
§B. Isolated Invariant Sets and Isolating Blocks	458
§C. The Homotopy Index	472
CHAPTER 23	
Index Pairs and the Continuation Theorem	478
§A. Morse Decompositions and Index Pairs	479
§B. The Conley Index of an Isolated Invariant Set	486
§C. Continuation	494
§D. Some Further Remarks	502
CHAPTER 24	
Travelling Waves	507
§A. The Structure of Weak Shock Waves	508
§B. The Structure of Magnetohydrodynamic Shock Waves	514
§C. Periodic Travelling Waves	521
§D. Stability of Steady-State Solutions	530
§E. Instability of Equilibrium Solutions of the Neumann Problem	542
§F. Appendix: A Criterion for Nondegeneracy	549
CHAPTER 25	
Recent Results	553
Section I. Reaction–Diffusion Equations	553
§A. Stability of the Fitz-Hugh–Nagumo Travelling Pulse	553
§B. Symmetry-Breaking	555
§C. A Bifurcation Theorem	559
§D. Equivariant Conley Index	563
§E. Application to Semilinear Elliptic Equations	566
Concluding Remarks	568
Section II. Theory of Shock Waves	569
§A. Compensated Compactness	569
§B. Stability of Shock Waves	576
§C. Miscellaneous Results	581
Section III. Conley Index Theory	583
§A. The Connection Index	583
§B. Conley's Connection Matrix	586
§C. Miscellaneous Results	590
Section IV. Stability of Travelling Waves—A Topological Approach	590
§A. Introduction	590
§B. The Search for $\sigma_p(L)$	592
§C. Applications to Fast–Slow Systems	598
References	603
Bibliography	607
Author Index	621
Subject Index	625