

Wireless Networks and Mobile Communications Series

FUTURE OF WIRELESS NETWORKS

Architectures, Protocols, and Services

Edited by

Mohesen Guizani · Hsiao-Hwa Chen · Chonggang Wang



CRC Press

Taylor & Francis Group

The Future of Wireless Networks

Architectures, Protocols, and Services

Edited by

Mohesen Guizani · Hsiao-Hwa Chen · Chonggang Wang



CRC Press is an imprint of the
Taylor & Francis Group, an **informa** business

CRC Press
Taylor & Francis Group
6000 Broken Sound Parkway NW, Suite 300
Boca Raton, FL 33487-2742

© 2016 by Taylor & Francis Group, LLC
CRC Press is an imprint of Taylor & Francis Group, an Informa business

No claim to original U.S. Government works

Printed on acid-free paper
Version Date: 20150804

International Standard Book Number-13: 978-1-4822-2094-0 (Hardback)

This book contains information obtained from authentic and highly regarded sources. Reasonable efforts have been made to publish reliable data and information, but the author and publisher cannot assume responsibility for the validity of all materials or the consequences of their use. The authors and publishers have attempted to trace the copyright holders of all material reproduced in this publication and apologize to copyright holders if permission to publish in this form has not been obtained. If any copyright material has not been acknowledged please write and let us know so we may rectify in any future reprint.

Except as permitted under U.S. Copyright Law, no part of this book may be reprinted, reproduced, transmitted, or utilized in any form by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying, microfilming, and recording, or in any information storage or retrieval system, without written permission from the publishers.

For permission to photocopy or use material electronically from this work, please access www.copyright.com (<http://www.copyright.com/>) or contact the Copyright Clearance Center, Inc. (CCC), 222 Rosewood Drive, Danvers, MA 01923, 978-750-8400. CCC is a not-for-profit organization that provides licenses and registration for a variety of users. For organizations that have been granted a photocopy license by the CCC, a separate system of payment has been arranged.

Trademark Notice: Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation without intent to infringe.

Visit the Taylor & Francis Web site at
<http://www.taylorandfrancis.com>

and the CRC Press Web site at
<http://www.crcpress.com>



Printed and bound in Great Britain by
TJ International Ltd, Padstow, Cornwall

The Future of Wireless Networks

Architectures, Protocols, and Services

WIRELESS NETWORKS AND MOBILE COMMUNICATIONS

Dr. Yan Zhang, Series Editor
Simula Research Laboratory, Norway
E-mail: yanzhang@ieee.org

Broadband Mobile Multimedia: Techniques and Applications

Yan Zhang, Shiwen Mao, Laurence T. Yang,
and Thomas M. Chen
ISBN: 978-1-4200-5184-1

Cognitive Radio Networks: Architectures, Protocols, and Standards

Yan Zhang, Jun Zheng, and Hsiao-Hwa Chen
ISBN: 978-1-4200-7775-9

Cooperative Wireless Communications

Yan Zhang, Hsiao-Hwa Chen,
and Mohsen Guizani
ISBN: 978-1-4200-6469-8

Delay Tolerant Networks: Protocols and Applications

Athanasios V. Vasilakos, Yan Zhang, and
Thrasyvoulos Spyropoulos
ISBN: 978-1-4200-1108-5

Distributed Antenna Systems: Open Architecture for Future Wireless Communications

Honglin Hu, Yan Zhang, and Jijun Luo
ISBN: 978-1-4200-4288-7

The Future of Wireless Networks: Architectures, Protocols, and Services

Mohsen Guizani, Hsiao-Hwa Chen,
and Chonggang Wang
ISBN: 978-1-4822-2094-0

Game Theory for Wireless Communications and Networking

Yan Zhang
ISBN: 978-1-4398-0889-4

The Internet of Things: From RFID to the Next-Generation Pervasive Networked Systems

Lu Yan, Yan Zhang, Laurence T. Yang,
and Huansheng Ning
ISBN: 978-1-4200-5281-7

Millimeter Wave Technology in Wireless PAN, LAN and MAN

Shao-Qiu Xiao, Ming-Tuo Zhou,
and Yan Zhang
ISBN: 978-0-8493-8227-7

Mobile WiMAX: Toward Broadband Wireless Metropolitan Area Networks

Yan Zhang and Hsiao-Hwa Chen
ISBN: 978-0-8493-2624-0

Orthogonal Frequency Division Multiple Access Fundamentals and Applications

Tao Jiang, Lingyang Song, and Yan Zhang
ISBN: 978-1-4200-8824-3

Physical Layer Security in Wireless Communications

Xiangyun Zhou, Lingyang Song, and Yan Zhang
ISBN: 978-1-4665-6700-9

Resource, Mobility, and Security Management in Wireless Networks and Mobile Communications

Yan Zhang, Honglin Hu, and Masayuki Fujise
ISBN: 978-0-8493-8036-5

RFID and Sensor Networks: Architectures, Protocols, Security and Integrations

Yan Zhang, Laurence T. Yang, and Jiming Chen
ISBN: 978-1-4200-7777-3

Security in RFID and Sensor Networks

Yan Zhang and Paris Kitsos
ISBN: 978-1-4200-6839-9

Security in Wireless Mesh Networks

Yan Zhang, Jun Zheng, and Honglin Hu
ISBN: 978-0-8493-8250-5

Unlicensed Mobile Access Technology: Protocols, Architectures, Security, Standards, and Applications

Yan Zhang, Laurence T. Yang, and Jianhua Ma
ISBN: 978-1-4200-5537-5

WiMAX Network Planning and Optimization

Yan Zhang
ISBN: 978-1-4200-6662-3

Wireless Ad Hoc Networking: Personal- Area, Local-Area, and the Sensory-Area Networks

Shih-Lin Wu, Yu-Chee Tseng, and Hsin-Chu
ISBN: 978-0-8493-9254-2

Wireless Mesh Networking: Architectures, Protocols, and Standards

Yan Zhang, Jijun Luo, and Honglin Hu
ISBN: 978-0-8493-7399-2

Wireless Quality-of-Service: Techniques, Standards, and Applications

Maode Ma, Mieso K. Denko, and Yan Zhang
ISBN: 978-1-4200-5130-8

Contents

List of Figures xiii

List of Tables xix

SECTION I: FUTURE WIRELESS NETWORK ARCHITECTURE **1**

1 Future Cellular Network Architecture **3**

Ying Li

1.1 Introduction 4

1.2 Today's Cellular Network Architecture 6

1.2.1 Radio Access Network (RAN) 6

1.2.2 Evolved Packet Core (EPC) 8

1.3 Future Radio Access Networks 9

1.3.1 UE's Heterogeneous Traffic to Heterogeneous eNBs 10

1.3.2 Cloud-RAN 12

1.3.3 Adaptive and Self-Organized RAN with Drop-and-Play Small Cells 14

1.4 Future Evolved Core Network 17

1.4.1 Mobile SDN 17

1.4.2 Network Virtualization in EPC 18

1.5 Conclusion 20

References 20

2 Advanced Technologies in Gigabit Wireless LANs: An In-Depth Overview of 802.11ac **23**

Michelle X. Gong, Eldad Perahia, Shiwen Mao, and Brian Hart

2.1 Introduction 24

2.2 802.11ac Channelization 27

2.3	802.11ac PHY Design	27
2.4	Channel Bonding and MAC Protection	28
2.4.1	Simulation Study	32
2.4.1.1	Evaluation of the MAC Protection Scheme	32
2.4.1.2	Comparison between Dynamic BW Operation and Static BW Operation	33
2.5	Downlink MU MIMO	35
2.5.1	802.11ac DL MU-MIMO	35
2.5.2	Performance Analysis	39
2.5.3	Simulation Study	41
2.6	Conclusion	43
	References	43
3	Future Wireless Sensor Networks for the Smart Grid	45
	<i>Irfan Al-Anbagi, Melike Erol-Kantarci, and Hussein T. Mouftah</i>	
3.1	Introduction	46
3.2	Background	48
3.3	The Analytical Model	51
3.3.1	Star Topology	52
3.3.1.1	Power Consumption	57
3.3.1.2	Reliability	57
3.3.1.3	End-to-End Delay	58
3.3.2	Cluster-Tree Topology	58
3.3.2.1	Contention-Based Cluster-Tree Model	58
3.3.2.2	Scheduling-Based Cluster-Tree Model	60
3.4	Priority and Delay-Aware Medium Access in WSNs	63
3.4.1	DRX and FDRX Schemes	64
3.5	Simulation and Analysis	65
3.5.1	Star Topology	66
3.5.2	Cluster-Tree Topology	68
3.5.2.1	Contention-Based Cluster-Tree	68
3.5.2.2	Scheduling-Based Cluster-Tree	69
3.5.3	DRX and FDRX Performance Evaluation	72
3.5.4	Case Study	81
3.6	Concluding Remarks	81
	References	82

SECTION II: PROTOCOLS AND ENABLING TECHNOLOGIES FOR FUTURE WIRELESS NETWORKS **87**

4	Cooperative Multiuser Networks	89
	<i>Zhiguo Ding, Kanapathippillai Cumanan, Bayan Sharif, and Gui Yun Tian</i>	
4.1	Introduction	90
4.1.1	Notation	91

4.1.2	Preliminaries	92
4.2	Single Source-Destination with Multiple Relays	92
4.2.1	Cooperative Protocols with Partial CSI	93
4.2.1.1	Opportunistic n -Relay Scheme with Type II CSI	95
4.2.1.2	Opportunistic Relay Scheme with Type III CSI	96
4.2.1.3	Opportunistic n -Relay Scheme with Type III CSI	96
4.2.1.4	Opportunistic m -Relay Scheme with Type III CSI	97
4.2.1.5	Opportunistic Relay Incremental Scheme with Type IV CSI	98
4.2.1.6	Opportunistic n -Relay Incremental Scheme with Type IV CSI	99
4.2.1.7	Opportunistic m -Relay Scheme with Type IV CSI	100
4.2.2	Cooperative Protocol with Full CSI	101
4.3	Cooperative Multiple Access Networks	105
4.3.1	Protocol Based on Sources Cooperation	105
4.3.2	A Relay-Assisted Cooperative Multiple Access Protocol	109
4.4	Cooperative Broadcast Networks	115
4.4.1	Cooperative Transmission Protocol without Direct S-D Links	115
4.4.1.1	An Alternative Scheme to Increase the Achievable Multiplexing Gain	118
4.4.2	Cooperative Transmission Protocol with Direct S-D Links	121
4.5	Network Coding for Cooperative Networks	125
4.5.1	Network Coding for Multiple Access Channels	125
4.5.2	Network Coding for Two-Way Relay Channels	129
4.5.2.1	Performance Analysis for the Receiver Reliability at the Mobile Users	133
4.5.2.2	Performance Analysis for the Receiver Reliability at the Base Station	134
4.6	Summary	137
	References	139

5 Base Station Joint Transmission with Limited Backhaul Data Transfer for Multicell Networks 143

Jian Zhao, Tony Q. S. Quek, and Zhongding Lei

5.1	Introduction	144
5.2	System Model and Problem Formulation	146
5.2.1	System Model	146
5.2.2	Problem Formulation	148
5.3	Reweighted ℓ_1 -Norm Minimization-Based Method	149
5.4	Iterative Link Removal-Based Method	152
5.4.1	ℓ_2 -Norm Relaxation of Joint Clustering and Beamforming	153
5.4.2	Iterative Link Removal	157
5.4.3	Implementation Issues	158
5.4.4	Complexity Analysis	159

5.5	Simulation Results	160
5.5.1	Convergence Behavior	160
5.5.2	Cellular Network Simulations	162
5.6	Conclusion	167
	References	169
6	Media Access Control Protocol in Wireless Networks	175
	<i>Yun Li and Bin Cao</i>	
6.1	IEEE 802.11 MAC Protocol	176
6.1.1	MAC Architecture	176
6.1.2	MAC Frame	176
6.1.3	DCF	178
6.2	IEEE 802.15 MAC Protocol	181
6.2.1	IEEE 802.15.4	181
6.2.2	IEEE 802.15.4 MAC Protocol	181
6.2.3	IEEE 802.15.6 MAC Protocol	183
6.3	IEEE 802.16 MAC Protocol	188
6.4	IEEE 802.22 MAC Protocol	191
6.4.1	Introduction to IEEE 802.22	191
6.4.2	IEEE 802.22 MAC Protocol	192
6.5	MAC Mechanisms in Literature	196
6.5.1	Relay/Cooperative MAC	196
6.5.2	Energy-Efficient MAC	197
6.5.3	Cognitive MAC	199
	References	200
7	Resource Allocation in Cognitive Radio Networks	205
	<i>Shaowei Wang</i>	
7.1	Introduction to Cognitive Radio Networks	206
7.1.1	Definition of Cognitive Radio	206
7.1.2	Advantages and Challenges of Cognitive Radio	206
7.2	Dynamic Resource Allocation in OFDM-Based CR Networks	209
7.2.1	Resource Allocation for Spectral Efficiency	209
7.2.2	General System Model of CR Networks	209
7.2.3	Problem 1: Resource Allocation for CR System with Single SU	211
7.2.4	Problem 2: Resource Allocation for Multiuser OFDM-Based Cognitive Radio Networks with Heterogeneous Services	214
7.2.4.1	Subchannel Allocation Scheme	216
7.2.4.2	Optimal Power Allocation	217
7.2.4.3	Efficient Approximations and Algorithms for Power Distribution	221
7.2.4.4	Simulation Results	224
7.2.5	Problem 3: Resource Allocation for Heterogeneous Cognitive Radio Networks with Imperfect Spectrum Sensing	228

7.2.5.1	Optimal Power Allocation Using Fast Barrier Method	230
7.2.5.2	Simulation Results	232
7.3	Conclusion	236
	References	237
8	Advanced Multicast Transmissions for Future Wireless Networks . .	241
	<i>Yiqing Zhou, Hang Liu, Lin Tian, and Jinling Shi and Zhengang Pan</i>	
8.1	Development of Multicast Services	242
8.2	Recent Advances in Multicast Transmission	244
8.2.1	Conventional Multicast	244
8.2.2	Multicast Broadcast Single-Frequency Network	246
8.2.3	Layered Multicast	247
8.2.4	Reliable Multicast Based on Digital Fountain Coding	250
8.2.5	Cooperative Multicast	251
8.3	Spectral and Energy-Efficient Cooperative Multicast	254
8.3.1	Optimized Two-Stage CM for High User Density	255
8.3.2	MR Arrangement Based on Sector Ring Structures	255
8.3.3	Relationship between $P_{BS,C}$ and $N(i)$	257
8.3.4	Numerical Search for Optimal $P_{BS,C}$	258
8.3.5	Theoretical Estimation	259
8.3.6	Performance Evaluation	260
8.3.7	Discussions and Future Work	264
	References	265
9	Mobility Management in Femtocell Networks	269
	<i>Mahmoud H. Qutut and Hossam S. Hassanein</i>	
9.1	Introduction	272
9.2	Femtocells	273
9.2.1	What Are Femtocells?	273
9.2.2	Brief History and Current Status	274
9.2.3	Comparison between Femtocells and Other Coverage Solutions	275
9.2.4	Benefits of Using FBSs for Users and Operators	276
9.2.5	Femtocell Network Architecture and Functionalities	277
9.2.6	Deployment Configurations	278
9.2.7	Femtocell Challenges and Open Issues	278
9.3	Mobility Management in Femtocell Networks	279
9.3.1	Mobility Management in WBNs	280
9.3.1.1	Location Management	280
9.3.1.2	Mobile Modes	280
9.3.1.3	Handoff Management	280
9.3.2	Femtocell Mobility Elements	282
9.3.2.1	Femtocells vs. Macro/Microcells	282
9.3.2.2	Finding Neighboring Femtocells	284

- 9.3.2.3 Distinguishing Accessible (CSG and Hybrid) Femtocells 284
- 9.3.2.4 Handling Allowed List 284
- 9.3.3 Access Control 285
- 9.3.4 Paging 285
- 9.3.5 Idle Mode, Cell Selection, and Cell Reselection 286
- 9.3.6 Connected Mode and Handoff 286
- 9.3.7 Mobility Management Issues 287
- 9.4 Related Work 289
 - 9.4.1 Mobility Management Techniques 289
 - 9.4.2 Evaluation Criteria 289
 - 9.4.3 Proposed Mobility Management Schemes 290
 - 9.4.3.1 Handoff Schemes 290
 - 9.4.3.2 Scanning and Selection Schemes 297
 - 9.4.3.3 Reselection Schemes 298
- 9.5 Conclusion and Open Issues 299
- References 300

SECTION III: SERVICES AND APPLICATION IN FUTURE WIRELESS NETWORKS 305

- 10 Multimedia Streaming over Mobile Networks 307**

Lin Xing, Wei Wang, Sunho Lim, Onyeka Ezenwoye, and Kun Hua

 - 10.1 Introduction 308
 - 10.2 Problem Statement 312
 - 10.3 Coordinative Multisource Distortion Analysis 313
 - 10.4 Quality-Driven Coordinative Multisource Selection 314
 - 10.5 Channel Coding Resource Allocation 315
 - 10.6 Revised Algorithm with Reduced Complexity 316
 - 10.7 Simulation Study, Numerical Results, and Discussion 317
 - 10.8 Summary 323
 - References 324
- 11 SNS-Based Mobile Traffic Offloading by Opportunistic Device-to-Device Sharing 327**

Xiaofei Wang and Victor C. M. Leung

 - 11.1 Introduction 328
 - 11.2 Related Work 331
 - 11.2.1 Opportunistic Sharing in DTNs/MSNs 331
 - 11.2.2 Mobile Traffic Offloading 333
 - 11.2.3 Information/Content Spreading in SNSs 334
 - 11.3 Details of TOSS Framework 335
 - 11.3.1 Preliminaries 335
 - 11.3.2 Mobility Impact in the Offline MSN 337
 - 11.3.3 Spreading Impact in the Online SNS 339

11.3.4	Access Delays of Users	340
11.4	System Optimization	341
11.5	Trace-Driven Measurements	342
11.5.1	Measurement of Mobility Impact, I^M	343
11.5.2	Measurement of Spreading Impact, I^S	343
11.5.3	Measurement of Access Delay, $A_i(t)$	344
11.6	Performance Evaluation	345
11.6.1	Mapping Schemes of Online SNSs and Offline MSNs	345
11.6.2	Initial Pushing Strategies	347
11.6.3	Satisfying 100, 90, and 80% of Users	348
11.6.4	On-Demand Delivery	350
11.7	Discussion of Practical Deployment	351
11.8	Conclusion	352
	References	352
12	Wireless Security	361
	<i>Juan Chen and Xiaojiang Du</i>	
12.1	Introduction	362
12.2	Security in 4G Wireless System	364
12.2.1	Security Objectives, Requirements, and Challenges	364
12.2.2	Security Systems	365
12.2.2.1	Wi-Fi Security	365
12.2.2.2	WiMAX Security	367
12.2.2.3	3GPP LTE Security	373
12.2.3	Possible Threats on 4G	376
12.3	Security in Ad Hoc Networks	377
12.3.1	Vulnerabilities of the Ad Hoc Networks	377
12.3.2	Security Requirements to Ad Hoc Networks	377
12.3.3	Attacks to Ad Hoc Networks	378
12.3.3.1	Passive Attacks	378
12.3.3.2	Active Attacks	379
12.3.4	Security Solutions to Ad Hoc Networks	382
12.3.4.1	Prevention	382
12.3.4.2	Detection and Reaction	383
12.3.5	Challenges in Ad Hoc Networks	386
12.4	Security in Wireless Sensor Networks	387
12.4.1	Privacy Preservation in WSNs	387
12.4.1.1	Data Oriented	387
12.4.1.2	Context Oriented	390
12.4.2	Security in Unattended Wireless Sensor Networks	394
12.4.2.1	Curious Attackers	394
12.4.2.2	Search-and-Erase Attackers	395
12.4.2.3	Search-and-Replace Attackers	395
12.4.3	Security in Underwater Wireless Networks	396
12.4.3.1	Vulnerabilities and Attacks in UWNs	396

12.4.3.2	Security Techniques	397
12.4.3.3	Open Questions	397
12.4.4	Security in Wireless Multimedia Sensor Networks	400
12.4.4.1	Security Challenges in WMSNs	400
12.4.4.2	Privacy in WMSNs	402
12.4.4.3	Authentication in WMSNs	403
12.4.4.4	Secure Node Localization in WMSNs	403
12.4.4.5	Trust Management in WMSNs	403
12.4.4.6	Security in Data Aggregation for WMSNs	404
12.4.4.7	Security Challenges for Future WMSNs	404
12.5	Conclusion	405
	References	405
13	Content Dissemination and Security in Device-to-Device (D2D)	
	Communication	411
	<i>Aiqing Zhang, Jianxin Chen, and Liang Zhou</i>	
13.1	Introduction	412
13.2	D2D Communication Technical Specifications	413
13.2.1	Network Architecture	413
13.2.2	Key Technologies of D2D Communication	414
13.3	Content Dissemination	416
13.3.1	System Architecture of Content Dissemination	416
13.3.2	Content Dissemination Strategies	417
13.3.3	Challenges and Open Issues	418
13.4	Security in D2D Communication	419
13.4.1	Threat Models	419
13.4.2	Security Requirements	420
13.4.3	Security Solutions	421
13.4.4	Challenges and Open Issues	424
13.5	Conclusions	425
	References	425
Index		431

List of Figures

1.1	An overview of today's cellular network architecture.	7
1.2	An exemplary dual-connectivity scenario.	11
1.3	An exemplary C-RAN architecture.	13
1.4	An exemplary C-RAN evolution.	14
1.5	An exemplary architecture for drop-and-play deployment.	16
1.6	An exemplary architecture for MobiSDN.	18
1.7	An exemplary virtualization in MobiSDN.	19
2.1	Major features defined in 802.11ac.	25
2.2	802.11 historical PHY data rates.	26
2.3	Channelization for 802.11ac.	27
2.4	Channel bonding and PIFS medium access rule.	29
2.5	An interference scenario.	30
2.6	MAC protection for dynamic bandwidth operation.	30
2.7	Operation of the 802.11a scrambler.	31
2.8	Scrambling operation performed by the modified scrambler.	32
2.9	A hidden node scenario (simulation scenario 1).	33
2.10	Per BSS throughput (existing scheme vs. the adopted scheme).	34
2.11	One 80 MHz BSS and two 40 MHz BSSs, no hidden node (simulation scenario 2).	34
2.12	Per BSS throughput for scenario 2 (dynamic BW vs. static BW).	35
2.13	Example of downlink multiuser MIMO.	36
2.14	DL MU-MIMO response mechanism.	39
2.15	Saturation throughput S vs. number of contending devices n (optimal EDCA parameters).	41
2.16	Saturation throughput S vs. number of contending devices n (bidirectional traffic).	42
3.1	Substation monitoring via cluster-tree WSN.	47

3.2	RSM transmission retry model.	54
3.3	Modeling the MAC idle state.	57
3.4	Proposed cluster-tree topology.	60
3.5	Proposed SF structure.	62
3.6	End-to-end delay in a star topology.	67
3.7	Reliability in a star topology.	67
3.8	Total power consumption in a star topology.	68
3.9	End-to-end delay in a contention-based cluster-tree topology.	68
3.10	End-to-end reliability in a contention-based cluster-tree topology.	69
3.11	Total power consumption in a contention-based cluster-tree topology.	70
3.12	End-to-end delay in a cluster-tree topology for different MAC buffer sizes.	70
3.13	End-to-end reliability in a scheduling-based cluster-tree topology.	71
3.14	Power consumption in a scheduling-based cluster-tree topology.	71
3.15	End-to-end delay for low packet arrival rates.	72
3.16	Average end-to-end delay of DRX and FDRX.	73
3.17	Packet delivery ratio of DRX and FDRX.	74
3.18	Effect of the CCA symbol duration on the average end-to-end delay.	75
3.19	Effect of α_y on the average end-to-end delay.	75
3.20	Effect of α_y on the packet delivery ratio.	76
3.21	Energy consumption of DRX and FDRX.	77
3.22	Effect of α_y on the energy consumed.	77
3.23	Packets lost due to collision in DRX using carrier sensing with energy detection.	78
3.24	Packets lost due to collision in DRX using energy detection method.	78
3.25	Packets lost due to collision in FDRX using energy detection method.	79
3.26	Packets lost due to collision in FDRX using carrier sensing with energy detection method.	79
4.1	A relay network consists of a single source-destination pair with multiple relays.	93
4.2	The sub-time slot assignment for the time slot 1.	93
4.3	The outage probability vs. SNR.	102
4.4	The outage probability of the relaying scheme with type II CSI vs. SNR.	103
4.5	The outage probability of the relaying scheme with type III CSI vs. SNR.	103
4.6	The outage probability vs. SNR.	104
4.7	The outage probability vs. SNR.	105
4.8	A multiple access network with source cooperation.	106
4.9	The multiplexing-diversity trade-off for the superposition (SP) and selection cooperative schemes and noncooperative scheme.	108
4.10	The outage probability for the superposition (SP) and selection cooperative schemes and noncooperative scheme.	109
4.11	A relay-assisted multiple access network.	110

4.12	The outage probability for the proposed scheme, the superposition cooperative scheme [1, 12], and a noncooperative scheme.	114
4.13	The outage probability for the proposed CMA scheme with different choices of the relay numbers L	114
4.14	A relay-assisted broadcast network without the direct source-destination links.	116
4.15	The diversity-multiplexing trade-off achieved by the proposed broadcast transmission protocols and the comparable schemes. It is assumed that there is no direct link between the source and destination nodes. The numbers of qualified relays and destination nodes are $K = 8$ and $M = 2$	120
4.16	A relay-assisted broadcast network with direct source-destination links.	121
4.17	The outage probability achieved by the proposed broadcast transmission protocols and the comparable schemes vs. SNR. It is assumed that the destination nodes can hear the source directly. The numbers of relays and destination nodes are $L = 4$ and $M = 2$. The targeted data rate is $R = 3$ BPCU.	124
4.18	The diversity-multiplexing trade-off achieved by the proposed broadcast transmission protocols and the comparable schemes. It is assumed that the destination nodes can hear the source directly. The number of relays is $L = 12$	125
4.19	A relay-assisted multiple access network with direct source-destination links.	126
4.20	Outage probability vs. SNR. The data rate is set as $R = 4$ bits/Hz/s. The number of relays is $L = 2$	129
4.21	A two-way relay network where base station and relay consist of multiple antennas and each user is equipped with a single antenna.	130
4.22	Outage probability vs. the signal-to-noise ratio. The target data rate for all users is $R = 1$ bit per channel use (BPCU). The base station and the relay have M antennas, and each of the M users has a single antenna.	136
4.23	Outage probability vs. the signal-to-noise ratio. The number of users is M . The base station and the relay have $M = 3$ antennas. Each of the M users has a single antenna.	137
4.24	Ergodic capacity vs. the signal-to-noise ratio. The number of users is M . The base station and the relay have $M = 3$ antennas.	138
4.25	The outage probability achieved by the proposed broadcast transmission protocols and the comparable schemes vs. SNR. It is assumed that there is no direct link between the source and destination nodes.	138
5.1	CoMP downlink transmission scenario.	147
5.2	Convergence behavior for the reweighted ℓ_1 -norm minimization-based method, $B = K = 5$. $M = 3$ antennas at each BS, the SINR requirement $\gamma_i = 6.02$ dB, $\forall i \in \{1, \dots, K\}$	160

5.3	Number of subgradient updates for dual noise $\{v_j\}$ in each iteration for the iterative link removal-based method, $B = K = 5$. $M = 3$ antennas at each BS, the SINR requirement $\gamma_i = 6.02$ dB, $\forall i \in \{1, \dots, K\}$. The stopping term $\varepsilon = 10^{-4}$	161
5.4	Cellular network simulation scenario.	162
5.5	Simulation results for $B = 3$ BSs, $K = 6$ MSs, SINR requirement $\gamma = 10.3$ dB, where $\gamma_i = \gamma$, $\forall i \in \{1, \dots, K\}$. Number of antennas M at each BS changes.	164
5.6	Sum transmission power (in 0.1 W unit) for $B = 3$ BSs, $K = 6$ MSs, SINR requirement $\gamma = 10.3$ dB, where $\gamma_i = \gamma$, $\forall i \in \{1, \dots, K\}$. Number of antennas M at each BS changes.	165
5.7	Simulation results for $B = 3$ BSs, $M = 4$ antennas per BS, SINR requirement $\gamma = 10.3$ dB. Number of users K changes.	166
5.8	Sum transmission power (in 0.1 W unit) for $B = 3$ BSs, $M = 4$ antennas per BS, SINR requirement $\gamma = 10.3$ dB. Number of users K changes.	167
5.9	Simulation results for $B = 3$ BSs, $K = 4$ MSs, $M = 4$ antennas per BS. SINR requirement γ at each MS changes.	168
5.10	Sum transmission power (in 0.1 W unit) for $B = 3$ BSs, $K = 4$ MSs, $M = 4$ antennas per BS. SINR requirement γ at each MS changes.	169
6.1	IEEE 802.11 MAC mechanism architecture.	177
6.2	Standard IEEE 802.11 frame format.	177
6.3	Binary exponential backoff scheme.	179
6.4	Example of basic access mechanism.	179
6.5	RTS/CTS access mechanism.	180
6.6	Star and peer-to-peer networks.	183
6.7	A superframe structure in 802.15.4.	184
6.8	IEEE 802.15.6 MAC frame format.	185
6.9	IEEE 802.15.6 communication modes.	186
6.10	CSMA/CA procedure in IEEE 802.15.6 standard.	187
6.11	IEEE 802.16 reference model.	189
6.12	802.22 wireless RAN classification compared to other popular wireless standards.	194
6.13	Superframe and frame structure.	195
6.14	A relay/cooperative communication example.	196
6.15	Data transmission in DCMAC.	197
6.16	Periodic listen and sleep.	198
6.17	An example for cognitive MAC.	200
7.1	System model: Coexistence of primary and secondary users.	210
7.2	Average number of bits per OFDM symbol of NRT SUs as a function of the transmission power. $R_{k,min} = 20$ bits/symbol, $N = 64$, $K = 4$, $K_1 = 2$, $L = 2$	225