

VITAMINS AND HORMONES

ADVANCES IN RESEARCH AND APPLICATIONS

Edited by

ROBERT S. HARRIS
*Massachusetts Institute of Technology
Cambridge, Massachusetts*

DWIGHT J. INGLE
*The University of Chicago
Chicago, Illinois*

Consulting Editors

G. F. MARRIAN
*The Imperial Cancer Research
Fund Laboratories
London, England*

KENNETH V. THIMANN
*Harvard University
Cambridge, Massachusetts*

Assistant Editor

IRA G. WOOL
*The University of Chicago
Chicago, Illinois*

Volume 18
1960

ACADEMIC PRESS, New York and London

Copyright ©, 1960, by Academic Press Inc.

ALL RIGHTS RESERVED

NO PART OF THIS BOOK MAY BE REPRODUCED IN ANY FORM,
BY PHOTOSTAT, MICROFILM, OR ANY OTHER MEANS,
WITHOUT WRITTEN PERMISSION FROM THE PUBLISHERS.

ACADEMIC PRESS INC.

111 FIFTH AVENUE

NEW YORK 3, N. Y.

United Kingdom Edition published by
ACADEMIC PRESS INC. (LONDON) LTD.
17 OLD QUEEN STREET, LONDON S. W. 1

Library of Congress Catalog Card Number: 43:10535

PRINTED IN THE UNITED STATES OF AMERICA

Contributors to Volume 18

- JOHN E. DOWLING, *The Biological Laboratories of Harvard University, Cambridge, Massachusetts*
- J. GANGULY, *Department of Biochemistry, Indian Institute of Science, Bangalore, India*
- URS GLOOR, *Department of Vitamin and Nutritional Research, F. Hoffmann-La Roche & Co. Ltd., Basle, Switzerland*
- J. GLOVER, *Biochemistry Department, University of Liverpool, Liverpool, England*
- BERNARD S. GOULD, *Division of Biochemistry, Department of Biology, Massachusetts Institute of Technology, Cambridge, Massachusetts*
- PHILIP L. HARRIS, *Distillation Products Industries, Division of Eastman Kodak Company, Rochester, New York*
- OTTO ISLER, *Research Laboratories, F. Hoffmann-La Roche & Co. Ltd., Basle, Switzerland*
- B. CONNOR JOHNSON, *Department of Animal Science, University of Illinois, Urbana, Illinois*
- P. KARRER, *Organisch-chemisches Institut der Universität Zürich, Zürich, Switzerland*
- MAX KOFLER, *Research Department of F. Hoffmann-La Roche & Co. Ltd., Basle, Switzerland*
- WILLARD A. KREHL, *Department of Internal Medicine, Marquette University School of Medicine, Milwaukee, Wisconsin*
- JOSEPH MEITES, *Department of Physiology and Pharmacology, Michigan State University, East Lansing, Michigan*
- THOMAS MOORE, *Dunn Nutritional Laboratory, University of Cambridge and Medical Research Council, Cambridge, England*
- R. A. MORTON, *Biochemistry Department, The University of Liverpool, Liverpool, England*
- ALVIN NASON, *McCollum-Pratt Institute, The Johns Hopkins University, Baltimore, Maryland*
- MARJORIE M. NELSON, *Department of Anatomy, School of Medicine, University of California, San Francisco, California*

- SHERWOOD M. REICHARD, *McCollum-Pratt Institute, The Johns Hopkins University, Baltimore, Maryland**
- SAUL H. RUBIN, *Research Department of F. Hoffmann-La Roche & Co. Inc., Nutley, New Jersey*
- RUDOLF RÜEGG, *Research Laboratories, F. Hoffmann-La Roche & Co. Ltd., Basle, Switzerland*
- BRADLEY T. SCHEER, *Department of Biology, University of Oregon, Eugene, Oregon*
- ULRICH SCHWIETER, *Research Laboratories, F. Hoffmann-La Roche & Co. Ltd., Basle, Switzerland*
- ROBERT SCHWYZER, *Pharmaceutical Department, CIBA Ltd., Basle, and Department of Organic Chemistry, University of Zürich, Zürich, Switzerland*
- THÉRÈSE TERROINE, *Laboratoire de Biochimie de la Nutrition du Centre National de la Recherche Scientifique, Bellevue (Seine et Oise), France*
- H. TURRIAN, *Biological Department, CIBA Ltd., Basle, Switzerland*
- FRANK D. VASINGTON, *McCollum-Pratt Institute, The Johns Hopkins University, Baltimore, Maryland***
- GEORGE WALD, *The Biological Laboratories of Harvard University, Cambridge, Massachusetts*
- OSWALD WISS, *Department of Vitamin and Nutritional Research, F. Hoffmann-La Roche & Co. Ltd., Basle, Switzerland*
- GEORGE WOLF, *Radiocarbon Laboratory, University of Illinois, Urbana, Illinois*
- JOSEF WÜRSCH, *Research Laboratories, F. Hoffmann-La Roche & Co. Ltd., Basle, Switzerland*

* Present address: Division of Physiology, The Florida State University, Tallahassee, Florida.

** Present address: Department of Physiological Chemistry, School of Medicine, The Johns Hopkins University, Baltimore, Maryland.

Preface

The Editors take pleasure in presenting this eighteenth volume of *Vitamins and Hormones*.

An unusual departure from previous policy is the inclusion of the papers delivered at the Symposium on Vitamin A and Metabolism, held in honor of Professor P. Karrer at Bürgenstock, Switzerland, on May 23, 24, and 25, 1960. This does not represent a permanent change in editorial policy, although it is not impossible that it might be repeated if another symposium so specifically in our field of interest and of equal breadth and importance were to take place. Rather it should be considered as an experiment, on the results of which future policy may depend. The editors would be pleased to receive readers' comments upon it. It had been hoped that this symposium could be published within a few months of its occurrence by including it herewith without delaying the appearance of the volume. We regret that this has proved impossible.

Volume 18 contains four chapters on vitamins and three on hormones, in addition to those in the Vitamin A Symposium. All of these chapters are critical reviews in which completeness of coverage has not been allowed to swamp that personal approach which makes a chapter readable. We feel that they are important contributions to understanding in this field.

In his remarks (p. 571) at the close of the Vitamin A Symposium, Professor Karrer quotes Goethe as saying: "Science is a great musical fugue, in which the voice of every nation finds its expression," and goes on to ask "Is there anything better than these free discussions from country to country, from continent to continent, which do not serve to subject humanity nor impose power, but which are aimed at unveiling the secrets of nature and extending our understanding of the universe?" These thoughts are, it seems to us, particularly appropriate for *Vitamins and Hormones*, since this publication is international in authorship, supranational in subject matter and world-wide in distribution.

The Editors wish to express warm appreciation to the 29 authors from five countries who have contributed to Volume 18. It is our eager hope that they will feel a deep satisfaction in having performed this important service for their colleagues.

ROBERT S. HARRIS
DWIGHT J. INGLE

December 1960

Contents

CONTRIBUTORS TO VOLUME 18.....	v
EDITORS' PREFACE.....	vii

Physiology and Biochemistry of Biotin

THERÈSE TERROINE

I. Introduction.....	1
II. The Metabolic Activities of Biotin.....	2
III. Biotin and Endocrine Glands.....	28
IV. Biotin and the Nervous System.....	31
V. Biotin and the Cutaneous System.....	32
VI. Vitamin Interrelationships of Biotin.....	33
VII. Conclusion.....	36
References.....	37

Biochemistry of Vitamin E

FRANK D. VASINGTON, SHERWOOD M. REICHARD, AND ALVIN NASON

I. Introduction.....	43
II. Chemistry and Metabolism of Vitamin E.....	45
III. Biological Function of Vitamin E.....	50
IV. Other Possibly Related Factors.....	75
V. Concluding Remarks.....	80
References.....	81

Ascorbic Acid and Collagen Fiber Formation

BERNARD S. GOULD

I. Introduction.....	89
II. Early Theories.....	91
III. Influence of Ascorbic Acid on Collagen-forming Cells.....	92
IV. Collagen: General Characteristics.....	93
V. Site of Collagen Fiber Formation.....	95
VI. Phosphatase and Collagen Formation.....	97
VII. Possible Accumulation of Collagen Precursor in Ascorbic Acid Deficiency.....	99
VIII. Direct Interaction of Ascorbic Acid in Collagen Formation.....	103
IX. Role of Ascorbic Acid in the Maintenance of Collagen.....	106
X. Ascorbic Acid, the Ground Substance, and Fibrogenesis.....	109
XI. The Role of Hyaluronidase in Collagen Formation.....	113
XII. Possible Interaction of Adrenal Hormones and Ascorbic Acid in Collagen Formation.....	114
XIII. Summary.....	115
References.....	116

Nutritional Factors and Skin Diseases

WILLARD A. KREHL

I. Introduction.....	121
II. Proteins and Amino Acids.....	123
III. Lipids.....	125
IV. Obesity and Skin Diseases.....	126
V. Vitamins—Facts and Fancy.....	126
VI. Fat-soluble Vitamins.....	127
VII. Ascorbic Acid.....	128
VIII. Vitamin B Complex Deficiencies.....	129
IX. Side Effects of Vitamin Therapy.....	133
X. Minerals and Trace Elements.....	133
XI. Diet and Dermatological Problems.....	135
XII. Summary.....	137
References.....	138

The Neuroendocrine System of Arthropods

BRADLEY T. SCHEER

I. Introduction.....	141
II. Morphology of the Neuroendocrine System.....	142
III. Physiology of the Neuroendocrine System.....	153
IV. Assay and Purification of Arthropod Hormones.....	190
V. General Summary and Conclusions.....	194
References.....	195

Effects of Hormonal Imbalances on Dietary Requirements

JOSEPH MEITES AND MARJORIE M. NELSON

I. Introduction.....	205
II. Growth Hormone.....	206
III. Thyroid.....	210
IV. Adrenal Cortex.....	215
V. Gonadal Hormones.....	223
VI. General Summary.....	229
References.....	230

The Chemistry and Pharmacology of Angiotensin

ROBERT SCHWYZER AND H. TURRIAN

I. Survey.....	237
II. Angiotensinogen.....	242
III. Renin.....	249
IV. Angiotensin.....	251
V. Synthetic Analogs of Angiotensin.....	274
VI. Pharmacology of Angiotensin (by H. Turrian).....	279
References.....	284

Symposium on Vitamin A and Metabolism in Honor of Professor P. Karrer

Opening Remarks

P. KARRER

Text begins.....	291
------------------	-----

The Synthesis and Labeling of Vitamin A and Related Compounds

OTTO ISLER, RUDOLF RÜEGG, ULRICH SCHWIETER, AND JOSEF WÜRSCH

I. Introduction.....	295
II. Vitamin A Stereoisomers.....	297
III. Syntheses of Vitamin A.....	298
IV. Syntheses of Vitamin A ₂	306
V. Provitamin A Compounds.....	310
VI. Concluding Remarks.....	311
References.....	312

Physicochemical Assay of Vitamin A and Related Compounds

MAX KOFLER AND SAUL H. RUBIN

I. Introduction.....	315
II. Determination of All- <i>trans</i> -Vitamin A.....	316
III. Determination of <i>cis-trans</i> Isomers of Vitamin A.....	321
IV. The Determination of Derivatives of Vitamin A and of Related Compounds.....	333
References.....	338

Bioassay of Vitamin A Compounds

PHILIP L. HARRIS

I. Introduction.....	341
II. History.....	342
III. Methods.....	345
IV. Factors Influencing Bioassay Response.....	360
V. Conclusions.....	366
References.....	367

The Conversion of β -Carotene into Vitamin A

J. GLOVER

I. Introduction.....	371
II. Efficiency of the Conversion.....	372
III. Metabolism of Hypothetical Intermediates.....	376
IV. Alternative Scheme.....	383
References.....	385

Absorption, Transport, and Storage of Vitamin A

J. GANGULY

I. Introduction.....	387
II. Absorption from the Intestine.....	388
III. Transport.....	390
IV. Storage in the Liver.....	392
V. Lipoproteins in Transport and Storage of Vitamin A.....	397
VI. Concluding Remarks.....	399
References.....	400

Metabolic Transformations of Vitamin A

GEORGE WOLF AND B. CONNOR JOHNSON

I. Introduction.....	403
II. Active Derivatives of Vitamin A.....	403
III. Degradative Metabolism of Vitamin A.....	406
IV. Conclusions.....	414
References.....	414

The Visual Functions of the Vitamins A

GEORGE WALD

Text.....	417
References.....	429

Vitamin A and Proteins

THOMAS MOORE

I. Introduction.....	431
II. The Effect of the Adequacy of the Protein Intake on the Vitamin A Status.....	432
III. The Effect of Liberal Doses of Vitamin A on Resistance to Protein Deficiency.....	433
IV. Conclusions.....	436
References.....	437

Vitamin A and Mucopolysaccharide Biosynthesis

GEORGE WOLF AND B. CONNOR JOHNSON

I. Introduction.....	439
II. <i>In Vivo</i> Observations.....	440
III. Observations on Tissue Culture.....	442
IV. <i>In Vitro</i> Observations.....	443
V. Conclusions.....	454
References.....	454

The Function of Vitamin A in Carbohydrate Metabolism; Its Role in Adrenocorticoid Production

B. CONNOR JOHNSON AND GEORGE WOLF

I. Introduction.....	457
II. Vitamin A and Glycogen Synthesis.....	459
III. Vitamin A and Adrenoglucocorticoid Production.....	469
IV. Conclusions (Summary).....	482
References.....	482

Vitamin A and Lipid Metabolism

OSWALD WISS AND URS GLOOR

I. Introduction.....	485
II. The Ubiquinones (Coenzymes Q).....	485
III. Biosynthesis of Ubiquinones by Rat.....	486
IV. The Influence of Vitamin A Deficiency on Cholesterol, Ubiquinone, and Squalene Biosynthesis in the Rat.....	491
V. Ubichromenol.....	494
VI. Discussion.....	495
VII. Summary.....	496
References.....	497

The Pathology of Vitamin A Deficiency

THOMAS MOORE

I. Introduction.....	499
II. Experimental Vitamin A Deficiency.....	501
III. Vitamin A Deficiency in Animal Husbandry.....	504
IV. Clinical Vitamin A Deficiency in the Human Subject.....	507
V. Conclusion.....	511
References.....	512

The Role of Vitamin A Acid

JOHN E. DOWLING AND GEORGE WALD

I. Introduction.....	515
II. Methods.....	517
III. A Typical Experiment.....	517
IV. Growth and Maintenance.....	520
V. Storage and Depletion of Vitamin A.....	521
VI. Night Blindness.....	523
VII. Anatomical Changes.....	528
VIII. Recovery.....	530
IX. Discussion and Conclusions.....	536
X. Summary.....	540
References.....	540

Summary Discussion

R. A. MORTON

I. Introduction.....	543
II. A Backward Glance.....	544
III. Transport of Vitamin A.....	550
IV. Vitamin A Deficiency in the Rat and Its Relation to Ubiquinone and Ubichromenol.....	551
V. The Deficiency Syndrome.....	552
VI. Vitamin A and Pregnancy.....	554
VII. Visual Pigments.....	558
VIII. Vitamin A Acid, Vitamin A ₂ and Kitol.....	560
IX. Hypervitaminosis A Induced by Vitamin A Acid.....	561
X. Hypervitaminosis A in Humans Induced by Vitamin A Alcohol.....	562
XI. Vitamin A Aldehyde (in Combined Form) in Eggs.....	563
XII. Modes of Action.....	565
References.....	567

Excerpts from the Concluding Remarks

P. KARRER

Text.....	571
AUTHOR INDEX.....	573
SUBJECT INDEX.....	599

Physiology and Biochemistry of Biotin

THÉRÈSE TERROINE

*Laboratoire de Biochimie de la Nutrition du Centre National
de la Recherche Scientifique, Bellevue (Seine et Oise), France*

	Page
I. Introduction.....	1
II. The Metabolic Activities of Biotin.....	2
1. Carbohydrate Metabolism.....	2
2. Lipid Metabolism.....	8
3. Cholesterol Metabolism.....	15
4. Protein Metabolism.....	16
5. Nucleic Metabolism.....	25
6. Potassium Metabolism.....	27
III. Biotin and Endocrine Glands.....	28
1. Thyroid and Adrenals.....	28
2. Genital Tract and Reproduction.....	28
IV. Biotin and the Nervous System.....	31
V. Biotin and the Cutaneous System.....	32
1. Skin.....	32
2. Hair.....	33
VI. Vitamin Interrelationships of Biotin.....	33
1. Biotin-Pyridoxine Relationship.....	33
2. Biotin-Riboflavin Relationship.....	34
3. Biotin-Thiamine Relationship.....	34
4. Biotin-Pantothenic Acid Relationship.....	34
5. Biotin-Folic Acid Relationship.....	34
6. Biotin-Ascorbic Acid Relationship.....	34
VII. Conclusion.....	36
References.....	37

I. INTRODUCTION

The aim of this chapter is to discuss the principal characteristics of the physiology and biochemistry of biotin. We have considered not only new data which have appeared since the review by Lichstein (1951), but also recalled earlier facts which did not come within the compass of that author's review.

The present work is not complete. In particular, we have not considered the problems of the specificity of action of biotin, the role of biotin in resistance to infectious diseases, and the improbable connection between

biotin and cancer. These questions have been dealt with in detail by György (1954).

In considering the metabolic activities of biotin, a parallel has been established, whenever possible, between the participation of the vitamin in microbial metabolism and in animal metabolism. In this way it is possible to show clearly the universal or limited ability of biotin to participate in certain metabolic operations, to demonstrate the common or separate processes by which biotin intervenes in these operations in microorganisms and in animals, and to point out the gaps relative to the possible implication of biotin in these two metabolisms.

Certain other aspects of the action of biotin come solely within the compass of animal physiology, e.g. the problems of the relationship between biotin and the endocrine glands, the nervous system and the skin. Although they are of limited bearing, it is essential to understand these relationships in order to be able to define the properties of biotin.

II. THE METABOLIC ACTIVITIES OF BIOTIN

1. Carbohydrate Metabolism

Biotin takes part in the following reactions: (1) the Wood-Werkman reaction proceeding to the reversible conversion of pyruvic acid to oxalacetic acid and vice versa; (2) conversion of malic acid to pyruvic acid in the presence of malic enzyme; (3) interconversion of succinic acid and propionic acid; (4) conversion of oxalosuccinic acid to α -ketoglutaric acid; (5) different enzymatic reactions of dehydrogenation, such as that of succinic acid. For the sake of clarity these reactions have been grouped with carbohydrate metabolism, but it is obvious that several of them have a much wider implication and participate in the intermediate metabolism of ternary chains in general.

The first four reactions are carboxylation and decarboxylation reactions. This fact is of prime importance. Indeed, while certain biochemical actions of biotin are still obscure, it seems incontestable that this vitamin participates in many carboxylation and decarboxylation reactions not only in carbohydrate metabolism, but also, as will be seen, in lipid, protein and nucleic acid metabolism.

For some of the above five reactions, the participation of biotin has been demonstrated until now only in microorganisms; for others, the vitamin plays a general role, since it has also been recognized in the tissues of mammals and birds. Among the latter reactions, that of Wood-Werkman is of fundamental importance. By its participation in this reaction, biotin—along with thiamine, riboflavin, niacinamide, and pantothenic acid—plays an indispensable role in the oxidation cycle of the ter-

nary chains. This role is specifically to provide the oxalacetic acid for this cycle.

The participation of biotin in the reactions of carbohydrate metabolism enumerated above has been thoroughly discussed by Lichstein (1951). We mention here only the new facts, indeed few in number, which have appeared since 1951.

a. Probable Coenzyme Nature of Biotin in Oxalacetate Decarboxylase. It seems probable that biotin participates as a coferment in the five reactions mentioned above. But this presumption will be established only with the isolation of biotin from absolutely pure enzymes. The only research carried out in this field has been concerned with the Wood-Werkman reaction. Lichstein (1955, 1957) succeeded in establishing a very significant correlation between the degree of purity of oxalacetate decarboxylase extracted from the liver of the chick, and the quantity of biotin which is freed by hydrolysis. The purest enzyme preparation contains 3 μg . biotin per milligram protein, which represents approximately 1 mole biotin per 10^8 g. of protein (Lichstein, 1957). However Lichstein's own opinion is that these results are only indicative and that the purification and analysis of the constitution of oxalacetate decarboxylase must be carried out before it can be stated definitely that biotin is its coenzyme.

b. Interconversion of Succinic Acid to Propionic Acid. i. Conversion of propionic acid to succinic acid. (1) Animal metabolism: The principal stages of the enzymatic oxidation of propionic acid in animal tissues have been established largely by the work of Ochoa (Flavin and Ochoa, 1957; Flavin *et al.*, 1957; Beck *et al.*, 1957) and Lardy (Lardy and Peanasky, 1953; Lardy and Adler, 1956) as follows:

- (i)
$$\text{propionate} \xrightarrow[\text{enzyme 1}]{\text{ATP} + \text{CoA}} \text{propionyl CoA}$$
- (ii)
$$\text{propionyl CoA} \xrightarrow[\text{enzyme 2}]{\text{ATP} + \text{CO}_2} \text{isobutyryl CoA} + \text{ADP} + \text{PO}_4\text{H}_3$$
- (iii)
$$\text{isobutyryl CoA} \xrightarrow{\text{isomerase}} \text{succinyl CoA}$$
- (iv)
$$\text{succinyl CoA} \rightarrow \text{succinate}$$
- (v)
$$\text{succinate} \xrightarrow{\text{via citric acid cycle}} \text{oxidation}$$

Biotin deficiency decreases the capacity of rat liver mitochondria extract to synthesize succinate from propionate and from $\text{NaHC}^{14}\text{O}_3$. This capacity is in no way restored by the *in vitro* addition of biotin or biocytin; on the other hand, it reappears very rapidly after administration of biotin to the living deficient animal (Lardy and Adler, 1956).

The precise stage of the intervention of biotin in the conversion of propionic acid to succinic acid still remains to be determined, however. This determination is all the more delicate because the mechanism of re-

action (ii) in particular is still obscure. This reaction is probably catalyzed by a single enzyme which is referred to as a propionyl carboxylase. This purified enzyme contains no biotin (Tietz and Ochoa, 1959). Thus, the reported function of biotin in propionate carboxylation remains unexplained.

(2) Metabolism of microorganisms: *Propionibacterium pentosaceum* (Barban and Ajl, 1951; Delwiche *et al.*, 1953) and *Micrococcus lactilyticus* (Whiteley, 1953b) also convert propionic acid to succinic acid, but it has not been possible to determine whether the mechanism is the same as in animal tissues.

ii. Conversion of succinic acid to propionic acid. Metabolism of microorganisms: Since the initial work of Delwiche (1950) and of Lichstein (1950) related by the latter in 1951, supplementary information has been published on the decarboxylation of succinic acid to propionic acid and the part that biotin plays in it. This reaction, according to Whiteley (1953a), is the principal pathway for the formation of propionic acid in *P. pentosaceum*, *M. lactilyticus*, and other micrococci. The conversion of succinic acid to propionic acid consists of the following two enzymatic operations (Delwiche *et al.*, 1953; Whiteley, 1953a,b; Chambers and Delwiche, 1954):

- (i)
$$\text{succinate} \xrightarrow{\text{ATP} + \text{CoA}} \text{succinyl CoA}$$
- (ii)
$$\text{succinyl CoA} \xrightarrow[\text{enzyme}]{\text{biotin ?}} \text{propionyl CoA} + \text{CO}_2$$

But no mention is made of the stage of the isosuccinyl-CoA step or of the presence of adenosine triphosphate (ATP) in phase (ii) of the reaction (Whiteley, 1953a,b). It is therefore not yet possible to decide whether these two observations are sufficient to establish the real differences between bacterial metabolism and animal metabolism in the inter-conversion of succinic acid to propionic acid. If the reaction converting succinic acid to propionic acid in microorganisms seems less complex than the one converting propionic acid to succinic acid in higher animals, it may be simply because it has not been as closely studied.

Seeking to determine exactly the site of biotin involvement in the conversion by microorganisms of succinic acid to propionic acid, Chambers and Delwiche (1954) showed that the vitamin does not participate in the first stage of the reaction. It would then seem that biotin is not involved either directly or indirectly in the formation of succinyl coenzyme A. It must, therefore, be involved in the second phase of the reaction, but its exact role has not yet been defined. Does it participate directly in the formation of the apoenzyme or the coenzyme of the succinyl CoA decarboxylase, or indirectly in the synthesis of the protein fraction of this

enzyme? These hypotheses were proposed by Chambers and Delwiche (1954).

Thus, the precise role of biotin in succinic acid-propionic acid interconversion is not known, either in animals or in microorganisms.

Lichstein (1958) stresses that biotin deficiency decreases the ability of *P. pentosaceum* both to decarboxylate succinic acid to propionic acid and to ferment glucose. Under these conditions, the glucose fermentation is restored by adding either biotin or desthiobiotin or oxybiotin to the medium; but the latter derivative stimulates the decarboxylation of succinic acid only weakly compared with biotin or desthiobiotin, which are equally effective. It might be that oxybiotin in particular is converted to an oxybiotin coenzyme which has relatively poor ability to serve as a cofactor for the succinate decarboxylase system but is fully capable of replacing the biotin coenzyme in the fermentation of glucose. These different considerations led Lichstein (1958) to the very interesting suggestion that there might be several coenzyme forms of biotin, in the same way that there are several coenzyme forms of niacinamide and pyridoxine.

c. Hexokinase. A culture of *Leuconostoc mesenteroides*, which does not require biotin when its medium contains saccharose, needs this vitamin if the medium contains a monosaccharide (Carlson and Whiteside-Carlson 1949). In the same way, a biotin-deprived culture of *Saccharomyces cerevisiae* (1939 strain) continues to grow moderately if the medium contains saccharose, but does not grow at all if it contains glucose (Williams *et al.*, 1957).

On the basis of these observations, Williams *et al.* (1957) proposed that biotin may control the initial stage of glucose catabolism, i.e. phosphorylation catalyzed by hexokinase (Fig. 1).



FIG. 1. Initial steps in the catabolism of glucose and sucrose. According to Williams *et al.* (1957).

The authors confirmed their hypothesis by showing that the phosphorylation velocity of the 2-deoxy-D-glucose is greatly reduced in a cell-free