

Graduate Texts in Mathematics

**Ioannis Karatzas
Steven E. Shreve**

Brownian Motion and Stochastic Calculus

Second Edition

**布朗运动和随机计算
第2版**

Springer

世界图书出版公司
www.wpcbj.com.cn

内容简介

本书是Springer《数学研究生丛书》之113卷，是国内外公认的金融数学经典教材，各章有习题详解，适用于数学、金融等相关专业的研究生。本书初版于1988年，1991年出第2版，之后Springer已重印8次，本书是2005年的第8次重印版。

ISBN 7-5062-7293-8



9 787506 272933 >

ISBN 7-5062-7293-8/O·555

WB7293 定价:45.00元

Ioannis Karatzas Steven E. Shreve

Brownian Motion and Stochastic Calculus

Second Edition

With 10 Illustrations

Springer

图书在版编目 (C I P) 数据

布朗运动和随机计算=Brownian Motion and Stochastic Calculus / (美) 爱卡拉察斯 (Karatzas, I.), (美) 施里夫 (Shreve, S. E.) 著. —2版. —北京: 世界图书出版公司北京公司, 2006. 4
ISBN 7-5062-7293-8

I. 布... II. ①爱...②施... III. ①布朗运动—英文②随机—计算方法—英文 IV. ①0552.1②0211

中国版本图书馆CIP数据核字 (2006) 第026247号

- 书 名: Brownian Motion and Stochastic Calculus 2nd ed.
作 者: I. Karatzas, S. E. Shreve
中 译 名: 布朗运动和随机计算 第2版
责任编辑: 高蓉
出 版 者: 世界图书出版公司北京公司
印 刷 者: 北京世图印刷厂
发 行: 世界图书出版公司北京公司 (北京朝内大街 137 号 100010)
联系电话: 010-64015659, 64038347
电子信箱: kjsk@vip.sina.com
开 本: 24 开 印 张: 21
出版年代: 2006 年 5 月
书 号: 7-5062-7293-8 / O · 555
版权登记: 图字: 01-2006-2706
定 价: 45.00 元

世界图书出版公司北京公司已获得 Springer-Verlag 授权在中国大陆
独家重印发行。

Preface

Two of the most fundamental concepts in the theory of stochastic processes are the *Markov property* and the *martingale property*.^{*} This book is written for readers who are acquainted with both of these ideas in the discrete-time setting, and who now wish to explore stochastic processes in their continuous-time context. It has been our goal to write a systematic and thorough exposition of this subject, leading in many instances to the frontiers of knowledge. At the same time, we have endeavored to keep the mathematical prerequisites as low as possible, namely, knowledge of measure-theoretic probability and some familiarity with discrete-time processes. The vehicle we have chosen for this task is *Brownian motion*, which we present as the canonical example of both a Markov process and a martingale. We support this point of view by showing how, by means of stochastic integration and random time change, all continuous-path martingales and a multitude of continuous-path Markov processes can be represented in terms of Brownian motion. This approach forces us to leave aside those processes which do not have continuous paths. Thus, the Poisson process is not a primary object of study, although it is developed in Chapter 1 to be used as a tool when we later study passage times and local time of Brownian motion.

The text is organized as follows: Chapter 1 presents the basic properties of martingales, as they are used throughout the book. In particular, we generalize from the discrete to the continuous-time context the martingale convergence theorem, the optional sampling theorem, and the Doob–Meyer decomposition. The latter gives conditions under which a submartingale can be written

^{*} According to M. Loève, “martingales, Markov dependence and stationarity are the only three dependence concepts so far isolated which are sufficiently general and sufficiently amenable to investigation, yet with a great number of deep properties” (*Ann. Probab.* 1 (1973), p. 6).

as the sum of a martingale and an increasing process, and associates to every martingale with continuous paths a "quadratic variation process." This process is instrumental in the construction of stochastic integrals with respect to continuous martingales.

Chapter 2 contains three different constructions of Brownian motion, as well as discussions of the Markov and strong Markov properties for continuous-time processes. These properties are motivated by d -dimensional Brownian motion, but are developed in complete generality. This chapter also contains a careful discussion of the various filtrations commonly associated with Brownian motion. In Section 2.8 the strong Markov property is applied to a study of one-dimensional Brownian motion on a half-line, and on a bounded interval with absorption and reflection at the endpoints. Many densities involving first passage times, last exit times, absorbed Brownian motion, and reflected Brownian motion are explicitly computed. Section 2.9 is devoted to a study of sample path properties of Brownian motion. Results found in most texts on this subject are included, and in addition to these, a complete proof of the Lévy modulus of continuity is provided.

The theory of stochastic integration with respect to continuous martingales is developed in Chapter 3. We follow a middle path between the original constructions of stochastic integrals with respect to Brownian motion and the more recent theory of stochastic integration with respect to right-continuous martingales. By avoiding discontinuous martingales, we obviate the need to introduce the concept of predictability and the associated, highly technical, measure-theoretic machinery. On the other hand, it requires little extra effort to consider integrals with respect to continuous martingales rather than merely Brownian motion. The remainder of Chapter 3 is a testimony to the power of this more general approach; in particular, it leads to strong theorems concerning representations of continuous martingales in terms of Brownian motion (Section 3.4). In Section 3.3 we develop the chain rule for stochastic calculus, commonly known as Itô's formula. The Girsanov Theorem of Section 3.5 provides a method of changing probability measures so as to alter the drift of a stochastic process. It has become an indispensable method for constructing solutions of stochastic differential equations (Section 5.3) and is also very important in stochastic control (e.g., Section 5.8) and filtering. Local time is introduced in Sections 3.6 and 3.7, and it is shown how this concept leads to a generalization of the Itô formula to convex but not necessarily differentiable functions.

Chapter 4 is a digression on the connections between Brownian motion, Laplace's equation, and the heat equation. Sharp existence and uniqueness theorems for both these equations are provided by probabilistic methods; applications to the computation of boundary crossing probabilities are discussed, and the formulas of Feynman and Kac are established.

Chapter 5 returns to our main theme of stochastic integration and differential equations. In this chapter, stochastic differential equations are driven

by Brownian motion and the notions of *strong* and *weak* solutions are presented. The basic Itô theory for strong solutions and some of its ramifications, including comparison and approximation results, are offered in Section 5.2, whereas Section 5.3 studies weak solutions in the spirit of Yamada & Watanabe. Essentially equivalent to the search for a weak solution is the search for a solution to the “Martingale Problem” of Stroock & Varadhan. In the context of this martingale problem, a full discussion of existence, uniqueness, and the strong Markov property for solutions of stochastic differential equations is given in Section 5.4. For one-dimensional equations it is possible to provide a complete characterization of solutions which exist only up to an “explosion time,” and this is set forth in Section 5.5. This section also presents the recent and quite striking results of Engelbert & Schmidt concerning existence and uniqueness of solutions to one-dimensional equations. This theory makes substantial use of the local time material of Sections 3.6, 3.7 and the martingale representation results of Subsections 3.4.A,B. By analogy with Chapter 4, we discuss in Section 5.7 the connections between solutions to stochastic differential equations and elliptic and parabolic partial differential equations. Applications of many of the ideas in Chapters 3 and 5 are contained in Section 5.8, where we discuss questions of option pricing and optimal portfolio/consumption management. In particular, the Girsanov theorem is used to remove the difference between average rates of return of different stocks, a martingale representation result provides the optimal portfolio process, and stochastic representations of solutions to partial differential equations allow us to recast the optimal portfolio and consumption management problem in terms of two linear parabolic partial differential equations, for which explicit solutions are provided.

Chapter 6 is for the most part derived from Paul Lévy’s profound study of Brownian excursions. Lévy’s intuitive work has now been formalized by such notions as filtrations, stopping times, and Poisson random measures, but the remarkable fact remains that he was able, 40 years ago and working without these tools, to penetrate into the *fine structure of the Brownian path* and to inspire all the subsequent research on these matters until today. In the spirit of Lévy’s work, we show in Section 6.2 that when one travels along the Brownian path with a clock run by the local time, the number of excursions away from the origin that one encounters, whose duration exceeds a specified number, has a Poisson distribution. Lévy’s heuristic construction of Brownian motion from its excursions has been made rigorous by other authors. We do not attempt such a construction here, nor do we give a complete specification of the distribution of Brownian excursions; in the interest of intelligibility, we content ourselves with the specification of the distribution for the durations of the excursions. Sections 6.3 and 6.4 derive distributions for functionals of Brownian motion involving its local time; we present, in particular, a Feynman–Kac result for the so-called “elastic” Brownian motion, the formulas of D. Williams and H. Taylor, and the Ray–Knight description of

Brownian local time. An application of this theory is given in Section 6.5, where a one-dimensional stochastic control problem of the "bang-bang" type is solved.

The writing of this book has become for us a monumental undertaking involving several people, whose assistance we gratefully acknowledge. Foremost among these are the members of our families, Eleni, Dot, Andrea, and Matthew, whose support, encouragement, and patience made the whole endeavor possible. Parts of the book grew out of notes on lectures given at Columbia University over several years, and we owe much to the audiences in those courses. The inclusion of several exercises, the approaches taken to a number of theorems, and several citations of relevant literature resulted from discussions and correspondence with F. Baldursson, A. Dvoretzky, W. Fleming, O. Kallenberg, T. Kurtz, S. Lalley, J. Lehoczky, D. Stroock, and M. Yor. We have also taken exercises from Mandl, Lánská & Vrkoč (1978), and Ethier & Kurtz (1986). As the project proceeded, G.-L. Xu, Z.-L. Ying, and Th. Zariphopoulou read large portions of the manuscript and suggested numerous corrections and improvements. Careful reading by Daniel Ocone and Manfred Schäl revealed minor errors in the first printing, and these have been corrected. Others, including F. Åkesson, S. Dayanik, B. Doytchinov, H.J. Engelbert, R. Höhnle, C. Hou, A. Karolik, W. Nichols, L. Nielsen, D. Ocone, N. Vaillant and H. Wang found errors and/or contributed ideas, which have resulted in improvements in subsequent printings. However, our greatest single debt of gratitude goes to Marc Yor, who read much of the near-final draft and offered substantial mathematical and editorial comments on it. The typing was done tirelessly, cheerfully, and efficiently by Stella DeVito and Doodmatie Kalicharan; they have our most sincere appreciation.

We are grateful to Sanjoy Mitter and Dimitri Bertsekas for extending to us the invitation to spend the critical initial year of this project at the Massachusetts Institute of Technology. During that time the first four chapters were essentially completed, and we were partially supported by the Army Research Office under grant DAAG-299-84-K-0005. Additional financial support was provided by the National Science Foundation under grants DMS-84-16736 and DMS-84-03166 and by the Air Force Office of Scientific Research under grants AFOSR 82-0259, AFOSR 85-0360, and AFOSR 86-0203.

Ioannis Karatzas
Steven E. Shreve

Suggestions for the Reader


We use a hierarchical numbering system for equations and statements. The k -th equation in Section j of Chapter i is labeled $(j.k)$ at the place where it occurs and is cited as $(j.k)$ within Chapter i , but as $(i.j.k)$ outside Chapter i . A definition, theorem, lemma, corollary, remark, problem, exercise, or solution is a "statement," and the k -th statement in Section j of Chapter i is labeled $j.k$ *Statement* at the place where it occurs, and is cited as *Statement $j.k$* within Chapter i but as *Statement $i.j.k$* outside Chapter i .

This book is intended as a text and can be used in either a one-semester or a two-semester course, or as a text for a special topic seminar. The accompanying figure shows dependences among sections, and in some cases among subsections. In a one-semester course, we recommend inclusion of Chapter 1 and Sections 2.1, 2.2, 2.4, 2.5, 2.6, 2.7, §2.9.A, B, E, Sections 3.2, 3.3, 5.1, 5.2, and §5.6.A, C. This material provides the basic theory of stochastic integration, including the Itô calculus and the basic existence and uniqueness results for strong solutions of stochastic differential equations. It also contains matters of interest in engineering applications, namely, Fisk–Stratonovich integrals and approximation of stochastic differential equations in §3.3.A and 5.2.D, and Gauss–Markov processes in §5.6.A. Progress through this material can be accelerated by omitting the proof of the Doob–Meyer Decomposition Theorem 1.4.10 and the proofs in §2.4.D. The statements of Theorem 1.4.10, Theorem 2.4.20, Definition 2.4.21, and Remark 2.4.22 should, however, be retained. If possible in a one-semester course, and certainly in a two-semester course, one should include the topic of weak solutions of stochastic differential equations. This is accomplished by covering §3.4.A, B, and Sections 3.5, 5.3, and 5.4. Section 5.8 serves as an introduction to *stochastic control*, and so we recommend adding §3.4.C, D, E, and Sections 5.7, and 5.8 if time permits. In either a one- or two-semester course, Section 2.8 and part or all of Chapter 4

may be included according to time and interest. The material on *local time* and its applications in Sections 3.6, 3.7, 5.5, and in Chapter 6 would normally be the subject of a special topic course with advanced students.

The text contains about 175 “problems” and over 100 “exercises.” The former are assignments to the reader to fill in details or generalize a result, and these are often quoted later in the text. We judge approximately two-thirds of these problems to be nontrivial or of fundamental importance, and solutions for such problems are provided at the end of each chapter. The exercises are also often significant extensions of results developed in the text, but these will not be needed later, except perhaps in the solution of other exercises. Solutions for the exercises are not provided. There are some exercises for which the solution we know violates the dependencies among sections shown in the figure, but such violations are pointed out in the offending exercises, usually in the form of a hint citing an earlier result.

Interdependence of the Chapters



Frequently Used Notation

I. General Notation

Let a and b be real numbers.

- (1) \triangleq means "is defined to be."
- (2) $a \wedge b \triangleq \min\{a, b\}$.
- (3) $a \vee b \triangleq \max\{a, b\}$.
- (4) $a^+ \triangleq \max\{a, 0\}$.
- (5) $a^- \triangleq \max\{-a, 0\}$.

II. Sets and Spaces

- (1) $\mathbb{N}_0 \triangleq \{0, 1, 2, \dots\}$.
- (2) \mathbb{Q} is the set of rational numbers.
- (3) \mathbb{Q}^+ is the set of nonnegative rational numbers.
- (4) \mathbb{R}^d is the d -dimensional Euclidean space; $\mathbb{R}^1 = \mathbb{R}$.
- (5) $B_r \triangleq \{x \in \mathbb{R}^d; \|x\| < r\}$ (p. 240).
- (6) $(\mathbb{R}^d)^{(0, \infty)}$ is the set of functions from $[0, \infty)$ to \mathbb{R}^d (pp. 49, 76).
- (7) $C[0, \infty)^d$ is the subspace of $(\mathbb{R}^d)^{(0, \infty)}$ consisting of continuous functions; $C[0, \infty)^1 = C[0, \infty)$ (pp. 60, 64).
- (8) $D[0, \infty)$ is the subspace of $\mathbb{R}^{(0, \infty)}$ consisting of functions which are right continuous and have left-limits (p. 409).
- (9) $C^k(E)$, $C_b^k(E)$, $C_0^k(E)$: See Remark 4.1, p. 312.
- (10) $C^{1,2}([0, T) \times E)$, $C^{1,2}((0, T) \times E)$: See Remark 4.1, p. 312.
- (11) \mathcal{L} , $\mathcal{L}(M)$, \mathcal{L}^* , $\mathcal{L}^*(M)$: See pp. 130–131.
- (12) \mathcal{P} , $\mathcal{P}(M)$, \mathcal{P}^* , $\mathcal{P}^*(M)$: See pp. 146–147.
- (13) $\mathcal{M}_2(\mathcal{M}_2^c)$: The space of (continuous) square-integrable martingales (p. 30).
- (14) $\mathcal{M}^{loc}(\mathcal{M}^{c, loc})$: The space of (continuous) local martingales (p. 36).

III. Functions

- (1) $\text{sgn}(x) = \begin{cases} 1; & x > 0, \\ -1; & x \leq 0. \end{cases}$
- (2) $1_A(x) \triangleq \begin{cases} 1; & x \in A, \\ 0; & x \notin A. \end{cases}$
- (3) $p(t; x, y) \triangleq \frac{1}{\sqrt{2\pi t}} e^{-(x-y)^2/2t}; t > 0, x, y \in \mathbb{R}$ (p. 52).
- (4) $p_{\pm}(t; x, y) \triangleq p(t; x, y) \pm p(t; x, -y); t > 0, x, y \in \mathbb{R}$ (p. 97).
- (5) $\llbracket t \rrbracket$ is the largest integer less than or equal to the real number t .

IV. σ -Fields

- (1) $\mathcal{B}(U)$: The smallest σ -field containing all open sets of the topological space U (p. 1).
- (2) $\mathcal{B}_t(C[0, \infty))$, $\mathcal{B}_t(C[0, \infty)^d)$. See pp. 60, 307.
- (3) $\sigma(\mathcal{G})$: The smallest σ -field containing the collection of sets \mathcal{G} .
- (4) $\sigma(X_s)$: The smallest σ -field with respect to which the random variable X_s is measurable.
- (5) $\sigma(X_s; 0 \leq s \leq t)$: The smallest σ -field with respect to which the random variable X_s is measurable, $\forall s \in [0, t]$.
- (6) $\mathcal{F}_t^X \triangleq \sigma(X_s; 0 \leq s \leq t)$, $\mathcal{F}_{\infty} \triangleq \sigma(\bigcup_{t \geq 0} \mathcal{F}_t)$; See p. 3.
- (7) $\mathcal{F}_{t+} \triangleq \bigcap_{\varepsilon > 0} \mathcal{F}_{t+\varepsilon}$, $\mathcal{F}_{t-} \triangleq \sigma(\bigcup_{s < t} \mathcal{F}_s)$; See p. 4.
- (8) \mathcal{F}_T : The σ -field of events determined prior to the stopping time T ; see p. 8.
- (9) \mathcal{F}_{T+} : The σ -field of events determined immediately after the optional time T ; see p. 10.
- (10) $\mathcal{F} \otimes \mathcal{G} \triangleq \sigma(A \times B; A \in \mathcal{F}, B \in \mathcal{G})$: The product σ -field formed from the σ -fields \mathcal{F} and \mathcal{G} .

V. Operations on Functions

- (1) $\Delta \triangleq \sum_{i=1}^d \frac{\partial^2}{\partial x_i^2}$: The Laplacian (p. 240).
- (2) \mathcal{A} , \mathcal{A}_t : Second order differential operators; see pp. 281, 311.

VI. Operations on Processes

- (1) θ_s , θ_S : Shift operator at the deterministic time s and the random time S ; see pp. 77, 83.

- (2) $I_t^M(X) \triangleq \int_0^t X_s dM_s$: The stochastic integral of X with respect to M . See p. 141 for $M \in \mathcal{M}_2^c$, $X \in \mathcal{L}^*(M)$; see p. 147 for $M \in \mathcal{M}^{c,loc}$, $X \in \mathcal{P}^*(M)$.
- (3) $M_t^* \triangleq \max_{0 \leq s \leq t} |M_s|$: See p. 163 for $M \in \mathcal{M}^{c,loc}$.
- (4) $\langle X \rangle$: The quadratic variation process of $X \in \mathcal{M}_2$ (p. 31) or $X \in \mathcal{M}^{c,loc}$ (p. 36).
- (5) $\langle X, Y \rangle$: The cross-variation process of X, Y in \mathcal{M}_2 (p. 31) or in $\mathcal{M}^{c,loc}$ (p. 36).
- (6) $\|X\|_t, \|X\|$: See p. 37 for $X \in \mathcal{M}_2$.

VII. Miscellaneous

- (1) $m_T(X, \delta) \triangleq \sup\{|X_s - X_t|; 0 \leq s < t \leq T, t - s \leq \delta\}$; See p. 33.
- (2) $m^T(\omega, \delta) \triangleq \max\{|\omega(s) - \omega(t)|; 0 \leq s < t \leq T, t - s \leq \delta\}$; See p. 62.
- (3) \bar{D} : The closure of the set $D \subset \mathbb{R}^d$.
- (4) D^c : The complement of the set D .
- (5) ∂D : The boundary of the set $D \subset \mathbb{R}^d$.
- (6) $\tau_D \triangleq \inf\{t \geq 0; W_t \in D^c\}$: The first time the Brownian motion W exits from the set $D \subset \mathbb{R}^d$ (p. 240).
- (7) $T_b \triangleq \inf\{t \geq 0; W_t = b\}$: The first time the one-dimensional Brownian motion W reaches the level $b \in \mathbb{R}$ (p. 79).
- (8) $\Gamma_+(t) \triangleq \int_0^t 1_{(0,\infty)}(W_s) ds$: The occupation time by Brownian motion of the positive half-line (p. 273).
- (9) $P_n \xrightarrow{w} P$: Weak convergence of the sequence of probability measures $\{P_n\}_{n=1}^\infty$ to the probability measure P (p. 60).
- (10) $X_n \xrightarrow{d} X$: Convergence in distribution of the sequence of random variables $\{X_n\}_{n=1}^\infty$ to the random variable X (p. 61).
- (11) P^x : Probability measure corresponding to Brownian motion (p. 72) or a Markov process (p. 74) with initial position $x \in \mathbb{R}^d$.
- (12) P^μ : Probability measure corresponding to Brownian motion (p. 72) or a Markov process (p. 74) with initial distribution μ .
- (13) $\mathcal{N}_t^\mu, \mathcal{N}^\mu$: Collections of P^μ -negligible sets (p. 89).
- (14) $I(\sigma), Z(\sigma)$: See pp. 331, 332.
- (15) I_d : The $(d \times d)$ identity matrix.
- (16) meas : Lebesgue measure on the real line (p. 105).

Contents

Preface	vii
Suggestions for the Reader	xvii
Interdependence of the Chapters	xix
Frequently Used Notation	xxi
CHAPTER 1	
Martingales, Stopping Times, and Filtrations	1
1.1. Stochastic Processes and σ -Fields	1
1.2. Stopping Times	6
1.3. Continuous-Time Martingales	11
A. Fundamental inequalities	12
B. Convergence results	17
C. The optional sampling theorem	19
1.4. The Doob–Meyer Decomposition	21
1.5. Continuous, Square-Integrable Martingales	30
1.6. Solutions to Selected Problems	38
1.7. Notes	45
CHAPTER 2	
Brownian Motion	47
2.1. Introduction	47
2.2. First Construction of Brownian Motion	49
A. The consistency theorem	49
B. The Kolmogorov–Čentsov theorem	53
2.3. Second Construction of Brownian Motion	56
2.4. The Space $C[0, \infty)$, Weak Convergence, and Wiener Measure	59
A. Weak convergence	60

B. Tightness	61
C. Convergence of finite-dimensional distributions	64
D. The invariance principle and the Wiener measure	66
2.5. The Markov Property	71
A. Brownian motion in several dimensions	72
B. Markov processes and Markov families	74
C. Equivalent formulations of the Markov property	75
2.6. The Strong Markov Property and the Reflection Principle	79
A. The reflection principle	79
B. Strong Markov processes and families	81
C. The strong Markov property for Brownian motion	84
2.7. Brownian Filtrations	89
A. Right-continuity of the augmented filtration for a strong Markov process	90
B. A "universal" filtration	93
C. The Blumenthal zero-one law	94
2.8. Computations Based on Passage Times	94
A. Brownian motion and its running maximum	95
B. Brownian motion on a half-line	97
C. Brownian motion on a finite interval	97
D. Distributions involving last exit times	100
2.9. The Brownian Sample Paths	103
A. Elementary properties	103
B. The zero set and the quadratic variation	104
C. Local maxima and points of increase	106
D. Nowhere differentiability	109
E. Law of the iterated logarithm	111
F. Modulus of continuity	114
2.10. Solutions to Selected Problems	116
2.11. Notes	126
 CHAPTER 3	
Stochastic Integration	128
3.1. Introduction	128
3.2. Construction of the Stochastic Integral	129
A. Simple processes and approximations	132
B. Construction and elementary properties of the integral	137
C. A characterization of the integral	141
D. Integration with respect to continuous, local martingales	145
3.3. The Change-of-Variable Formula	148
A. The Itô rule	149
B. Martingale characterization of Brownian motion	156
C. Bessel processes, questions of recurrence	158
D. Martingale moment inequalities	163
E. Supplementary exercises	167
3.4. Representations of Continuous Martingales in Terms of Brownian Motion	169
A. Continuous local martingales as stochastic integrals with respect to Brownian motion	170

B. Continuous local martingales as time-changed Brownian motions	173
C. A theorem of F. B. Knight	179
D. Brownian martingales as stochastic integrals	180
E. Brownian functionals as stochastic integrals	185
3.5. The Girsanov Theorem	190
A. The basic result	191
B. Proof and ramifications	193
C. Brownian motion with drift	196
D. The Novikov condition	198
3.6. Local Time and a Generalized Itô Rule for Brownian Motion	201
A. Definition of local time and the Tanaka formula	203
B. The Trotter existence theorem	206
C. Reflected Brownian motion and the Skorohod equation	210
D. A generalized Itô rule for convex functions	212
E. The Engelbert-Schmidt zero-one law	215
3.7. Local Time for Continuous Semimartingales	217
3.8. Solutions to Selected Problems	226
3.9. Notes	236
 CHAPTER 4	
Brownian Motion and Partial Differential Equations	239
4.1. Introduction	239
4.2. Harmonic Functions and the Dirichlet Problem	240
A. The mean-value property	241
B. The Dirichlet problem	243
C. Conditions for regularity	247
D. Integral formulas of Poisson	251
E. Supplementary exercises	253
4.3. The One-Dimensional Heat Equation	254
A. The Tychonoff uniqueness theorem	255
B. Nonnegative solutions of the heat equation	256
C. Boundary crossing probabilities for Brownian motion	262
D. Mixed initial/boundary value problems	265
4.4. The Formulas of Feynman and Kac	267
A. The multidimensional formula	268
B. The one-dimensional formula	271
4.5. Solutions to selected problems	276
4.6. Notes	278
 CHAPTER 5	
Stochastic Differential Equations	281
5.1. Introduction	281
5.2. Strong Solutions	284
A. Definitions	285
B. The Itô theory	286
C. Comparison results and other refinements	291
D. Approximations of stochastic differential equations	295
E. Supplementary exercises	299