

Atherosclerosis and Coronary Heart Disease

Edited by

WILLIAM LIKOFF, M.D.

BERNARD L. SEGAL, M.D.

WILLIAM INSULL, JR., M.D.

Under the general editorship of
JOHN H. MOYER, M.D.

ATHEROSCLEROSIS AND CORONARY HEART DISEASE

THE TWENTY-FOURTH HAHNEMANN SYMPOSIUM

Edited by

WILLIAM LIKOFF, M.D.

*Clinical Professor of Medicine,
Hahnemann Medical College and Hospital, Philadelphia, Pennsylvania*

BERNARD L. SEGAL, M.D.

*Clinical Professor of Medicine and
Director of Postgraduate Education, Division of Cardiology,
Hahnemann Medical College and Hospital,
Philadelphia, Pennsylvania*

WILLIAM INSULL, JR., M.D.

*Associate Professor of Pathology, Cornell University
Medical College, and Adjunct Associate Professor,
The Rockefeller University,
New York, New York*

Under the General Editorship of

JOHN H. MOYER, M.D.

*Professor of Medicine and Executive Vice President
for Academic Affairs,
Hahnemann Medical College and Hospital,
Philadelphia, Pennsylvania*



GRUNE & STRATTON, New York and London

Library of Congress Cataloging in Publication Data

Main entry under title:

Atherosclerosis and coronary heart disease.

Includes bibliographical references.

1. Arteriosclerosis—Congresses. 2. Coronary heart disease—Congresses. I. Likoff, William, ed.
- II. Segal, Bernard L., ed. III. Insull, William, Jr., ed.
- IV. Hahnemann Medical College and Hospital of Philadelphia.

RC692.A728 616.1'36 72-4226

ISBN 0-8089-0764-6

© 1972 by Grune & Stratton, Inc.

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the publisher.

Grune & Stratton, Inc.
111 Fifth Avenue
New York, New York 10003

Library of Congress Catalog Card Number 72-4226
International Standard Book Number 0-8089-0764-6
Printed in the United States of America

Contributors

- ABRAMS, WILLIAM B., M.D.**
 Director of Clinical Research, Ayerst Laboratories, New York, N.Y. and Clinical Professor of Medicine, New Jersey College of Medicine and Dentistry, Newark, N. J.
- ADAM, ALBERTO, M.D.**
 Clinical Assistant Professor, Division of Thoracic Surgery, Hahnemann Medical College and Hospital, Philadelphia, Pa.
- AMSTERDAM, EZRA A., M.D.**
 Assistant Professor of Medicine, Assistant Professor of Pharmacology, and Chief, Coronary Care Unit, School of Medicine, University of California, Davis, Calif.
- BARRY, ALAN J., PH.D.**
 Division of Research, The Lankenau Hospital, Philadelphia, Pa.
- BECKER, LEWIS, M.D.**
 Fellow in Medicine, Cardiovascular Division, Department of Medicine, The Johns Hopkins University School of Medicine, Baltimore, Md.
- BING, RICHARD, M.D.**
 Professor of Medicine, University of Southern California, Los Angeles, Calif., Director of Cardiology and Intramural Medicine, Huntington Memorial Hospital, and Research Associate, California Institute of Technology, Pasadena, Calif.
- BLANCO, GUMERSINDO, M.D.**
 Clinical Assistant Professor, Division of Thoracic Surgery, Hahnemann Medical College and Hospital, Philadelphia, Pa.
- BLOOR, COLIN M., M.D.**
 Associate Professor of Pathology, Department of Pathology, School of Medicine, University of California, San Diego, La Jolla, Calif.
- BONANNO, JOSEPH A., M.D.**
 Assistant Clinical Professor of Medicine, Department of Internal Medicine, School of Medicine, University of California, Davis, Calif.
- BRACHFELD, NORMAN, M.D.**
 Associate Professor of Medicine, Cornell University Medical College, and Director, Myocardial Metabolism Laboratory, The New York Hospital-Cornell Medical Center, New York, N.Y.
- BRAUNWALD, EUGENE, M.D.**
 Hersey Professor of Medicine, Harvard Medical School, and Physician-in-Chief, Peter Bent Brigham Hospital, Boston, Mass.
- BREST, ALBERT N., M.D.**
 Professor of Medicine and Head, Division of Cardiology, Jefferson Medical College and Hospital, Philadelphia, Pa.
- CAREW, THOMAS E., PH.D.**
 Section on Experimental Atherosclerosis, National Heart and Lung Institute, National Institutes of Health, Bethesda, Md.
- CARLSON, ROBERT G., M.D.**
 Assistant Professor of Surgery, The New York Hospital-Cornell Medical Center, New York, N.Y.
- CHADBOURN, JOHN A., M.D.**
 Assistant Director, Mobile Coronary Care Unit, St. Vincent's Hospital and Medical Center of New York, New York, N.Y.
- CHANDLER, A. BLEAKLEY, M.D.**
 Professor of Pathology, Medical College of Georgia, Augusta, Ga.
- COHEN, LAWRENCE S., M.D.**
 Professor of Medicine and Chief of Cardiology, Department of Internal

- Medicine, Yale University School of Medicine, New Haven, Conn.
- COODLEY, EUGENE L., M.D.
Professor of Medicine, Hahnemann Medical College and Hospital, and Chief of Medicine and Acting Head, Section of Cardiology, Hahnemann Division, Philadelphia General Hospital, Philadelphia, Pa.
- CRAIGE, ERNEST, M.D.
Professor of Medicine and Henry A. Foscue Distinguished Professor of Cardiology, University of North Carolina School of Medicine, and Chief of Cardiology, North Carolina Memorial Hospital, Chapel Hill, N.C.
- DEMBO, DONALD H., M.D.
Assistant Professor of Medicine, Division of Cardiology, Department of Medicine, University of Maryland School of Medicine, Baltimore, Md.
- DOYLE, JOSEPH T., M.D.
Professor of Medicine and Head, Division of Cardiology, Department of Medicine, and Director, Cardiovascular Health Center, Albany Medical College, Union University, Albany, N.Y.
- DREIFUS, LEONARD S., M.D.
Clinical Associate Professor, Department of Medicine, and Research Associate Professor, Department of Physiology and Biophysics, Hahnemann Medical College and Hospital, Philadelphia, Pa.
- EBERT, RICHARD V., M.D.
Professor and Chairman, Department of Medicine, University of Minnesota School of Medicine, Minneapolis, Minn.
- EPSTEIN, STEPHEN E., M.D.
Chief, Cardiology Branch, National Heart and Lung Institute, National Institutes of Health, Bethesda, Md.
- FERRANS, VICTOR J., M.D., Ph.D.
Section on Pathology, National Heart and Lung Institute, National Institutes of Health, Bethesda, Md.
- FISCH, CHARLES, M.D.
Professor of Medicine and Director, Cardiovascular Division, Indiana University School of Medicine, and Director, Krannert Institute of Cardiology, Marion County General Hospital, Indianapolis, Ind.
- FISHMAN, ALFRED P., M.D.
Professor of Medicine and Associate Dean, School of Medicine, University of Pennsylvania, and Director, Cardiovascular-Pulmonary Division, Hospital of the University of Pennsylvania, Philadelphia, Pa.
- FLAHERTY, JOHN T., M.D.
Section on Experimental Atherosclerosis, National Heart and Lung Institute, National Institutes of Health, Bethesda, Md.
- FORTUIN, NICHOLAS J., M.D.
Clinical Instructor, Department of Medicine, University of North Carolina School of Medicine, Chapel Hill, and Medical Officer, National Environmental Research Center, Environmental Protection Agency, Research Triangle Park, N.C.
- FRY, DONALD L., M.D.
Head, Section on Experimental Atherosclerosis, Office of the Director, Intramural Research, National Heart and Lung Institute, National Institutes of Health, Bethesda, Md.
- GOLDSTEIN, ROBERT E., M.D.
Senior Investigator, Cardiology Branch, National Heart and Lung Institute, National Institutes of Health, Bethesda, Md.
- GORE, IRA, M.D.
Professor of Pathology, University of Alabama Medical School, Birmingham, Ala.
- GORFINKEL, H. JOEL, M.D.
Cardiovascular-Pulmonary

- Division, Department of Medicine,
Hospital of the University of
Pennsylvania, Philadelphia, Pa.
- GRACE, WILLIAM J., M.D.
Director, Department of Medicine,
and Director, Mobile Coronary Care
Unit, St. Vincent's Hospital and
Medical Center of New York, and
Professor of Clinical Medicine,
New York University School of
Medicine, New York, N.Y.
- GREGG, DONALD E., Ph.D., M.D.
Chief, Department of
Cardiorespiratory Diseases, Walter
Reed Army Institute of Research,
Walter Reed Army Medical
Center, Washington, D.C.
- HARRER, WILLIAM V., M.D.
Assistant Professor of Pathology,
Jefferson Medical College,
Philadelphia, Pa., and Laboratory
Director, Our Lady of Lourdes
Hospital, Camden, N. J.
- HELLBERG, KLAUS, M.D.
Research Scholar, University of
Southern California, Los Angeles,
and Huntington Memorial Hospital,
Pasadena, Calif.
- HERMOSILLO, ANTONIO, M.D.
Department of Medicine,
Hahnemann Medical College and
Hospital, Philadelphia, Pa.
- HILDNER, FRANK J., M.D.
Assistant Professor of Medicine,
University of Miami School of
Medicine, Coral Gables, and
Director, Clinical Catheterization
Laboratory, Division of Cardiology,
Department of Internal Medicine,
Mount Sinai Hospital, Miami
Beach, Fla.
- HUGHES, JAMES L., III, M.D.
Fellow in Cardiovascular Medicine,
Department of Internal Medicine,
School of Medicine, University of
California, Davis, Calif.
- INSULL, WILLIAM, JR., M.D.
Associate Professor of Pathology,
Cornell University Medical College,
and Adjunct Associate Professor,
Center for Research on Prevention
of Premature Arteriosclerosis,
The Rockefeller University,
New York, N.Y. Formerly Associate
Professor of Medicine and Head,
Atherosclerosis Laboratory, and
Research Associate Professor of
Biochemistry, Hahnemann Medical
College and Hospital,
Philadelphia, Pa.
- KATZ, ARNOLD M., M.D.
Philip J. and Harriet L. Goodhart
Professor of Medicine (Cardiology),
Mount Sinai School of Medicine,
City University of New York,
New York, N.Y.
- KELLY, JOHN J., JR., M.D.
Division of Research, The Lankenau
Hospital, Philadelphia, Pa.
- KNOEBEL, SUZANNE B., M.D.
Professor of Medicine,
Indiana University School of
Medicine, and Director of Clinical
Cardiology and Senior Research
Associate, Krannert Institute of
Cardiology, Marion County General
Hospital, Indianapolis, Ind.
- KONECKE, LEE L., M.D.
U.S. Public Health Service Trainee
(Cardiology), Indiana University
School of Medicine,
Indianapolis, Ind.
- KUO, PETER T., M.D., D.Sc.
Professor of Medicine, University
of Pennsylvania School of Medicine,
Philadelphia, Pa.
- LEON, ARTHUR S., M.S., M.D.
Director, Hoffmann-La Roche
Special Treatment Unit, Newark
Beth Israel Medical Center, and
Clinical Assistant Professor of
Medicine, New Jersey College of
Medicine and Dentistry,
Newark, N. J.
- LEV, MAURICE, M.D.
Professor of Pathology,
Northwestern University Medical
School; Director, Congenital Heart

- Disease Research and Training Center, Hektoen Institute for Medical Research; and Career Investigator and Educator, Chicago Heart Association, Chicago, Ill.
- LIKOFF, WILLIAM, M.D.**
Clinical Professor of Medicine, Division of Cardiology, Department of Medicine, Hahnemann Medical College and Hospital, Philadelphia, Pa.
- LILLEHEI, C. WALTON, Ph.D., M.D.**
Lewis Atterbury Stimson Professor of Surgery, The New York Hospital-Cornell Medical Center, New York, N.Y.
- LINHART, JOSEPH W., M.D.**
Professor of Medicine and Director, Division of Cardiology, Hahnemann Medical College and Hospital, Philadelphia, Pa.
- MANCHESTER, JOEL H., M.D.**
Assistant Professor of Medicine, School of Medicine, University of Pennsylvania, and Assistant Director, Cardiac Catheterization Laboratory, Hospital of the University of Pennsylvania, Philadelphia, Pa.
- MASON, DEAN T., M.D.**
Professor of Medicine, Professor of Physiology, and Chief, Section of Cardiovascular Medicine, Department of Internal Medicine, School of Medicine, University of California, Davis, Calif.
- MASSUMI, RASHID A., M.D.**
Professor of Medicine and Chief, Electrophysiology and Heart Station, Department of Internal Medicine, School of Medicine, University of California, Davis, Calif.
- MCDONOUGH, MICHAEL T., M.D.**
Associate Professor of Medicine and Director, Cardiac Surgical Service, Department of Medicine, Temple University Health Sciences Center, Philadelphia, Pa.
- MCHENRY, PAUL L., M.D.**
Associate Professor of Medicine, Indiana University School of Medicine, and Senior Research Associate, Krannert Institute of Cardiology, Marion County General Hospital, Indianapolis, Ind.
- MELTZER, LAWRENCE E., M.D.**
Director of Clinical Investigation and Director, Coronary Care Unit, Presbyterian-University of Pennsylvania Medical Center, Philadelphia, Pa.
- MILLER, RICHARD R., M.D.**
Fellow in Cardiovascular Medicine, Department of Internal Medicine, School of Medicine, University of California, Davis, Calif.
- PIERCE, JOSEPH E., D.V.M.**
Head, Section on Laboratory Animal Medicine and Surgery, National Heart and Lung Institute, National Institutes of Health Bethesda, Md.
- PITT, BERTRAM, M.D.**
Assistant Professor of Medicine, Cardiovascular Division, Department of Medicine, The Johns Hopkins University School of Medicine, Baltimore, Md.
- RUSSEK, HENRY I., M.D.**
Senior Attending Cardiologist, St. Barnabas Hospital, New York, N.Y. and Visiting Professor in Cardiovascular Disease, Hahnemann Medical College and Hospital, Philadelphia, Pa.
- SAMET, PHILIP, M.D.**
Professor of Medicine, University of Miami School of Medicine, Coral Gables, and Chief, Division of Cardiology, Department of Internal Medicine, Mount Sinai Hospital, Miami Beach, Fla.
- SCHATZ, JOHN, M.D.**
Fellow in Cardiology, Jefferson Medical College and Hospital, Philadelphia, Pa.
- SCHERLIS, LEONARD, M.D.**
Professor of Medicine and Head, Division of Cardiology, Department

- of Medicine, University of Maryland School of Medicine, Baltimore, Md.
- SEGAL, BERNARD L., M.D.
Clinical Professor of Medicine and Director of Postgraduate Education, Division of Cardiology, Department of Medicine, Hahnemann Medical College and Hospital, Philadelphia, Pa.
- SHELBURNE, JAMES C., M.D.
Assistant Professor of Medicine, School of Medicine, University of Pennsylvania, and Director, Cardiac Catheterization Laboratory, Hospital of the University of Pennsylvania, Philadelphia, Pa.
- SHERRY, SOL, M.D.
Professor and Chairman, Department of Medicine, Temple University School of Medicine, Philadelphia, Pa.
- SOLOFF, LOUIS A., M.D.
Blanche P. Levy Distinguished Service Professor of the University and Professor of Medicine, Division of Cardiology, Department of Medicine, Temple University Health Sciences Center, Philadelphia, Pa.
- SOROFF, HARRY S., M.D.
Professor of Surgery, Tufts University School of Medicine, and Director, Tufts (First) Surgical Service, Boston City Hospital, Boston, Mass.
- SPAIN, DAVID M., M.D.
Professor of Clinical Pathology, New York University School of Medicine, New York, N.Y., and Director of Pathology, Brookdale Hospital Medical Center, Brooklyn, N.Y.
- SPANN, JAMES F., JR., M.D.
Professor of Medicine, Chief, Section of Cardiology, and Program Manager, Cardiopulmonary Program, Temple University Health Sciences Center, Philadelphia, Pa.
- SURAWICZ, BORYS, M.D.
Professor of Medicine and Director, Cardiovascular Division, University of Kentucky College of Medicine, Lexington, Ky.
- SWAN, H. J. C., M.B., Ph.D.
Professor of Medicine, University of California at Los Angeles, and Director, Department of Cardiology, Cedars-Sinai Medical Center, Los Angeles, Calif.
- SZIDON, J. PETER, M.D.
Assistant Professor of Medicine, Cardiovascular-Pulmonary Division, Department of Medicine, Hospital of the University of Pennsylvania, Philadelphia, Pa.
- WATANABE, YOSHIO, M.D.
Associate Professor, Department of Medicine, and Research Associate Professor, Department of Physiology and Biophysics, Hahnemann Medical College and Hospital, Philadelphia, Pa.
- WILENSKY, RAYMON J., B.S.
University of Alabama Medical School, Birmingham, Ala.
- YAZDANFAR, SHAHRIAR, M.D.
Department of Medicine, Temple University Health Sciences Center, Philadelphia, Pa.
- YU, PAUL N., M.D.
Sarah McCort Ward Professor of Medicine and Head, Cardiology Unit, University of Rochester Medical Center, Rochester, N.Y.
- ZELIS, ROBERT, M.D.
Assistant Professor of Medicine, Assistant Professor of Physiology, Assistant Chief, Section of Cardiovascular Medicine, and Chief, Clinical Physiology and Cardiovascular Diagnosis, School of Medicine, University of California, Davis, Calif.

Preface

A full decade has passed since publication of the Seventh Hahnemann Symposium, which dealt with coronary heart disease. At that time this disease was recognized as the primary health problem of western civilization, with disability and death rates exceeding those of any other illness. Furthermore, there appeared to be no immediate likelihood of relief, because we lacked some knowledge concerning almost every facet of the problem, most particularly fundamentals such as pathogenesis of atherosclerosis, determinants of coronary blood flow and principles of myocardial metabolism.

The symposium did not offer a formal opportunity to explore future developments. Nevertheless, implicit in a number of presentations were predictions that the electron microscope would provide critical insight into the genesis of atherosclerosis and the mechanism of arterial lipid accumulation; coronary arteriography would be of inestimable aid in correlating pathology with functional disability, improving diagnostic acumen and clarifying the effectiveness of medical and surgical programs; new enzymes would be discovered, which would improve accuracy in diagnosing myocardial infarction; new drugs would improve coronary flow, increase myocardial oxygen uptake and control life-threatening arrhythmias; and more dependable, safer surgical techniques would be perfected to enrich the myocardium with new blood supply.

Over the years, so much less and so much more than was foreseen has been accomplished. To begin with, time has revealed little more about the genesis and nature of atherosclerosis. We continue to work with partial knowledge and to be provisionally content with probabilities. The lipid metabolic and platelet conglutination theories are locked in context, and there is scant reason to favor one above the other or to consider a different concept more favorably.

Elements of chance rather than precise law still appear to govern the correlation between arterial pathologic disease, the extent of myocardial damage, and clinical manifestations of coronary heart disease.

Basic mechanisms of myocardial metabolism remain obscure and leave a number of problems with differing prognostic and therapeutic implications unsolved.

Generations of drugs have appeared without providing prophylactic or therapeutic mastery over the frequency and intensity of angina pectoris. Amine oxidase inhibitors have quietly disappeared from the treatment shelf. The question of using anticoagulants remains moot after interminable trial and review.

Nonetheless, all deficiencies having been considered, there has been unmistakable progress. Much of it is recorded in this volume, the Twenty-Fourth Hahnemann Symposium.

Although our knowledge of certain basic issues such as the cause of atherosclerosis remains incomplete, probably imprecise, beclouded by equivocal evidence, it has become refreshingly meaningful in other fundamental areas. There are no better examples than in myocardial kinetics and the anatomy and pathology of the conduction system.

The past decade, however, has witnessed greater strides in more pragmatic matters. The multitude of doubts that assailed almost every investigator during

early clinical application of coronary arteriography has now vanished. It is clear that this technique is reasonably safe and accurate, and that it has upgraded the diagnosis of coronary artery disease immeasurably; coincidentally, it has offered evidence that myocardial ischemia and infarction may occur when coronary vessels appear normally patent. Arteriography has made surgery for obstructive coronary artery disease feasible, serving not only to guide the surgeon in his enterprise but, subsequently, to appraise what actually has been accomplished. How much the knowledge of coronary heart disease eventually will be broadened by coronary arteriography cannot be foretold, but judging from present contributions, the technique should exceed its predicted usefulness a thousandfold.

Patients with acute myocardial infarction almost universally are treated in coronary care units. The theory supporting this practical, effective system of care was hardly implemented in the early years of the past decade. Yet today, the physician/nurse team approach and constant surveillance with electronic monitoring have reduced the mortality rate from acute infarction by 50 per cent, mainly through prevention and early treatment of arrhythmias. This innovation, quite beyond prediction, grew out of its time, a product of past observations and knowledge, new ideas and technology.

This symposium volume contains suggestions for the immediate care of individuals suspected of having acute infarctions. These guidelines parallel practical recommendations contained in the 1971 report of the Inter-Society Commission for Heart Disease Resources and in an editorial (*Circulation* 44:979, 1971) titled "A Stratified System of Coronary Care." If put into common practice, these recommendations will denote as crucial a departure from the customary treatment of prehospital patients as coronary care units denote in the treatment of hospitalized patients.

There are even more comforting reflections. The capacity for controlling arrhythmias and conduction defects is encouraging. Beta-adrenergic blocking agents have awakened the promise of controlling angina pectoris. Direct surgical techniques are available to bypass coronary arterial obstructions and to correct important structural defects after infarction.

Nevertheless, no matter how many difficulties are surmounted, how many goals are realized, what progress has been made, we are still appalled by the rising incidence of coronary heart disease, its inexorable progression in those afflicted, and the shocking morbidity-mortality rates. It is these problems that dictate the nature of future pursuits.

The faculty of this symposium has outlined the boundaries of our understanding with candor. In the decade since the preceding publication, a great deal has been accomplished, but it is minuscule compared to what remains to be achieved.

We are deeply grateful to the contributors and the faculty; to Frederick K. Heath, M.D., Executive Director and Associate Dean, School of Continuing Education; to Mrs. Sage Cordell, Assistant Director of Administration, School of Continuing Education; and to Mrs. Edith Schwager, Editor, School of Continuing Education, without whom this text would not have been possible.

WILLIAM LIKOFF, M.D.
BERNARD L. SEGAL, M.D.
WILLIAM INSULL, JR., M.D.

CONTENTS

Contributors	xi
Preface	xvii

I. Pathogenesis

1. Hereditary Aspects of Coronary Atherosclerosis. COLIN M. BLOOR, M.D.	1
2. Plasma Lipids and Atherosclerosis. PETER T. KUO, M.D., D.Sc.	8
3. Lipids in Arteriosclerotic Arterial Tissues of Man. WILLIAM INSULL, JR., M.D.	20
4. Thrombosis in the Development of Coronary Atherosclerosis. A. BLEAKLEY CHANDLER, M.D.	28
5. Cigarette-Smoking and Coronary Atherosclerosis. JOSEPH T. DOYLE, M.D.	35
6. Localizing Factors in Experimental Atherosclerosis. JOHN T. FLAHERTY, M.D., VICTOR J. FERRANS, M.D., Ph.D., JOSEPH E. PIERCE, D.V.M., THOMAS E. CAREW, Ph.D. AND DONALD L. FRY, M.D.	40
7. Localizing Factors in Arteriosclerosis. DONALD L. FRY, M.D.	85

II. Pathology

8. Coronary Atherosclerosis and Ischemic Myocardial Damage. IRA GORE, M.D.	105
9. Development and Distribution of Coronary Arterial Anastomoses. IRA GORE, M.D. AND RAYMON J. WILENSKY, B.S.	113
10. The Small Coronary Arteries. ALBERT N. BREST, M.D., WILLIAM V. HARRER, M.D. AND JOHN SCHATZ, M.D.	122
11. Pathology of the Conduction System in Atrioventricular Block Associated with Coronary Heart Disease. MAURICE LEV, M.D.	129
12. The Pathologic Spectrum of Myocardial Infarction. DAVID M. SPAIN, M.D.	133

III. Pathophysiology

13. Factors Influencing Coronary Blood Flow in the Presence of Coronary Obstructive Disease. DONALD E. GREGG, Ph.D., M.D.	140
14. Measurement of Coronary Flow in Ischemic Heart Disease. RICHARD BING, M.D. AND KLAUS HELLBERG, M.D.	146
15. Regional Myocardial Blood Flow During Acute Ischemia. BERTRAM PITT, M.D. AND LEWIS BECKER, M.D.	150
16. Myocardial Blood Flow in Coronary Artery Disease: Correlation with Severity of Disease and Treadmill Exercise Response. SUZANNE B. KNOEBEL, M.D. AND PAUL L. MCHENRY, M.D.	155

17. Exercise and Atrial Pacing in the Evaluation of the Patient with Coronary Artery Disease. JOSEPH W. LINHART, M.D.	165
18. Pathophysiology of Angina Pectoris. EZRA A. AMSTERDAM, M.D., RICHARD R. MILLER, M.D., JAMES L. HUGHES, III, M.D., JOSEPH A. BONANNO, M.D., RASHID A. MASSUMI, M.D., ROBERT ZELIS, M.D. AND DEAN T. MASON, M.D.	178
19. Myocardial Metabolism in Ischemic Heart Disease. ARNOLD M. KATZ, M.D.	190
20. Experimental Myocardial Infarction: Hemodynamic Evaluation. H. JOEL GORFINKEL, M.D., J. PETER SZIDON, M.D. AND ALFRED P. FISHMAN, M.D.	200
21. Hemodynamic Correlates of Arteriosclerotic Heart Disease. FRANK J. HILDNER, M.D. AND PHILIP SAMET, M.D.	207
22. Noninvasive Measurement of Ventricular Function in Chronic Ischemic Heart Disease: ERNEST CRAIGE, M.D. AND NICHOLAS J. FORTUIN, M.D.	221

IV. Angina Pectoris: Diagnosis

23. The Natural History of Angina Pectoris. BERNARD L. SEGAL, M.D.	231
24. Problems in the Recognition of Angina Pectoris. MICHAEL T. McDONOUGH, M.D., SHAHRIAR YAZDANFAR, M.D. AND JAMES F. SPANN, JR., M.D.	238
25. Electrocardiographic Alterations in the Presence of Angina Pectoris. LEONARD S. DREIFUS, M.D., YOSHIO WATANABE, M.D. AND ANTONIO HERMOSILLO, M.D.	243
26. Exercise Stress Testing in the Diagnosis of Angina Pectoris. JOHN J. KELLY, JR., M.D. AND ALAN J. BARRY, PH.D.	253
27. Coronary Angiocardiology and Coronary Heart Disease. LOUIS A. SOLOFF, M.D.	265
28. Angina Pectoris with Normally Patent Coronary Arteries. WILLIAM LIKOFF, M.D.	274

V. Angina Pectoris: Treatment and Prognosis

29. Drug Treatment of Patients with Angina Pectoris. ROBERT E. GOLDSTEIN, M.D. AND STEPHEN E. EPSTEIN, M.D.	277
30. Intractable Angina Pectoris: A Therapeutic Challenge. HENRY I. RUSSEK, M.D.	310
31. Exceptional Therapeutic Measures: Electronic Devices in Treatment of Angina Pectoris: LAWRENCE S. COHEN, M.D. AND EUGENE BRAUNWALD, M.D.	319
32. Saphenous Vein Bypass Grafting in the Surgical Treatment of Angina Pectoris. GUMERSINDO BLANCO, M.D. AND ALBERTO ADAM, M.D.	326

VI. Myocardial Infarction: Diagnosis

33. Clinical Manifestations of Acute Myocardial Infarction. JOEL H. MANCHESTER, M.D., JAMES C. SHELBURNE, M.D. AND ALFRED P. FISHMAN, M.D.	333
34. Electrocardiographic Diagnosis of Myocardial Infarction: Pitfalls of a Graphic Technique. CHARLES FISCH, M.D.	344
35. Enzyme Procedures in Myocardial Infarction. EUGENE L. COODLEY, M.D.	356

VII. Myocardial Infarction: Treatment and Prognosis

36. Principles Regulating Treatment of Acute Myocardial Infarction. WILLIAM LIKOFF, M.D.	366
37. Prehospital Emergency Care of Acute Myocardial Infarction: Lessons for Patient and Physician. PAUL N. YU, M.D.	371
38. Life Support Transportation System. WILLIAM J. GRACE, M.D. AND JOHN A. CHADBOURN, M.D.	377
39. The Functional Anatomy of the Coronary Care Unit. LAWRENCE E. MELTZER, M.D.	380
40. Factors Related to Maintenance of Cell Viability. NORMAN BRACHFELD, M.D.	388
41. Recognition and Treatment of Arrhythmias in Acute Myocardial Infarction. LEONARD S. DREIFUS, M.D.	404
42. Pacing in Myocardial Infarction. SUZANNE B. KNOEBEL, M.D., LEE L. KONECKE, M.D. AND CHARLES FISCH, M.D.	412
43. A Modern View of the Role of Anticoagulation in the Treatment of Acute Myocardial Infarction. RICHARD V. EBERT, M.D.	423
44. Thrombolysis for Acute Myocardial Infarction. SOL SHERRY, M.D.	426
45. Drug Therapy of Power Failure. ARTHUR S. LEON, M.S., M.D. AND WILLIAM B. ABRAMS, M.D.	431
46. Treatment of Power Failure by Means of Mechanical Assistance. HARRY S. SOROFF, M.D.	444
47. Power Failure of the Heart in Acute Myocardial Infarction. H. J. C. SWAN, M.B., PH.D.	453
48. Evaluation, Diagnosis and Treatment of Common Structural Com- plications of Acute Myocardial Infarction. LEONARD SCHERLIS, M.D. AND DONALD H. DEMBO, M.D.	468
49. Surgical Management of Coronary Artery Insufficiency. C. WALTON LILLEHEI, PH.D., M.D. AND ROBERT G. CARLSON, M.D.	477
50. Sudden Death: Pathogenesis and Prevention. BORYS SURAWICZ, M.D.	511
51. The Prognosis of Myocardial Infarction. WILLIAM LIKOFF, M.D. ..	520
Index	525

Hereditary Aspects of Coronary Atherosclerosis

By COLIN M. BLOOR, M.D.

IT IS GENERALLY ACCEPTED that coronary atherosclerosis is a multifaceted disease in which heredity plays an important role. Supporting evidence for this view comprises the demonstrations of familial aggregation for coronary artery disease.¹⁻⁵ In these family studies, the usual approach is to compare the frequency of the disorder in the family of probands with that in the family of control subjects similar with respect to age, sex, race and socioeconomic status. Thus, in the studies of Gertler and White,¹ coronary artery disease is twice as frequent a cause of death in the fathers of patients as in the fathers of control subjects. The percentage of patients' sibs dying of coronary disease was nine-fold that observed in sibs of controls. When Russek and Zohman² surveyed for a history of cardiovascular disease, the frequency of a positive history was 67 per cent in one or both parents of patients as compared with 40 per cent among the control subjects.

In Thomas and Cohen's study,³ it was shown that when both grandparents had coronary artery disease, 21 per cent of their sons were similarly affected, whereas, when neither grandparent had the disease, only 4 per cent of the sons were reported to have the same condition. In matings between one affected and one unaffected grandparent, the frequency of coronary heart disease among their sons was 8.2 per cent. The daughters of grandparents showed a similar but less steep trend. When the subjects' fathers were affected, the brothers of the subjects showed a frequency of coronary disease (15.8 per cent) four times greater than was the case when the fathers were free from coronary disease. Coronary disease is also more frequent among the sisters of affected fathers. Deutscher and coworkers⁵ reported that fatal coronary heart disease was commonest when parental death from coronary heart disease occurred before 65 years of age. Nonfatal coronary heart disease was more common when parental death from coronary heart disease occurred after 65 years of age than when it occurred prior to this age. Thus, they concluded that familial factors play an important role in the development of premature coronary heart disease.

The aforementioned family studies focusing on clinical coronary artery disease do indicate a familial aggregation of these cases. However, what is at issue is not whether aggregation occurs in families, but how it is to be interpreted. Familial aggregation may also be well explained by dietary, smoking or other habits common to members of the family, communicated rather than inherited. It is unlikely that this impasse will be resolved by the accumulation of further data unless they are accompanied by the development of means of extracting more pertinent information from them. A study by Deutscher and his colleagues⁶ attempted this by comparing the degrees of familial aggregation by age. An appreciable degree of resemblance was found among siblings below the age of 16, who may be presumed to share the same environment to a great extent. Aggregation was less marked for siblings between the ages of 16 and 40, a time when less of the same environment is shared, but it rose again after age 40. It is postulated that the observed rise after age 40 is due to an

From the Department of Pathology, University of California, San Diego, School of Medicine, La Jolla, California.

increase in the penetrance of the gene or genes involved, at middle age and beyond. This fascinating postulate will be elaborated on later. In addition, this pattern of aggregation suggests that environmental factors, e.g. levels of serum cholesterol, blood glucose and blood pressure, may play a stronger role prior to middle age.

The only technique available for determining to what extent familial aggregation is genetic is comparison of the concordance rate of monozygotic twins with that of like-sex dizygotic twins. The results of several studies of twins are consistent with the hypothesis of a significant genetic factor. Verschuer⁷ found a concordance rate of 19 per cent for "coronary sclerosis" among 21 pairs of monozygotic twins, whereas in 47 pairs of dizygotic twins the rate was 8.5 per cent. Benedict⁸ reported a pair of identical twin females in whom coronary insufficiency developed at about the same age although their blood pressures, serum lipids, and cholesterols were well within normal limits. Harvald and Hauge,⁹ in contrast, showed the concordance rate for deaths from coronary occlusion among 82 pairs over 60 years of age to be the same for monozygotic twins and dizygotic twins, whether of the same or opposite sex. Although Harvald and Hauge suggest that genetic factors play only a minor role in the genesis of coronary arteriosclerosis, the remainder of these studies support the view that coronary artery disease tends to aggregate among blood relatives. In another study of coronary heart disease in twins, Liljefors and Rahe¹⁰ used a novel approach. Thirty-two pairs of Swedish monozygotic male twins (42 to 67 years old), who were discordant for coronary heart disease, were analyzed for variability in psychosocial patterns of subjects. The life dissatisfaction category provided the highest (significant) correlation with severity of coronary heart disease. Since there is a tendency to fatalism where genetics is involved, this study¹⁰ should serve as a reminder that heredity is not the sole factor contributing to coronary atherosclerosis.

Assuming that there is a significant genetic contribution to this familial aggregation for coronary atherosclerosis, the question arises as to what the mechanisms are by which the genetically determined susceptibility to coronary artery disease operates. Of the many mechanisms incriminated in the pathogenesis of coronary artery disease, hypercholesterolemia and hypertension have been studied most extensively as to genetic control. Other factors that seem to be related to coronary artery disease, i.e. diabetes mellitus, coronary artery anatomy, obesity and hyperuricemia, may also be possible mechanisms, since they have a partly genetic background.

Although several investigators¹¹⁻¹³ have suggested that idiopathic hypercholesterolemia is subject to unifactorial inheritance of the autosomal dominant type, the findings of others¹⁴⁻¹⁶ support the view that serum cholesterol levels are determined over the whole range of distribution by multiple genetic and environmental factors. Analysis of the evidence concerning blood pressure supports the view that it is subject to multifactorial genetic determination.^{15,17-20} Thus, since two factors known to aggravate coronary atherosclerosis are in part genetically determined, the role of heredity in coronary artery disease is accentuated.

The initial studies of Schlesinger²¹ suggested that differences in the anatomical pattern of the coronary arterial tree may be genetically determined and that in turn, such differences may account for an increased vulnerability to the effects of atherosclerosis. Indirect evidence for the genetic determination of coronary artery patterns included the variation of intercoronary anastomoses in animals²² and man^{23,24} and their differing extent in different races of man.^{19,25} Pepler and Myer's demonstration²⁶ of coronary anatomical differences between the hearts of Bantu and Euro-

peans, and the report by Sidd and coworkers²⁷ of similar coronary angiograms in monozygotic twins are highly suggestive of a genetic basis for structural differences in coronary anatomy.

Bloor et al.²⁸ explored this thesis further by demonstrating four basic coronary artery patterns in unrelated, isolated populations of rats. A significant difference in the frequency distribution of the four coronary artery patterns was present among the three unrelated strains. The inheritance was not sex-linked since the frequencies of these coronary patterns within each strain were similar for both sexes. Two of the unrelated strains were cross-mated to produce F_1 and F_2 generations. The observed frequencies of the coronary patterns in these breeding experiments differed from those expected if classic Mendelian segregation involving single pairs of genes exhibiting dominance and recessiveness had been involved. All these findings indicated that polygenetic determination was the most likely mode of inheritance.

Quantitative genetic analysis was undertaken to define further the relative importance of genetic and environmental factors in coronary artery inheritance.²⁹ These studies confirmed the polygenic determinism of coronary artery inheritance. Estimates of the influence of genetic components indicated that 17 to 25 per cent of the phenotypic variance is attributable to genetic factors. The relative importance of environmental factors in determining coronary artery patterns was derived from a partitioning of variance based on the product/moment correlation among relatives (Table 1). It was concluded that special (transient) maternal environmental factors are the most important in determining coronary pattern variability.

TABLE 1.—*Partition of Variance Based on Correlation Among Relatives*

Coronary artery	Relationship	Observed covariance				Total
		Maternal genotype	General maternal environment	Fetal genotype	Special maternal environment	
Right	Full sibs	0.310	0.002	0.096	0	0.408
	Children of sisters	0.155	0	0.024	0	0.179
	Other first cousins	0	0	0.024	0	0.024
	Observed variance	0.310	0.002	0.192	0.496	1.000
Left	Full sibs	0.018	0.125	0.116	0	0.349
	Children of sisters	0.054	0	0.029	0	0.083
	Other first cousins	0	0	0.029	0	0.029
	Observed variance	0.108	0.125	0.232	0.535	1.000

From data of Leon and Bloor,²⁹ with permission.

In view of this precise delineation of the formal genetics involved in coronary anatomy heritability, further exploration of the precise mechanisms by which these different anatomical patterns predispose to atherogenesis seems promising. One such study by Vlodaver and coworkers³⁰ showed that Ashkenazic Jews in Israel, who have a higher prevalence of coronary artery disease than Yemenite Jews and Bedouins in Israel, have greater development of the intima and musculo-elastic layers of their coronary arteries than the other two ethnic groups. The rich concentration of collagen in the intima may enhance the rate of cholesterol synthesis and

thus contribute to the high incidence of coronary atherosclerosis in the adult population. In an experimental approach, selectively bred animals from two unrelated strains and their F_1 hybrid generation have been subjected to atherogenic diets.³¹ When the severity of coronary artery disease was quantitated (coronary atherosclerosis index), definite differences appeared between the parental strains (Table 2). Even more striking were the findings in the F_1 hybrid generation. On a butter-fat diet, the severity of coronary artery disease was similar to that observed in one of the parental strains. In contrast, on the peanut-oil/butter-fat diet, the severity of coronary atherosclerosis was markedly elevated over both parental strains. Thus, further investigation should consider the possibilities that (1) the same sets of genes (polygenes) determining coronary artery anatomical patterns may be involved in susceptibility to myocardial infarction, hypertension or hypercholesterolemia; and (2) the polygenes involved in coronary artery inheritance may be unrelated to those involved in hypercholesterolemia and hypertension.

TABLE 2.—Coronary Atherosclerosis Index in the Parental (WR and NNMC) and F_1 Hybrid Generations Subjected to Atherogenic Diets

Generation	Coronary atherosclerosis index (mean $\pm$ SEM)	
	Peanut oil + butter-fat diet	Butter-fat diet
WR	1.87 $\pm$ 0.17	1.99 $\pm$ 0.12
F_1	2.82 $\pm$ 0.23	1.59 $\pm$ 0.22
NNMC	1.66 $\pm$ 0.15	1.52 $\pm$ 0.20

From Bloor,³¹ by permission of the American Heart Association, Inc.

Since the various factors involved in the genesis of coronary atherosclerosis have been shown to be subject to polygenic determinism, it is unlikely that the occurrence of coronary artery disease in man will conform to some Mendelian pattern. Since the demonstration of such a pattern in the genetics of coronary artery disease is the ultimate goal, one should continue to strive for its attainment and be cognizant of the three major problems to be solved, as outlined by Murphy.³² These, to be considered briefly, are: (1) age-dependence in the clinical manifestations of the disease and the interaction of ascertainment bias with it; (2) misclassification and the means by which it is to be minimized, especially where diagnosis depends on measurements of several different variables; and (3) testing of genetic hypotheses, with due allowance for the foregoing effects.

In some disorders, penetrance, i.e. manifestations of the abnormal gene, may not be accidental but may, like Huntington's chorea, be relentlessly age-dependent. It is conceivable that it is merely a matter of time before any person with the "right" genetic constitution would have manifest occlusive coronary artery disease, with myocardial infarction. The question at once arises as to why the onset of the disease should be delayed and why it should not occur at a uniform rate. Two mechanisms are apparent: (1) The speed of development of the disease varies, which might account for the importance of the risk factors. Alternatively, the crucial factors may be the configuration of the coronary vessels. The consequence of this mechanism, and one which could easily be tested, would be that not only should there be familial aggregation of coronary artery disease, but also the age at onset should show a correlation within families. It is interesting that Douglas³³ comments on the similarity