


Handbook of Advanced Magnetic Materials

Volume IV Advanced Magnetic Materials: Properties and Applications

先进磁性材料手册

第4卷：先进磁性材料的特性及应用

Editors: David J. Sellmyer
Yi Liu
D. Shindo



Tsinghua University Press



Springer

Handbook of Advanced Magnetic Materials

Volume IV Advanced Magnetic Materials:
Properties and Applications

先进磁性材料手册

第4卷：先进磁性材料的特性及应用

Editors: David J. Sellmyer
Yi Liu
D. Shindo

TM271-62

Y1

:4

2005.

江苏工业学院图书馆
藏书章



Tsinghua University Press
Beijing



Springer

内 容 简 介

本书的目的是对磁性材料研究的新近进展提供一种全面的理解。本书共分四卷,每一卷集中论述一个具体的研究领域。每一章首先对该章的基本概念和重要观念进行阐述,然后从实验和理论方面进行详细地说明,最后介绍该领域的发展前景以及新的思想。书中提供了详尽的参考文献,可供研究人员参考。

磁性材料的性能变化范围很大,有着不同的应用。本卷收集硬磁材料、软磁材料、磁记录材料、磁感应材料等的制作加工、性能及应用的最新成果,阐明实际应用对材料性能的要求,为今后的研究提供方向。

本书的读者对象为相关专业的研究生和研究人员。

版权所有,翻印必究。举报电话:010-62782989 13501256678 13801310933

图书在版编目(CIP)数据

先进磁性材料手册 第4卷:先进磁性材料的性能及应用=Handbook of Advanced Magnetic Materials Volume IV Advanced Magnetic Materials: Properties and Applications/(美)塞尔米厄(Sellmyer, D. J.),刘义(Liu, Yi),(美)沙因多(Shindo, D.)主编. —北京:清华大学出版社,2005.7

ISBN 7-302-08924-8

I. 先… II. ①塞… ②刘… ③沙… III. 磁性材料—英文 IV. TM271

中国版本图书馆 CIP 数据核字(2004)第 060965 号

出 版 者:清华大学出版社

<http://www.tup.com.cn>

社 总 机:010-62770175

地 址:北京清华大学学研大厦

邮 编:100084

客户服务:010-62776969

组稿编辑:张兆琪

文稿编辑:韩燕丽

印 装 者:三河市春园印刷有限公司

发 行 者:新华书店总店北京发行所

开 本:153×235 印张:29.5 字数:723 千字

版 次:2005 年 7 月第 1 版 2005 年 7 月第 1 次印刷

书 号:ISBN 7-302-08924-8/T·17

印 数:1~1000

定 价:110.00 元

FOREWORD

Over the next several years, Tsinghua University Press will publish a series of books addressing progress in basic sciences and innovations in technology. We have made no attempt to pursue a comprehensive coverage of all disciplines of science and technology. Rather, topics for this series were selected with an emphasis on the currently active forefront of science and technology that will be contemporary in the next century. Most books in this series will deal with subjects of cross disciplines and newly emerging fields. Each book will be completed by individual authors or in a collaborative effort managed by an editor (s), and will be self-consistent, with contents systematically focused on review of the most recent advances and description of current progresses in the field. Sufficient introduction and references will be provided for readers with varying backgrounds. We have realize clearly the challenge of encompassing the diverse subjects of science and technology in one series. However, we hope that, through intensive collaboration between the authors and editors, high standards in editorial quality and scientific merit will be maintained for the entire series.

The international collaboration on this series has been coordinated by the Association of Chinese Scientists and Engineers-USA (ACSE). In the science community, authors voluntarily publish their results and discoveries in the full conviction that science should serve human society. The editors and authors of this series share this academic tradition, and many of them are fulfilling a spiritual commitment as well. For our editors and authors who were graduated from universities in China and further educated abroad in science and engineering, this is an opportunity to dedicate their work to the international

4 **FOREWORD**

education community and to commemorate the historical open-door movement that began in China two decades ago. When the human society enters the information age, there is no geographic boundary for science. The Editorial committee hopes that this series will promote further international collaboration in scientific research and education at the dawn of the new century.

The Editorial Committee
1999.6

由清华大学出版社出版的这套丛书是基础科学和应用科学领域内的专门著作。除了可作为研究生教材外,也可作为科研和工程技术人员的参考书。在丛书的题材选择中,着重考虑目前比较活跃而且具有发展前景的新兴学科。因此,这套丛书大都涉及交叉和新兴学科的内容。编写的方式大多由主编策划并组织本学科有影响的专家共同执笔完成,从而使每一本书的系统性和各章节内容的连贯性得到了充分的兼顾。丛书涵盖学科的最新学术进展,兼顾到基本理论和新技术、新方法的介绍,并引入必要的导论和充分的参考文献以适应具有不同学术背景的读者。编撰一套容纳多学科的科技丛书是一项浩繁的工作,我们希望通过主编和作者的集体努力和精诚协作,使整套丛书的学术水准能够保持在较高的水平上。

编辑《21 世纪科技前沿》丛书是由“旅美中国科学家工程师协会”发起的一项国际科技界的合作。传递信息,加强交流,促进新世纪的科技繁荣是编著者们参与此项工作的共同信念。此外,这套丛书还具有特别的纪念意义。20 年前,历史的进程使成千上万的中国学生、学者有机会走出国门,到世界各地学习和从事科学研究。今天,活跃在世界科技前沿领域的中华学子们没有忘记振兴祖国科技教育事业的责任和推动国际学术交流与合作的义务。正是基于这一共同的心愿,大家积极参与这套系列丛书的撰写、组稿和编辑工作。为此,我们愿以这套丛书来纪念中国改革开放 20 周年。

编委会

1999. 6

Handbook of Advanced Magnetic Materials

Preface

In December 2002, the world's first commercial magnetic levitation supertrain went into operation in Shanghai. The train is held just above the rails by magnetic levitation (maglev) and can travel at a speed of 400 km/hr completing the 30km journey from the city to the airport in minutes. Now consumers are enjoying 50 GB hard drives compared to 0.5 GB hard drives ten years ago. Achievements in magnetic materials research have made dreams of a few decades ago reality. The objective of this book is to provide a comprehensive review of recent progress in magnetic materials research. The whole book consists of four volumes, each volume focusing on a specific field. Graduate students and professional researchers are targeted as the readers. Each chapter will have an introduction to give a clear definition of basic and important concepts of the topic. The details of the topic are then elucidated theoretically and experimentally. New ideas for further advancement are then discussed. Sufficient references are also included for those who wish to read the original work. Many of the authors are well known senior scientists. We have also chosen some accomplished young scientists to provide reviews on new and active topics.

In the last decade, one of the most significant thrust areas of materials research has been nanostructured magnetic materials. There are several critical sizes that control the behavior of a magnetic material. For example, the coercivity of a magnetic material made of particles increases with decreasing particle size, reaching a maximum where coherent rotation of a single-domain particle is realized, and then decreases with further decrease of the particle size. For a composite made of a magnetically hard phase and soft phase, when the grain size of the soft phase is sufficiently large, the soft and hard phases reverse independently. However, when the grain size of the soft phase is reduced to a size of about twice the domain wall thickness of the hard

phase, the soft and hard phases will be exchange-coupled and behave as if a single magnetic phase is present. Such behavior can be used to increase the energy product of high-performance permanent magnets. Size effects become critical when dimensions approach a few nanometers, where quantum phenomena appear. The first volume of the book has therefore been devoted to the recent development of nanostructured magnetic materials, emphasizing size effects.

Our understanding of magnetism has advanced with the establishment of the theory of atomic magnetic moments and itinerant magnetism. In general, the magnetism of a bulk material can be considered as the superposition of atomic magnetic moments plus itinerant magnetism due to conduction electrons. In practical applications the situation becomes much more complicated. The *boundary conditions* have to be taken into account. This includes the size of the crystals, second-phase effects and intrinsic properties of each phase. The effects of magnetic relaxation over long periods of time can be critical to understanding. Simulation is a powerful tool for exploration and explanation of properties of various magnetic materials. Simulation also provides insight for further development of new materials. Naturally, before any simulation can be started, a model must be constructed. This requires that the material be well characterized. Therefore the second volume of the book provides a comprehensive review of both experimental methods and simulation techniques for the characterization of magnetic materials. After an introduction, each section gives a detailed description of the method and the following sections provide examples and results of the method. Finally further development of the method will be discussed.

The success of each type of magnetic material depends on its properties and cost which are directly related to its fabrication process. Processing of a material can be critical for development of artificial materials such as multilayer films, clusters, etc. Moreover, cost-effective processing usually determines whether a material can be commercialized. In recent years processing of materials has continuously evolved from improvement of traditional methods to more sophisticated and novel methods. The objective of the third volume of the book is to provide a comprehensive review of recent developments in processing of advanced magnetic materials. Each chapter will have an introduction and a section to provide a detailed description of the processing method. The following sections give detailed descriptions of the *processing, properties and applications of the relevant materials*. Finally the potential and limitation of the processing method will be discussed.

The properties of a magnetic material can be characterized by intrinsic

properties such as anisotropy, saturation magnetization and extrinsic properties such as coercivity. The properties of a magnetic material can be affected by its chemical composition and processing route. With the continuous search for new materials and invention of new processing routes, magnetic properties of materials cover a wide spectrum of soft magnetic materials, hard magnetic materials, recording materials, sensor materials and others. The objective of the fourth volume of this book is to provide a comprehensive review of recent development of various magnetic materials and their applications. Each chapter will have an introduction of the materials and the principals of their applications. The following sections give a detailed description of the processing, properties and applications. Finally the potential and limitation of the materials will be discussed.

NASA is considering the launching of spacecraft by maglev. The first stage rocket, which accounts for two-thirds of the cost and is lost every launch, would be replaced by a maglev track. Using a 50 ft track NASA scientists have accelerated a model spacecraft to 96kph in less than half a second. In the last few decades the knowledge of mankind has been expanding rapidly into deep space measured by light years and the nano world where building blocks of atoms are being engineered. Magnetism and magnetic materials are among the most intriguing and fascinating science and engineering fields. Undoubtedly advances in magnetic materials research will continue to fuel our understanding of the universe in the new century. We hope this book will provide a useful reference for researchers working at the frontier of magnetic materials research.

We would like to express our sincere thanks to all our devoted authors, technical editors, and publishers for making this book possible.

The editors

Contents

Foreword	3
Preface	7
1 Recent Developments in High-Temperature Permanent Magnet Materials	1
1.1 Introduction	1
1.1.1 Requirement for High-Temperature Permanent Magnet Materials	1
1.1.2 Review of Conventional Permanent Magnet Materials	1
1.2 Candidate Alloy System for High-Temperature Permanent Magnet Materials	4
1.3 New $\text{Sm}_2\text{Co}_{17}$ -Based High-Temperature Permanent Magnet Materials	7
1.3.1 Effects of Compositions on High-Temperature Intrinsic Coercivity of $\text{Sm}_2\text{-TM}_{17}$ Permanent Magnets	7
1.3.2 Magnetic Properties of New $\text{Sm}_2\text{Co}_{17}$ -Based High-Temperature Permanent Magnet Materials	13
1.3.3 Dynamic Characterizations of New High-Temperature Permanent Magnets	16
1.3.4 Long-Term Thermal Stability of New High-Temperature Permanent Magnets	19
1.3.5 Microstructure and Crystal Structure	21
1.3.6 Coercivity in $\text{Sm}_2\text{-TM}_{17}$ -Type Permanent Magnets	23
1.4 New Approach to Calculate Temperature Coefficients of Magnetic Properties	35
1.5 SmCo_7 -Type Permanent Magnets	38
1.6 Temperature Compensated Rare Earth Permanent Magnets and Modeling of Temperature Coefficient of Magnetization	39
1.7 Other High-Temperature Permanent Magnet Materials and Furture Perspective	46
References	47

2 New Rare-Earth Transition-Metal Intermetallic Compounds and Metastable Phases for Permanent Magnetic Materials	50
2.1 Introduction	50
2.1.1 Overview of Structures	51
2.2 Experimental Processing	54
2.2.1 Melting	54
2.2.2 Mechanical Alloying/Milling	55
2.2.3 Rapid Quenching	55
2.2.4 HDDR	55
2.2.5 Solid-State Reaction	56
2.2.6 Solid-Gas Reaction	56
2.2.7 Sputtering	56
2.3 New Intermetallic Compounds	57
2.3.1 $R(Fe, T, X)_{12}$ ($X = B, C$)	57
2.3.2 $R_2Fe_{14}BN_6$	59
2.3.3 $R_6Fe_{13-x}M_{1+x}$	61
2.3.4 $R_3T_{29}Si_4B_{10}$	61
2.4 Metastable Phases	64
2.4.1 RFe_5	64
2.4.2 RT_7 ($T = Fe, Co, Ti, \text{etc.}$)	65
2.4.3 RT_7N_6	68
2.4.4 R-Fe-C	72
2.4.5 $Nd_2Fe_{14}BN_6$	74
2.4.6 RFe_{12}	75
2.5 Discussion	76
2.6 Conclusions	79
References	80
3 Magnetic Properties and Interstitial Atom Effects in the $R(Fe, M)_{12}$ Compounds	86
3.1 Introduction	86
3.2 Interstitial Atom Effects and Intermetallic Compounds	87
3.2.1 Crystallographic Structures	87
3.2.2 Curie Temperature and Saturation Magnetization	93
3.2.3 Magnetocrystalline Anisotropy	95
3.2.4 Hyperfine Interactions	97
3.3 Origin of the Interstitial Atom Effects	101
3.3.1 Crystal Field Effect	101
3.3.2 Band Structures	103
3.4 Novel Permanent Magnets Based on 1 : 12 Nitrides	108
3.4.1 The Domain Structures in Compounds, Nitrides and Carbides	108
3.4.2 Hard Magnetic Properties of Nitrides	111
3.5 Conclusions and Prospect	118

References	119
4 Nanocrystalline Soft Magnetic Materials and Their Applications	124
4.1 Introduction	124
4.2 Magnetic Properties and Microstructure	125
4.2.1 Magnetic Properties	125
4.2.2 Microstructure	133
4.2.3 Origin of Magnetic Softness	136
4.3 Applications	143
4.3.1 Parts for Noise Measures	145
4.3.2 Magnetic Parts for Communications	147
4.3.3 Parts for Pulsed Power	148
4.3.4 Parts for Power Supplies	149
4.3.5 Current Sensors	152
4.3.6 Electromagnetic Shielding, Wave Absorbers	152
4.4 Conclusions	155
References	155
5 Spin-Density Waves and Charge-Density Waves in Cr Alloys	159
5.1 Introduction	159
5.2 Magnetic Properties of Antiferromagnetic Cr and Cr Alloys	161
5.2.1 Magnetic Phase Diagrams	161
5.2.2 Magnetic Phase Transition	164
5.3 Local Moments in Cr Alloys	168
5.3.1 Magnetic Susceptibility	168
5.3.2 Local Moments in Non-Magnetic Impurities-Local Spin-Density Waves	170
5.3.3 Correlation with Giant Magnetoresistance and Exchange Bias in Cr Alloys	174
5.4 Spin-Glass Phase in Cr-Alloys	177
5.5 Neutrons and X-Ray Scattering: CDW/SW and SDW Domains	180
5.5.1 Technical Antiferromagnetism	180
5.5.2 Neutrons and X-Ray Two Complementary Techniques Used in Studies of Cr Magnetism	182
5.5.3 Aspects of Neutron and X-Ray Scattering in Cr and Cr-Alloys	183
5.5.4 Orbital Moment in Cr and Resonant Scattering	185
5.5.5 Magnetic Q Domains in Cr (001) Face	193
5.5.6 Paramagnetic Critical Fluctuations in Cr and in Cr-0.2at. % V	195
5.6 Ultrasonic Measurements in Cr and Cr-Alloys	197
5.7 Bulk Chromium Properties Relevant for Thin Film Devices	202
5.8 Final Remarks	204
References	205

6	New Magnetic Recording Media	211
6.1	Introduction	211
6.2	New Media Development by Sputtering	213
6.2.1	Introduction	213
6.2.2	Hexagonal Co-Alloys	215
6.2.3	L ₁₀ Alloys	216
6.2.4	Rare Earth-Transition Metal Compounds	216
6.2.5	Nanocomposite Films	217
6.2.6	AFC Media	218
6.3	Chemical Synthesis	219
6.3.1	Introduction	219
6.3.2	Stabilization of Nanoparticle Dispersion	220
6.3.3	Chemical Synthesis of Monodisperse Nanoparticles	221
6.3.4	Magnetic Nanoparticle Assembly	225
6.3.5	Conclusions	227
6.4	Self-Assembly	228
6.4.1	Introduction	228
6.4.2	Porous Alumina Template Technique	229
6.4.3	Self-Assembled Nanowire/Dot Arrays as Recording Media-Merits and Challenges	235
6.5	Concluding Remarks	235
	References	236
7	Magneto-Optical Properties of Nanostructured Media	241
7.1	Introduction	241
7.2	Electromagnetic Theory of the Magneto-Optical Effect	242
7.2.1	Faraday Rotation	242
7.2.2	Kerr Rotation	244
7.3	Microscopic Models	247
7.3.1	Interband Transitions	247
7.3.2	Intraband Transitions	248
7.4	Magneto-Optical Measurements	250
7.4.1	Experimental Principles	250
7.4.2	Description of the Experimental System	253
7.5	Magneto-Optical Spectra of Magnetic and Non-Magnetic Metals	255
7.5.1	The Magneto-Optical Effect in the Noble Metal Ag	255
7.5.2	Magnetic Granular Films	256
7.5.3	Magnetic Co-Cu Multilayers	263
7.6	Summary	268
	References	268

8	Magnetoresistive Recording Heads	271
8.1	Introduction	271
8.2	Physics of Magnetoresistance	274
8.3	Magnetoresistive Head Fabrication	280
8.4	Noise in Magnetoresistive Sensors	280
8.5	Future of Magnetic Data Storage: Challenge in Maintaining Rapid Pace of Development	283
	Appendix 8.1 Glossary of Commonly Used Industry Terminology	284
	References	288
9	Magnetic Random Access Memories for Computer Data Storage	292
9.1	Introduction	292
9.2	MRAM Using Spin-Valve Effect	293
9.3	EPROM Using Hall Effect	296
9.4	MRAM Using Spin-Dependent Tunneling Effect	297
9.5	Future Perspective	304
	References	305
10	Magnetoresistive Thin Film Materials and Their Device Applications	307
10.1	Introduction	307
10.2	Magnetoresistive Materials	308
10.2.1	AMR Materials	310
10.2.2	Giant Magnetoresistive Materials	312
10.2.3	Tunnel Magnetoresistance	314
10.2.4	Colossal Magnetoresistance	319
10.2.5	Advanced Magnetoresistive Materials	320
10.3	Magnetoresistive Devices	321
10.3.1	Magnetic Field Sensors	322
10.3.2	Magnetic Field Gradient Sensors	324
10.3.3	Electrical Current Sensors	324
10.3.4	Integrated Magnetic Sensors	325
10.3.5	Galvanic Isolators	326
10.3.6	Advanced Magnetoresistive Devices	329
10.3.7	Applications of Magnetic Field Sensors	331
	References	333
11	Nano-Structural Magnetoelastic Materials for Sensor Applications	339
11.1	Introduction	339
11.2	Metallic Glass Preparation and Properties	341
11.2.1	Preparation of Metallic Glasses	341
11.2.2	Summary of Physical and Magnetic Properties of	

	Metallic Glasses	342
11.2.3	Tailoring of Metallic Glasses for Sensor Applications	346
11.3	Sensor Applications	348
11.3.1	Induction Sensors with Metallic Glass Cores	349
11.3.2	Giant Magneto-Impedance / Stress-Impedance Sensors	354
11.3.3	Magnetostrictive Delay Line Sensors	356
11.3.4	Magnetoelastic Resonance Sensors	359
11.3.5	Magneto-Surface-Acoustic-Wave Sensors	368
11.3.6	Gyro-Magnetic Sensors with Metallic Glass Cores	369
11.4	Conclusions	371
	References	372
12	Soft Magnetic Films and Wires for Magnetic Field Sensors	380
12.1	Introduction	380
12.2	Linear Magneto-Impedance	383
12.3	Electrodynamic Problems of Linear Magneto-Impedance	392
12.4	Nonlinear Magnetization Reversal Induced by ac Current	397
12.5	Manufacturing of Magneto-Impedance Units for Magnetic Field Sensors	404
12.6	Magneto-Impedance Sensors of Magnetic Field	408
12.7	Some Concluding Remarks	409
	References	410
13	Microwave Permeability of Magnetic Films	414
13.1	Introduction	414
13.2	High Frequency Permeability of a Single Domain Ellipsoid	415
13.2.1	Landau-Lifshitz Equation and Frequency Dispersion of Permeability	415
13.2.2	Snoek's Law	417
13.2.3	Relation Between the Static Permeability and the Resonance Frequency in Thin Films	418
13.2.4	The Effect of Damping	420
13.2.5	Integral Relations	421
13.3	Models of Microwave Permeability of Actual Thin Films	424
13.3.1	The Effect of Out-of-Plane Anisotropy	424
13.3.2	The Effect of Stripe Domain Structure	425
13.3.3	The Effect of Finite Film Thickness	427
13.3.4	Account for the Eddy Currents	428
13.3.5	Permeability of Patterned and Granular Films	430

13.4	Experimental Data on the Permeability of Thin Films	431
13.4.1	Permeability Measurement Techniques	431
13.4.2	Experimental Microwave Magnetic Spectra	433
13.5	Microwave Applications for High Permeable Materials	440
13.6	Conclusions	442
	References	443
Index	446

1 Recent Developments in High-Temperature Permanent Magnet Materials

Sam (Shiqiang) Liu

1.1 Introduction

1.1.1 Requirement for High-Temperature Permanent Magnet Materials

Permanent magnet materials capable of reliably operating at high temperatures ($\geq 400\text{ }^{\circ}\text{C}$) are required for future advanced power systems in a proposed more electric aircraft (MEA) initiative. A major objective of the MEA initiative is to increase aircraft reliability, maintainability, and supportability, including drastically reducing the need for ground support equipment (Fingers and Rubertus, 2000). This advancement will be accomplished in part through the development of advanced power components such as magnetic bearings, integrated power units, and internal starter/generators for main propulsion engines. New high-temperature magnets are enabling technologies for the development of these new power components. Power system designers frequently find that magnetic materials impose technological limitations on their designs. Compromises are generally required between the desired performance and the magnetic, mechanical, and electrical properties of available materials. If new materials can operate at $\geq 400\text{ }^{\circ}\text{C}$, then new advanced designs will be possible. Air-cooling, rather than complicated liquid cooling and its necessary logistics support, will become an operational capability. Likewise, oil-less/lubeless gas turbine engines and space power systems will be possible.

1.1.2 Review of Conventional Permanent Magnet Materials

Currently, the most widely-used permanent magnet materials are Alnico, hard ferrites, and high-performance rare earth-transition metal (RE-TM) permanent magnets, including SmCo_5 , $\text{Sm}_2(\text{Ce, Fe, Cu, Zr})_{17}$ ($\text{Sm}_2\text{TM}_{17}$ or 2 : 7), and Nd-Fe-B magnets. Table 1.1 lists the magnetic properties of some commercial magnets at room temperature. Figures 1.1 and 1.2 summarize the temperature