

ATLAS OF DISEASES - Plate 3

World Distribution of  
Malaria vectors.



# WORLD DISTRIBUTION OF MALARIA VECTORS

## Selected Bibliography

### ALBANIA

- Bates, M. (1937), The Seasonal Distribution of Anopheline Mosquitoes in the Vicinity of Tirana, *Riv. di Malariol.*, 16 (Sect. 1): 253-264
- , (1941), Field Studies of the Anopheline Mosquitoes of Albania, *Proc. Entomol. Soc.*, 43: 37-58

### ALGERIA

- Collignon, E. (1939), Au sujet de la carte du paludisme en Algérie, *Bull. San. de l'Algérie*, 34: 255-271

### ARGENTINA

- Bejarano, J. F. R. (1945), Malaria in the Argentine Northeast, *Rev. de la San. Mil.*, 44: 1451-1452
- Del Ponte, E. (1942), Estudios sobre el paludismo del litoral argentino; *Primer Congr. Nac. sobre Enfermedades Endemo Epidémicas*: 433-435
- , (1943), Malaria in the Argentine Littoral, *Rev. Inst. Bacteriol.*, 11: 469-510

### AUSTRALIA

- Taylor, F. H. (1943), Mosquito Intermediary Hosts of Disease in Australia and New Guinea, *Australia Dept. of Health (School of Pub. Health and Trop. Med.) Service Pub. No. 4*

### AUSTRIA

- Weyer, F. (1938), Die geographische Verbreitung der Rassen von *Anopheles maculipennis* in Deutschland, *Ztschr. f. Parasitenk.*, 10: 437-463

## BELGIUM

Rodain, J., and Van Hoof, M. (1942), Recherches sur l'anophélisme en Belgique, *Ann. Soc. Belge Méd. Trop.*, 22: 19-43

## BULGARIA

Dronski, K. (1938), The Varieties of *Anopheles maculipennis* Meigen and Their Relation to the Distribution of Malaria, *Mitt. Bulg. Entomol. Gesell.*, 10: 31-44

Hackett, L. W. (1937). Malaria in Europe. Oxford Univ. Press, London

## BURMA

Grewal, R. S. (1937), Notes on the Anopheline Mosquitoes of Villages on the Arakan Coast of Burma, *Records Malaria Survey of India*, 7: 267-268

## CELEBES

Machsoes, M. (1939), *A. barbirostris* als malaria overbrenger in de residentie Celebes, *Geneesk. Tijdschr. v. Nederl.-Ind.*, 79: 2500-2515

## CEYLON

Ceylon, Director of Medical and Sanitary Services (1935). The Ceylon Malaria Epidemic 1934-35. Ceylon Government Press, Colombo

Covell, G. (1927), The Distribution of Anopheline Mosquitoes in India and Ceylon, *Indian Med. Res. Mem. No. 5*, Calcutta

———, (1931), The Distribution of Anopheline Mosquitoes in India and Ceylon: Additional Records, 1926-1930, *Records of India Malaria Survey*, 2: 225-268

———, (1936), The Distribution of Anopheline Mosquitoes in India, *Health Bull. No. 17*, 2nd edit., Govt. of India Press, Simla

De Livera, P. L. F. (1939), An Investigation to Determine the Degree of Anophelism in Rambukpotha Oya, Badulla and Its Vicinity, *J. Ceylon Br. Brit. Med. Assn.*, 36: 343-365

Dickson, R. M. (1935), The Malaria Epidemic in Ceylon, 1934-1935, *J. Royal Army Med. Corps*, 65: 85-90

## CHINA

Chang, T. L. (1939), Mosquitoes of Hunan Province with Special Reference to *Anopheles*, *Chinese Med. J.*, 56: 52-62

Faust, E. C. (1926), An Inquiry into the Prevalence of Malaria in China, *ibid.*, 40: 937-956

———, (1929), Mosquitoes in China and Their Potential Relationship to Human Disease, *J. Trop. Med. Hyg.*, 32: 133-137

Feng, L. C. (1935), The Present Status of the Knowledge of the Mosquitoes of China and Their Relation to Human Disease, *Chinese Med. J.*, 49: 1183-1208

- , (1936), Malaria and Its Transmission in Kwangsi, China, *ibid.*, 50: 1799-1814
- , (1937), The Anopheline Mosquitoes and the Epidemiology of Malaria in China, *ibid.*, 51: 1005-1021
- , (1938), A Critical Review of Literature Regarding the Records of Mosquitoes in China, *Peking Nat. Hist. Bull.*, 12: 169-181, 285-318
- , (1938), The Geographical Distribution of Mosquitoes in China, *Trans. Internatl. Congr. Entomol.*, 3: 1579-1588
- , (1938), The Tree Hole Species of Mosquitoes of Peiping, China, *Chinese Med. J.*, Suppl. 2: 503-525
- Gear, H. S. (1936), A Note on Malaria in China, *ibid.*, 50: 131-136
- Lee, C. H., and Meleney, H. E. (1927), Malaria in a Village near Peking, China, *ibid.*, 41: 989-992
- Lee, F. S., and Wu, S. C. (1932), A Preliminary Survey of Malaria and Anopheles in Hangchow, *Bur of Entomol. Year Book*, Hangchow, 323-331
- Meleney, H. E. (1927), The Types of Breeding Places Used by Anopheles hyrcanus in North and Central China, *Chinese Med. J.*, 41: 347-350
- Meleney, H. E., Lee, C. U., and Chang, H. L. (1927), A Preliminary Survey of the Anopheline Mosquitoes of the Peking Area, *ibid.*, 41: 509-512
- National Health Administration (1932), A Preliminary Survey of the Endemicity of Malaria in Nanking, Soochow, Hangchow, Wukong and Districts along the Yangtze Valley, *ibid.*, 46: 719-726
- Pan, J. S. (1937), Malaria in Wusih, *ibid.*, 51: 971-978
- Yao, Y. T. (1943), Present Status of Malaria in Free China, *ibid.*, 61: 38-46
- , (1945), Synopsis of the Epidemiology of Important Parasitic Diseases in China, I. Malaria; With Keys to the Chinese Anopheline Mosquitoes, *ibid.*, 63A: 103-126
- , and Ling, L. C. (1934), Epidemiological Study of Malaria in Nanking, *Trans. 9th Congr. Far Eastern Assn. Trop. Med.*, 2: 89-106

## CORSICA

- Brumpt, E. (1925), Les anophèles de Corse, *Bull. Acad. de Méd.*, Paris, 94: 811-818
- Galliard, H., and Sautet, J. (1934), Note préliminaire sur les races d'Anophèles maculipennis de Corse, *Bull. Soc. Pathol. Exot.*, 27: 30-34
- Langeron, M., and Galliard, H. (1933), Deux types de larves d'Anophèles nouveaux pour la Corse, *Ann. de Parasitol.*, 11: 93-95

## CZECHOSLOVAKIA

Drbohlav, J. (1936), Sur l'épidémiologie du paludisme dans la Russie subcarpathique de 1923-1930, *Trav. Inst. d'Hyg. Pub. de l'Etat Tchecoslovaque*, 7: No. 4, 158-172

Gabriel, J. (1932), Le paludisme et l'anophélisme en Russie subcarpathique, *ibid.*, 3: No. 2, 23-31

## EGYPT

Barber, M. A., and Rice, J. G. (1937), Survey of Malaria in Egypt, *Amer. J. Trop. Med.*, 17: 413-436

Farid, Mohyeddin (1940), Malaria Infection in *Anopheles sergentii* in Egypt, *Riv. di Malariol.*, 19: 159-161

Hackett, L. W. (1940), Some Obscure Factors in the Epidemiology of Malaria, *Amer. J. Pub. Health*, 30: 589-594

Kirkpatrick, T. W. (1925). Mosquitoes of Egypt. Government Press, Cairo

Macan, T. T. (1942), A Key to The Anopheline Mosquitoes of the Mediterranean Region and The Lands Adjoining the Red Sea and the Persian Gulf, *J. Royal Army Med. Corps*, 79: 1-11

## EIRE

Marshall, J. F. (1938). The British Mosquitoes. British Museum, London

## ERITREA

Brightenti, D. (1930), Gli anofelini delle colonie italiana, *Riv. di Malariol.*, 9: 429-433

Corradetti, A. (1939), La giologia dell'*Anopheles gambiae* e il problema malarico nell'Africa Orientale Italiana, *Riv. di Biol. Colon.*, 2: 321-327

## FINLAND

Ekblom, T. (1938), Les races suédoises de l'*Anopheles maculipennis* et leur rôle épidémiologique, *Bull. Soc. Pathol. Exot.*, 31: 647-655

## FRANCE

Hackett, L. W. (1937), Recent Additions to Our Knowledge of "*Anopheles maculipennis*" Races, *Quart. Bull. Health Org., League of Nations*, 6: 1-16

Lavier, G. (1938), Le paludisme des pays froids; le paludisme en France, *Sciences*, 66: 45-52

Senevet, G. (1935). Les anophèles de la France et de ses colonies. P. Lechevalier, Paris

Sergeant, E., and Trenszt, F. (1935), Premières études sur les races d'*A. maculipennis* en France et en Algérie, *Arch. Inst. Pasteur d'Algérie*, 13: 1-14

## GERMANY

Klose, F., and Eisentraut, M. (1942), Ueber die Verbreitung der Malaria-Mücke *Anopheles maculipennis* in der Provinz Brandenburg, *Öffentliche Gesundheitsdienst*, 8: A73-A89

- Weyer, F. (1934), Verlauf der Malaria in Ostfriesland, *Arch. f. Schiffs- u. Tropen-Hyg.*, 38: 131-132
- , (1938), Die geographische Verbreitung der Rassen von *Anopheles maculipennis* in Deutschland, *Ztschr. f. Parasitenk.*, 10: 437-463
- , (1940), Die Gesetzmässigkeiten in der geographischen Verbreitung der Rassen von *Anopheles maculipennis*, *Norsk Entomol. Tidsskr.*, 5: 168-177

## GOLD COAST

- Edwards, F. W. (1941), Mosquitoes of the Ethiopian Region. Vol. 3. Oxford Univ. Press, London

## GREECE

- Balfour, M. C. (1935), Malaria Studies in Greece: Measurements of Malaria 1930-1933, *Amer. J. Trop. Med.*, 15: 301-330
- , (1936), Some Features of Malaria in Greece and Experience with Its Control, *Riv. di Malariol.*, 15 (Sect. 1): 114-131
- Cardamatis, J. P. (1931), Les espèces de moustiques en Grèce et tout particulièrement d'Athènes, *Bull. Soc. Pathol. Exot.*, 24: 122-131
- Hackett, L. W., and Missiroli, A. (1935), The Varieties of *Anopheles maculipennis* and Their Relation to the Distribution of Malaria in Europe, *Riv. di Malariol.*, 14: 45-100
- Pampana, E. (1941), La malaria in Grecia, *ibid.*, 20 (Sect. 1): 187-204

## HUNGARY

- Ferenczi, A. (1942), Klinische Beobachtungen über Malaria, *Deutsche Med. Wchnschr.*, 68: 614-615
- Lörincz, F. (1937), Malaria in Hungary, *Riv. di Malariol.*, 16: 465-479
- , (1939), L'anophélisme en Hongrie et en Roumanie, *Rev. du Paludisme*, 1 (No. 5): 151-153
- Rockefeller Foundation (1938), Malaria Research in the Balkans, Italy and Northern Europe, *Internatl. Health Div. Semi-annual Rept. for 1938*, II

## INDIA

- Capon, P. J. L. (1940), A Brief Investigation Regarding Height above Sea Level at Which Malaria Occurs in Baluchistan, *J. Malaria Inst. India*, 3: 125-127
- Covell, G. (1936), The Distribution of Anopheline Mosquitoes in India, *Malaria Bur. No. 8, Health Bull. No. 7*, Delhi
- , (1938), The Malaria Survey of India, 1927-1937, *J. Malaria Inst. India*, 1: 1-31
- , and Bailly, J. D. (1936), Malaria in Sind, *Records Malaria Survey of India*, 6: 387-399

- , and Pritam, Singh (1942), Malaria in the Coastal Belt of Orissa, *J. Malaria Inst. India*, 4: 457-493
- Iyengar, M. O. T. (1940), Further Observations on Vectors of Malaria in Bengal and Notes on the Seasonal Infectivity of *Anopheles*, *ibid.*, 3: 115-123
- , (1942), Studies on Malaria in the Deltaic Region of Bengal, *ibid.*, 4: 435-446
- Roy, D. N., and Biswas, T. C. (1942), On the Importance of *Anopheles pallidus* as a Carrier of Malaria in Udaipur State, Central Provinces, *ibid.*, 4: 118
- Russell, P. F., and Ramachandra, Rao T. (1941), On Seasonal Prevalence of *Anopheles* Species in Southeastern Madras, *ibid.*, 4: 263-269
- , (1942), A Study of Density of *Anopheles culicifacies* in Relation to Malaria Endemicity, *Amer. J. Trop. Med.*, 22: 535-558
- Senior-White, R. (1941), *Anopheles stephensi* in Calcutta, *J. Malaria Inst. India*, 3: 349-361
- Viswanathan, D. K. (1936), Epidemic Malaria in Madras Presidency, *Records Malaria Survey of India*, 6: 239-271

## INDOCHINA

- Kumm, H. W. (1929), The Geographical Distribution of Malaria-Carrying Mosquitoes, *Amer. J. Hyg. (Monograph Ser. No. 10)*.
- Toumanoff, C. (1933). *L'anophélisme en Extrême-Orient*. Masson et Cie., Paris
- , (1936), Recherches sur la fréquence saisonnière de diverse espèces anophéliennes au Tonkin, *Bull. Soc. Pathol. Exot.*, 26: 1020-1022

## INDONESIA

- Hylkema, B. (1940), The Development of *Plasmodium malariae* in *Anopheles sundaicus* and Its Transmission to Man, *Mededeel. v. d. Dienst d. Volksgezondh. in Nederl.-Ind.*, 29: 51-90
- Overbeek, J. G. (1940), On the Important Breeding Places of *Anopheles sundaicus* on the Western Coast of Sumatra and the Southern Coast of Java, *Geneesk. Tijdschr. v. Nederl.-Ind.*, 80: 1967-1969
- , and Stoker, W. J. (1938), Malaria in the Netherlands Indies and the Campaign Against It, *Mededeel. v. d. Dienst d. Volksgezondh. in Nederl.-Ind.*, 27: 183-205
- Rodenwaldt, E. R. K. (1938), Typical Geomorphologic Conditions in the Netherlands East Indies in Relation to Malaria, *ibid.*, 27: 98-109
- Rosier, H. J. (1937), The Improvement of House and Malaria, *ibid.*, 26: 337-343

Schuurman, C. J., and Schuurman-Ten Bokkel Huinink, A. M. (1929), A Malaria Problem of the Southern Coast of Java, *ibid.*, 18: 45-68

Swellengrebel, N. H., and Rodenwaldt, E. (1932). Die Anophe-  
linen von Niederlandisch Ostindien. 3rd edit. Gustav Fischer,  
Jena

## ITALY

Hackett, L. W. (1937). Distribution of Races of *A. maculipennis* in Italy. Internatl. Health Div. Staff, Conference of Malariologists

———, (1937). Malaria in Europe: An Ecological Study. Oxford Univ. Press, London

———, and Missiroli, A. (1935), The Varieties of *Anopheles maculipennis* and Their Relation to the Distribution of Malaria in Europe, *Riv. di Malariol.*, 14: 45-109

Neri, F., and Gratch, I. (1938), Distribuzione delle razze anofeliniche nelle zone malariche della provincia di Ravenna, *ibid.*, 17: 242-261

Patrissi, T. (1942), L'anofelismo in provincia di Rovigo, *ibid.*, 21: 441-455

Sandicchi, G. (1942), Razze di *Anopheles maculipennis* nella campagna Romana, *ibid.*, 21: 295-303

## JAPAN

Esaki, T. (1940), A Preliminary Report on the Entomological Survey of the Micronesian Islands under the Japanese Mandate, With Special Reference to the Insects of Economic Importance, *Proc. Sixth Pacific Sci. Congr.*, 4: 407-415

Hsiao, Tsai-Yu, and Bohart, R. M. The Mosquitoes of Japan and Their Medical Importance. NAV MED 1095. Bur. of Med. and Surg., Navy Dept., Washington

Kobayashi, S. (1939), Epidemics of Malaria, Especially in East Asia., *Proc. 27th Ann. Meeting Korean Med. Assn. Chosen Igakicai Zasshi*, 29: 2385-2394

## KOREA

Kobayashi, H. (1932), On the Habits of *Anopheles* in Chosen, *J. Chosen Med. Assn.*, 22 (1): 8

## MANCHURIA

Feng, L. C., and Ch'in, Y. T. (1937), The Presence of *Anopheles maculipennis* in Certain Parts of Manchuria, *Chinese Med. J.*, 51: 496-499

## NETHERLANDS

Swellengrebel, N. H., and De Buck, A. (1938). Malaria in the Netherlands. Scheltema & Holkema, Amsterdam

## PALESTINE AND JORDAN

Seide, J. (1942), The Geographical Pathology of Palestine, *Harofé Haivri (Hebrew Med. J.)*, 2: 161-149



## POLAND AND DANZIG

- Olzscha, R. (1943), Mitteilung über das Vorkommen von *Anopheles maculipennis* im Warthegau, mit Angabe einer einfachen Methode der Blutfütterung von Mücken bei ihre Haltung in Einzelhaft, *Zentralbl. f. Bakteriol.*, I Abt. 150: 215-217

## PORTUGAL

- Cambournac, F. J. C., and Hill, R. B. (1938), The Biology of *Anopheles maculipennis*, var. *atroparvus* in Portugal, *Trans. Third Internatl. Congr. of Trop. Med. and Malaria*, 2: 178-184
- Hill, R. B. (1937), The Malaria Problem in Portugal, *Southern Med. J.*, 30: 953-956
- Hill, R. B., Landeiro, F., and Cambournac, F. J. C. (1938), Malaria and the Malaria Organization in Portugal, *Trans. Third Internatl. Congr. of Trop. Med. and Malaria*, 2: 235-239

## RUMANIA

- Cantacuzène, Ottolenghi, Pettaluga, and Swellengrebel (1932), Considérations générales sur le paludisme des deltas, *Arch. Roumaines de Path. Expér. et de Microbiol.*, 5: 673-679
- Macan, T. T. (1942), A Key to the Anopheline Mosquitoes of the Mediterranean Region and the Lands Adjoining the Red Sea and the Persian Gulf, *J. Royal Army Med. Corps*, 79: 1-11
- Rev. du Paludisme* (1939), L'anophélisme en Roumanie, 1 (No. 5): 152-153
- Zotta, G. (1932), Etudes sur le paludisme dans le delta du Danube; anophélisme sans paludisme, *Arch. Roumaines de Path. Expér. et de Microbiol.*, 5: 133-176
- , and others, Chart of the Racial Distribution of *Anopheles maculipennis* in Roumania. *League of Nations Health Organization C. H. Malaria* 277

## SOMALIA

- Corrado, E. (1925), Contributo alla geografia medica della Somalia italiana, *Pathologica*, 17: 438-441
- La Face, L. (1939), Fauna anofelinica dell' colonie italiane, *Riv. di Parassitol.*, Suppl. Monog. No. 1, 1: 1-120

## SOMALILAND, BRITISH

- Glasgow, J. P., and MacInnes, D. G. (1943), *Anopheles* of British Somaliland, *East African Med. J.*, 20: 176-179

## SOUTH AFRICA

- Ingram, A., and De Meillon, B. (1927 and 1929), A Mosquito Survey of Certain Parts of South Africa with Special Reference to the Carriers of Malaria and Their Control, Pts. I and II, *South African Inst. for Med. Research Publ.*, Vol. 4, Nos. 22 and 23
- Swellengrebel, N. H., and De Meillon, B. (1931), Malaria Investigations in Some Parts of the Transvaal and Zululand, *ibid.*, No. 27

## SPAIN

- Gil Collado, J. (1937), La distribución geográfica de la variedades de *Anopheles maculipennis* en España, con graves consideraciones acerca de su biología, *Riv. di Malariol.*, 16: 276-289
- Hill, R. B., Olavarria, J., Rivera, J. (1935), Longitud de vuelo del *A. maculipennis* (atroparvus), *Med. Países Calidos*, 8: 265-268
- Pereperez y Palau, F. (1944), Evolución y estado actual de la endemia palúdica en el delta del Ebro y Provincia de Tarragona (1925-1942), *Rev. de San. e Hig. Púb. (Madrid)*, 18: 52-74
- U. S. Public Health Repts. (1944), Canary Islands, Malaria, 50: 1126

## SWEDEN

- Edwards, F. W. (1921), A Synonymic List of the Mosquitoes Hitherto Recorded from Sweden, *Entomol. Tidskr.*, 43: 46-52
- Eklblom, T. (1935, 1938), Les races suédoises de l'*Anopheles maculipennis* et leur rôle épidémiologique, *Bull. Soc. Pathol. Exot.*, 28: 284-290; 31: 647-655
- , and Stroman, R. (1933), Geographical and Biological Studies of *Anopheles maculipennis* in Sweden from an Epidemiological Point of View, *Kungliga Svenska Vetenskapskad. Handl.*, 32nd Ser., 11: 1-113

## SYRIA

- Kliger, I. J., and Mer, G. (1936), *Anopheles* in Syria and Their Distribution, *Riv. di Malariol.*, 15: 217-221
- Sautet, J. (1941), L'anophélisme en Syrie et au Liban dans ses rapports avec le paludisme, *Bull. Mus. Nat. Marseille*, 1: 106-129

## THAILAND

- Anigstein, L. (1932), Malaria and Anophelines in Siam, *Quart. Bull. Health Org., League of Nations*, 1: 233
- Barraud, P. J., and Christophers, S. P. (1931), On a Collection of Anopheline and Culicine Mosquitoes from Siam, *Records Malaria Survey of India*, 2
- Kumm, H. W. (1929), The Geographical Distribution of the Malaria-Carrying Mosquitoes, *Amer. J. Hyg., Monog. No. 10*

## TUNISIA

- Callot, J. (1938), Contribution à l'étude des moustiques de Tunisie et en particulier du sud de la regence, *Arch. Inst. Pasteur de Tunis*, 27: 133-183
- Galliard, H. (1935), Contribution à l'étude des races d'*Anopheles maculipennis* en Tunisie, *ibid.*, 24: 343-351
- Wassilieff, A., and Ristorcelli, A. (1937), L'anophélisme dans la région du Nefzaoua, *ibid.*, 26: 269-287

## UGANDA

- Gibbins, E. G. (1933), The Domestic *Anopheles* Mosquitoes of Uganda, *Ann. Trop. Med.*, 27: 15-25

Leeson, H. S. (1937), The Mosquitoes of the *Funestus* Series in East Africa, *Bull. Entomol. Res.*, 28: 587-603

#### U.S.S.R.

Buianova, O. F., and Zuiagintsev, S. N. (1941), The Role of *Anopheles maculipennis* Meigen and *Anopheles hyrcanus* pall. in the Transmission of Malaria in the Far East, *Meditssinskaia Parazitologiya i Parazitarnye Bolezni*, 10 (1): 52-61

Gutsevich, A. B. (1937), *Anopheles hyrcanus* pall. and Its Significance as a Vector in the Far Eastern Territory, *Trudy Voenno-Meditssinskoy Akademii, RKKA*, 8: 127-149

Plater-Plokhotskaia, V. N. (1939), Certain Observations on the Behavior of *Anopheles hyrcanus* pall. in the Ussuri Oblast, *Meditssinskaia Parazitologiya i Parazitarnye Bolezni*, 8 (4): 71-74

Shtakelberg, A. A. (1937). Blood-Sucking Mosquitoes of the Polarctic Regions. *Akademiia Nauk, Moscow*

#### YUGOSLAVIA

Nezitch, E. (1934), La malaria en Dalmatie, *Bull. Office Internatl. d'Hyg. Pub.*, 26: 463-473

Pampana, E. (1941), La malaria nelle ex-Jugoslavia, *Riv. di Malariol.*, 20 (Sect. 1): 205

Rankov, H. (1934), La malaria dans la Serbie du sud, *ibid.*, 26: 474-489

