


System Design AND Control Integration FOR Advanced Manufacturing



Han-Xiong Li • XinJiang Lu

SYSTEM DESIGN AND CONTROL INTEGRATION FOR ADVANCED MANUFACTURING

HAN-XIONG LI
XINJIANG LU

Systems, Man,
& Cybernetics
Society

 **IEEE**
IEEE PRESS

WILEY

Copyright © 2015 by The Institute of Electrical and Electronics Engineers, Inc. All rights reserved.

Published by John Wiley & Sons, Inc., Hoboken, New Jersey.
Published simultaneously in Canada.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, except as permitted under Section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 750-4470, or on the web at www.copyright.com. Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-6011, fax (201) 748-6008, or online at <http://www.wiley.com/go/permission>.

Limit of Liability/Disclaimer of Warranty: While the publisher and author have used their best efforts in preparing this book, they make no representations or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives or written sales materials. The advice and strategies contained herein may not be suitable for your situation. You should consult with a professional where appropriate. Neither the publisher nor author shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

For general information on our other products and services or for technical support, please contact our Customer Care Department within the United States at (800) 762-2974, outside the United States at (317) 572-3993 or fax (317) 572-4002.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic formats. For more information about Wiley products, visit our web site at www.wiley.com.

Library of Congress Cataloging-in-Publication Data:

Li, Han-Xiong.

System design and control integration for advanced manufacturing / Han-Xiong Li, XinJiang Lu. – 1st edition.

pages cm

Includes bibliographical references.

ISBN 978-1-118-82226-5 (cloth)

1. Intelligent control systems. 2. Computer integrated manufacturing systems. I. Lu, XinJiang (Manufacturing researcher) II. Title.

TJ217.5.L535 2014

629.8'9–dc23

2014017666

Printed in the United States of America

10 9 8 7 6 5 4 3 2 1

SYSTEM DESIGN AND CONTROL INTEGRATION FOR ADVANCED MANUFACTURING

IEEE Press
445 Hoes Lane
Piscataway, NJ 08854

IEEE Press Editorial Board

Tariq Samad, *Editor in Chief*

George W. Arnold	Mary Lanzerotti	Linda Shafer
Dmitry Goldgof	Pui-In Mak	MengChu Zhou
Ekram Hossain	Ray Perez	George Zobrist

Kenneth Moore, *Director of IEEE Book and Information Services (BIS)*

Technical Reviewer

Dan Zhang, *University of Ontario, Institute of Technology*

PREFACE

The manufacturing industry has changed drastically from the traditional industry, like steel and auto factory, to the semiconductor or IC industry of the 1980s, and to the internet-based global manufacturing nowadays. Advanced manufacturing involves the use of technology to improve products and/or processes, with the relevant technology being described as “advanced,” “innovative,” or “cutting edge.” The distinctions between traditional manufacturing and advanced manufacturing are in terms of volume and scale economies, labor and skill content, and the depth and diversity of the network surrounding the industry, and intelligence added in the system. No matter how complex or advanced the manufacturing operation is, it always consists of basic actions offered by basic systems that can be categorized as static systems, dynamic systems, and their combination. Performance of each basic system will be crucial to the overall performance of the manufacturing.

In order to design and manufacture these high quality products at lower costs, accurate mechanical systems are crucial in the manufacturing industry. One problem is inconsistent performance caused by uncontrollable variations in manufacturing operations, material properties, and complex operating environments. This inconsistent performance often results in a failure in operation. Thus, robust performance, insensitive to all possible changes in demand, model uncertainties, and external disturbance, is one of the most important concerns in the design and control of these systems.

Robust design and its integration with control are the most important methods commonly used to achieve robust performance of the system. The studies of robust design and its integration with control are becoming increasingly important. In the last few decades, there have been many studies on robust design and its integration with control. There are still many unsolved problems. The purpose of this book is to provide a brief view of the previous work on robust design and its integration with

control, and develop new design and integration methods to tackle some of these unsolved problems.

In this book, a systematic overview and classification is first presented on robust analysis/design for static and dynamic systems, and the integration of design and control. Limitations and advantages of various approaches are also discussed. Next, three novel robust design approaches are proposed for design of the static system: the variable sensitivity based robust design approach for small-scale parameter variation, the multi-domain modeling-based robust design for large-scale parameter variation, and the hybrid model/data-based robust design for both parameter variation and model uncertainty. Then, the robust eigenvalue design methods are developed to maintain both stability and robustness of the dynamic system under parameter variation and model uncertainty. Finally, two novel methods are proposed for integrating design and control for the hybrid system under parameter uncertainty. One method is for the dynamic system with hybrid discrete/continuous variables. An easily controlled dynamic behavior will first be obtained through the process design, and then integrated with control under the robust pole assignment. Another method is for the hybrid system working in a large region with an unmeasured overall performance. A low level process control will be integrated with high level system design with the help of fuzzy modeling method, and optimized with the particle swarm optimization (PSO) method. All the methods presented in this book have been successfully applied to the design of some mechanical equipment and the curing process in IC packaging, and are applicable to a wide range of systems in the manufacturing industry.

The book will be of great benefit to undergraduate and postgraduate students in many disciplines, including manufacturing engineering, mechanical engineering, electrical engineering, and control engineering. The book is also intended for researchers, research students and application engineers interested in robust design and its integration with control.

HAN-XIONG LI

*City University of Hong Kong
Central South University*

XINJIANG LU

Central South University

ACKNOWLEDGMENTS

The authors are grateful to students, colleagues, and visitors in our research group for their support and contributions, and also would like to thank the National Basic Research Program (973) of China (2011CB013104, 2011CB706802, 2013CB035801), the National Natural Science Foundation of China (51175519, 51205420), the Research Grant Council of Hong Kong (CityU: 116212), the Program for New Century Excellent Talents in University (NCET-13-0593), the Fund from the State Key Laboratory of High Performance Complex Manufacturing, ITC of Hong Kong, and ASM Company for their financial support to our research. Last, but not least, we would like to express our deepest gratitude to our wives, children, and parents for their love, understanding, and support.

CONTENTS

PREFACE	xi
ACKNOWLEDGMENTS	xiii
I BACKGROUND AND FUNDAMENTALS	
1 INTRODUCTION	3
1.1 Background and Motivation / 3	
1.1.1 Robust Design for Static Systems / 5	
1.1.2 Robust Design for Dynamic Systems / 8	
1.1.3 Integration of Design and Control / 10	
1.2 Objectives of the Book / 14	
1.3 Contribution and Organization of the Book / 15	
2 OVERVIEW AND CLASSIFICATION	19
2.1 Classification of Uncertainty / 19	
2.2 Robust Performance Analysis / 20	
2.2.1 Interval Analysis / 20	
2.2.2 Fuzzy Analysis / 21	
2.2.3 Probabilistic Analysis / 21	
2.3 Robust Design / 27	
2.3.1 Robust Design for Static Systems / 28	
2.3.2 Robust Design for Dynamic Systems / 37	

- 2.4 Integration of Design and Control / 41
 - 2.4.1 Control Structure Design / 41
 - 2.4.2 Control Method / 42
 - 2.4.3 Optimization Method / 43
- 2.5 Problems and Research Opportunities / 43

II ROBUST DESIGN FOR STATIC SYSTEMS

3 VARIABLE SENSITIVITY BASED ROBUST DESIGN FOR NONLINEAR SYSTEM 47

- 3.1 Introduction / 47
- 3.2 Design Problem for Nonlinear Systems / 48
 - 3.2.1 Problem in Deterministic Design / 49
 - 3.2.2 Problem in Probabilistic Design / 49
- 3.3 Concept of Variable Sensitivity / 51
- 3.4 Variable Sensitivity Based Deterministic Robust Design / 52
 - 3.4.1 Robust Design for Single Performance/Single Variable / 52
 - 3.4.2 Robust Design for Multiperformances/Multivariables / 54
 - 3.4.3 Design Procedure / 58
- 3.5 Variable Sensitivity Based Probabilistic Robust Design / 58
 - 3.5.1 Single Performance Function Under Single Variables / 59
 - 3.5.2 Single Performance Function Under Multivariables / 60
 - 3.5.3 Multiperformance Functions Under Multivariables / 61
- 3.6 Case Study / 62
 - 3.6.1 Deterministic Design Cases / 62
 - 3.6.2 Probabilistic Design Case / 66
- 3.7 Summary / 70

4 MULTI-DOMAIN MODELING-BASED ROBUST DESIGN 71

- 4.1 Introduction / 71
- 4.2 Multi-Domain Modeling-Based Robust Design Methodology / 73
 - 4.2.1 Multi-Domain Modeling Approach / 74
 - 4.2.2 Variation Separation-Based Robust Design Method / 75
 - 4.2.3 Design Procedure / 78
- 4.3 Case Study / 80
 - 4.3.1 Robust Design of a Belt / 80
 - 4.3.2 Robust Design of Hydraulic Press Machine / 81
- 4.4 Summary / 86

5 HYBRID MODEL/DATA-BASED ROBUST DESIGN UNDER MODEL UNCERTAINTY

87

- 5.1 Introduction / 87
- 5.2 Design Problem for Partially Unknown Systems / 88
 - 5.2.1 Probabilistic Robust Design Problem / 88
 - 5.2.2 Deterministic Robust Design Problem / 90
- 5.3 Hybrid Model/Data-Based Robust Design Methodology / 92
 - 5.3.1 Probabilistic Robust Design / 93
 - 5.3.2 Deterministic Robust Design / 99
- 5.4 Case Study / 104
 - 5.4.1 Probabilistic Robust Design / 104
 - 5.4.2 Deterministic Robust Design / 109
- 5.5 Summary / 114

III ROBUST DESIGN FOR DYNAMIC SYSTEMS

6 ROBUST EIGENVALUE DESIGN UNDER PARAMETER VARIATION—A LINEARIZATION APPROACH

119

- 6.1 Introduction / 119
- 6.2 Dynamic Design Problem Under Parameter Variation / 120
 - 6.2.1 Stability Design Problem / 120
 - 6.2.2 Dynamic Robust Design Problem / 121
- 6.3 Linearization-Based Robust Eigenvalue Design / 122
 - 6.3.1 Stability Design / 122
 - 6.3.2 Robust Eigenvalue Design / 124
 - 6.3.3 Tolerance Design / 127
 - 6.3.4 Design Procedure / 128
- 6.4 Multi-Model-Based Robust Design Method for Stability and Robustness / 128
 - 6.4.1 Multi-Model Approach / 129
 - 6.4.2 Stability Design / 130
 - 6.4.3 Dynamic Robust Design / 132
 - 6.4.4 Summary / 134
- 6.5 Case Studies / 134
 - 6.5.1 Linearization-Based Robust Eigenvalue Design / 134
 - 6.5.2 Multi-Model-Based Robust Design Method / 138
- 6.6 Summary / 145

7	ROBUST EIGENVALUE DESIGN UNDER PARAMETER VARIATION—A NONLINEAR APPROACH	147
7.1	Introduction / 147	
7.2	Design Problem / 148	
7.3	SN-Based Dynamic Design / 150	
7.3.1	Stability Design / 152	
7.3.2	Dynamic Robust Design / 153	
7.4	Case Study / 160	
7.4.1	Stability Design / 160	
7.4.2	Dynamic Robust Design / 162	
7.5	Summary / 165	
8	ROBUST EIGENVALUE DESIGN UNDER MODEL UNCERTAINTY	167
8.1	Introduction / 167	
8.2	Design Problem for Partially Unknown Dynamic Systems / 168	
8.3	Stability Design / 169	
8.3.1	Stability Design for Nominal Model / 169	
8.3.2	Stability Design Under Model Uncertainty / 169	
8.3.3	Stability Bound of Design Variables / 171	
8.4	Robust Eigenvalue Design and Tolerance Design / 172	
8.4.1	Robust Eigenvalue Design / 172	
8.4.2	Tolerance Design / 173	
8.4.3	Design Procedure / 174	
8.5	Case Study / 175	
8.5.1	Design of the Nominal Stability Space / 175	
8.5.2	Design of the Stability Space / 176	
8.5.3	Design of the Robust Stability Space / 176	
8.5.4	Robust Eigenvalue Design / 176	
8.5.5	Tolerance Design / 177	
8.5.6	Design Verification / 177	
8.6	Summary / 180	
IV	INTEGRATION OF DESIGN AND CONTROL	
9	DESIGN-FOR-CONTROL-BASED INTEGRATION	183
9.1	Introduction / 183	
9.2	Integration Problem / 184	

9.3	Design-for-Control-Based Integration Methodology / 186
9.3.1	Design for Control / 186
9.3.2	Control Development / 188
9.3.3	Integration Optimization for Robust Pole Assignment / 188
9.3.4	Integration Procedure / 191
9.4	Case Study / 192
9.4.1	Design for Control / 192
9.4.2	Robust Pole Assignment / 193
9.4.3	Design Verification / 193
9.4.4	Design for Control / 202
9.4.5	Robust Dynamic Design and Verification / 202
9.5	Summary / 204

10 INTELLIGENCE-BASED HYBRID INTEGRATION 205

10.1	Introduction / 205
10.2	Problem in Hybrid System in Manufacturing / 207
10.3	Intelligence-Based Hybrid Integration / 208
10.3.1	Intelligent Process Control / 208
10.3.2	Hybrid Integration Design / 214
10.3.3	Hierarchical Optimization of Integration / 215
10.4	Case Study / 218
10.4.1	Objective / 219
10.4.2	Integration Method for the Curing Process / 220
10.4.3	Verification and Comparison / 222
10.5	Summary / 227

11 CONCLUSIONS 229

11.1	Summary and Conclusions / 229
11.2	Challenge / 231

REFERENCES 233

INDEX 245

PART I

BACKGROUND AND FUNDAMENTALS

CHAPTER 1

INTRODUCTION

This chapter is an introduction of the book. It briefly introduces background, motivation, and objectives of the research, followed by the contribution and organization of the book.

1.1 BACKGROUND AND MOTIVATION

Since we moved into the Industrial Age, most of the products used have been manufactured by machines and production lines. The manufacturing industry has changed much from the traditional sector, like steel and auto factory, to the semiconductor or IC industry in 1980s, and to the internet-based global manufacturing nowadays. Advanced manufacturing uses the so-called “advanced,” “innovative,” or “cutting-edge” technology to improve products and/or processes. The distinctions between traditional sectors of manufacturing and advanced manufacturing are in terms of volume and scale economies, labor and skill content, and intelligence added in the system.

In modern IC industry, the higher speed, the higher precision, and the higher intelligence have become common requirements to many of the processes involved, for example, epoxy/silicone dispensing (Li et al., 2007), curing process (Li, Deng, and Zhong, 2004; Deng, Li, and Chen, 2005), bonding/wiring process (Li and Zuo, 1999), and so on. Even in a traditional industry, like the forging press machine (Lu, Li, and Chen, 2012), the machine will seek help from an intelligence unit for meeting quality

and economic constraints. Modern information technology can make a traditional system more advanced.

No matter how complex or advanced the manufacturing operation is, it always consists of basic actions offered by basic systems. These basic systems could be classified into the following three different categories.

- **The static system.** The performance is invariant over time, so it is discrete.
- **The dynamic system.** The performance is varying over time, so it is continuous.
- **The hybrid system.** It is a combination of the above two, which forms a hybrid system with discrete/continuous parameters, or a hybrid discrete/continuous system.

Design for advanced manufacturing is actually centered on the design and control of these basic systems, as the performance of every basic system is crucial to the overall performance of the manufacturing.

Since advanced manufacturing usually involves more complex system configuration and more advanced technologies, it will require a higher quality design of each basic system involved in the operation. However, unavoidable external variations in manufacturing operations, material properties, and a complex operating environment will result in an inconsistent performance of the system, which will be a big challenge to design for manufacturing. If these variations are not properly considered in product design, the degraded performance may result in a failure in operation (Caro, Bennis, and Wenger, 2005). Thus, robust performance, insensitive to all possible changes in demand, model uncertainties, and external disturbance, is one of the most important concerns in the design of any system.

In system design, robust design is the most important method commonly used to achieve robust performance. Its fundamental principle is minimizing the sensitivity of the performance to uncontrollable variations. Most of these approaches are for static systems, a few for dynamic systems. Furthermore, design and control are always separated in both academic research and industrial applications, which leads to few effective methods for the hybrid system.

The principal goal in this book is to develop effective design methods for fundamental systems existing in advanced manufacturing, including

1. novel robust design methods for both static and dynamic systems; and
2. robust design and control integration methods for the hybrid discrete/continuous system.

Though these methods are studied for basic systems in this book, they should be easily applied to any advanced manufacturing or production.

There are three different sets of variables that will appear in robust design.

- **Design variable (or control variable).** This is the controllable variable with its nominal value to be designed ideally between the upper and lower bounds. The variations around its nominal value are usually caused by poor manufacturing.