

影印版

PLASTICS TECHNOLOGY
HANDBOOK

塑料技术手册

VOLUME 1
FABRICATING PRODUCT

塑料制品生产

EDITED BY
DONALD V. ROSATO
MARLENE G. ROSATO
NICK R. SCHOTT



哈爾濱工業大學出版社
HARBIN INSTITUTE OF TECHNOLOGY PRESS

影印版

PLASTICS TECHNOLOGY
HANDBOOK

塑料技术手册

VOLUME 1

FABRICATING PRODUCT


塑料制品生产

EDITED BY

DONALD V. ROSATO

MARLENE G. ROSATO

NICK R. SCHOTT



哈尔滨工业大学出版社
HARBIN INSTITUTE OF TECHNOLOGY PRESS

黑版贸审字08-2014-092号

Donald V.Rosato,Marlene G.Rosato,Nick R.Schott

Plastics Technology Handbook Volume 1

9781606500798

Copyright © 2010 by Momentum Press, LLC

All rights reserved.

Originally published by Momentum Press, LLC

English reprint rights arranged with Momentum Press, LLC through McGraw-Hill Education (Asia)

This edition is authorized for sale in the People's Republic of China only, excluding Hong Kong, Macao SAR and Taiwan.

本书封面贴有McGraw-Hill Education公司防伪标签,无标签者不得销售。
版权所有,侵权必究。

图书在版编目(CIP)数据

塑料技术手册.第1卷.塑料制品生产 =Plastics technology handbook volume 1 fabricating product : 英文 / (美)罗萨多(Rosato, D. V.)等主编. —影印本. —哈尔滨:哈尔滨工业大学出版社,2015.6
ISBN 978-7-5603-5050-9

I. ①塑… II. ①罗… III. ①塑料-技术手册-英文 ②塑料制品-生产工艺-技术手册-英文
IV. ①TQ320.6-62

中国版本图书馆CIP数据核字(2014)第280098号



材料科学与工程

责任编辑 许雅莹 张秀华 杨 桦

出版发行 哈尔滨工业大学出版社

社 址 哈尔滨市南岗区复华四道街10号 邮编 150006

传 真 0451-86414749

网 址 <http://hitpress.hit.edu.cn>

印 刷 哈尔滨市石桥印务有限公司

开 本 787mm×960mm 1/16 印张 13.5

版 次 2015年6月第1版 2015年6月第1次印刷

书 号 ISBN 978-7-5603-5050-9

定 价 68.00元

(如因印刷质量问题影响阅读,我社负责调换)

影印版说明

MOMENTUM PRESS 出版的 *Plastics Technology Handbook* (2卷) 是介绍塑料知识与技术的大型综合性手册, 内容涵盖了从高分子基本原理, 到塑料的合成、种类、性能、配料、加工、制品, 以及模具、二次加工等各个方面。通过阅读、学习本手册, 无论是专业人员还是非专业人员, 都会很快熟悉和掌握塑料制品的设计和制造方法。可以说一册在手, 别无他求。

原版 2 卷影印时分为 11 册, 第 1 卷分为 :

塑料基础知识·塑料性能

塑料制品生产

注射成型

挤压成型

吹塑成型

热成型

发泡成型·压延成型

第 2 卷分为 :

涂层·浇注成型·反应注射成型·旋转成型

压缩成型·增强塑料·其他工艺

模具

辅机与二次加工设备

唐纳德 V·罗萨多, 波士顿大学化学学士学位, 美国东北大学 MBA 学位, 马萨诸塞大学洛厄尔分校工程塑料和加州大学工商管理博士学位(伯克利)。著有诸多论文及著作, 包括《塑料简明百科全书》、《注塑手册(第三版)》以及塑料产品材料和工艺选择手册等。活跃于塑料界几十年, 现任著名的 Plasti Source Inc. 公司总裁, 并是美国塑料工业协会(SPI)、美国塑料学会(PIA)和 SAMPE(The Society for the Advancement of Material and Process Engineering)的重要成员。

材料科学与工程图书工作室

联系电话 0451-86412421

0451-86414559

邮 箱 yh_bj@aliyun.com

xuyaying81823@gmail.com

zhxh6414559@aliyun.com

PLASTICS TECHNOLOGY HANDBOOK

VOLUME 1

EDITED BY

Donald V. Rosato, PhD, MBA, MS, BS, PE

Plastisource Inc.

Society of Plastics Engineers

Plastics Pioneers Association

University of Massachusetts–Lowell Plastics Advisory Board

Marlene G. Rosato, BAsC (ChE) P Eng

Gander International Inc.

Canadian Society of Chemical Engineers

Association of Professional Engineers of Ontario

Product Development and Management Association

Nick R. Schott, PhD, MS, BS (ChE), PE

University of Massachusetts–Lowell Professor of Plastics Engineering & Plastics Department Head (Retired)

Plastics Institute of America

Secretary & Director for Educational and Research Programs



MOMENTUM PRESS

Momentum Press, LLC, New York

PREFACE

This book, as a four-volume set, offers a simplified, practical, and innovative approach to understanding the design and manufacture of products in the world of plastics. Its unique review will expand and enhance your knowledge of plastic technology by defining and focusing on past, current, and future technical trends. Plastics behavior is presented to enhance one's capability when fabricating products to meet performance requirements, reduce costs, and generally be profitable. Important aspects are also presented for example to gain understanding of the advantages of different materials and product shapes. Information provided is concise and comprehensive.

Prepared with the plastics technologist in mind, this book will be useful to many others. The practical and scientific information contained in this book is of value to both the novice including trainees and students, and the most experienced fabricators, designers, and engineering personnel wishing to extend their knowledge and capability in plastics manufacturing including related parameters that influence the behavior and characteristics of plastics. The tool maker (mold, die, etc.), fabricator, designer, plant manager, material supplier, equipment supplier, testing and quality control personnel, cost estimator, accountant, sales and marketing personnel, new venture type, buyer, vendor, educator/trainer, workshop leader, librarian, industry information provider, lawyer, and consultant can all benefit from this book. The intent is to provide a review of the many aspects of plastics that range from the elementary to practical to the advanced and more theoretical approaches. People with different interests can focus on and interrelate across subjects in order to expand their knowledge within the world of plastics.

Over 20000 subjects covering useful pertinent information are reviewed in different chapters contained in the four volumes of this book, as summarized in the expanded table of contents and index. Subjects include reviews on materials, processes, product designs, and so on. From a pragmatic standpoint, any theoretical aspect that is presented has been prepared so that the practical person will understand it and put it to use. The theorist, in turn will gain an insight into

the practical limitations that exist in plastics as they exist in other materials such as steel, wood, and so on. There is no material that is “perfect.” The four volumes of this book together contain 1800 plus figures and 1400 plus tables providing extensive details to supplement the different subjects.

In working with any material (plastics, metal, wood, etc.), it is important to know its behavior in order to maximize product performance relative to cost/efficiency. Examples of different plastic materials and associated products are reviewed with their behavior patterns. Applications span toys, medical devices, cars, boats, underwater devices, containers, springs, pipes, buildings, aircraft, and spacecraft. The reader’s product to be designed and/or fabricated can directly or indirectly be related to products reviewed in this book. Important are behaviors associated with and interrelated with the many different plastics materials (thermoplastics, thermosets, elastomers, reinforced plastics) and the many fabricating processes (extrusion, injection molding, blow molding, forming, foaming, reaction injection molding, and rotational molding). They are presented so that the technical or nontechnical reader can readily understand the interrelationships of materials to processes.

This book has been prepared with the awareness that its usefulness will depend on its simplicity and its ability to provide essential information. An endless amount of data exists worldwide for the many plastic materials that total about 35000 different types. Unfortunately, as with other materials, a single plastic material does not exist that will meet all performance requirements. However, more so than with any other materials, there is a plastic that can be used to meet practically any product requirement(s). Examples are provided of different plastic products relative to critical factors ranging from meeting performance requirements in different environments to reducing costs and targeting for zero defects. These reviews span small to large and simple to complex shaped products. The data included provide examples that span what is commercially available. For instance, static physical properties (tensile, flexural, etc.), dynamic physical properties (creep, fatigue, impact, etc.), chemical properties, and so on, can range from near zero to extremely high values, with some having the highest of any material. These plastics can be applied in different environments ranging from below and on the earth’s surface, to outer space.

Pitfalls to be avoided are reviewed in this book. When qualified people recognize the potential problems that can exist, these problems can be designed around or eliminated so that they do not affect the product’s performance. In this way, costly pitfalls that result in poor product performance or failure can be reduced or eliminated. Potential problems or failures are reviewed with solutions also presented. This failure/solution review will enhance the intuitive skills of people new to plastics as well as those who are already working in plastics. Plastic materials have been produced worldwide over many years for use in the design and fabrication of all kinds of plastic products that profitably and successfully meet high quality, consistency, and long-life standards. All that is needed is to understand the behavior of plastics and properly apply these behaviors.

Patents or trademarks may cover certain of the materials, products, or processes presented. They are discussed for information purposes only and no authorization to use these patents or trademarks is given or implied. Likewise, the use of general descriptive names, proprietary names, trade names, commercial designations, and so on does not in any way imply that they may be used freely. While the information presented represents useful information that can be studied or

analyzed and is believed to be true and accurate, neither the authors, contributors, reviewers, nor the publisher can accept any legal responsibility for any errors, omissions, inaccuracies, or other factors. Information is provided without warranty of any kind. No representation as to accuracy, usability, or results should be inferred.

Preparation for this book drew on information from participating industry personnel, global industry and trade associations, and the authors' worldwide personal, industrial, and teaching experiences.

DON & MARLENE ROSATO AND NICK SCHOTT, 2010

ABOUT THE EDITORS

Dr. Donald V. Rosato, president of PlastiSource, Inc., a prototype manufacturing, technology development, and marketing advisory firm in Massachusetts, United States, is internationally recognized as a leader in plastics technology, business, and marketing. He has extensive technical, marketing, and plastics industry business experience ranging from laboratory testing to production to marketing, having worked for Northrop Grumman, Owens-Illinois, DuPont/Conoco, Hoechst Celanese/Ticona, and Borg Warner/G.E. Plastics. He has developed numerous polymer-related patents and is a participating member of many trade and industry groups. Relying on his unrivaled knowledge of the industry plus high-level international contacts, Dr. Rosato is also uniquely positioned to provide an expert, inside view of a range of advanced plastics materials, processes, and applications through a series of seminars and webinars. Among his many accolades, Dr. Rosato has been named Engineer of the Year by the Society of Plastics Engineers. Dr. Rosato has written extensively, authoring or editing numerous papers, including articles published in the *Encyclopedia of Polymer Science and Engineering*, and major books, including the *Concise Encyclopedia of Plastics*, *Injection Molding Handbook 3rd ed.*, *Plastic Product Material and Process Selection Handbook*, *Designing with Plastics and Advanced Composites*, and *Plastics Institute of America Plastics Engineering, Manufacturing and Data Handbook*. Dr. Rosato holds a BS in chemistry from Boston College, MBA at Northeastern University, MS in plastics engineering from University of Massachusetts Lowell, and PhD in business administration at University of California, Berkeley.

Marlene G. Rosato, with stints in France, China, and South Korea, has very comprehensive international plastics and elastomer business experience in technical support, plant start-up and troubleshooting, manufacturing and engineering management, business development and strategic planning with Bayer/Polysar and DuPont and does extensive international technical, manufacturing, and management consulting as president of Gander International Inc. She also has an extensive

writing background authoring or editing numerous papers and major books, including the *Concise Encyclopedia of Plastics*, *Injection Molding Handbook 3rd ed.*, and the *Plastics Institute of America Plastics Engineering, Manufacturing and Data Handbook*. A senior member of the Canadian Society of Chemical Engineering and the Association of Professional Engineers of Canada, Ms. Rosato is a licensed professional engineer of Ontario, Canada. She received a Bachelor of Applied Science in chemical engineering from the University of British Columbia with continuing education at McGill University in Quebec, Queens University and the University of Western Ontario both in Ontario, Canada, and also has extensive executive management training.

Professor Nick Schott, a long-time member of the world-renowned University of Massachusetts Lowell Plastics Engineering Department faculty, served as its department head for a quarter of a century. Additionally, he founded the Institute for Plastics Innovation, a research consortium affiliated with the university that conducts research related to plastics manufacturing, with a current emphasis on bioplastics, and served as its director from 1989 to 1994. Dr. Schott has received numerous plastics industry accolades from the SPE, SPI, PPA, PIA, as well as other global industry associations and is renowned for the depth of his plastics technology experience, particularly in processing-related areas. Moreover, he is a quite prolific and requested industry presenter, author, patent holder, and product/process developer, in addition to his quite extensive and continuing academic responsibilities at the undergraduate to postdoctoral level. Among America's internationally recognized plastics professors, Dr. Nick R. Schott most certainly heads everyone's list not only within the 2500 plus global UMASS Lowell Plastics Engineering alumni family, which he has helped grow, but also in broad global plastics and industrial circles. Professor Schott holds a BS in ChE from UC Berkeley, and an MS and PhD from the University of Arizona.

CONTENTS

LIST OF FIGURES	10
LIST OF TABLES	14
PREFACE	17
ABOUT THE EDITORS	20
3. FABRICATING PRODUCT	413
OVERVIEW	413
Process	428
Classifying Machine	430
Complete Operation	436
Processing and Patience	436
Material and Fabrication Cost	438
Upgrading Plant	439
Processor Certification	440
PROCESSING FUNDAMENTALS	440
Melt Flow Analysis	441
Melt Strength	444
Melt Temperature	444
Newtonian Melt Flow Behavior	444
Non-Newtonian Melt Flow Behavior	444
Melt Flow Deviation	445
Melt Flow Rate	446
Melt Flow Performance	446
Melt Flow Defect	446
Melt Index	446
In-line Melt Analysis	447

Thermodynamics	447
MACHINES NOT ALIKE	449
MACHINERY PERFORMANCE	449
PLASTICS PROCESSING PERFORMANCE	450
Plastic Memory	451
Orientation	452
Directional Property	453
Plastic Deformation	453
Coextrusion/Coinjection: Fabricating Multilayer Plastics	456
PLASTICATOR MELTING OPERATION	457
SCREW	457
Design	461
Mixing	466
Shear Rate	466
Rate of Output	467
Shot Size	469
Screw Wear	469
Single-Stage Screw	469
Feeding Problem	470
Two-Stage Screw	473
Melt Degassing	478
Vent Bleeding	478
Length-Diameter Ratio	481
Compression Ratio	482
Pump Ratio	483
Transition	483
Screw Torque	484
Standard Screw	486
Marbleizing Screw	489
Mixing Device	489
Mixing Pin	490
Pulsar Mixing Screw	490
Union Carbide Mixer	491
Pulsar 11 Mixing Screw	492
Barrier Screw	499
Screw/Barrel Bridging	505
Screw Tip	505
Purging	514
Safety Alarm	515
Material of Construction	517
Multiple Screw	524

Recommended Screw Dimensional Guideline	531
Defining/Identifying Screw	531
BARREL	531
Barrel Composition	544
Injection Barrel	544
Extruder Barrel	544
Wear-Resistant Barrel	546
Corrosion-Resistant Barrel	547
Barrel Feed Throat	547
Barrel Grooving	548
Barrel Heating and Cooling Method	548
Barrel Temperature Override	551
Barrel Machining of Hole	552
Barrel Inspection	554
Barrel Borescoping	555
Recommended Barrel Dimensional Guideline	555
DOWNSIZING MACHINE	555
UPSIZING MACHINE	564
REBUILDING VERSUS BUYING	564
REPAIR	564
Screw Repair	565
Barrel Repair	566
STORAGE	568
TOOLING	568
PROCESS CONTROL	569
Overview	569
Sensor	572
Pressure Sensor	576
Temperature Sensor	577
Temperature Controller	579
Processing Window	579
Process Control and Patience	580
Process Control Trade-Off	580
Control and Monitoring	583
Process Controller	590
Intelligent Processing	592
PROTOTYPING MODEL	595
ENERGY	596
SAFETY	596
Machine Safety	596
Injection Molding Safety Issue	598
Safety Agency	603

FIGURES

Figure 3.1	Flow chart from plastic materials through processes to products	439
Figure 3.2	Example of the different processing temperatures for crystalline and amorphous thermoplastics	443
Figure 3.3	Nonplastic (Newtonian) and plastic (non-Newtonian) melt flow behavior (courtesy of Plastics FALLO)	445
Figure 3.4	Relationship of viscosity to time at constant temperature	446
Figure 3.5	Molecular weight distribution influence on melt flow	447
Figure 3.6	Examples of reinforced plastic directional properties	453
Figure 3.7	Nomenclature of an injection screw (top) and extrusion screw (courtesy of Spirex Corp.)	459
Figure 3.8	Nomenclature of an injection barrel (top) and extrusion barrel (courtesy of Spirex Corp.)	460
Figure 3.9	Assembled screw-barrel plasticator for injection molding (top) and extruding (courtesy of Plastics FALLO)	461
Figure 3.10	Action of plastic in a screw channel during its rotation in a fixed barrel: (1) highlights the channel where the plastic travels; (2) basic plastic drag actions; (3) example of melting action as the plastic travels through the barrel where areas A and B have the melt occurring from the barrel surface to the forward screw surface, area C has the melt developing from the solid plastic, and area D is solid plastic; and (4) melt model of a single screw (courtesy of Spirex Corp.)	462
Figure 3.11	Examples of melt flow velocity in a plasticator that relates to positive flow pressure, negative drag flow, and their combined distribution	467

Figure 3.12	Thermoplastic metering screw (courtesy of Spirex Corp.)	470
Figure 3.13	Thermoset plastic screw (courtesy of Spirex Corp.)	471
Figure 3.14	Example of a reciprocating plasticator screw injection molding machine	471
Figure 3.15	Examples of two-stage plasticator injection-molding machines	472
Figure 3.16	Coefficient of friction of LDPE vs. steel at different temperatures (courtesy of Spirex Corp.)	473
Figure 3.17	Two-stage screw (courtesy of Spirex Corp.)	474
Figure 3.18	Simplified version of the mechanics of a vented injection-molding machine (courtesy of Spirex Corp.)	475
Figure 3.19	Example of a three-stage screw in a vented extruder	476
Figure 3.20	Blister-type variation of a two-stage screw (courtesy of Spirex Corp.)	479
Figure 3.21	Examples of the two types of the two-stage blister sections (courtesy of Spirex Corp.)	479
Figure 3.22	Example of an injection-molding two-stage vented plasticator (courtesy of Spirex Corp.)	481
Figure 3.23	Screw transitions with flights omitted	486
Figure 3.24	Dulmage mixer (courtesy of Spirex Corp.)	489
Figure 3.25	Mixing pins (courtesy of Spirex Corp.)	490
Figure 3.26	Pulsar mixing screw (courtesy of Spirex Corp.)	491
Figure 3.27	Union Carbide mixer (courtesy of Spirex Corp.)	492
Figure 3.28	Pulsar 11 mixing screw (courtesy of Spirex Corp.)	492
Figure 3.29	Saxton mixer (courtesy of Spirex Corp.)	493
Figure 3.30	Double Wave screw (courtesy of Spirex Corp.)	494
Figure 3.31	Dispersion discs (courtesy of Spirex Corp.)	494
Figure 3.32	Static mixers (courtesy of Spirex Corp.)	495
Figure 3.33	Spirex Z-Mixer (courtesy of Spirex Corp.)	496
Figure 3.34	V-Mixer screw (courtesy of Spirex Corp.)	497
Figure 3.35	Flex Flight mixing screw (courtesy of Spirex Corp.)	497
Figure 3.36	Eagle mixing screw (courtesy of Spirex Corp.)	498
Figure 3.37	Example of DuPont's ELCee screw in reducing melt recovery time with improved melt quality	498
Figure 3.38	Melt model of a barrier screw (courtesy of Spirex Corp.)	500
Figure 3.39	Uniroyal screw (courtesy of Spirex Corp.)	501
Figure 3.40	MC-3 screw (courtesy of Spirex Corp.)	501
Figure 3.41	Efficient screw (courtesy of Spirex Corp.)	502

Figure 3.42	Barr II screw	502
Figure 3.43	Barr ET screw	503
Figure 3.44	Different views of the MeltPro™ (barrier) screw (courtesy of Spirex Corp.)	504
Figure 3.45	Examples of ball check and modified valves: (1) front discharge, (2) side discharge, (3) ball check with nozzle, (4) poppet, (5) Spirex Poly-Check, (6) pin forward/back, (7) Dray DNRV pin, (8) retracting nozzle/sliding pin-ball, and (9) spring operated	508–510
Figure 3.46	Examples of sliding ring and modified valves: (1) nomenclature of three-piece free flow valve (retainer, check ring, and rear seat), (2) valve with adapter, (3) split view showing action of ring, (4) melt flow when ring is in the back position, (5) patented CDM Corp. valve, (6) Zeiger Industries' four-piece Mallard valve, (7) Castle series of fingers design interlocks with slots of the retainer, (8) Spirex's patented F-LOC design with large flow paths prevents shearing problems, and (9) Spirex's patented Auto-Shut valve with positive/quick shutoff mechanism independent of screw travel	511–513
Figure 3.47	Examples of smearhead screw tips	514
Figure 3.48	Example of a mechanical shutoff valve	515
Figure 3.49	Two screw hard surface geometries (courtesy of Spirex Corp.)	526
Figure 3.50	Examples of intermeshing multiple screws	528
Figure 3.51	Twin-screw operational designs to process different plastic compounds (courtesy of Coperion/Werner & Pfleiderer)	530
Figure 3.52	Conical twin-screw extruders	531
Figure 3.53	Examples of (a) mixer with screw flights and stationary teeth, (b) concentric screw mixer, and (c) kneader with open split barrel	532
Figure 3.54	Example of using interchangeable screw sections to provide different mixing actions (courtesy of Coperion/Werner & Pfleiderer)	533
Figure 3.55	Example of special screws	543
Figure 3.56	Injection-molding machine using hot water zones for heating thermoset plastics (courtesy of Negri Bossi)	549
Figure 3.57	Examples of different plastics' temperature profiles (courtesy of Plastics FALLO)	550
Figure 3.58	Average melt flow length vs. barrel temperature for general polystyrene	551
Figure 3.59	Optimum barrel temperature and injection pressure to minimize variation in length	552

Figure 3.60	Part weight vs. melt temperature at varying hold pressure	552
Figure 3.61	Part weight range vs. IMM hydraulic oil temperature	553
Figure 3.62	Example of machined barrel holes used for measurement and control devices (courtesy of Spirex Corp.)	553
Figure 3.63	Examples of repairing screws (courtesy of Spirex Corp.)	566
Figure 3.64	Simplified example of a process control flow chart	570
Figure 3.65	Different types of sensors	575
Figure 3.66	Example of setting process controls for a melt going from an IM plasticator into the mold cavity	581
Figure 3.67	Effect of melt index (chapter 22) for a polyethylene on injection temperature	582
Figure 3.68	Effect of melt index (chapter 22) for a polyethylene on injection pressure and temperature	582
Figure 3.69	Temperature-pressure relationships of a polyethylene with several melt indexes; normal molding temperature range is 360°F to 550°F for this polyethylene	583
Figure 3.70	General pattern of polyethylene temperature in a mold cavity provided with even cooling	584
Figure 3.71	Curves a and b between the end of the injection and ejection of the molded product related to the cooling pattern (c) of the melt in the cavity	585
Figure 3.72	Effect of limited cooling at the extremities and concentrated cooling at sprue and gate (chapter 17)	586
Figure 3.73	Examples of accidents in fabricating plants	597
Figure 3.74	A safety aspect is the plasticator cover over a hot barrel (courtesy of Plastics FALLO)	602