








MOLECULAR MODELLING

PRINCIPLES AND APPLICATIONS


分子模拟的原理和应用

第2版



A.R. Leach

SECOND EDITION



Prentice
Hall

世界图书出版公司

Molecular Modelling

PRINCIPLES AND APPLICATIONS

Second edition

Andrew R. Leach

Glaxo Wellcome Research and Development



An imprint of **Pearson Education**

Harlow, England · London · New York · Reading, Massachusetts · San Francisco · Toronto · Don Mills, Ontario · Sydney
Tokyo · Singapore · Hong Kong · Seoul · Taipei · Cape Town · Madrid · Mexico City · Amsterdam · Munich · Paris · Milan

书 名: Molecular Modeling Principles and Applications 2nd ed.
作 者: A. R. Leach
中译名: 分子模拟的原理和应用 第2版
出 版 者: 世界图书出版公司北京公司
印 刷 者: 北京世图印刷厂
发 行: 世界图书出版公司北京公司 (北京朝内大街 137 号 100010)
联系电话: 010-64015659, 64038347
电子信箱: kjsk@vip.sina.com
开 本: 24 印 张: 32
出版年代: 2003 年 6 月
书 号: 7-5062-5936-2/O · 355
版权登记: 图字: 01-97-0958
定 价: 98.00 元

世界图书出版公司北京公司已获得 Pearson Education Limited 授权在中国大陆
独家重印发行。

Molecular Modelling

PRINCIPLES AND APPLICATIONS

Second edition



We work with leading authors to develop the strongest educational materials in chemistry, bringing cutting-edge thinking and best learning practice to a global market.

Under a range of well-known imprints, including Prentice Hall, we craft high-quality print and electronic publications which help readers to understand and apply their content, whether studying or at work.

To find out more about the complete range of our publishing please visit us on the World Wide Web at: www.pearsoneduc.com

To Christine

Pearson Education Limited
Edinburgh Gate
Harlow
Essex CM20 2JE
England

and Associated Companies throughout the world

Visit us on the World Wide Web at:
www.pearsoneduc.com

First published under the Longman imprint 1996
Second edition 2001

© Pearson Education Limited 1996, 2001

The right of Andrew R. Leach to be identified as the author of
this Work has been asserted by him in accordance with
the Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored
in a retrieval system, or transmitted in any form or by any means, electronic,
mechanical, photocopying, recording or otherwise without either the prior
written permission of the publisher or a licence permitting restricted copying
in the United Kingdom issued by the Copyright Licensing Agency Ltd,
90 Tottenham Court Road, London W1T 4LP.

ISBN 0-582-38210-6

British Library Cataloguing-in-Publication Data

A catalogue record for this book can be obtained from the British Library

Library of Congress Cataloging-in-Publication Data

Leach, Andrew R.

Molecular modelling: principles and applications / Andrew R. Leach. – 2nd ed.
p. cm.

Includes bibliographical references and index.

ISBN 0-582-38210-6

1. Molecular structure-Computer simulation. 2. Molecules-Models-Computer
simulation. I. Title.

QD480.L43 2001

541.2'2'0113-dc21

00-046480

10 9 8 7 6 5 4
06 05 04 03 02

Top right-hand cover image © American Institute of Physics

**Licensed for sale in the mainland territory of the People's Republic of
China only. Not for sale in Hong Kong.**

Preface to the Second Edition

The impetus for this second edition is a desire to include some of the new techniques that have emerged in recent years and also extend the scope of the book to cover certain areas that were under-represented (even neglected) in the first edition. In this second volume there are three topics that fall into the first category (density functional theory, bioinformatics/protein structure analysis and chemoinformatics) and one main area in the second category (modelling of the solid state). In addition, of course, a new edition provides an opportunity to take a critical view of the text and to re-organise and update the material. Thus whilst much remains from the first edition, and this second book follows much the same path through the subject, readers familiar with the first edition will find some changes which I hope they will agree are for the better.

As with the first edition we initially consider quantum mechanics, but this is now split into two chapters. Thus Chapter 2 provides an introduction to the *ab initio* and semi-empirical approaches together with some examples of the uses of quantum mechanics. Chapter 3 covers more advanced aspects of the *ab initio* approach, density functional theory and the particular problems of the solid state. Molecular mechanics is the subject of Chapter 4 and then in Chapter 5 we consider energy minimisation and other 'static' techniques. Chapters 6, 7 and 8 deal with the two main simulation methods (molecular dynamics and Monte Carlo). Chapter 9 is devoted to the conformational analysis of 'small' molecules but also includes some topics (e.g. cluster analysis, principal components analysis) that are widely used in informatics. In Chapter 10 the problems of protein structure prediction and protein folding are considered; this chapter also contains an introduction to some of the more widely used methods in bioinformatics. In Chapter 11 we draw upon material from the previous chapters in a discussion of free energy calculations, continuum solvent models, and methods for simulating chemical reactions and defects in solids. Finally, Chapter 12 is concerned with modelling and chemoinformatics techniques for discovering and designing new molecules, including database searching, docking, *de novo* design, quantitative structure-activity relationships and combinatorial library design.

As in the first edition, the inexorable pace of change means that what is currently considered 'cutting edge' will soon become routine. The examples are thus chosen primarily because they illuminate the underlying theory rather than because they are the first application of a particular technique or are the most recent available. In a similar vein, it is impossible in a volume such as this to even attempt to cover everything and so there are undoubtedly areas which are under-represented. This is not intended to be a definitive historical account or a review of the current state-of-the-art. Thus, whilst I have tried to include many literature references it is possible that the invention of some technique may appear to be incorrectly attributed or a 'classic' application may be missing. A general guiding principle has been

to focus on those techniques that are in widespread use rather than those which are the province of one particular research group. Despite these caveats I hope that the coverage is sufficient to provide a solid introduction to the main areas and also that those readers who are 'experts' will find something new to interest them.

A Companion Web Site accompanies *Molecular Modelling: Principles and Applications, Second Edition* by Andrew Leach



Visit the *Molecular Modelling* Companion Web Site at www.booksites.net/leach

The website contains general information about the book, up-to-date hyperlinks to related chemistry sources on the web, reference copies of appendices of relevant acronyms, and twenty-six full screen, full-colour graphical representations of molecular structures.

Preface to the First Edition

Molecular modelling used to be restricted to a small number of scientists who had access to the necessary computer hardware and software. Its practitioners wrote their own programs, managed their own computer systems and mended them when they broke down. Today's computer workstations are much more powerful than the mainframe computers of even a few years ago and can be purchased relatively cheaply. It is no longer necessary for the modeller to write computer programs as software can be obtained from commercial software companies and academic laboratories. Molecular modelling can now be performed in any laboratory or classroom.

This book is intended to provide an introduction to some of the techniques used in molecular modelling and computational chemistry, and to illustrate how these techniques can be used to study physical, chemical and biological phenomena. A major objective is to provide, in one volume, some of the theoretical background to the vast array of methods available to the molecular modeller. I also hope that the book will help the reader to select the most appropriate method for a problem and so make the most of his or her modelling hardware and software. Many modelling programs are extremely simple to use and are often supplied with seductive graphical interfaces, which obviously helps to make modelling techniques more accessible, but it can also be very easy to select a wholly inappropriate technique or method.

Most molecular modelling studies involve three stages. In the first stage a model is selected to describe the intra- and inter-molecular interactions in the system. The two most common models that are used in molecular modelling are quantum mechanics and molecular mechanics. These models enable the energy of any arrangement of the atoms and molecules in the system to be calculated, and allow the modeller to determine how the energy of the system varies as the positions of the atoms and molecules change. The second stage of a molecular modelling study is the calculation itself, such as an energy minimisation, a molecular dynamics or Monte Carlo simulation, or a conformational search. Finally, the calculation must be analysed, not only to calculate properties but also to check that it has been performed properly.

The book is organised so that some of the techniques discussed in later chapters refer to material discussed earlier, though I have tried to make each chapter as independent of the others as possible. Some readers may therefore be pleased to know that it is not essential to completely digest the chapters on quantum mechanics and molecular mechanics in order to read about methods for searching conformational space! Readers with experience in one or more areas may, of course, wish to be more selective.

I have tried to provide as much of the underlying theory as seems appropriate to enable the reader to understand the fundamentals of each method. In doing so I have assumed some background knowledge of quantum mechanics, statistical mechanics, conformational analysis and mathematics. A reader with an undergraduate degree in chemistry should

have covered this material, which should also be familiar to many undergraduates in the final year of their degree course. Full discussion can be found in the suggestions for further reading at the end of each chapter. I have also attempted to provide a reasonable selection of original references, though in a book of this scope it is obviously impossible to provide a comprehensive coverage of the literature. In this context, I apologise in advance if any technique is inappropriately attributed.

The range of systems that can be considered in molecular modelling is extremely broad, from isolated molecules through simple atomic and molecular liquids to polymers, biological macromolecules such as proteins and DNA and solids. Many of the techniques are illustrated with examples chosen to reflect the breadth of applications. It is inevitable that, for reasons of space, some techniques must be dealt with in a rudimentary fashion (or not at all), and that many interesting and important applications cannot be described. Molecular modelling is a rapidly developing discipline and has benefited from the dramatic improvements in computer hardware and software of recent years. Calculations that were major undertakings only a few years ago can now be performed using personal computing facilities. Thus, examples used to indicate the 'state of the art' at the time of writing will invariably be routine within a short time.

Acknowledgements

For this second edition I would like to thank Drs Neil Allan, Paul Bamborough, Gianpaolo Bravi, Richard Bryce, Julian Gale, Richard Green, Mike Hann and Alan Lewis, who commented on various parts of the new text. Julian Gale's suggestions were particularly useful for refining the sections concerning materials science and solid-state applications. I would also like to record my thanks once more to those who gave their time to read and comment on draft copies of various chapters of the first edition, upon which this second edition is based (in alphabetical order): Dr D B Adolf, Dr J M Blaney, Professor A V Chadwick, Dr P S Charifson, Dr C-W Chung, Dr A Cleasby, Dr A Emerson, Dr J W Essex, Dr D V S Green, Dr I R Gould, Dr M M Hann, Dr C A Leach, Dr M Pass, Dr D A Pearlman, Dr C A Reynolds, Dr D W Salt, Dr M Saqi, Professor J I Siepmann, Dr W C Swope, Dr N R Taylor, Dr P J Thomas, Professor D J Tildesley and Mr O Warschkow.

Assistance with the illustrations for the second edition was provided by Drs R Groot, S McGrother and V Milman. Many of the figures from the first edition are also included here and so I would like to thank again Dr S E Greasley, Dr M M Hann, Dr H Jhoti, Dr S N Jordan, Professor G R Luckhurst, Dr P M McMeekin, Dr A Nicholls, Dr P Popelier, Dr A Robinson and Dr T E Klein.

Alexandra Seabrook, Pauline Gillett and Julie Knight at Pearson Education provided the foundation of the publishing team, coping with a steady stream of questions and keeping everyone to schedule. Especial thanks are due to Julie, who did a splendid job as editor.

Any errors that remain are of course my own responsibility. If you do find any, I would like to know! I will also be pleased to receive any constructive suggestions, comments or criticisms. We plan to set up a web site that will provide access to various material from the book (such as electronic versions of the colour images) together with email contacts. This can be accessed via www.booksites.net.

Molecular modelling would not be what it is today without the efforts of those who develop computer hardware and software and I would like to acknowledge the authors of the following computer programs which were used to generate figures and/or data described in the text. All calculations were performed using Silicon Graphics computers.

AMBER: D A Pearlman, D A Case, J C Caldwell, G L Seibel, U C Singh, P Weiner and P A Kollman 1991. Amber 3.0, University of California, San Francisco.

Cambridge Structural Database: F H Allen, S A Bellard, M D Brice, B A Cartwright, A Doubleday, H Higgs, T Hummelink, B G Hummelink-Peters, O Kennard, W D S Motherwell, J R Rodgers and D G Watson 1979. The Cambridge Crystallographic Data Centre: Computer-Based Search, Retrieval, Analysis and Display of Information. *Acta Crystallographica* B35:2331-2339. Cambridge Crystallographic Data Centre, Cambridge, United Kingdom.

CASTEP: Molecular Simulations Inc., 9685 Scranton Road, San Diego, California, USA.

Catalyst: Molecular Simulations Inc., 9685 Scranton Road, San Diego, California, USA.

Cerius2: Molecular Simulations Inc., 9685 Scranton Road, San Diego, California, USA.

- COSMIC: J G Vinter, A Davis, M R Saunders 1987. Strategic approaches to drug design. I. An integrated software framework for molecular modeling. *Journal of Computer-Aided Molecular Design* 1(1):31-51.
- Dials and Windows: G Ravishanker, S Swaminathan, D L Beveridge, R Lavery and H Sklenar 1989. *Journal of Biomolecular Structure and Dynamics* 6:669-699. Wesleyan University, USA.
- Gaussian 92: M J Frisch, G W Trucks, M Head-Gordon, P M W Gill, M W Wong, J B Foresman, B G Johnson, H B Schlegel, M A Robb, E S Replogle, R Gomperts, J L Andres, K Raghavachari, J S Binkley, C Gonzalez, R L Martin, D J Fox, D J DeFrees, J Baker, J J P Stewart and J A Pople. Gaussian Inc., Pittsburgh, Pennsylvania, USA.
- GCG: Genetics Computer Group, Inc., University Research Park, 575 Science Drive, Suite B, Madison, Wisconsin 53711, USA.
- GRASP (Graphical Representation and Analysis of Surface Properties): A Nicholls, Columbia University, New York, USA.
- GRID: P J Goodford 1985. A Computational Procedure for Determining Energetically Favorable Binding Sites on Biologically Important Macromolecules. *Journal of Medicinal Chemistry* 28:849-857. Molecular Discovery Ltd, Oxford, United Kingdom.
- InsightII: Molecular Simulations Inc., 9685 Scranton Road, San Diego, California, USA.
- IsoStar: I J Bruno, J C Cole, J P M Lommerse, R S Rowland, R Taylor and M L Verdonk 1997. IsoStar: a library of information about nonbonded interactions. *Journal of Computer-Aided Molecular Design* 11:525-537. Cambridge Crystallographic Data Centre, Cambridge, United Kingdom.
- Micromol: S M Colwell, A R Marshall, R D Amos and N C Handy 1985. Quantum chemistry on microcomputers, *Chemistry in Britain* 21:655-659.
- Molscrip: P J Kraulis 1991. Molscrip - A program to produce both detailed and schematic plots of protein structures. *Journal of Applied Crystallography* 24:946-950.
- PROCHECK: R Laskowski, M W MacArthur, D S Moss and J M Thornton 1993. Procheck - A program to check the stereochemical quality of protein structures. *Journal of Applied Crystallography* 26:283-291.
- Quanta: Molecular Simulations Inc., 9685 Scranton Road, San Diego, California, USA.
- Spartan: Wavefunction Inc., 18401 Von Karman, Suite 370, Irvine, California, USA.
- SPASMS (San Francisco Package of Applications for the Simulation of Molecular Systems). D A Spellmeyer, W C Swope, E-R Evensen, T Cheatham, D M Ferguson and P A Kollman. University of California, San Francisco, USA.
- Sybyl: Tripos Inc., 1699 South Hanley Road, St. Louis, Missouri, USA.
- The following programs were used to produce draft copies of the manuscript and diagrams: Microsoft Word (Microsoft Corp.), Gnuplot (T Williams and C Kelley), Kaleidagraph (Abelbeck Software), Chem3D (CambridgeSoft Corp.) and Microsoft Excel (Microsoft Corp.).

We are grateful to the following for permission to reproduce copyright material:

- Figure 1.11 from *Mathematical Methods in the Physical Sciences*, 2nd edn, Boas M L, ©1983. Reprinted by permission of John Wiley & Sons, Inc.
- Figure 1.14 from *The FFT Fundamentals and Concepts* by Ramirez ©1985. Reprinted by permission of Prentice-Hall, Inc., Upper Saddle River, NJ.
- Figures 2.7 and 3.3 from *Ab initio Molecular Orbital Theory*, Hehre W J, L Radom, P v R Schleyer, J A Hehre ©1986. Reprinted with permission by John Wiley & Sons, Inc.
- Figure 3.5 from Gerratt J, D L Cooper, P B Karadakov and M Raimondi 1997. Modern valence bond theory. *Chemical Society Reviews* 87-100. Reproduced by permission of The Royal Society of Chemistry.
- Figure 3.22 from Needs R J and Mujica 1995. First-principles pseudopotential study of the structural phases of silicon. *Physical Review B* 51:9652-9660.

- Figure 3.23 from Cohen M L 1986. Predicting New Solids and Superconductors. *Science* **234**:549–553.
- Figure 4.18 from Buckingham A D 1959. Molecular Quadrupole Moments. *Quarterly Reviews of the Chemical Society* **13**:183–214. Reproduced by permission of The Royal Society of Chemistry.
- Figure 4.22 from Stone A J and M Alderton 1985. Distributed Multipole Analysis Methods and Applications. *Molecular Physics* **56**:1047–1064. <http://www.tandf.co.uk/journals>
- Figure 4.29 from *Computer Simulation in Chemical Physics*, edited by Allen M P and D J Tildesley, 1993. Effective Pair Potentials and Beyond, Sprik M, with kind permission from Kluwer Academic Publishers.
- Figure 4.33 from Rigby M, E B Smith, W A Wakeham and G C Maitland 1986. *The Forces Between Molecules*. Oxford, Clarendon Press. By permission of Oxford University Press.
- Figure 4.49 reprinted with permission from Pranata J and W L Jorgensen. Computational Studies on FK506: Conformational Search and Molecular Dynamics Simulations in Water. *The Journal of the American Chemical Society* **113**:9483–9493. ©1991 American Chemical Society.
- Figure 4.50 from Molecular Parameters for Organosilicon Compounds Calculated from *Ab Initio* Computations, Grigoras S and T H Lane, *Journal of Computational Chemistry* **9**:25–39, ©1988. Reprinted by permission of John Wiley & Sons, Inc.
- Figures 5.4 and 5.8 Press W H, B P Flannery, S A Teukolsky and W T Vetterling, *Numerical Recipes in Fortran*. 1992, Cambridge University Press.
- Figure 5.6 from Schlegel H B 1987. Optimization of Equilibrium Geometries and Transition Structures in Lawley K P (Editor). *Ab Initio Methods in Quantum Chemistry – I*. New York, John Wiley: 249–286. Reprinted by permission of Wiley-Liss, Inc., a subsidiary of John Wiley & Sons, Inc.
- Figure 5.21 reprinted with permission from Chandrasekhar J, S F Smith and W L Jorgensen. Theoretical Examination of the S_N2 Reaction Involving Chloride Ion and Methyl Chloride in the Gas Phase and Aqueous Solution. *The Journal of the American Chemical Society* **107**:154–163. ©1985 American Chemical Society.
- Figure 5.29 reprinted with permission from Doubleday C, J McIver, M Page and T Zielinski. Temperature Dependence of the Transition-State Structure for the Disproportionation of Hydrogen Atom with Ethyl Radical. *The Journal of the American Chemical Society* **107**:5800–5801. ©1985 American Chemical Society.
- Figure 5.29 from Gonzalez C and H B Schlegel 1988. An Improved Algorithm for Reaction Path Following. *The Journal of Chemical Physics* **90**:2154–2161.
- Figure 5.30 reprinted from *Chemical Physical Letters*, 194, Fischer S and M Karplus. Conjugate Peak Refinement: An Algorithm for Finding Reaction Paths and Accurate Transition States in Systems with Many Degrees of Freedom. 252–261, ©1992, with permission from Elsevier Science.
- Figure 5.35 reprinted with permission from Houk K N, J González and Y Li. Pericyclic Reaction Transition States: Passions and Punctilios 1935–1995. *Accounts of Chemical Research* **28**:81–90. ©1995 American Chemical Society.
- Figure 5.37 from Michin Y, D Farkas, M J Mehl and D A Papaconstantopoulos 1999. Interatomic potentials for monatomic metals from experimental data and *ab initio* calculations. *Physical Review B* **59**:3393–3407.
- Figure 6.21 from Allen M P and D J Tildesley 1987. *Computer Simulation of Liquids*. Oxford, Oxford University Press. By permission of Oxford University Press.
- Figure 6.25 reprinted from *Chemical Physics Letters*, 196, Ding H-Q, N Karasawa and W A Goddard III, The Reduced Cell Multipole Method for Coulomb Interactions in Periodic Systems with Million-Atom Unit Cells, 6–10, ©1992, with permission of Elsevier Science.
- Figure 7.2 from Alder B J and T E Wainwright 1959. Studies in Molecular Dynamics. I. General Method. *The Journal of Chemical Physics* **31**:459–466.
- Figure 7.11 from Alder B J and T E Wainwright 1970. Decay of the Velocity Autocorrelation Function. *Physical Review A* **1**:18–21.

- Figure 7.12 from Guillot B 1991. A Molecular Dynamics Study of the Infrared Spectrum of Water. *The Journal of Chemical Physics* 95:1543-1551.
- Figure 7.13 reprinted with permission from Jorgensen W L, R C Binning Jr and B Bigot. Structures and Properties of Organic Liquids: *n*-Butane and 1,2-Dichloroethane and Their Conformational Equilibria. *The Journal of the American Chemical Society* 103:4393-4399. ©1981 American Chemical Society.
- Figure 7.24 (and on cover) from Groot R D and T J Madden 1998. Dynamic simulation of diblock copolymer microphase separation. *The Journal of Chemical Physics* 108:8713-8724. © American Institute of Physics.
- Figure 8.8 from Baschnagel J, K Binder, W Paul, M Laso, U Suter, I Batoulis, W Jilge and T Bürger 1991. On the Construction of Coarse-Grained Models for Linear Flexible Polymer-Chains – Distribution Functions for Groups of Consecutive Monomers. *The Journal of Chemical Physics* 95:6014-6025.
- Figure 8.16 from Frantz, D D, D L Freeman and J D Doll 1990. Reducing quasi-ergodic behavior in Monte Carlo simulations by J-walking: applications to atomic clusters. *The Journal of Chemical Physics* 93:2769-2784.
- Figure 8.17 from Cracknell R F, D Nicholson and N Quirke 1994. A Grand Canonical Monte Carlo Study of Lennard-Jones Mixtures in Slit Pores; 2: Mixtures of Two-Centre Ethane with Methane. *Molecular Simulation* 13:161-175. ©1994 OPA (Overseas Publishers Association) N.V. Permission to reproduce granted by Gordon and Breach Publishers.
- Figure 8.19 from Siepmann J I 1990. A Method for the Direct Calculation of Chemical Potentials for Dense Chain Systems. *Molecular Physics* 70:1145-1158. <http://www.tandf.co.uk/journals>
- Figure 8.22 reprinted with permission from Smit B and J I Siepmann. Simulating the Adsorption of Alkanes in Zeolites. *Science* 264:1118-1120 ©1994 American Association for the Advancement of Science.
- Figure 9.34 from Poling: Promoting Conformational Variation, Smellie A S, S L Teig and P Towbin *Journal of Computational Chemistry* 16:171-187, ©1995. Reprinted by permission of John Wiley & Sons, Inc.
- Figure 10.18 from Pearson W R and D J Lipman 1988. Improved tools for biological sequence comparison. *Proceedings of the National Academy of Sciences USA* 85:2444-2448.
- Figure 10.21 reprinted from Current Opinion in Structural Biology, 6, Eddy S R, Hidden Markov Models, 361-365 ©1996, with permission from Elsevier Science.
- Figure 10.22 from Krogh, A, M Brown, S Mian, K Sjölander and D Haussler 1994. Hidden Markov Models in Computational Biology. *Journal of Molecular Biology* 235:1501-1531.
- Figure 10.26 Reprinted with permission from Lüthy R, J U Bowie and D Eisenberg. Assessment of Protein Models with Three-Dimensional Profiles. *Nature* 356:83-85. ©1992 Macmillan Magazines Limited.
- Figure 11.6 from Lybrand T P, J A McCammon and G Wipff 1986. Theoretical Calculation of Relative Binding Affinity in Host-Guest Systems. *Proceedings of the National Academy of Sciences USA* 83:833-835.
- Figure 11.18 reprinted with permission from Guo Z and C L Brooks III. Rapid Screening of Binding Affinities: Application of the λ -Dynamics Method to a Trypsin-Inhibitor System. *The Journal of the American Chemical Society* 120:1920-1921. ©1998 American Chemical Society.
- Figure 11.24 reprinted with permission from Still W C, A Tempczyk, R C Hawley and T Hendrickson. Semianalytical Treatment of Solvation for Molecular Mechanics and Dynamics. *The Journal of the American Chemical Society* 112:6127-6129. ©1990 American Chemical Society.
- Figure 11.27 from Klapper I, R Hagstrom, R Fine, K Sharp and B Honig 1986. Focusing of Electric Fields in the Active Site of Cu-Zn Superoxide Dismutase: Effects of Ionic Strength and Amino-Acid Substitution. *Proteins: Structure, Function and Genetics* 1:47-59. Reprinted by permission of Wiley-Liss, Inc., a subsidiary of John Wiley & Sons, Inc.

- Figure 11.31 from Gibson M K and B Hong 1988. Calculation of the Tonal Electrostatic Energy of a Macromolecular System: Solvation Energies, Binding Energies and Conformational Analysis. *Proteins: Structure, Function and Genetics* 4:7-18. Reprinted by permission of Wiley-Liss, Inc., a subsidiary of John Wiley & Sons, Inc.
- Figure 11.35 reprinted with permission from Chandrasekhar J and W L Jorgensen 1985. Energy Profile for a Nonconcerted S_N2 Reaction in Solution. *The Journal of the American Chemical Society* 107:2974-2975. ©1985 American Chemical Society.
- Figure 11.37 reprinted with permission from Åqvist J, M Fothergill and A Warshel. Computer Simulation of the CO_2/HCO_3^- Interconversion Step in Human Carbonic Anhydrase I. *The Journal of the American Chemical Society* 115:631-635. ©1993 American Chemical Society.
- Figure 11.40 reprinted with permission from Saitta A M, P D Sooper, E Wasserman and M L Klein 1999. Influence of a knot on the strength of a polymer strand. *Nature* 399:46-48. ©1999 Macmillan Magazines Limited.
- Figure 11.42 from NATO ASI Series C 498 (*New Trends in Materials Chemistry*), 1997, 285-318, Defects and Matter Transport in Solid Materials, Chadwick A V and J Corish, with kind permission of Kluwer Academic Publishers.
- Figure 12.34 from Lam P Y S, P K Jadhav, C E Eyermann, C N Hodge, Y Ru, L T Bacheler, J L Meek, M J Otto, M M Rayner, Y N Wong, C-H Chang, P C Weber, D A Jackson, T R Sharpe and S Erickson-Viitanen 1994. Rational Design of Potent, Bioavailable, Nonpeptide Cyclic Ureas as HIV Protease Inhibitors. *Science* 263:380-384.

Whilst every effort has been made to trace the owners of copyright material, we take this opportunity to offer our apologies to any copyright holders whose rights we may have unwittingly infringed.

Symbols and Physical Constants

This list contains the most frequently used symbols and physical constants ordered according to approximate appearance in the text.

λ	Lagrange multiplier
r, θ, ϕ	spherical polar coordinates
$\mathbf{i}, \mathbf{j}, \mathbf{k}$	orthogonal unit vectors along x, y, z axes
ϕ, θ, ψ	Euler angles
$\langle x \rangle$ or $\bar{x}$	arithmetic mean value of x
$\mathbf{I}$	unit matrix
i	square root of -1
$\hat{\mathbf{r}}$	unit vector
α	exponent in Gaussian function (normal distribution)
σ	standard deviation
σ^2	variance
h	Planck's constant ($6.626\,18 \times 10^{-34}$ J s)
$\hbar$	$h/2\pi$ ($1.054\,59 \times 10^{-34}$ J s)
m	particle mass
Ψ	molecular wavefunction
∇^2	$\partial^2/\partial x^2 + \partial^2/\partial y^2 + \partial^2/\partial z^2$ ('del-squared')
$\mathcal{H}$	Hamiltonian
ψ	spatial orbital
α, β	spin functions ('spin up' and 'spin down')
χ	spin orbital (product of spatial orbital and a spin function)
ϕ	basis function/atomic orbital (usually labelled $\phi_\mu, \phi_\nu, \phi_\lambda, \phi_\sigma$)
$d\nu$ or $d\mathbf{r}$	indicates an integral over all spatial coordinates
$d\sigma$	indicates an integral over all spin coordinates
$d\tau$	indicates an integral over all spatial and spin coordinates
r_{ij}	distances between two particles i and j (usually electrons in quantum mechanics)
R_{AB}	distance between two nuclei A and B
δ_{ij}	Kronecker delta ($\delta_{ij} = 1$ if $i = j$; $\delta_{ij} = 0$ if $i \neq j$)
$\mathcal{X}$	exchange operator
$\mathcal{J}$	Coulomb operator
$\mathcal{H}^{\text{core}}$	core Hamiltonian operator
$\mathbf{F}$	Fock matrix
$\mathbf{S}$	overlap matrix
S_{ij}	overlap integral between orbitals i and j
f	Fock operator
$\mathbf{C}$	matrix of basis function coefficients

E	matrix of orbital energies
P	density matrix
ζ	Slater exponent
K	number of basis functions
N	number of electrons
M	number of nuclei
α	Coulomb integral in Hückel theory
β	resonance integral in Hückel theory
α	atomic or molecular polarisability
$\rho(\mathbf{r})$	electron density at $\mathbf{r}$
$\phi(\mathbf{r})$	electrostatic potential at $\mathbf{r}$
a, b, c	lengths used to describe unit cell
α, β, γ	angles used to describe unit cell
G	reciprocal lattice vector
T	translation within real-space lattice
k	wavevector used in solid-state quantum mechanics
q_i	partial charge on atom i
Z_A	nuclear charge on atom A
μ	dipole moment
Θ	quadruple moment
l	bond length
k	force constant
θ	bond angle
τ, ω	torsion angle
E	electric field
χ	electronegativity
ε	well depth parameter in Lennard-Jones pairwise potential function
σ	collision diameter used in Lennard-Jones function
r^*, r_m	separation corresponding to minimum in Lennard-Jones function
A	coefficient of r^{-12} in Lennard-Jones function
C	coefficient of r^{-6} in Lennard-Jones function
ε_0	dielectric constant <i>in vacuo</i>
ε_r	relative permittivity
ε	dielectric constant ($\varepsilon = \varepsilon_0 \varepsilon_r$)
k_B	Boltzmann's constant ($1.380\,66 \times 10^{-23} \text{ J K}^{-1}$)
N_A	Avogadro's number ($6.022\,05 \times 10^{23} \text{ mol}^{-1}$)
N	number of particles in system
r	atomic or molecular position
$\mathbf{r}^N$	denotes positions of the N particles in the system
p	linear momentum
$\mathbf{p}^N$	denotes momenta of the N particles in the system
P	total linear momentum of system
$\mathcal{V}$	total potential energy of system (often written as a function of $\mathbf{r}^N$)
v	pairwise potential energy
$\mathbf{x}_k$	$3N$ Cartesian vector at point k