


**Common Names of Insects
and Related Organisms
1982**

FLOYD G. WERNER, CHAIRMAN



Common Names of Insects & Related Organisms 1982

FLOYD G. WERNER, CHAIRMAN

Committee on Common Names of Insects

ISBN 0-938522-18-3

© 1982 Entomological Society of America

Common Names of Insects and Related Organisms

APPROVED BY THE ENTOMOLOGICAL SOCIETY OF AMERICA

Floyd G. Werner, *Chairman, Committee on Common Names of Insects*

SECTION I.	Insects and Related Organisms	 Page 4
	Listed by Common Name	
SECTION II.	Insects and Related Organisms	 Page 44
	Listed by Scientific Name	
SECTION III.	Insects and Related Organisms	 Page 84
	Listed by Higher Taxonomic Category	
SECTION IV.	Phylum, Class, Order, and Family	
	Names	 Page 124

INTRODUCTION

This list contains all common names approved by the Society for insects and other invertebrate animals commonly included in the field of entomology. It supersedes earlier lists sponsored by the Society and by the former American Association of Economic Entomologists. Names have been added and other changes made where required by action of the Committee and Society or by improved knowledge of taxonomy. Authors' surnames are given in full in accordance with a decision¹ announced earlier.

The Committee on Common Names of Insects has attempted to establish and maintain standards by which names proposed for addition to the approved list are to be accepted or rejected. Published recommendations² have served as general

guides for the present Committee. In 1953, A. B. Gurney reviewed the rules and recommendations concerning common names. His summary, somewhat modified, is presented here.

RULES AND RECOMMENDATIONS

1. Included species will, in most cases, inhabit the United States, Canada, or their possessions and territories. In special cases, other species may be added.

2. The list is intended to include those insects and other invertebrates commonly of concern to entomologists because of their economic importance, striking appearance, abundant occurrence, or any other sufficient reason.


3. A common name should consist of three words or less, but four are permissible if reasons are sufficient.

4. Most names have two parts, one indicating the family or group, and the other a modifier. In the case of names having two parts, one of them a group name as given in Section IV, the group name will be a separate word when used in a sense that is systematically correct as in "house fly" and "bed bug." If the group name used is not systematically correct, it should be combined in a single word with a modifier as in the examples "citrus whitefly" and "citrus mealybug." The modifying part of the name should be based on some outstanding characteristic of the insect itself, its damage, host, or distribution. Hyphens between modifying words should be used only if the meaning is otherwise obscure.

186 • 98 98

¹Bull. Entomol. Soc. Amer. 4(1): 14 (1958).

²J. Econ. Entomol. 16: 21-24 (1923); 35: 795-797 (1942); 46: 207-211 (1953).



Common Names of Insects & Related Organisms 1982

FLOYD G. WERNER, CHAIRMAN

Committee on Common Names of Insects

ISBN 0-938522-18-3

© 1982 Entomological Society of America

Common Names of Insects and Related Organisms

APPROVED BY THE ENTOMOLOGICAL SOCIETY OF AMERICA

Floyd G. Werner, *Chairman, Committee on Common Names of Insects*

SECTION I.	Insects and Related Organisms	 Page	4
	Listed by Common Name		
SECTION II.	Insects and Related Organisms	 Page	44
	Listed by Scientific Name		
SECTION III.	Insects and Related Organisms	 Page	84
	Listed by Higher Taxonomic Category		
SECTION IV.	Phylum, Class, Order, and Family		
	Names	 Page	124

INTRODUCTION

This list contains all common names approved by the Society for insects and other invertebrate animals commonly included in the field of entomology. It supersedes earlier lists sponsored by the Society and by the former American Association of Economic Entomologists. Names have been added and other changes made where required by action of the Committee and Society or by improved knowledge of taxonomy. Authors' sur-names are given in full in accordance with a decision¹ announced earlier.

The Committee on Common Names of Insects has attempted to establish and maintain standards by which names proposed for addition to the approved list are to be accepted or rejected. Published recommendations² have served as general

guides for the present Committee. In 1953, A. B. Gurney reviewed the rules and recommendations concerning common names. His summary, somewhat modified, is presented here.

RULES AND RECOMMENDATIONS

1. Included species will, in most cases, inhabit the United States, Canada, or their possessions and territories. In special cases, other species may be added.

2. The list is intended to include those insects and other invertebrates commonly of concern to entomologists because of their economic importance, striking appearance, abundant occurrence, or any other sufficient reason.

3. A common name should consist of three words or less, but four are permissible if reasons are sufficient.

4. Most names have two parts, one indicating the family or group, and the other a modifier. In the case of names having two parts, one of them a group name as given in Section IV, the group name will be a separate word when used in a sense that is systematically correct as in "house fly" and "bed bug." If the group name used is not systematically correct, it should be combined in a single word with a modifier as in the examples "citrus whitefly" and "citrus mealybug." The modifying part of the name should be based on some outstanding characteristic of the insect itself, its damage, host, or distribution. Hyphens between modifying words should be used only if the meaning is otherwise obscure.

1 8 6 • 9 8 ; 9 8

2

¹Bull. Entomol. Soc. Amer. 4(1): 14 (1958).

²J. Econ. Entomol. 16: 21-24 (1923); 35: 795-797 (1942); 46: 207-211 (1953).

5. The use of parts of the scientific name in the common name is undesirable unless the words involved are thoroughly established by usage as a common name.

6. Only in special cases should a species have more than one common name.

7. In the case of insects warranting special concern in both the larval and adult stages the name preferably should be one suggested by the appearance or habits of the more important or better known stage or the one for which usage has established the better name.

8. In all cases involving the adoption of new common names or changes in those previously established, the fullest consideration should be given to past usage and probable future usage. If practical, the considered opinions of entomologists experienced with the insects concerned should be obtained before names are proposed. Members who wish to recommend new names or changes in existing names should accept the responsibility for making the necessary investigation. All available evidence, both for and against, on the appropriateness of and need for each proposed name should accompany the proposal when it is submitted to the Committee Chairman.

COMMITTEE PROCEDURES

Following receipt of a proposal, the Committee considers the evidence and votes on the case. Proposals receiving Committee approval (at least seven of the nine members of the Committee must approve) are published in the Bulletin of the Entomological Society of America. Any Society member disapproving a proposal may submit objections and evidence opposing the proposal to the Committee in the 30-day period after publication. If substantial objections to a proposal are received, the Committee reconsiders the case and makes a final decision.

Notice of final adoption or rejection of the proposal is then published in a later Bulletin of the Entomological Society of America. The essential features of the foregoing procedures are provided for by the By-Laws of the Society.

The scientific names of this list have been checked by taxonomists in the Systematic Entomology Laboratory, Insect Identification and Beneficial Insect Introduction Institute, U.S. Department of Agriculture, and the Department of Entomology, U.S. National Museum of Natural History, Smithsonian Institution, except those in a few restricted groups on which collaborators have been consulted. The scientific names shown are those said to be in current use.

ARRANGEMENT OF NAMES

The common names list is maintained in computerized form by Jerry Odland of the ESA staff. This list is periodically updated, and is used to generate the printed format, only diacritical marks having to be added manually. The basic list is manipulated to generate Sections I-III. The arrangement of Section IV follows Section IV of the 1978 revision, with a few additions to accommodate new entries into the main list, and some changes to conform with current systematic usage at the family level. Orders and Families are arranged alphabetically under the appropriate Class.

Members of the Committee on Common Names of Insects, 1982 are:

H. R. Burke	C. W. Rettenmeyer
J. B. Chapin	M. L. Williams
W. N. Mathis	R. E. Woodruff
W. C. Mitchell	K. V. Yeargan
F. G. Werner, <i>Chairman</i>	

SECTION I. INSECTS AND RELATED ORGANISMS LISTED BY COMMON NAME

A

abbreviated wireworm
acacia psyllid
achemon sphinx
acuminate scale
acute-angled fungus beetle
aerial yellowjacket
African mole cricket
ailanthus webworm
alder bark beetle
alder flea beetle
alder spittlebug
alfalfa blotch leafminer
alfalfa caterpillar
alfalfa gall midge
alfalfa leafcutting bee
alfalfa leafminer
alfalfa looper
alfalfa plant bug
alfalfa seed chalcid
alfalfa snout beetle
alfalfa webworm
alfalfa weevil
alkali bee
Allegheny mound ant
Allegheny spruce beetle
almond moth
aloe mite
American aspen beetle
American black flour beetle
American cockroach
American dagger moth
American dog tick
American grasshopper
American hornet moth
American house dust mite
American plum borer
American spider beetle
Angora goat biting louse
Angoumois grain moth
angularwinged katydid
angulate leafhopper
apple aphid
apple bark borer
apple barkminer
apple blotch leafminer
apple curculio
apple flea weevil

COLEOPTERA:Elateridae
HOMOPTERA:Psyllidae
LEPIDOPTERA:Sphingidae
HOMOPTERA:Coccidae
COLEOPTERA:Cryptophagidae
HYMENOPTERA:Vespididae
ORTHOPTERA:Gryllotalpidae
LEPIDOPTERA:Yponomeutidae
COLEOPTERA:Scolytidae
COLEOPTERA:Chrysomelidae
HOMOPTERA:Cercopidae
DIPTERA:Agromyzidae
LEPIDOPTERA:Pieridae
DIPTERA:Cecidomyiidae
HYMENOPTERA:Megachilidae
LEPIDOPTERA:Gelechiidae
LEPIDOPTERA:Noctuidae
HETEROPTERA:Miridae
HYMENOPTERA:Eurytomidae
COLEOPTERA:Curculionidae
LEPIDOPTERA:Pyralidae
COLEOPTERA:Curculionidae
HYMENOPTERA:Halictidae
HYMENOPTERA:Formicidae
COLEOPTERA:Scolytidae
LEPIDOPTERA:Pyralidae
ACARI:Eriophyidae
COLEOPTERA:Chrysomelidae
COLEOPTERA:Tenebrionidae
ORTHOPTERA:Blattidae
LEPIDOPTERA:Noctuidae
ACARI:Ixodidae
ORTHOPTERA:Acrididae
LEPIDOPTERA:Sesiidae
ACARI:Epidermoptidae
LEPIDOPTERA:Pyralidae
COLEOPTERA:Ptinidae
MALLOPHAGA:Trichodectidae
LEPIDOPTERA:Gelechiidae
ORTHOPTERA:Tettigoniidae
HOMOPTERA:Cicadellidae
HOMOPTERA:Aphididae
LEPIDOPTERA:Sesiidae
LEPIDOPTERA:Gracillariidae
LEPIDOPTERA:Gracillariidae
COLEOPTERA:Curculionidae
COLEOPTERA:Curculionidae

Hypolithus abbreviatus (Say)
Psylla uncatoides (Ferris & Klyver)
Eumorpha achemon (Drury)
Kilifia acuminata (Signoret)
Cryptophagus acutangulus Gyllenhal
Dolichovespula arenaria (Fabricius)
Gryllotalpa africana Palisot de Beauvois
Atteva punctella (Cramer)
Alniphagus aspericollis (LeConte)
Altica ambiens LeConte
Clastoptera obtusa (Say)
Agromyza frontella (Rondani)
Colias eurytheme Boisduval
Asphondylia websteri Felt
Megachile rotundata (Fabricius)
Dichomeris ianthes (Meyrick)
Autographa californica (Speyer)
Adelphocoris lineolatus (Goeze)
Bruchophagus roddi (Gussakovsky)
Otiiorhynchus ligustici (Linnaeus)
Loxostege commixtalis (Walker)
Hypera postica (Gyllenhal)
Nomia melanderi Cockerell
Formica exsectoides Forel
Dendroctonus punctatus LeConte
Cadra cautella (Walker)
Eriophyes aloinis Keifer
Gonioctena americana (Schaeffer)
Tribolium audax Halstead
Periplaneta americana (Linnaeus)
Acronicta americana (Harris)
Dermacentor variabilis (Say)
Schistocerca americana (Drury)
Sesia tibialis (Harris)
Dermatophagoides farinae Hughes
Euzophera semifuneralis (Walker)
Mezium americanum (Laporte)
Bovicola crassipes (Rudow)
Sitotroga cerealella (Olivier)
Microcentrum retinerve (Burmeister)
Acinopterus angulatus Lawson
Aphis pomi De Geer
Synanthedon pyri (Harris)
Mamestra elotella (Busck)
Phyllonorycter crataegella (Clemens)
Tachypterellus quadrigibbus (Say)
Rhynchaenus pallicornis (Say)

apple fruit moth
apple fruitminer
apple grain aphid
apple leafhopper
apple maggot
apple mealybug
apple red bug
apple rust mite
apple seed chalcid
apple sucker
apple twig beetle
apple twig borer
apple-and-thorn skeletonizer
appleleaf skeletonizer
appleleaf trumpet miner
araucaria aphid
arborvitae leafminer
arborvitae weevil
Argentine ant
argus tortoise beetle
army cutworm
armyworm
artichoke plume moth
ash plant bug
ashgray blister beetle
Asiatic garden beetle
Asiatic oak weevil
Asiatic rice borer
Asiatic rose scale
asparagus beetle
asparagus miner
asparagus spider mite
aspen blotchminer
aspen leaf beetle
aster leafhopper
aster leafminer
Australian cockroach
Australian fern weevil
Australian mantid
Australian rat flea
Australian spider beetle
Australianpine borer
avocado brown mite
avocado red mite
avocado whitefly
azalea bark scale
azalea lace bug
azalea leafminer
azalea plant bug
azalea whitefly

LEPIDOPTERA:Argyresthiidae
LEPIDOPTERA:Gracillariidae
HOMOPTERA:Aphididae
HOMOPTERA:Cicadellidae
DIPTERA:Tephritidae
HOMOPTERA:Pseudococcidae
HETEROPTERA:Miridae
ACARI:Eriophyidae
HYMENOPTERA:Torymidae
HOMOPTERA:Psyllidae
COLEOPTERA:Scolytidae
COLEOPTERA:Bostrichidae
LEPIDOPTERA:Choreutidae
LEPIDOPTERA:Pyralidae
LEPIDOPTERA:Tischeriidae
HOMOPTERA:Aphididae
LEPIDOPTERA:Argyresthiidae
COLEOPTERA:Curculionidae
HYMENOPTERA:Formicidae
COLEOPTERA:Chrysomelidae
LEPIDOPTERA:Noctuidae
LEPIDOPTERA:Noctuidae
LEPIDOPTERA:Pterophoridae
HETEROPTERA:Miridae
COLEOPTERA:Meloidae
COLEOPTERA:Scarabaeidae
COLEOPTERA:Curculionidae
LEPIDOPTERA:Pyralidae
HOMOPTERA:Diaspididae
COLEOPTERA:Chrysomelidae
DIPTERA:Agromyzidae
ACARI:Tetranychidae
LEPIDOPTERA:Gracillariidae
COLEOPTERA:Chrysomelidae
HOMOPTERA:Cicadellidae
DIPTERA:Agromyzidae
ORTHOPTERA:Blattidae
COLEOPTERA:Curculionidae
ORTHOPTERA:Mantidae
SIPHONAPTERA:Pulicidae
COLEOPTERA:Ptinidae
COLEOPTERA:Buprestidae
ACARI:Tetranychidae
ACARI:Tetranychidae
HOMOPTERA:Aleyrodidae
HOMOPTERA:Eriococcidae
HETEROPTERA:Tingidae
LEPIDOPTERA:Gracillariidae
HETEROPTERA:Miridae
HOMOPTERA:Aleyrodidae

Argyresthia conjugella Zeller
Marmara pomonella Busck
Rhopalosiphum fitchii (Sanderson)
Empoasca maligna (Walsh)
Rhagoletis pomonella (Walsh)
Phenacoccus aceris (Signoret)
Lygidea mendax Reuter
Aculus schlechtendali (Malepa)
Torymus varians (Walker)
Psylla mali (Schmidberger)
Hypothenemus obscurus (Fabricius)
Amphicerus bicaudatus (Say)
Choreutis pariana (Clerck)
Psorosina hammondi (Riley)
Tischeria malifoliella Clemens
Neophyllaphis araucariae Takahashi
Argyresthia thuiella (Packard)
Phyllobius intrusus Kono
Iridomyrmex humilis (Mayr)
Chelymorpha cassidea (Fabricius)
Euxoa auxiliaris (Grote)
Pseudaletia unipuncta (Haworth)
Platyptilia carduidactyla (Riley)
Tropidosteptes amoenus Reuter
Epicauta fabricii (LeConte)
Maladera castanea (Arrow)
Cyrtopistomus castaneus (Roelofs)
Chilo suppressalis (Walker)
Aulacaspis rosarum Borchsenius
Crioceris asparagi (Linnaeus)
Ophiomyia simplex (Loew)
Schizotetranychus asparagi (Oudemans)
Phyllonorycter tremuloidiella (Braun)
Chrysomela crotchii Brown
Macrosteles fascifrons (Stål)
Calycomyza humeralis (Roser)
Periplaneta australasiae (Fabricius)
Syagrius fulvitaris Pascoe
Tenodera australasiae (Leach)
Xenopsylla vexabilis Jordan
Ptinus ocellus Brown
Chrysobothris tranquebarica (Gmelin)
Oligonychus punicae (Hirst)
Oligonychus yothersi (McGregor)
Trialeurodes floridensis (Quaintance)
Eriococcus azaleae Comstock
Stephanitis pyrioides (Scott)
Caloptilia azaleella (Brants)
Rhinocapsus vanduzeei Uhler
Pealius azaleae (Baker & Moles)

B

bagworm
Bahaman swallowtail
baldcypress coneworm
baldfaced hornet
balsam fir sawfly
balsam fir sawyer
balsam gall midge
balsam shootboring sawfly
balsam twig aphid
balsam woolly adelgid
bamboo borer
bamboo mealybug
bamboo powderpost beetle
bamboo spider mite
banana aphid
banana root borer
banana skipper
banded alder borer
banded ash clearwing
banded cucumber beetle
banded greenhouse thrips
banded hickory borer
banded sunflower moth
banded wood snail
banded woollybear
bandedwinged whitefly
Banks grass mite
banyan aphid
Barber brown lacewing
barberpole caterpillar
barley jointworm
barnacle scale
basswood lace bug
basswood leafminer
basswood leafroller
beachgrass scale
bean aphid
bean butterfly
bean capsid
bean fly
bean leaf beetle
bean leafroller
bean leafskeletonizer
bean pod borer
bean stalk weevil
bean thrips
bean weevil
beardsley leafhopper
bed bug

LEPIDOPTERA:Psychidae
LEPIDOPTERA:Papilionidae
LEPIDOPTERA:Pyrilidae
HYMENOPTERA:Vespidae
HYMENOPTERA:Diprionidae
COLEOPTERA:Cerambycidae
DIPTERA:Cecidomyiidae
HYMENOPTERA:Xyelidae
HOMOPTERA:Aphididae
HOMOPTERA:Adelgidae
COLEOPTERA:Cerambycidae
HOMOPTERA:Pseudococcidae
COLEOPTERA:Bostrichidae
ACARI:Tetranychidae
HOMOPTERA:Aphididae
COLEOPTERA:Curculionidae
LEPIDOPTERA:Hesperiidae
COLEOPTERA:Cerambycidae
LEPIDOPTERA:Sesiidae
COLEOPTERA:Chrysomelidae
THYSANOPTERA:Thripidae
COLEOPTERA:Cerambycidae
LEPIDOPTERA:Cochylidae
STYLOMATOPHORA:Helicidae
LEPIDOPTERA:Arctiidae
HOMOPTERA:Aleyrodidae
ACARI:Tetranychidae
HOMOPTERA:Aphididae
NEUROPTERA:Heurobiidae
LEPIDOPTERA:Pyrilidae
HYMENOPTERA:Eurytomidae
HOMOPTERA:Coccidae
HETEROPTERA:Tingidae
COLEOPTERA:Chrysomelidae
LEPIDOPTERA:Pyrilidae
HOMOPTERA:Eriococcidae
HOMOPTERA:Aphididae
LEPIDOPTERA:Lycaenidae
HETEROPTERA:Miridae
DIPTERA:Agromyzidae
COLEOPTERA:Chrysomelidae
LEPIDOPTERA:Hesperiidae
LEPIDOPTERA:Noctuidae
LEPIDOPTERA:Pyrilidae
COLEOPTERA:Curculionidae
THYSANOPTERA:Thripidae
COLEOPTERA:Bruchidae
HOMOPTERA:Cicadellidae
HETEROPTERA:Cimicidae

Thyridopteryx ephemeraeformis (Haworth)
Papilio andraemon bonhotei Sharpe
Dioryctria pygmaeella Ragonot
Dolichovespula maculata (Linnaeus)
Neodiprion abietis (Harris)
Monochamus marmorator Kirby
Paradiplosis tumifex Gagné
Pleroneura brunneicornis Rohwer
Mindarus abietinus Koch
Adelges piceae (Ratzeburg)
Chlorophorus annularis (Fabricius)
Chaetococcus bambusae (Maskell)
Dinoderus minutus (Fabricius)
Schizotetranychus celarius (Banks)
Pentalonia nigronervosa Coquerel
Cosmopolites sordidus (Germar)
Pelopidas thrax (Linnaeus)
Rosalia funebris Motschulsky
Podosesia aureocincta Purrington & Nielsen
Diabrotica balteata LeConte
Hercinothrips femoralis (O. M. Reuter)
Knollia cincta (Drury)
Cochylis hospes Walsingham
Cepaea nemoralis (Linnaeus)
Pyrrharctia isabella (J. E. Smith)
Trialeurodes abutilonea (Haldeman)
Oligonychus pratensis (Banks)
Thoracaphis fici (Takahashi)
Sympherobius barberi (Banks)
Mimoschinia rufofascialis (Stephens)
Tetramesa hordei (Harris)
Ceroplastes cirripediformis Comstock
Gargaphia tiliae (Walsh)
Baliosus ruber (Weber)
Pantographa limata Grote & Robinson
Eriococcus carolinae Williams
Aphis fabae Scopoli
Lampides boeticus (Linnaeus)
Pycnoderes quadrimaculatus Guérin-Méneville
Ophiomyia phaseoli (Tryon)
Ceratomyia trifurcata (Forster)
Urbanus proteus (Linnaeus)
Autoplusia egea (Guenée)
Maruca testulalis (Geyer)
Sternechus paludatus (Casey)
Caliothrips fasciatus (Pergande)
Acanthoscelides obtectus (Say)
Balclutha beardsleyi Namba
Cimex lectularius Linnaeus

beech blight aphid
 beech scale
 beet armyworm
 beet leaf beetle
 beet leafhopper
 beet leafminer/spinach leafminer
 beet webworm
 bella moth
 Bermudagrass mite
 hertha armyworm
 bidens borer
 bigheaded ant
 bigheaded grasshopper
 birch bark beetle
 birch casebearer/cigar casebearer
 birch leafminer
 birch sawfly
 birch skeletonizer
 birch tubemaker
 bird tick
 black army cutworm
 black blister beetle
 black blow fly
 black carpenter ant
 black carpet beetle
 black cherry aphid
 black cherry fruit fly
 black citrus aphid
 black cockroach wasp
 black cutworm
 black dung beetle
 black earwig
 black elm bark weevil
 black flower thrips
 black fungus beetle
 black grain stem sawfly
 black horse fly
 black hunter thrips
 black imported fire ant
 black lady beetle
 black larder beetle
 black peach aphid
 black pecan aphid
 black pineleaf scale
 black potter wasp
 black scale
 black soldier fly
 black stink bug
 black swallowtail/parsleyworm
 black thread scale
 black turfgrass ataenius

HOMOPTERA:Aphididae
 HOMOPTERA:Eriococcidae
 LEPIDOPTERA:Noctuidae
 COLEOPTERA:Chrysomelidae
 HOMOPTERA:Cicadellidae
 DIPTERA:Anthomyiidae
 LEPIDOPTERA:Pyrilidae
 LEPIDOPTERA:Arctiidae
 ACARI:Eriophyidae
 LEPIDOPTERA:Noctuidae
 LEPIDOPTERA:Tortricidae
 HYMENOPTERA:Formicidae
 ORTHOPTERA:Acrididae
 COLEOPTERA:Scolytidae
 LEPIDOPTERA:Coleophoridae
 HYMENOPTERA:Tenthredinidae
 HYMENOPTERA:Argidae
 LEPIDOPTERA:Lyoniidae
 LEPIDOPTERA:Pyrilidae
 ACARI:Ixodidae
 LEPIDOPTERA:Noctuidae
 COLEOPTERA:Meloidae
 DIPTERA:Calliphoridae
 HYMENOPTERA:Formicidae
 COLEOPTERA:Dermestidae
 HOMOPTERA:Aphididae
 DIPTERA:Tephritidae
 HOMOPTERA:Aphididae
 HYMENOPTERA:Ampulicidae
 LEPIDOPTERA:Noctuidae
 COLEOPTERA:Scarabaeidae
 DERMATOPTERA:Chelisochidae
 COLEOPTERA:Curculionidae
 THYSANOPTERA:Phlaeothripidae
 COLEOPTERA:Tenebrionidae
 HYMENOPTERA:Cephalidae
 DIPTERA:Tabanidae
 Thysanoptera:Phlaeothripidae
 HYMENOPTERA:Formicidae
 COLEOPTERA:Coccinellidae
 COLEOPTERA:Dermestidae
 HOMOPTERA:Aphididae
 HOMOPTERA:Aphididae
 HOMOPTERA:Diaspididae
 HYMENOPTERA:Vespididae
 HOMOPTERA:Coccidae
 DIPTERA:Stratiomyidae
 HETEROPTERA:Plataspididae
 LEPIDOPTERA:Papilionidae
 HOMOPTERA:Diaspididae
 COLEOPTERA:Scarabaeidae

Fagiphagus imbricator (Fitch)
 Cryptococcus fagisuga Lindinger
 Spodoptera exigua (Hubner)
 Erynephala puncticollis (Say)
 Circulifer tenellus (Baker)
 Pegomya hyoscyami (Panzer)
 Loxostege sticticalis (Linnaeus)
 Utetheisa bella (Linnaeus)
 Eriophyes cynodontiensis Sayed
 Mamestra configurata Walker
 Epiblema otiosana (Clemens)
 Pheidole megacephala (Fabricius)
 Aulocara elliotti (Thomas)
 Dryocoetes betulae Hopkins
 Coleophora serratella (Linnaeus)
 Fenusa pusilla (Lepeletier)
 Arge pectoralis (Leach)
 Bucculatrix canadensisella Chambers
 Acrobasis betulella Hulst
 Haemaphysalis chordeilis (Packard)
 Actebia fennica (Tauscher)
 Epicauta pennsylvanica (De Geer)
 Phoraria regina (Meigen)
 Camponotus pennsylvanicus (De Geer)
 Attagenus megatoma (Fabricius)
 Myzus cerasi (Fabricius)
 Rhagoletis fausta (Osten Sacken)
 Toxoptera aurantii (Fonscolombe)
 Dolichurus stantoni (Ashmead)
 Agrotis ipsilon (Hufnagel)
 Copris incertus procidius (Say)
 Chelisoches morio (Fabricius)
 Magdalis barbata (Say)
 Haplothrips gowdeyi (Franklin)
 Alphetobius laevigatus (Fabricius)
 Trachelus tabidus (Fabricius)
 Tabanus atratus Fabricius
 Leptothrips mali (Fitch)
 Solenopsis richteri Forel
 Rhizobius ventralis (Erichson)
 Dermestes ater De Geer
 Brachycaudus persicae (Passerini)
 Melanocallis caryaefoliae (Davis)
 Nuculaspis californica (Coleman)
 Delta pyrififormis philippinensis (Bequaert)
 Saissetia oleae (Olivier)
 Hermetia illucens (Linnaeus)
 Coptosoma xanthogramma (White)
 Papilio polyxenes asterius Stoll
 Ischnaspis longirostris (Signoret)
 Ataenius spretulus (Haldeman)

black turpentine beetle
 black twig borer
 black vine weevil
 black walnut curculio
 black widow spider
 black witch
 blackbellied clerid
 blackberry skeletonizer
 Blackburn butterfly
 Blackburn damsel bug
 Blackburn dragonfly
 blackfaced leafhopper
 blackheaded ash sawfly
 blackheaded fireworm
 blackheaded pine sawfly
 blackhorned pine borer
 blackhorned tree cricket
 blackjacket
 blacklegged tick
 blacklegged tortoise beetle
 blackmargined aphid
 blister coneworm
 bloodsucking conenose
 blue cactus borer
 blue horntail
 blue soldier fly
 blueberry bud mite
 blueberry case beetle
 blueberry flea beetle
 blueberry maggot
 blueberry thrips
 blueberry tip midge
 bluegrass billbug
 bluegrass webworm
 bluntnosed cranberry leafhopper
 body louse
 Boisduval scale
 boll weevil
 bollworm/corn earworm/tomato fruitworm
 booklouse
 boxelder aphid
 boxelder bug
 boxelder leafroller
 boxelder psyllid
 boxelder twig borer
 boxwood leafminer
 boxwood psyllid
 bramble leafhopper
 Brazilian leafhopper
 bristly cutworm
 bristly roseslug

COLEOPTERA: Scolytidae
 COLEOPTERA: Scolytidae
 COLEOPTERA: Curculionidae
 COLEOPTERA: Curculionidae
 ARANEAE: Theridiidae
 LEPIDOPTERA: Noctuidae
 COLEOPTERA: Cleridae
 LEPIDOPTERA: Heliodontidae
 LEPIDOPTERA: Lycaenidae
 HETEROPTERA: Nabidae
 ODONATA: Libellulidae
 HOMOPTERA: Cicadellidae
 HYMENOPTERA: Tenthredinidae
 LEPIDOPTERA: Tortricidae
 HYMENOPTERA: Diprionidae
 COLEOPTERA: Cerambycidae
 ORTHOPTERA: Gryllidae
 HYMENOPTERA: Vespidae
 ACARI: Ixodidae
 COLEOPTERA: Chrysomelidae
 HOMOPTERA: Aphididae
 LEPIDOPTERA: Pyralidae
 HETEROPTERA: Reduviidae
 LEPIDOPTERA: Pyralidae
 HYMENOPTERA: Siricidae
 DIPTERA: Stratiomyidae
 ACARI: Eriophyidae
 COLEOPTERA: Chrysomelidae
 COLEOPTERA: Chrysomelidae
 DIPTERA: Tephritidae
 THYSANOPTERA: Thripidae
 DIPTERA: Cecidomyiidae
 COLEOPTERA: Curculionidae
 LEPIDOPTERA: Pyralidae
 HOMOPTERA: Cicadellidae
 ANOPLURA: Pediculidae
 HOMOPTERA: Diaspididae
 COLEOPTERA: Curculionidae
 LEPIDOPTERA: Noctuidae
 PSOCOPTERA: Liposcelidae
 HOMOPTERA: Aphididae
 HETEROPTERA: Rhopalidae
 LEPIDOPTERA: Gracillariidae
 HOMOPTERA: Psyllidae
 LEPIDOPTERA: Tortricidae
 DIPTERA: Cecidomyiidae
 HOMOPTERA: Psyllidae
 HOMOPTERA: Cicadellidae
 HOMOPTERA: Cicadellidae
 LEPIDOPTERA: Noctuidae
 HYMENOPTERA: Tenthredinidae

Dendroctonus terebrans (Olivier)
 Xylosandrus compactus (Eichhoff)
 Otiorhynchus sulcatus (Fabricius)
 Conotrachelus retentus (Say)
 Latrodectus mactans (Fabricius)
 Ascalapha odorata (Linnaeus)
 Enoclerus lecontei (Wolcott)
 Schreckensteinia festaliella (Hübner)
 Vaga blackburni (Tuely)
 Nabis blackburni (White)
 Nesogonia blackburni (McLachlan)
 Graminella nigrifrons (Forbes)
 Tethida barba (Say)
 Rhopobota unipunctana (Haworth)
 Neodiprion excitans Rohwer
 Callidium antennatum hesperum Casey
 Oecanthus nigricornis Walker
 Vespa consobrina (Saussure)
 Ixodes scapularis Say
 Jonthonota nigripes (Olivier)
 Monellia caryella (Fitch)
 Dioryctria clarioralis (Walker)
 Triatoma sanguisuga (LeConte)
 Melitara dentata (Grote)
 Sirex cyaneus Fabricius
 Neoexalteta spinigera (Wiedemann)
 Acalitus vaccinii (Keifer)
 Neochlamisus cribripennis (LeConte)
 Altica sylvia Malloch
 Rhagoletis mendax Curran
 Frankliniella vaccinii Morgan
 Contarinia vaccinii Felt
 Sphenophorus parvulus Gyllenhal
 Parapediasia teterrella (Zincken)
 Scleroracis vaccinii (Van Duzee)
 Pediculus humanus humanus Linnaeus
 Diaspis boisduvalli Signoret
 Anthonomus grandis grandis Boheman
 Heliothis zea (Boddie)
 Liposcelis corrosens Heymons
 Periphyllus negundinis (Thomas)
 Leptocoris trivittatus (Say)
 Caloptilia negundella (Chambers)
 Psylla negundinis Mally
 Proteoteras willingana (Kearfott)
 Monarthropalpus buxi (Laboulbène)
 Psylla buxi (Linnaeus)
 Ribautiana tenerrima (Herrich-Schäffer)
 Protalebrella brasiliensis (Baker)
 Laciniolia renigera (Stephens)
 Cladius difformis (Panzer)

broad mite
 broadbean weevil
 broadhorned flour beetle
 broadnecked root borer
 broadnosed grain weevil
 broadwinged katydid
 bromegrass seed midge
 bronze apple tree weevil
 bronze birch borer
 bronze leaf beetle
 bronze poplar borer
 bronzed cutworm
 brown chicken louse
 brown citrus aphid
 brown cockroach
 brown cotton leafworm
 brown dog tick
 brown dung beetle
 brown flour mite
 brown garden snail
 brown house moth
 brown mite
 brown pineapple scale
 brown recluse spider
 brown saltmarsh mosquito
 brown soft scale
 brown spider beetle
 brown stink bug
 brown wheat mite
 brown widow spider
 brownbanded cockroach
 brownheaded ash sawfly
 brownheaded jack pine sawfly
 brownlegged grain mite
 browntail moth
 Bruce spanworm
 buck moth
 buckthorn aphid
 buffalo treehopper
 buffalograss webworm
 bulb mite
 bulb scale mite
 bumble flower beetle
 bumelia fruit fly
 burdock borer
 Burmeister mantid
 butternut curculio

ACARI: Tarsonemidae
 COLEOPTERA: Bruchidae
 COLEOPTERA: Tenebrionidae
 COLEOPTERA: Cerambycidae
 COLEOPTERA: Curculionidae
 ORTHOPTERA: Tettigoniidae
 DIPTERA: Cecidomyiidae
 COLEOPTERA: Curculionidae
 COLEOPTERA: Buprestidae
 COLEOPTERA: Chrysomelidae
 COLEOPTERA: Buprestidae
 LEPIDOPTERA: Noctuidae
 MALLOPHAGA: Philopteridae
 HOMOPTERA: Aphididae
 ORTHOPTERA: Blattidae
 LEPIDOPTERA: Noctuidae
 ACARI: Ixodidae
 COLEOPTERA: Scarabaeidae
 ACARI: Glycyphagidae
 STYLOMMATOPHORA: Helicidae
 LEPIDOPTERA: Oecophoridae
 ACARI: Tetranychidae
 HOMOPTERA: Diaspididae
 ARANEAE: Loxoscelidae
 DIPTERA: Culicidae
 HOMOPTERA: Coccidae
 COLEOPTERA: Ptinidae
 HETEROPTERA: Pentatomidae
 ACARI: Tetranychidae
 ARANEAE: Theridiidae
 ORTHOPTERA: Blattellidae
 HYMENOPTERA: Tenthredinidae
 HYMENOPTERA: Diprionidae
 ACARI: Acaridae
 LEPIDOPTERA: Lymantriidae
 LEPIDOPTERA: Geometridae
 LEPIDOPTERA: Saturniidae
 HOMOPTERA: Aphididae
 HOMOPTERA: Membracidae
 LEPIDOPTERA: Pyralidae
 ACARI: Acaridae
 ACARI: Tarsonemidae
 COLEOPTERA: Scarabaeidae
 DIPTERA: Tephritidae
 LEPIDOPTERA: Noctuidae
 ORTHOPTERA: Mantidae
 COLEOPTERA: Curculionidae

Polyphagotarsonemus latus (Banks)
 Bruchus rufimanus Boheman
 Gnathocerus cornutus (Fabricius)
 Prionus laticollis (Drury)
 Caulophilus oryzae (Gyllenhal)
 Microcentrum rhombifolium (Saussure)
 Contarinia bromicola (Marikovskij & Agafonova)
 Magdalis aenescens LeConte
 Agrilus anxius Gory
 Diachus auratus (Fabricius)
 Agrilus liragus Barter & Brown
 Nephelodes minians Guenee
 Goniodes dissimilis Denny
 Toxoptera citricida (Kirkaldy)
 Periplaneta brunnea Burmeister
 Acontia dacia Druce
 Rhipicephalus sanguineus (Latreille)
 Onthophagus gazella Fabricius
 Gohieria fusca (Oudemans)
 Helix aspersa Müller
 Hofmannophila pseudospretella (Stainton)
 Bryobia rubrioculus (Scheuten)
 Melanaspis bromeliae (Leonardi)
 Loxosceles reclusa Gertsch & Mulaik
 Aedes cantator (Coquillett)
 Coccus hesperidum Linnaeus
 Ptinus clavipes Panzer
 Euschistus servus (Say)
 Petrobia latens (Müller)
 Latrodectus geometricus (Fabricius)
 Supella longipalpa (Fabricius)
 Tomostethus multicinctus (Rohwer)
 Neodiprion dubiosus Schedl
 Aleuroglyphus ovatus (Troupeau)
 Euproctis chrysorrhoea (Linnaeus)
 Operophtera bruceata (Hulst)
 Hemileuca maia (Drury)
 Aphis nasturtii Kaltenbach
 Stictoccephala bisonia Kopp & Yonke
 Suratha indentella Kearfott
 Rhizoglyphus echinopus (Fumouze & Robin)
 Steneotarsonemus laticeps (Halbert)
 Euphoria inda (Linnaeus)
 Pseudodacus pallens (Coquillett)
 Papaipema cataphracta (Grote)
 Orthodera burmeisteri Wood-Mason
 Conotrachelus juglandis LeConte

C

cabbage aphid
 cabbage curculio

HOMOPTERA: Aphididae
 COLEOPTERA: Curculionidae

Brevicoryne brassicae (Linnaeus)
 Ceutorhynchus rapae Gyllenhal

cabbage looper
 cabbage maggot
 cabbage seedpod weevil
 cabbage seedstalk curculio
 cabbage webworm
 cactus moth
 cactus scale
 cadelle
 Caledonia seed bug
 calico scale
 California fivespined ips
 California flatheaded borer
 California harvester ant
 California oakworm
 California pear sawfly
 California prionus
 California red scale
 California saltmarsh mosquito
 California tortoiseshell
 camellia scale
 camphor scale
 camphor thrips
 caragana aphid
 caragana blister beetle
 caragana plant bug
 Caribbean black scale
 Caribbean pod borer
 carmine spider mite
 carnation maggot
 carnation tip maggot
 Carolina conifer aphid
 Carolina grasshopper
 Carolina mantid
 carpenter bee
 carpenterworm
 carpet beetle
 carpet moth
 carrot beetle
 carrot rust fly
 carrot weevil
 casemaking clothes moth
 cat flea
 cat follicle mite
 cat louse
 catalpa midge
 catalpa sphinx
 cattle biting louse
 cattle follicle mite
 cattle itch mite
 cattle tail louse
 cattle tick

LEPIDOPTERA:Noctuidae
 DIPTERA:Anthomyiidae
 COLEOPTERA:Curculionidae
 COLEOPTERA:Curculionidae
 LEPIDOPTERA:Pyrilidae
 LEPIDOPTERA:Pyrilidae
 HOMOPTERA:Diaspididae
 COLEOPTERA:Trogositidae
 HETEROPTERA:Lygaeidae
 HOMOPTERA:Coccidae
 COLEOPTERA:Scolytidae
 COLEOPTERA:Buprestidae
 HYMENOPTERA:Formicidae
 LEPIDOPTERA:Dioptidae
 HYMENOPTERA:Tenthredinidae
 COLEOPTERA:Cerambycidae
 HOMOPTERA:Diaspididae
 DIPTERA:Curculidae
 LEPIDOPTERA:Nymphalidae
 HOMOPTERA:Diaspididae
 HOMOPTERA:Diaspididae
 THYSANOPTERA:Phlaeothripidae
 HOMOPTERA:Aphididae
 COLEOPTERA:Meloidae
 HETEROPTERA:Miridae
 HOMOPTERA:Coccidae
 LEPIDOPTERA:Pyrilidae
 ACARI:Tetranychidae
 DIPTERA:Anthomyiidae
 DIPTERA:Anthomyiidae
 HOMOPTERA:Aphididae
 ORTHOPTERA:Acrididae
 ORTHOPTERA:Mantidae
 HYMENOPTERA:Xylocopidae
 LEPIDOPTERA:Cossidae
 COLEOPTERA:Dermestidae
 LEPIDOPTERA:Tineidae
 COLEOPTERA:Scarabaeidae
 DIPTERA:Psilidae
 COLEOPTERA:Curculionidae
 LEPIDOPTERA:Tineidae
 SIPHONAPTERA:Pulicidae
 ACARI:Demodicidae
 MALLOPHAGA:Trichodectidae
 DIPTERA:Cecidomyiidae
 LEPIDOPTERA:Sphingidae
 MALLOPHAGA:Trichodectidae
 ACARI:Demodicidae
 ACARI:Sarcoptidae
 ANOPLURA:Haematopinidae
 ACARI:Ixodidae

Trichoplusia ni (Hübner)
 Delia radicum (Linnaeus)
 Ceutorhynchus assimilis (Paykull)
 Ceutorhynchus quadridens (Panzer)
 Hellula rogatalis (Hulst)
 Cactoblastis cactorum (Berg)
 Diaspis echinocacti (Bouche)
 Tenebroides mauritanicus (Linnaeus)
 Nysius californiae Distant
 Eulecanium cerasorum (Cockerell)
 Ips paraconfusus Lanier
 Melanophila californica Van Dyke
 Pogonomyrmex californicus (Buckley)
 Phryganidia californica Packard
 Pristiphora abbreviata (Hartig)
 Prionus californicus Motschulsky
 Aonidiella aurantii (Maskell)
 Aedes squamiger (Coquillett)
 Nymphalis californica (Boisduval)
 Lepidosaphes camelliae Hoke
 Pseudaonidia duplex (Cockerell)
 Liothrips floridensis (Watson)
 Acyrthosiphon caraganae (Cholodkovsky)
 Epicauta subglabra (Fall)
 Lopidea dakota Knight
 Saissetia neglecta De Lotto
 Fundella pellucens Zeller
 Tetranychus cinnabarinus (Boisduval)
 Delia brunnescens (Zetterstedt)
 Delia echinata (Séguy)
 Cinara atlantica (Wilson)
 Dissosteira carolina (Linnaeus)
 Stagnomantis carolina (Johannson)
 Xylocopa virginica (Linnaeus)
 Prionoxystus robiniae (Peck)
 Anthrenus scrophulariae (Linnaeus)
 Trichophaga tapetzella (Linnaeus)
 Bothynus gibbosus (De Geer)
 Psila rosae (Fabricius)
 Listronotus oregonensis (LeConte)
 Tinea pellionella Linnaeus
 Ctenocephalides felis (Bouche)
 Demodex cati Mégnin
 Felicola subrostratus (Burmeister)
 Contarinia catalpae (Comstock)
 Ceratonia catalpae (Boisduval)
 Bovicola bovis (Linnaeus)
 Demodex bovis Stiles
 Sarcoptes bovis Robin
 Haematopinus quadripertusus Fahrenholz
 Boophilus annulatus (Say)

Cayenne tick
 ceanothus silk moth
 cecropia moth
 cedartree borer
 celery aphid
 celery leaf-tier/greenhouse leaf-tier
 celery looper
 cereal leaf beetle
 chaff scale
 chain-spotted geometer
 change
 charcoal beetle
 cheese mite
 cheese skipper
 cherry casebearer
 cherry fruit fly/cherry maggot
 cherry fruit sawfly
 cherry fruitworm
 cherry leaf beetle
 cherry maggot/cherry fruit fly
 chestnut timberworm
 chicken body louse
 chicken dung fly
 chicken head louse
 chicken mite
 chigoe
 chinch bug
 Chinese dryinid
 Chinese mantid
 Chinese obscure scale
 Chinese rose beetle
 Christmas berry webworm
 chrysanthemum aphid
 chrysanthemum flower borer
 chrysanthemum gall midge
 chrysanthemum lace bug
 chrysanthemum leafminer
 chrysanthemum thrips
 cicada killer
 cigar casebearer/birch casebearer
 cigarette beetle
 cinereous cockroach
 cinnamon moth
 citricola scale
 citrophilus mealybug
 citrus blackfly
 citrus bud mite
 citrus flat mite
 citrus mealybug
 citrus red mite
 citrus root weevil

ACARI: Ixodidae
 LEPIDOPTERA: Saturniidae
 LEPIDOPTERA: Saturniidae
 COLEOPTERA: Cerambycidae
 HOMOPTERA: Aphididae
 LEPIDOPTERA: Pyralidae
 LEPIDOPTERA: Noctuidae
 COLEOPTERA: Chrysomelidae
 HOMOPTERA: Diaspididae
 LEPIDOPTERA: Geometridae
 ORTHOPTERA: Gryllotalpidae
 COLEOPTERA: Buprestidae
 ACARI: Acaridae
 DIPTERA: Piophilidae
 LEPIDOPTERA: Coleophoridae
 DIPTERA: Tephritidae
 HYMENOPTERA: Tenthredinidae
 LEPIDOPTERA: Tortricidae
 COLEOPTERA: Chrysomelidae
 DIPTERA: Tephritidae
 COLEOPTERA: Lymexylonidae
 MALLOPHAGA: Menoponidae
 DIPTERA: Muscidae
 MALLOPHAGA: Philopteridae
 ACARI: Dermanyssidae
 SIPHONAPTERA: Tungidae
 HETEROPTERA: Lygaeidae
 HYMENOPTERA: Dryinidae
 ORTHOPTERA: Mantidae
 HOMOPTERA: Diaspididae
 COLEOPTERA: Scarabaeidae
 LEPIDOPTERA: Pyralidae
 HOMOPTERA: Aphididae
 LEPIDOPTERA: Cochylidae
 DIPTERA: Cecidomyiidae
 HETEROPTERA: Tingidae
 DIPTERA: Agromyzidae
 THYSANOPTERA: Thripidae
 HYMENOPTERA: Sphecidae
 LEPIDOPTERA: Coleophoridae
 COLEOPTERA: Anobiidae
 ORTHOPTERA: Blaberidae
 LEPIDOPTERA: Arctiidae
 HOMOPTERA: Coccidae
 HOMOPTERA: Pseudococcidae
 HOMOPTERA: Aleyrodidae
 ACARI: Eriophyidae
 ACARI: Tenuipalpidae
 HOMOPTERA: Pseudococcidae
 ACARI: Tetranychidae
 COLEOPTERA: Curculionidae

Amblyomma cajennense (Fabricius)
 Hyalophora euryalus (Boisduval)
 Hyalophora cecropia (Linnaeus)
 Semanotus ligneus (Fabricius)
 Brachycolus heraclei Takahashi
 Udea rubigalis (Guenée)
 Syngnatha falcifera (Kirby)
 Oulema melanopus (Linnaeus)
 Parlatoria pergandii Comstock
 Cingilia catenaria (Drury)
 Scapteriscus vicinus Scudder
 Melanophila consputa LeConte
 Tyrolichus casei Oudemans
 Piophila casei (Linnaeus)
 Coleophora pruniella Clemens
 Rhagoletis cingulata (Loew)
 Hoplocampa cookei (Clarke)
 Grapholita packardii Zeller
 Pyrrhalta cavicollis (LeConte)
 Rhagoletis cingulata (Loew)
 Melittomma sericeum (Harris)
 Menacanthus stramineus (Nitzsch)
 Fannia pusio (Wiedemann)
 Cucitogaster heterographus (Nitzsch)
 Dermanyssus gallinae (De Geer)
 Tunga penetrans Linnaeus
 Blissus leucopterus leucopterus (Say)
 Pseudogonatopus hospes Perkins
 Tenodera aridifolia sinensis Saussure
 Parlatoreopsis chinensis (Marlatt)
 Adoretus sinicus Burmeister
 Cryptoblabes gnidiella (Millière)
 Macrosiphoniella sanborni (Gillette)
 Lorita abornana Busck
 Rhopalomyia chrysanthemi (Ahlberg)
 Corythucha marmorata (Uhler)
 Phytomyza syngenesiae (Hardy)
 Thrips nigropilosus Uzel
 Sphecius speciosus (Drury)
 Coleophora serratella (Linnaeus)
 Lasioderma serricorne (Fabricius)
 Nauphoeta cinerea (Olivier)
 Tyria jacobaeae (Linnaeus)
 Coccus pseudomagnoliarum (Kuwana)
 Pseudococcus calceolariae (Maskell)
 Aleurocanthus woglumi Ashby
 Eriophyes sheldoni Ewing
 Brevipalpus lewisi McGregor
 Planococcus citri (Risso)
 Panonychus citri (McGregor)
 Pachnaeus litus (Germar)

citrus rust mite
 citrus snow scale
 citrus swallowtail
 citrus thrips
 citrus whitefly
 claybacked cutworm
 claycolored billbug
 claycolored leaf beetle
 Clear Lake gnat
 clearwinged grasshopper
 clematis blister beetle
 clidemia leafroller
 clidemia thrips
 clouded plant bug
 clouded sulfur
 cloudywinged whitefly
 clover aphid
 clover aphid parasite
 clover cutworm
 clover hayworm
 clover head caterpillar
 clover head weevil
 clover leaf midge
 clover leaf weevil
 clover leafhopper
 clover looper
 clover mite
 clover root borer
 clover root curculio
 clover seed chalcid
 clover seed midge
 clover seed weevil
 clover stem borer
 cluster fly
 cochineal insect
 cocklebur weevil
 coconut leafminer
 coconut leafroller
 coconut mealybug
 coconut scale
 codling moth
 coffee bean weevil
 Colorado potato beetle
 Columbia Basin wireworm
 Columbian timber beetle
 columbine borer
 columbine leafminer complex
 Comanche lacewing
 common Australian lady beetle

ACARI: Eriophyidae
 HOMOPTERA: Diaspididae
 LEPIDOPTERA: Papilionidae
 THYSANOPTERA: Thripidae
 HOMOPTERA: Aleyrodidae
 LEPIDOPTERA: Noctuidae
 COLEOPTERA: Curculionidae
 COLEOPTERA: Chrysomelidae
 DIPTERA: Chaoboridae
 ORTHOPTERA: Acrididae
 COLEOPTERA: Meloidae
 LEPIDOPTERA: Pyralidae
 THYSANOPTERA: Phlaeothripidae
 HETEROPTERA: Miridae
 LEPIDOPTERA: Pieridae
 HOMOPTERA: Aleyrodidae
 HOMOPTERA: Aphididae
 HYMENOPTERA: Encyrtidae
 LEPIDOPTERA: Noctuidae
 LEPIDOPTERA: Pyralidae
 LEPIDOPTERA: Tortricidae
 COLEOPTERA: Curculionidae
 DIPTERA: Cecidomyiidae
 COLEOPTERA: Curculionidae
 HOMOPTERA: Cicadellidae
 LEPIDOPTERA: Noctuidae
 ACARI: Tetranychidae
 COLEOPTERA: Scolytidae
 COLEOPTERA: Curculionidae
 HYMENOPTERA: Eurytomidae
 DIPTERA: Cecidomyiidae
 COLEOPTERA: Curculionidae
 COLEOPTERA: Languriidae
 DIPTERA: Calliphoridae
 HOMOPTERA: Dactylopiidae
 COLEOPTERA: Curculionidae
 LEPIDOPTERA: Agonoxenidae
 LEPIDOPTERA: Pyralidae
 HOMOPTERA: Pseudococcidae
 HOMOPTERA: Diaspididae
 LEPIDOPTERA: Tortricidae
 COLEOPTERA: Anthribidae
 COLEOPTERA: Chrysomelidae
 COLEOPTERA: Elateridae
 COLEOPTERA: Scolytidae
 LEPIDOPTERA: Noctuidae
 DIPTERA: Agromyzidae
 NEUROPTERA: Chrysopidae
 COLEOPTERA: Coccinellidae

Phyllocoptruta oleivora (Ashmead)
 Unaspis citri (Comstock)
 Papilio xuthus Linnaeus
 Scirtothrips citri (Moulton)
 Dialeurodes citri (Ashmead)
 Agrotis gladiaria Morrison
 Sphenophorus aequalis aequalis Gyllenhal
 Anomoea laticlavata (Forster)
 Chaoborus astictopus Dyar & Shannon
 Camnula pellucida (Scudder)
 Epicauta cinerea (Forster)
 Alepharomastix ebulealis (Guenee)
 Liothrips urichi Karny
 Neurocolpus nubilus (Say)
 Colias philodice Godart
 Dialeurodes citrifolii (Morgan)
 Nearctaphis bakeri (Cowen)
 Aphelinus lapolisigni Howard
 Scotogramma trifolii (Hufnagel)
 Hypsopygia costalis (Fabricius)
 Grapholita interstinctana (Clemens)
 Hypera meles (Fabricius)
 Dasineura trifolii (Loew)
 Hypera punctata (Fabricius)
 Aceratagallia sanguinolenta (Provancher)
 Caenurgina crassiuscula (Haworth)
 Bryobia praetiosa Koch
 Hylastinus obscurus (Marshall)
 Sitona hispidulus (Fabricius)
 Bruchophagus platypterus (Walker)
 Dasineura leguminicola (Lintner)
 Tychius picirostris (Fabricius)
 Languria mazzardi Latreille
 Pollenia rudis (Fabricius)
 Dactylopius coccus Costa
 Rhodobaenus tredecimpunctatus (Illiger)
 Agonoxena argaula Meyrick
 Hedylepta blackburni (Butler)
 Nipaecoccus nipae (Maskell)
 Aspidiotus destructor Signoret
 Cydia pomonella (Linnaeus)
 Araecerus fasciculatus (De Geer)
 Leptinotarsa decemlineata (Say)
 Limonius subauratus LeConte
 Corthylus columbianus Hopkins
 Papaipema purpurifascia (Grote & Robinson)
 Phytomyza (footnote #1)
 Chrysopa comanche Banks
 Coelophora inaequalis (Fabricius)

common cattle grub
 common damsel bug
 common green darning
 common green lacewing
 common malaria mosquito
 composite thrips
 Comstock nealybug
 conchuela
 confused flour beetle
 conifer spider mite
 convergent lady beetle
 Cooley spruce gall adelgid
 corn blotch leafminer complex
 corn delphacid
 corn earworm/bollworm/tomato fruitworm
 corn flea beetle
 corn leaf aphid
 corn root aphid
 corn root webworm
 corn sap beetle
 corn silk beetle
 cornfield ant
 cosmopolitan grain psocid
 cotton aphid/melon aphid
 cotton blister mite
 cotton fleahopper
 cotton lace bug
 cotton leafminer
 cotton leafperforator
 cotton leafworm
 cotton square borer
 cotton stainer
 cotton stem moth
 cottonwood borer
 cottonwood dagger moth
 cottonwood leaf beetle
 cottonwood twig borer
 cottony maple scale
 cottony peach scale
 cottonycushion scale
 coulee cricket
 cowpea aphid
 cowpea curculio
 cowpea weevil
 crab louse
 crabhole mosquito
 cranberry fruitworm
 cranberry girdler
 cranberry rootworm
 cranberry weevil
 crapemyrtle aphid

DIPTERA:Oestridae
 HETEROPTERA:Nabidae
 ODONATA:Aeschnidae
 NEUROPTERA:Chrysopidae
 DIPTERA:Culicidae
 THYSANOPTERA:Thripidae
 HOMOPTERA:Pseudococcidae
 HETEROPTERA:Pentatomidae
 COLEOPTERA:Tenebrionidae
 ACARI:Tetranychidae
 COLEOPTERA:Coccinellidae
 HOMOPTERA:Adelgidae
 DIPTERA:Agromyzidae
 HOMOPTERA:Delphacidae
 LEPIDOPTERA:Noctuidae
 COLEOPTERA:Chrysomelidae
 HOMOPTERA:Aphididae
 HOMOPTERA:Aphididae
 LEPIDOPTERA:Pyralidae
 COLEOPTERA:Nitidulidae
 COLEOPTERA:Chrysomelidae
 HYMENOPTERA:Formicidae
 PSOCOPTERA:Lachesillidae
 HOMOPTERA:Aphididae
 ACARI:Eriophyidae
 HETEROPTERA:Miridae
 HETEROPTERA:Tingidae
 LEPIDOPTERA:Nepticulidae
 LEPIDOPTERA:Lyonetiidae
 LEPIDOPTERA:Noctuidae
 LEPIDOPTERA:Lycanidae
 HETEROPTERA:Pyrrhocoridae
 LEPIDOPTERA:Gelechiidae
 COLEOPTERA:Cerambycidae
 LEPIDOPTERA:Noctuidae
 COLEOPTERA:Chrysomelidae
 LEPIDOPTERA:Tortricidae
 HOMOPTERA:Coccidae
 HOMOPTERA:Coccidae
 HOMOPTERA:Margarodidae
 ORTHOPTERA:Tettigoniidae
 HOMOPTERA:Aphididae
 COLEOPTERA:Curculionidae
 COLEOPTERA:Bruchidae
 ANOPLURA:Pediculidae
 DIPTERA:Culicidae
 LEPIDOPTERA:Pyralidae
 LEPIDOPTERA:Pyralidae
 COLEOPTERA:Chrysomelidae
 COLEOPTERA:Curculionidae
 HOMOPTERA:Aphididae

Hypoderma lineatum (Villers)
 Reduviolus americanoferus (Carayon)
 Anax junius (Drury)
 Chrysopa carnea Stephens
 Anopheles quadrimaculatus Say
 Microcephalothrips abdominalis (D. L. Crawford)
 Pseudococcus comstocki (Kuwana)
 Chlorochroa ligata (Say)
 Tribolium confusum Jacquelin du Val
 Oligonychus coniferarum (McGregor)
 Hippodamia convergens Guérin-Meneville
 Adelges cooleyi (Gillette)
 Agromyza parvicornis Loew & other species
 Peregrinus maidis (Ashmead)
 Heliothis zea (Boddie)
 Chaetocnema pulicaria Melsheimer
 Rhopalosiphum maidis (Fitch)
 Anuraphis maidiradicis (Forbes)
 Crambus caliginosellus Clemens
 Carpophilus dimidiatus (Fabricius)
 Calomicrus brunneus (Crotch)
 Lasius alienus (Foerster)
 Lachesilla pedicularia (Linnaeus)
 Aphis gossypii Glover
 Acalitus gossypii (Banks)
 Pseudatomoscelis seriatus (Reuter)
 Corythucha gossypii (Fabricius)
 Stigmella gossypii (Forbes & Leonard)
 Bucculatrix thurberiella Busck
 Alabama argillacea (Hübner)
 Strymon melinus Hubner
 Dysdercus suturellus (Herrich-Schäffer)
 Platyedra subcinerea (Haworth)
 Plectrodera scalator (Fabricius)
 Acronicta lepusculina Guenee
 Chrysomela scripta Fabricius
 Gypsonoma haimbachiana (Kearfott)
 Pulvinaria innumerabilis (Rathvon)
 Pulvinaria amygdali Cockerell
 Icerya purchasi Maskell
 Peranabrus scabricollis (Thomas)
 Aphis craccivora Koch
 Chalcodermus aeneus Boheman
 Callosobruchus maculatus (Fabricius)
 Pthirus pubis (Linnaeus)
 Deinocerites cancer Theobald
 Acrobasis vaccinii Riley
 Chrysoteuchia topiaria (Zeller)
 Rhabdopterus picipes (Olivier)
 Anthonomus musculus Say
 Tinocallis kahawaluokalani (Kirkaldy)

crazy ant
crescentmarked lily aphid
cribrate weevil
crinkled flannel moth
cross-striped cabbageworm
croton caterpillar
croton mussel scale
Cuban cockroach
Cuban laurel thrips
cucurbit longicorn
cucurbit midge
curled rose sawfly
currant aphid
currant borer
currant bud mite
currant fruit fly
currant fruit weevil
currant spanworm
currant stem girdler
cyclamen mite
cynthia moth

dandelion gall wasp
dark mealworm
darksided cutworm
datebug
deodar weevil
depluming mite
depressed flour beetle
desert corn flea beetle
desert spider mite
devastating grasshopper
diamondback moth
diamondbacked spittlebug
dictyospermum scale
differential grasshopper
dingy cutworm
dobsonfly/hellgrammite
dock sawfly
dodder gall weevil
dog biting louse
dog flea
dog follicle mite
dog sucking louse
dogwood borer
dogwood clubgall midge
dogwood scale
dogwood spittlebug
dogwood twig borer
Douglas-fir beetle

HYMENOPTERA:Formicidae
HOMOPTERA:Aphididae
COLEOPTERA:Curculionidae
LEPIDOPTERA:Megalopygidae
LEPIDOPTERA:Pyralidae
LEPIDOPTERA:Noctuidae
HOMOPTERA:Diaspididae
ORTHOPTERA:Blaberidae
THYSANOPTERA:Phlaeothripidae
COLEOPTERA:Cerambycidae
DIPTERA:Cecidomyiidae
HYMENOPTERA:Tenthredinidae
HOMOPTERA:Aphididae
LEPIDOPTERA:Sesiidae
ACARI:Eriophyidae
DIPTERA:Tephritidae
COLEOPTERA:Curculionidae
LEPIDOPTERA:Geometridae
HYMENOPTERA:Cephidae
ACARI:Tarsonemidae
LEPIDOPTERA:Saturniidae

D

HYMENOPTERA:Cynipidae
COLEOPTERA:Tenebrionidae
LEPIDOPTERA:Noctuidae
HOMOPTERA:Issidae
COLEOPTERA:Curculionidae
ACARI:Sarcoptidae
COLEOPTERA:Tenebrionidae
COLEOPTERA:Chrysomelidae
ACARI:Tetranychidae
ORTHOPTERA:Acrididae
LEPIDOPTERA:Plutellidae
HOMOPTERA:Cercopidae
HOMOPTERA:Diaspididae
ORTHOPTERA:Acrididae
LEPIDOPTERA:Noctuidae
NEUROPTERA:Corydalidae
HYMENOPTERA:Tenthredinidae
COLEOPTERA:Curculionidae
MALLOPHAGA:Trichodectidae
SIPHONAPTERA:Pulicidae
ACARI:Demodicidae
ANOPLURA:Linognathidae
LEPIDOPTERA:Sesiidae
DIPTERA:Cecidomyiidae
HOMOPTERA:Diaspididae
HOMOPTERA:Cercopidae
COLEOPTERA:Cerambycidae
COLEOPTERA:Scolytidae

Paratrechina longicornis (Latreille)
Neomyzus circumflexus (Buckton)
Otiiorhynchus cribricollis Gyllenhal
Lagoa crispata (Packard)
Evergestis rimosalis (Guenée)
Achaea janata (Linnaeus)
Lepidosaphes tokionis (Kuwana)
Panchlora nivea (Linnaeus)
Gynaikothrips ficorum (Marchal)
Apomecyna saltator (Fabricius)
Prodiplosis citrulli (Felt)
Allantus cinctus (Linnaeus)
Cryptomyzus ribis (Linnaeus)
Synanthedon tipuliformis (Clerck)
Cecidophyopsis ribis (Westwood)
Epochra canadensis (Loew)
Pseudanthonomus validus Dietz
Itame ribearia (Fitch)
Janus integer (Norton)
Steneotarsonemus pallidus (Banks)
Samia cynthia (Drury)

Phanacis taraxaci (Ashmead)
Tenebrio obscurus Fabricius
Euxoa messoria (Harris)
Asarcopus palmarum Horvath
Pissodes nemorensis Germar
Knemidokoptes gallinae (Railliet)
Palorus subdepressus (Wollaston)
Chaetocnema ectypa Horn
Tetranychus desertorum Banks
Melanoplus devastator Scudder
Plutella xylostella (Linnaeus)
Lepyronia quadrangularis (Say)
Chrysomphalus dictyospermi (Morgan)
Melanoplus differentialis (Thomas)
Feltia ducens Walker
Corydalus cornutus (Linnaeus)
Ametastegia glabrata (Fallén)
Smicronyx sculpticollis Casey
Trichodectes canis (De Geer)
Ctenocephalides canis (Curtis)
Demodex canis Leydig
Linognathus setosus (Olfers)
Synanthedon scitula (Harris)
Resseliella clavula (Beutenmüller)
Chionaspis corni Cooley
Clastoptera proteus Fitch
Oberea tripunctata (Swederus)
Dendroctonus pseudotsugae Hopkins