


Handbook of Advanced Magnetic Materials

Volume II Advanced Magnetic Materials:
Characterization and Simulation

先进磁性材料手册

第2卷：先进磁性材料的模拟和检测

Editors: David J. Sellmyer
Yi Liu
D. Shindo



Tsinghua University Press

 Springer

Handbook of Advanced Magnetic Materials

Volume II Advanced Magnetic Materials:
Characterization and Simulation

先进磁性材料手册

第2卷：先进磁性材料的模拟和检测

TM271-62

Y1

:2

2005

Editors: David J. Sellmyer
Yi Liu
D. Shindo

江苏工业学院图书馆
藏书章



Tsinghua University Press
Beijing



Springer

内 容 简 介

本书的目的是对磁性材料研究的新近进展提供一种全面的理解。本书共分四卷,每一卷集中论述一个具体的研究领域。每一章首先对该章的基本概念和重要观念进行阐述,然后从实验和理论方面进行详细地说明,最后介绍该领域的发展前景以及新的思想。书中提供了详尽的参考文献,可供研究人员参考。

原子磁矩和巡回磁模型的建立奠定了我们对磁性的理解。记算是一种有效的方法来验证理论及予测新性能。在此过程中建立模型和其边界条件需要对材料的几何形状、结构和性能进行准确的测量。本卷收集总结磁性理论、模拟、结构和性能的测量的最新成果。

本书的读者对象为相关专业的研究生和研究人员。

版权所有,翻印必究。举报电话:010-62782989 13501256678 13801310933

图书在版编目(CIP)数据

先进磁性材料手册 第2卷:先进磁性材料的模拟和检测=Handbook of Advanced Magnetic Materials Volume II Advanced Magnetic Materials: Characterization and Simulation/(美)塞尔米厄(Sellmyer David J.), (美)刘义(Liu Y.), (美)沙因多(Shindo, D.)主编. —北京:清华大学出版社,2005.7

ISBN 7-302-08701-6

I. 先… II. ①塞… ②沙… ③刘… III. 磁性材料—研究—英文 IV. TM271

中国版本图书馆CIP数据核字(2004)第049602号

出 版 者:清华大学出版社

<http://www.tup.com.cn>

社 总 机:010-62770175

地 址:北京清华大学学研大厦

邮 编:100084

客户服务:010-62776969

组稿编辑:张兆琪

文稿编辑:韩燕丽

印 装 者:北京中科印刷有限公司

发 行 者:新华书店总店北京发行所

开 本:153×235 印张:39.5 字数:963千字

版 次:2005年7月第1版 2005年7月第1次印刷

书 号:ISBN 7-302-08701-6/T·16

印 数:1~1000

定 价:139.00元

FOREWORD

Over the next several years, Tsinghua University Press will publish a series of books addressing progress in basic sciences and innovations in technology. We have made no attempt to pursue a comprehensive coverage of all disciplines of science and technology. Rather, topics for this series were selected with an emphasis on the currently active forefront of science and technology that will be contemporary in the next century. Most books in this series will deal with subjects of cross disciplines and newly emerging fields. Each book will be completed by individual authors or in a collaborative effort managed by an editor(s), and will be self-consistent, with contents systematically focused on review of the most recent advances and description of current progresses in the field. Sufficient introduction and references will be provided for readers with varying backgrounds. We have realize clearly the challenge of encompassing the diverse subjects of science and technology in one series. However, we hope that, through intensive collaboration between the authors and editors, high standards in editorial quality and scientific merit will be maintained for the entire series.

The international collaboration on this series has been coordinated by the Association of Chinese Scientists and Engineers-USA(ACSE). In the science community, authors voluntarily publish their results and discoveries in the full conviction that science should serve human society. The editors and authors of this series share this academic tradition, and many of them are fulfilling a spiritual commitment as well. For our editors and authors who were graduated from universities in China and further educated abroad in science and engineering, this is an opportunity to dedicate their work to the international

4 **FOREWORD**

education community and to commemorate the historical open-door movement that began in China two decades ago. When the human society enters the information age, there is no geographic boundary for science. The Editorial committee hopes that this series will promote further international collaboration in scientific research and education at the dawn of the new century.

The Editorial Committee
1999.6

丛书序言

由清华大学出版社出版的这套丛书是基础科学和应用科学领域内的专门著作。除了可作为研究生教材外,也可作为科研和工程技术人员的参考书。在丛书的题材选择中,着重考虑目前比较活跃而且具有发展前景的新兴学科。因此,这套丛书大都涉及交叉和新兴学科的内容。编写的方式大多由主编策划并组织本学科有影响的专家共同执笔完成,从而使每一本书的系统性和各章节内容的连贯性得到了充分的兼顾。丛书涵盖学科的最新学术进展,兼顾到基本理论和新技术、新方法的介绍,并引入必要的导论和充分的参考文献以适应具有不同学术背景的读者。编撰一套容纳多学科的科技丛书是一项浩繁的工作,我们希望通过主编和作者的集体努力和精诚协作,使整套丛书的学术水准能够保持在较高的水平上。

编辑《21 世纪科技前沿》丛书是由“旅美中国科学家工程师协会”发起的一项国际科技界的合作。传递信息,加强交流,促进新世纪的科技繁荣是编著者们参与此项工作的共同信念。此外,这套丛书还具有特别的纪念意义。20 年前,历史的进程使成千上万的中国学生、学者有机会走出国门,到世界各地学习和从事科学研究。今天,活跃在世界科技前沿领域的中华学子们没有忘记振兴祖国科技教育事业的责任和推动国际学术交流与合作的义务。正是基于这一共同的心愿,大家积极参与这套系列丛书的撰写、组稿和编辑工作。为此,我们愿以这套丛书来纪念中国改革开放 20 周年。

编委会
1999. 6

Handbook of Advanced Magnetic Materials

Preface

In December 2002, the world's first commercial magnetic levitation supertrain went into operation in Shanghai. The train is held just above the rails by magnetic levitation (maglev) and can travel at a speed of 400 km/hr completing the 30km journey from the city to the airport in minutes. Now consumers are enjoying 50 GB hard drives compared to 0.5 GB hard drives ten years ago. Achievements in magnetic materials research have made dreams of a few decades ago reality. The objective of this book is to provide a comprehensive review of recent progress in magnetic materials research. The whole book consists of four volumes, each volume focusing on a specific field. Graduate students and professional researchers are targeted as the readers. Each chapter will have an introduction to give a clear definition of basic and important concepts of the topic. The details of the topic are then elucidated theoretically and experimentally. New ideas for further advancement are then discussed. Sufficient references are also included for those who wish to read the original work. Many of the authors are well known senior scientists. We have also chosen some accomplished young scientists to provide reviews on new and active topics.

In the last decade, one of the most significant thrust areas of materials research has been nanostructured magnetic materials. There are several critical sizes that control the behavior of a magnetic material. For example, the coercivity of a magnetic material made of particles increases with decreasing particle size, reaching a maximum where coherent rotation of a single-domain particle is realized, and then decreases with further decrease of the particle size. For a composite made of a magnetically hard phase and soft phase, when the grain size of the soft phase is sufficiently large, the soft and hard phases reverse independently. However, when the grain size of the soft phase is reduced to a size of about twice the domain wall thickness of the hard

phase, the soft and hard phases will be exchange-coupled and behave as if a single magnetic phase is present. Such behavior can be used to increase the energy product of high-performance permanent magnets. Size effects become critical when dimensions approach a few nanometers, where quantum phenomena appear. The first volume of the book has therefore been devoted to the recent development of nanostructured magnetic materials, emphasizing size effects.

Our understanding of magnetism has advanced with the establishment of the theory of atomic magnetic moments and itinerant magnetism. In general, the magnetism of a bulk material can be considered as the superposition of atomic magnetic moments plus itinerant magnetism due to conduction electrons. In practical applications the situation becomes much more complicated. The boundary conditions have to be taken into account. This includes the size of the crystals, second-phase effects and intrinsic properties of each phase. The effects of magnetic relaxation over long periods of time can be critical to understanding. Simulation is a powerful tool for exploration and explanation of properties of various magnetic materials. Simulation also provides insight for further development of new materials. Naturally, before any simulation can be started, a model must be constructed. This requires that the material be well characterized. Therefore the second volume of the book provides a comprehensive review of both experimental methods and simulation techniques for the characterization of magnetic materials. After an introduction, each section gives a detailed description of the method and the following sections provide examples and results of the method. Finally further development of the method will be discussed.

The success of each type of magnetic material depends on its properties and cost which are directly related to its fabrication process. Processing of a material can be critical for development of artificial materials such as multilayer films, clusters, etc. Moreover, cost-effective processing usually determines whether a material can be commercialized. In recent years processing of materials has continuously evolved from improvement of traditional methods to more sophisticated and novel methods. The objective of the third volume of the book is to provide a comprehensive review of recent developments in processing of advanced magnetic materials. Each chapter will have an introduction and a section to provide a detailed description of the processing method. The following sections give detailed descriptions of the processing, properties and applications of the relevant materials. Finally the potential and limitation of the processing method will be discussed.

The properties of a magnetic material can be characterized by intrinsic

properties such as anisotropy, saturation magnetization and extrinsic properties such as coercivity. The properties of a magnetic material can be affected by its chemical composition and processing route. With the continuous search for new materials and invention of new processing routes, magnetic properties of materials cover a wide spectrum of soft magnetic materials, hard magnetic materials, recording materials, sensor materials and others. The objective of the fourth volume of this book is to provide a comprehensive review of recent development of various magnetic materials and their applications. Each chapter will have an introduction of the materials and the principals of their applications. The following sections give a detailed description of the processing, properties and applications. Finally the potential and limitation of the materials will be discussed.

NASA is considering the launching of spacecraft by maglev. The first stage rocket, which accounts for two-thirds of the cost and is lost every launch, would be replaced by a maglev track. Using a 50 ft track NASA scientists have accelerated a model spacecraft to 96kph in less than half a second. In the last few decades the knowledge of mankind has been expanding rapidly into deep space measured by light years and the nano world where building blocks of atoms are being engineered. Magnetism and magnetic materials are among the most intriguing and fascinating science and engineering fields. Undoubtedly advances in magnetic materials research will continue to fuel our understanding of the universe in the new century. We hope this book will provide a useful reference for researchers working at the frontier of magnetic materials research.

We would like to express our sincere thanks to all our devoted authors, technical editors, and publishers for making this book possible.

The editors

Contents

| | |
|---|----|
| Forward | 3 |
| Preface | 7 |
| | |
| 1 Advanced Magnetic Force Microscopy Tips for Imaging Domains | 1 |
| 1.1 Introduction | 1 |
| 1.2 Magnetic Force Microscopy | 2 |
| 1.2.1 Basic Operating Principles of MFM | 2 |
| 1.2.2 Force Gradient Detection | 2 |
| 1.2.3 Sensitivity and Resolution | 3 |
| 1.2.4 Tip-Sample Interaction | 4 |
| 1.2.5 Force Sensor | 7 |
| 1.3 Development of Advanced MFM Tips | 8 |
| 1.3.1 High Coercivity CoPt MFM Tips | 8 |
| 1.3.2 Superparamagnetic and Low Stray Magnetic Field MFM Tips | 13 |
| 1.3.3 Electron-Beam-Induced-Deposited (EBID)MFM Tips | 15 |
| 1.3.4 Point-Dipole MFM Tips | 17 |
| 1.3.5 Focused Ion Beam Milling MFM Tips | 20 |
| References | 22 |
| | |
| 2 Lorentz Microscopy and Holography Characterization of Magnetic Materials | 24 |
| 2.1 Introduction | 24 |
| 2.2 Instrumentation | 25 |
| 2.3 Analytical Electron Microscopy for Structure Characterization | 29 |
| 2.3.1 Outline of Current Analytical Electron Microscopy | 29 |
| 2.3.2 Thickness Measurement by EELS | 31 |
| 2.3.3 Elemental Mapping with EDS | 33 |

| | | |
|----------|---|------------|
| 2.4 | Lorentz Microscopy on Magnetic Domain Structure | 35 |
| 2.4.1 | Principles of Lorentz Microscopy | 35 |
| 2.4.2 | Lorentz Microscopy Using Conventional Transmission Electron Microscopes | 36 |
| 2.4.3 | Lorentz Microscopy Using Scanning Transmission Electron Microscopes | 44 |
| 2.5 | Principles and Application of Electron Holography | 46 |
| 2.5.1 | Principles of Electron Holography | 46 |
| 2.5.2 | Practice of Electron Holography | 51 |
| 2.5.3 | Application of Electron Holography | 52 |
| 2.6 | Concluding Remarks | 63 |
| | References | 63 |
| 3 | Characterization of Magnetic Materials by Means of Neutron Scattering | 66 |
| 3.1 | Introduction | 66 |
| 3.1.1 | Cross Section Formalism | 69 |
| 3.1.2 | Polarized Neutron Beam Instrumentation | 71 |
| 3.1.3 | The Polarization of the Scattered Beam | 77 |
| 3.2 | Elastic Magnetic Scattering | 80 |
| 3.2.1 | Small-Angle Scattering | 80 |
| 3.2.2 | Neutron Diffraction | 84 |
| 3.2.3 | Reflection of Neutrons from Magnetic Surfaces and Interfaces | 90 |
| 3.3 | Inelastic Magnetic Scattering | 97 |
| 3.3.1 | Studies of Elementary Excitations by Triple-axis Spectroscopy | 97 |
| 3.3.2 | Detection of Slow Motions by Neutron Spin Echo | 101 |
| 3.4 | Summaries | 107 |
| | References | 108 |
| 4 | Advanced Transmission Electron Microscopy of Nanostructured Magnetic Materials | 113 |
| 4.1 | Introduction | 113 |
| 4.2 | Specimen Preparation | 114 |

| | | |
|-------|--|-----|
| 4.2.1 | Bulk Samples | 114 |
| 4.2.2 | Magnetic Thin Films | 114 |
| 4.2.3 | Magnetic Nanowires | 118 |
| 4.2.4 | Magnetic Powders | 119 |
| 4.2.5 | Special Techniques | 120 |
| 4.3 | Electron Diffraction | 121 |
| 4.3.1 | SAD Pattern and the Ring Pattern | 121 |
| 4.3.2 | Convergent Beam Electron Diffraction | 122 |
| 4.3.3 | Nanodiffraction | 124 |
| 4.4 | High Resolution and Super-Resolution TEM | 129 |
| 4.4.1 | An Image Processing Model | 130 |
| 4.4.2 | Procedure for Image Reconstruction | 135 |
| 4.4.3 | Test of the Image-Processing Model | 135 |
| 4.5 | Selected Reflection Imaging | 138 |
| 4.5.1 | Origination of the Technique | 138 |
| 4.5.2 | Experimental Method in Conventional TEM | 139 |
| 4.5.3 | Application of SRI | 140 |
| 4.5.4 | Experimental Set-Up in a STEM | 142 |
| 4.6 | STEM and Z-Contrast Imaging | 143 |
| 4.7 | Electron Energy Loss Spectroscopy | 145 |
| 4.8 | Concluding Remarks | 148 |
| | References | 148 |

5 Mössbauer Spectroscopy Characterization of Soft Magnetic

| | | |
|-------|--|-----|
| | Nanocrystalline Alloys | 151 |
| 5.1 | Introduction | 151 |
| 5.2 | Mössbauer Spectroscopy | 155 |
| 5.2.1 | Principles of the Mössbauer Effect | 155 |
| 5.2.2 | Hyperfine Interactions | 164 |
| 5.2.3 | The rf-Mössbauer Technique | 168 |
| 5.3 | Experiment | 171 |
| 5.3.1 | Formation of the Crystalline Nanostructure in Amorphous Matrix | 171 |
| 5.3.2 | Primary Characterization of Thermal Stability of Amorphous Precursor—Formation of Nanostructure | 173 |

| | | |
|----------|---|------------|
| 5.4 | Mössbauer Study of the Structure and Magnetism of FINEMET Alloys | 178 |
| 5.5 | Mössbauer Study of the Structure and Magnetism of NANOPERM Alloys | 188 |
| 5.5.1 | Conventional Mössbauer Studies | 191 |
| 5.5.2 | The rf-Mössbauer Studies | 212 |
| 5.6 | Surface and Bulk Nanocrystallization of Amorphous FeCuNbSiB and Fe-M-B-Cu Alloys-the CEMS Study | 232 |
| 5.7 | Short Range Order in Amorphous Precursors—the rf-Mössbauer Study | 244 |
| 5.8 | Determination of the Grain Size by XRD and SAXS Techniques-Correlation with the Mössbauer Results | 250 |
| | References | 260 |
| 6 | Atom Probe Characterization of Microstructures of Nanocrystalline and Nanocomposite Magnetic Materials | 266 |
| 6.1 | Introduction | 266 |
| 6.2 | The Atom Probe Technique | 267 |
| 6.3 | Microstructural Evolution in Nanocrystalline Soft Magnetic Materials | 271 |
| 6.3.1 | FINEMET (Fe-Si-B-Nb-Cu) | 271 |
| 6.3.2 | NANOPERM (Fe-Zr-B(-Cu)) | 279 |
| 6.3.3 | HITPERM ((Fe,Co)-Zr-B-Cu) | 287 |
| 6.4 | Microstructural Evolution in Nanocomposite Magnets | 289 |
| 6.4.1 | Fe ₃ B/Nd ₂ Fe ₁₄ B System | 290 |
| 6.4.2 | α-Fe/Nd ₂ Fe ₁₄ B System | 295 |
| 6.4.3 | Amorphous Remaining α-Fe/Nd ₂ Fe ₁₄ B Nanocomposite | 299 |
| 6.5 | Roles of Microalloyed Elements in Nanocrystallization | 301 |
| 6.6 | Effect of Heating Rates on Nanocrystalline Microstructure Evolution | 304 |
| 6.7 | Summary | 306 |
| | References | 306 |
| 7 | Itinerant-Electron Metamagnetism | 310 |

| | | |
|-------|--|-----|
| 7.1 | Introduction | 310 |
| 7.2 | Theoretical Aspects of Itinerant-Electron Metamagnetism | 311 |
| 7.2.1 | Landau Expansion Coefficients and Magnetic Phase Diagram | 311 |
| 7.2.2 | Paramagnetic Susceptibility Maximum in the Temperature Dependence | 314 |
| 7.3 | Itinerant-Electron Metamagnetism of Laves-Phase Exchange-Enhanced Pauli Paramagnets | 315 |
| 7.3.1 | Metamagnetic Transition in the Ground State | 315 |
| 7.3.2 | Relationship Between the Susceptibility Maximum and the Transition Field | 317 |
| 7.3.3 | Metamagnetic Transition at Finite Temperatures | 320 |
| 7.4 | Correlation Between the Magnetovolume Effects and Metamagnetic Transition | 321 |
| 7.4.1 | Concentration Dependence of the Curie Temperature and Spontaneous Magnetization | 321 |
| 7.4.2 | Pressure Effects on the Curie Temperature and Spontaneous Magnetization | 322 |
| 7.4.3 | Thermal Expansion Anomaly and Spin Fluctuations | 327 |
| 7.5 | Determination of the Landau Coefficients | 329 |
| 7.5.1 | Pressure Effect on the Critical Field of the Metamagnetic Transition | 329 |
| 7.5.2 | Comparison Between the Experimental and Theoretical Magnetic Phase Diagrams | 333 |
| 7.6 | Suppression of Spin Fluctuations in Laves-phase Metamagnets | 337 |
| 7.6.1 | Concentration Dependence of the Specific Heat Coefficient of Laves-Phase Compounds | 337 |
| 7.6.2 | Large Electronic Specific Heat Coefficient Due to Spin Fluctuations and Its Suppression Under High Fields ... | 338 |
| 7.7 | Metamagnetic Transition at Finite Temperatures of Ferromagnetic $\text{La}(\text{Fe}_{1-x}\text{Si}_x)_{13}$ NaZn_{13} -type Compounds | 340 |
| 7.7.1 | Magnetization and Magnetic Phase Diagram | 340 |
| 7.7.2 | Thermal Expansion Anomaly | 346 |
| 7.7.3 | Pressure Effect on the Metamagnetic Transition | 347 |

| | | |
|----------|--|------------|
| 7.7.4 | Control of the Metamagnetic Transition by Hydrogen Absorption | 350 |
| 7.8 | Drastic Changes in Magnetic and Electrical Properties and Their Practical Applications | 353 |
| 7.8.1 | Isotropic Giant Volume Magnetostriction | 353 |
| 7.8.2 | Giant Magnetocaloric Effect | 358 |
| 7.8.3 | Giant Magnetoresistance | 365 |
| 7.9 | Concluding Remarks | 366 |
| | References | 367 |
| 8 | Modeling of Hysteresis in Magnetic Materials | 372 |
| 8.1 | Introduction | 372 |
| 8.2 | Development of Model Theories of Hysteresis | 373 |
| 8.3 | Magnetism at the Discrete Level of Individual Atoms and Beyond to the Continuum Level; Landau-Lifschitz-Gilbert Model and Micromagnetics | 375 |
| 8.4 | Magnetism of Domain Rotation; Stoner-Wohlfarth | 378 |
| 8.5 | Magnetism at the Level of Domain Boundaries; Neel, Globus-Guyot, Bertotti | 382 |
| 8.6 | Magnetism at the Macroscopic Scale; the Integration of Single Domain Switching Processes and the Preisach Model | 386 |
| 8.7 | Magnetism at the Multidomain Level; Energy Considerations and the Jiles-Atherton Model | 391 |
| 8.7.1 | Description of the Anhysteretic Magnetization | 392 |
| 8.7.2 | Extension to Describe Hysteresis | 393 |
| 8.7.3 | Extension to Describe the Effects of Stress on Magnetization | 395 |
| 8.7.4 | Extension to Describe the Effects of Frequency on Magnetization | 396 |
| 8.7.5 | Applications | 397 |
| 8.8 | Summary | 403 |
| | References | 404 |
| 9 | Coarse-graining and Hierarchical Simulation of Magnetic Materials; the Fast Multipole Method | 407 |

| | | |
|-----------|--|------------|
| 9.1 | Introduction | 407 |
| 9.2 | The Fast Multipole Method: Simplest Implementation | 408 |
| 9.3 | Cartesian Formulation of the FMM | 414 |
| 9.4 | History of the FMM | 416 |
| 9.5 | Micromagnetic Applications of the FMM | 417 |
| | References | 420 |
| 10 | Numerical Simulation of Quasistatic and Dynamic Remagnetization Processes with Special Applications to Thin Films and Nanoparticles | 421 |
| 10.1 | Basic Micromagnetic Concepts and Main Energy Contributions | 421 |
| 10.2 | Discretization Methods: Simplicity and Speed Versus Exact Shape Approximation | 422 |
| 10.2.1 | Regular (Translationally Invariant) Grids | 423 |
| 10.2.2 | Tetrahedron Mesh | 424 |
| 10.3 | Evaluation of Various Energy Contributions | 427 |
| 10.3.1 | Anisotropy Energy in Polycrystalline Samples | 428 |
| 10.3.2 | Exchange Energy: Node-supported Discretization, Heisenberg-Like Form and Angle-based Interpolation | 429 |
| 10.3.3 | Stray Field Evaluation on Regular Grids | 434 |
| 10.4 | Energy Minimization Methods | 443 |
| 10.4.1 | Standard Minimization Technique: Conjugate Gradients | 444 |
| 10.4.2 | Equation of Motion Techniques and Simple Relaxation Methods | 447 |
| 10.4.3 | Advanced Relaxation Methods Combined with the Extrapolation Techniques | 449 |
| 10.4.4 | Alignment Methods | 451 |
| 10.5 | Equilibrium Magnetization Structures and Quasistatic Remagnetization Processes | 454 |
| 10.5.1 | Nanosized Magnetic Elements | 454 |
| 10.5.2 | Extended Thin Films and Patterned Structures | 459 |
| 10.5.3 | Quasistatic Remagnetization in Nanocomposites; | |

| | | |
|-----------|---|------------|
| | Individual Particle Switching and Cooperative Remagnetization Processes | 463 |
| 10.6 | Equilibrium and Non-Equilibrium Thermodynamics; Langevin Dynamics, Monte Carlo Method and Path Integrals | 469 |
| 10.6.1 | Fast Remagnetization Processes; Langevin Dynamics vs. Monte Carlo Method | 469 |
| 10.6.2 | Slow Remagnetization Dynamics | 489 |
| | References | 503 |
| 11 | Preisach Model and Simulation of Relaxation Kinetics | 508 |
| 11.1 | Introduction | 508 |
| 11.2 | The Response Operator | 509 |
| 11.3 | The Preisach Model | 510 |
| 11.4 | Ensembles of Systems in Random Potential | 518 |
| 11.5 | Representability of the Ensemble Evolution by the PM | 520 |
| 11.6 | Connection of the “Classical” Irreversibility Parameters with the PM | 523 |
| 11.7 | Representations of Some Ensembles by the PM | 525 |
| 11.7.1 | Campbell Random Potential and Stabilization of Domain Walls | 525 |
| 11.7.2 | Periodic Potentials with Random Phase | 530 |
| 11.8 | Uncertainty in Prediction of Relaxation Kinetics Based on the PM | 535 |
| 11.9 | Summary | 539 |
| | References | 540 |
| 12 | Antiferromagnetism of Mn Alloys | 541 |
| 12.1 | Introduction | 541 |
| 12.2 | Theory of Itinerant Electron Magnetism with the Hubbard Model | 542 |
| 12.2.1 | Model for the Itinerant Electron Systems | 542 |
| 12.2.2 | Path-Integral Approach for the Itinerant-Electron Magnetism | 542 |
| 12.2.3 | Saddle Point (Molecular Field) Approximation | 544 |
| 12.2.4 | Rotation of the Local Spin Axes in the Complex | |