


# sex differences in the brain

## *from genes to behavior*



*edited by* JILL B. BECKER  
KAREN J. BERKLEY  
NORI GEARY  
ELIZABETH HAMPSON  
JAMES P. HERMAN  
ELIZABETH A. YOUNG

# SEX DIFFERENCES IN THE BRAIN FROM GENES TO BEHAVIOR

*Edited by*

Jill B. Becker, Karen J. Berkley, Nori Geary,  
Elizabeth Hampson, James P. Herman, and Elizabeth A. Young

**OXFORD**  
UNIVERSITY PRESS

2008

**OXFORD**  
UNIVERSITY PRESS

Oxford University Press, Inc., publishes works that further  
Oxford University's objective of excellence  
in research, scholarship, and education.

Oxford New York  
Auckland Cape Town Dar es Salaam Hong Kong Karachi  
Kuala Lumpur Madrid Melbourne Mexico City Nairobi  
New Delhi Shanghai Taipei Toronto

With offices in  
Argentina Austria Brazil Chile Czech Republic France Greece  
Guatemala Hungary Italy Japan Poland Portugal Singapore  
South Korea Switzerland Thailand Turkey Ukraine Vietnam

Copyright © 2008 by Oxford University Press, Inc.

Published by Oxford University Press, Inc.  
198 Madison Avenue, New York, New York 10016  
www.oup.com

Oxford is a registered trademark of Oxford University Press

All rights reserved. No part of this publication may be reproduced,  
stored in a retrieval system, or transmitted, in any form or by any means,  
electronic, mechanical, photocopying, recording, or otherwise,  
without the prior permission of Oxford University Press.

Library of Congress Cataloging-in-Publication Data  
Sex differences in the brain : from genes to behavior /  
edited by Jill Becker . . . [et al.].

p. cm. Includes bibliographical references.

ISBN 978-0-19-531158-7

1. Sex differences.
2. Sex differences (Psychology)
3. Brain—Sex differences.
4. Human behavior—Physiological aspects.  
I. Becker, Jill B.

[DNL.M: 1. Brain—physiology.

2. Behavior—physiology.

3. Central Nervous System Diseases—physiopathology.

4. Mental Disorders—physiopathology.

5. Mental Processes—physiology.

6. Sex Factors. WL 300 S5185 2008]

QP81.5.S484 2008 612.8'2—dc22 2007021143

# Sex Differences in the Brain

This book is dedicated to Florence P. Haseltine, Ph.D., M.D., founder of the Society for Women's Health Research. Her unstoppable energy and commitment in support of sex differences research is inspirational to us all.  
Florence—thank you for leading the way.

# Foreword

## **MENTAL DISORDERS ARE BRAIN DISORDERS: WHY SEX MATTERS**

There seems to be no end to the debate over sex differences in the brain. When people finally agree that differences exist, there is an even more intense debate over what these differences mean. Do more neurons mean more computing power? Do more connections mean more communication between neurons? Do structural differences correlate with functional differences?

In fact, there are clear, reproducible mean differences in many neuroanatomical variables when groups of male and female brains are compared. But understanding these differences runs directly into a central quandary in neuroscience: How do we link form and function? We are now able to define form at the molecular level by identifying individual cells by their RNA transcripts. In addition, we are able to detect function in individual neurons by measuring physiological signatures of identified cells. Similarly,

we have been able to image physiological changes in brain systems associated with behavior and cognition. However, we have not been able to build the bridge from individual cells to brain systems in a way that allows a seamless understanding that spans from molecules to behavior.

This is one of the ways in which the study of sex differences can make a difference: by understanding how chromosomal sex confers genomic differences, how gonadal hormones and their transcription factor receptors lead to developmental changes in brain systems, and how systems in the brain become associated with differences in cognition and behavior. The study of sex differences is a unique opportunity to elucidate the entire trajectory from genes to behavior, or, as more frequently stated in the clinical realm, from genotype to phenotype.

Why is this important? Aside from answering fundamental questions for neuroscience, the study of sex differences is important for public health. According to the World Health Organization, mental

disorders are the leading source of disability in Americans between the ages of 15 and 44. We now understand mental disorders as brain disorders, but we do not understand how brain circuits become abnormal. Part of finding this answer will reside in being able to identify the risk factors for disease and, more importantly, defining the mechanisms by which these factors confer risk.

Among the various risk factors for mental disorders, gender is preeminent. Relative to males, females are at least three times as likely to have anorexia nervosa, twice as likely to have depression, and one fourth as likely to have autism. For schizophrenia and obsessive-compulsive disorder, with roughly equivalent prevalence in males and females, the onset is earlier in males. Moreover, there are gender differences in the clinical features: females with major depressive disorder are more likely to express sadness whereas males present with irritability.

We do not understand the mechanisms for any of these gender differences, but patterns of gonadal hormone action are major candidates. We know that many mental disorders emerge with hormonal transitions at puberty, parturition, and menopause. We

also know that the brain is a target organ for gonadal hormones. As we define the mechanisms by which these hormones alter brain function at the molecular, cellular, and systems levels, we should begin to define how gender and hormonal transitions increase risk for mental disorders.

This book results from the visionary leadership of the Society for Women's Health Research and specifically the staff who have sponsored the Isis Fund Network on Sex, Gender, Drugs, and the Brain. By exploring a range of sex differences from genes to behavior, the chapters herein review the latest insights into how sex and gender matter. The findings promise to alter our approach to mental disorders, leading initially to a better understanding of pathophysiology and ultimately to better treatments. Of course sex differences exist, but what really matters for public health is how these differences lead to vulnerability for some individuals and resilience for others.

Thomas R. Insel, MD  
Director, National Institute  
of Mental Health, NIH

# Preface

Differences in the brain between males and females have been observed in behavioral traits, in the anatomy of the brain, and in the physiological responses of the nervous system to outside stimuli and internal perturbation. The brain is sensitive to the effects of gonadal hormones, beginning in fetal development and continuing throughout the lifespan, and there is mounting evidence that some sex differences may result from differences in gene expression that are independent of the effect of gonadal hormones. In humans, these differences are reflected in the differential impact of neurological and mental illness on men and women, including conditions as diverse as multiple sclerosis, major depression, dementia, and chronic pain disorders. This book brings together an international group of experts on sex differences in the brain, writing about critical methodological issues in sex differences research as well as the most recent developments in this rapidly moving field. It is the culmination of the work of many individuals, and has its origins in

a meeting at the Cosmos Club in Washington, DC, in 1990.

At that meeting, a group of researchers, clinicians, and activists began work that led to the founding of the Society for Women's Health Research (SWHR) to "advance the health of women through research." This group identified the paucity of women participants in medical research studies as a major barrier to such advancement. By 1993, SWHR had brought about changes in grant guidelines at the US National Institutes of Health, and in guidelines for new drug applications at the US Food and Drug Administration. Researchers are now required to include women in research studies unless there is an adequate scientific reason for doing a study in a single sex. By 1995, scientists on SWHR's Board of Directors had a clear vision of the outcome of the inclusion of women (and female animals) as research subjects: the discovery and elucidation of biological sex differences that have a significant impact on health and disease. The Society turned that vision into a proposal for a study by



the Institute of Medicine (IOM) that would address the questions, "Does sex matter?" "When does sex matter?" "How does sex matter?" Once the IOM accepted the report proposal, Society staff raised more than \$650,000 in public and private funds to cover the costs of producing a report.

The Institute of Medicine (IOM) published this landmark report in 2001. The book was a product of the IOM Committee on Understanding Sex and Gender Differences, entitled *Exploring the Biological Contributions to Human Health: Does Sex Matter?* (Wizemann & Pardue, 2001). The Committee concluded that sex is a significant and often ignored biological variable, and that understanding sex differences is crucial for improving human health. They found that much of what was known about sex differences came from descriptive findings, and that hypothesis-driven research to study the mechanisms and origins of sex differences is now needed. They identified several barriers to progress in research on sex differences, including the need for more accurate use of the terms "sex" and "gender," and the need for better tools and resources for the study and analysis of sex differences.

Another barrier identified by the IOM committee was the inherently interdisciplinary nature of research on sex differences, the lack of funding for this type of research, and the lack of funding for collaborative opportunities for sex differences research. The report noted that progress in sex-based biology would require "synergy . . . between and among basic scientists, epidemiologists, social scientists, and clinical researchers." In addition, integration of findings at different levels of biological organization (genes, cells, tissues, organs, whole animals) and better "bench-to-bedside" translational research is needed.

In the six years that it took to raise the funding for and produce the IOM report, SWHR developed and launched a strategic plan for developing interest and capacity in sex differences research among basic and clinical scientists. In addition to the traditional role of SWHR as an advocacy group working with the US Congress and federal agencies, SWHR worked to expand its direct outreach to the scientific community. The Society identified two ways in which it could work to encourage research on sex differences: by providing a venue for researchers to present and discuss their work in this area, and by providing financial support for research.

From 2000–2005 SWHR produced the annual Conference on Sex and Gene Expression (SAGE), a

small interdisciplinary meeting that explored all aspects of biological sex differences. The SAGE Conferences brought together researchers working at all levels of biological organization, in animal models from *C. elegans* to primates, and in various physiological systems and clinical disciplines. The SAGE Conferences were designed to allow ample time for informal discussion among the participants, and surveys of attendees found that a significant number of new collaborations and new lines of research were begun at these meetings.

In 1998 SWHR established the Isis Fund for Sex Differences Research, named for the Egyptian Goddess who was the founder of the art of medicine. The Society consulted with staff from the MacArthur Foundation, which had a program of highly successful interdisciplinary research networks to address issues in mental health. Using the MacArthur Networks as a model, funded by unrestricted grant of \$1 million over four years from Ortho-McNeil Pharmaceuticals, Society staff assembled a core group of five scientists and posed to them the question "How are sex and gender differences important in the development and testing of neuropharmaceuticals?" At their first meeting in 2002, the network quickly renamed itself the Isis Fund Network on Sex, Gender, Drugs, and the Brain, and established this mission: To develop collaborations for exploratory and hypothesis-driven research on sex differences in nervous system function, and to translate the results of this research into new and/or improved therapies for advancing human health. In addition to the original goal of network members collaborating on pilot projects, the Network established the following goals in support of that mission: to promote research and education in the area of sex/gender differences in brain health and disease, and to educate and advocate among research funders, scientists, reviewers, regulators and the public. They identified three ways to accomplish those goals: through Network publications, by organizing symposia at large scientific meetings, and by seeking funding for new investigator training grants for sex differences research.

By the third meeting of the Network, which had expanded to eight members, a discussion of potential network projects brought out the need for a guideline to "best practices" for research on sex differences. The network members were concerned that the greatest barrier to the study of sex differences (or to simply including females in an experiment) was difficulty of

dealing with the ovarian cycle (estrous and menstrual cycles). Many investigators are reluctant to include females in their experiments because they are uncertain how best to account for the female cycle, or how to determine the role of hormones when they observe an effect of the estrous cycle. The Network decided to create a document that described the strategies, methods, and procedures used in sex differences research. The product that resulted was a 24-page review that was published in *Endocrinology* (Becker et al., 2005). Although the review addressed these methodologic issues in the context of central nervous system function, the basic information was widely applicable to research on sex and gender differences in other systems.

Soon after the review appeared in *Endocrinology*, the Network (which by then had 11 members) discovered that the article was only a beginning. Many researchers who read the article appreciated its value, while at the same time mentioning that there was a much wider need for this kind of information. The Network agreed that the next step was to produce an edited volume that would expand on the material presented in the review, and would include chapters on basic and clinical sex differences research in neuroscience. This book is the result of that decision.

The Society for Women's Health Research, and specifically the staff who have had a direct role in the development of the Isis Fund Network on Sex, Gender, Drugs, and the Brain,\* are proud of our role in funding and supporting the work of this Network, and of the other Networks supported by the Isis Fund for Sex Differences Research: the Network on Sex Differences in Metabolism, supported by an unrestricted grant from Aventis Pharmaceuticals (now sanofi-aventis); and the Network on Sex Differences in the Musculoskeletal System, supported by an unrestricted donation from Zimmer, Inc.

The Isis Fund Networks have significantly advanced innovative interdisciplinary research on sex

differences and, at the same time, have helped launch sex differences as a new field of biomedical research. Network members have organized and participated in symposia on sex differences at meetings of the Society for Neuroscience, the International Society for Psychoneuroendocrinology, and the Congress of the International Union of Physiological Societies. Network members served as guest editors for a special issue of the *American Journal of Physiology* on sex differences in pain and inflammation and a special issue of *Brain Research* featuring papers presented at a joint meeting of the Conference on Sex and Gene Expression and the Workshop on Steroid Hormones and Brain Function held in 2006.

Network members have also been instrumental in founding the Organization for the Study of Sex Differences (OSSD). The OSSD is a new scholarly scientific society for which the Society for Women's Health Research is providing fiscal sponsorship and staff support. The OSSD was founded so that the mission of the Network on Sex, Gender, Drugs, and the Brain, "to promote research and education in the area of sex/gender differences in brain health and disease, and to educate and advocate among research funders, scientists, reviewers, regulators, and the public for the study of sex differences," will continue long after the Network no longer meets.

It is our hope that this volume will prove informative and inspiring, that it will engender curiosity about the role of sex as a factor in the development and function of physiological systems, and that it will fuel the growth of a field of research that is crucial to advancing our knowledge of human biology, and our understanding of human health and disease.

Sherry A. Marts, PhD  
Vice President, Scientific Affairs  
Society for Women's Health Research  
Executive Director  
Organization for the Study of Sex Differences

\* Sherry A. Marts, Ph.D., Vice President for Scientific Affairs; Regina Vidaver, Ph.D., Scientific Programs Manager (now Executive Director, National Lung Cancer Partnership); Viviana Simon, Ph.D., Scientific Programs Director; Eileen Resnick, Ph.D., Scientific Programs Manager.

# Introduction

In August 2001, the Institute of Medicine (IOM) published a report called “Exploring the Biological Contributions to Human Health: Does Sex Matter?” The IOM concluded that sex is a variable of significant importance for understanding health and disease, and for understanding human physiology more generally. The IOM report was a wake-up call to basic and clinical researchers in many disciplines. In response, the past few years have witnessed a marked growth in research on the effects of sex, as well as signs of greater awareness among professionals that scientifically and clinically important sex differences can and do exist—in susceptibility, symptom expression, response to drugs, immune responses, and many other domains. Sex-based biology has come into its own!

In this volume, we focus on the neurosciences—a set of disciplines where research on sex differences has a lengthy history. In the 1970s, pioneering studies identified sex differences in brain morphology at both the cellular and macroscopic levels, with some structural differences visible even to the naked eye

(Raisman & Field, 1971, 1973; Greenough et al., 1977; Gorski et al., 1978). Outside the laboratory, neuropsychologists studying the effects of brain tumors and strokes in neurological patients noted sex differences in some of the cognitive effects of localized lesions, especially in the language domain (Kimura, 1983; Kimura & Harshman, 1984), an observation that suggested the functional organization of the brain might not be entirely the same in men and women. Now we know that even the basic neurochemistry of the brain can differ according to sex, due to developmental events and the effects of steroid hormones on neuronal and glial activity (e.g., Bazzett & Becker, 1994; Andersen et al., 1997; Auger, 2003; Walker et al., 2006). This book carries on the tradition of highlighting sex differences and illustrates the rich and varied work that is going on in the neuroscience of sex and gender today.

With this volume, we offer food for thought to both novices and experts in the field of sex differences. We open with an overview of the evolution of sex

differences (Chapter 1), and the biology of sexual differentiation of the brain (Chapter 2), emphasizing how cutting-edge ideas and discoveries are revolutionizing our concepts of what makes a male or female brain. Some expert readers might be surprised to discover a renewed emphasis on the direct actions of X and Y chromosome genes in bringing about sex differences. The endocrine model, however, is still ascendant, as many of the chapters reflect. Chapters 3 and 4 are both methodological chapters that discuss research methods and strategies for the intelligent study of sex differences. After all, discovering a sex difference is only the first step—identifying the genetic or hormonal pathways by which the sex difference is established, and understanding its significance in the context of an organism's ecology and larger behavioral context are the ultimate goals of the basic neuroscientist. The new science of pharmacogenomics is a promising tool to consider when studying central nervous system disorders, and here, too, sex differences are being discovered as discussed, in Chapter 5.

Several of the chapters in this book were written by basic scientists who study the brain and its outward product behavior, but many of these topics have exciting implications for the clinic. These include chapters on such fundamental topics as a thorough review of steroid hormone receptors and their role in sexual behavior (Chapter 7), sex differences in social bonding and affiliative behavior (Chapter 8), sex differences in the neural organization of movement (Chapter 9), as well as sex differences in motivation (Chapter 10) and sex differences in energy metabolism and eating behavior (Chapter 13). These chapters discuss information important for the understanding of the neural basis of addiction and other disorders related to the function of motivational systems.

In this volume we also discuss topics of importance for understanding the recovery from brain injury, as discussed in sex differences in neuroplasticity (Chapter 11). Three chapters deal with sex differences in cognitive function, either in rodents (Chapter 12) or in humans and other primates (Chapters 15 and 16). This has been an especially active arena for sex differences research over the past 20 years, and these chapters represent timely reviews on the topic. Newer areas of research discussed include sex differences in children's play and affiliation with same-sex and opposite-sex peers (Chapter 14).

Other chapters present sex differences in the neurobiology of disease, and illustrate how the rec-

ognition of sex differences has enlightened our understanding of a wide range of medical conditions. Chapters 17 and 18 offer insights into sex differences in infections and the activity of the immune system. Chapter 19 describes the important area of sex differences in pain, a difference with wide applicability in the medical sciences. Sex differences are a prominent feature of a number of psychiatric disorders, including major depression, and mood and anxiety-related disorders. These differences are described in Chapters 20 and 21, along with Chapter 6, where sex differences in the responsiveness to stress and in the regulation of the hypothalamic-pituitary-adrenal (HPA) axis are discussed. As illustrated in these chapters, dysregulation of the HPA axis is a feature of many psychiatric conditions.

The book concludes with two chapters on aging and degenerative diseases of the nervous system (Chapters 22 and 23), including Alzheimer's (which shows a female predominance) and Parkinson's disease (which shows a male predominance). Understanding sex differences in aging, especially brain aging, will be an important practical issue over the next decades.

Does sex matter? To respond to the question posed by the IOM: of course sex matters! It matters to biology and medicine at every level of organization and function, from gene to behavior. The realization that there are real and identifiable differences between the sexes that can potentially have a major impact in physiology and medicine, and the potential significant applications of sex differences research, are now driving the agenda. We must have a clear understanding of the important role of sex if we are to optimize medical treatments, effectively target rehabilitation methods, and devise the most effective preventative strategies in the two sexes. Yes, sex does matter, and it matters to basic and clinical scientists in ways we can't even foresee—studying how phenomena in the brain might differ according to sex can help to illuminate the basic mechanisms and physiology that are the essential research targets of every neuroscientist.

No introduction is complete without thanking those who helped us. We thank Viviana Simon and her staff at the Society for Women's Health Research for all their assistance and support throughout the project. Without Viviana's valuable time and wonderful positive attitude, we could not have accomplished this in the short time we had. We also thank

Sherry Marts and Phyllis Greenberger, from the Society for Women's Health Research for their inspiration to create the Isis Fund Networks and for their constant efforts on behalf of sex differences research. We would not have come together without them, and we have benefited in many ways, both scientifically and personally, from our association with the Society and from our warm relationships with Sherry and Phyllis. Finally, we dedicate this book to Florence P. Hazeltine, founder of the Society for Women's Health Research, whose unstoppable energy on behalf of sex differences research is an inspiration to us all.

We hope you enjoy the book.

On behalf of the Isis Fund Network on Sex,  
Gender, Drugs, and the Brain  
Jill B. Becker, Karen J. Berkley, Nori Geary,  
Elizabeth Hampson, James P. Herman,  
& Elizabeth A. Young  
July 2007

## References

- Andersen SL, Rutstein M, Benzo JM, Hostetter JC, Teicher MH. (1997). Sex differences in dopamine receptor overproduction and elimination. *Neuroreport*, 8:1495–1498.
- Auger AP. (2003). Sex differences in the developing brain: crossroads in the phosphorylation of cAMP response element binding protein. *J Neuroendocrinology*, 15:622–627.
- Bazzett TJ, Becker JB. (1994). Sex differences in the rapid and acute effects of estrogen on striatal D2 dopamine receptor binding. *Brain Res*, 637:163–172.
- Gorski RA, Gordon JH, Shryne JE, Southam AM. (1978). Evidence for a morphological sex difference within the medial preoptic area of the rat brain. *Brain Res*, 148:333–346.
- Greenough WT, Carter CS, Steerman C, DeVoogd TJ. (1977). Sex differences in dendritic patterns in hamster preoptic area. *Brain Research*, 126:63–72.
- Kimura D. (1983). Sex differences in cerebral organization for speech and praxic functions. *Can J Psychology*, 37:19–35.
- Kimura D, Harshman RA. (1984). Sex differences in brain organization for verbal and non-verbal functions. *Prog Brain Research*, 61:423–441.
- Raisman G, Field PM. (1971). Sexual dimorphism in the preoptic area of the rat. *Science*, 173:731–733.
- Raisman G, Field PM. (1973). Sexual dimorphism in the neuropil of the preoptic area of the rat and its dependence on neonatal androgen. *Brain Research*, 54:1–29.
- Walker QD, Ray R, Kuhn CM. (2006). Sex differences in neurochemical effects of dopaminergic drugs in rat striatum. *Neuropsychopharmacology*, 31:1193–1202.

# Contributors

MARGARET ALTEMUS  
Cornell University  
Weill Medical College  
Department of Psychiatry  
USA

ARTHUR P. ARNOLD  
University of California,  
Los Angeles  
Department of Physiological Science  
Laboratory of Neuroendocrinology  
of the Brain Research Institute  
USA

MATIA BANKS-SOLOMON  
University of Cincinnati  
Department of Psychiatry  
USA

JILL B. BECKER  
University of Michigan  
Molecular and Behavioral  
Neuroscience Institute  
USA

SHERI A. BERENBAUM  
The Pennsylvania State University  
Department of Psychology  
USA

KAREN J. BERKLEY  
Florida State University  
Program in Neuroscience  
USA

JEFFREY D. BLAUSTEIN  
Center for Neuroendocrine Studies  
University of Massachusetts, Amherst  
USA

PHILLIP T. BRIGGS  
Arizona State University  
School of Social and Family Dynamics  
USA

IPPOLITA CANTUTI-CASTELVETRI  
Harvard Medical School  
Massachusetts General Hospital  
Institute for Neurodegenerative Disease  
USA

C. SUE CARTER  
University of Illinois at Chicago  
Department of Psychiatry  
Brain Body Center  
USA

DAVID CREWS  
University of Texas at Austin  
School of Biological Sciences  
Section of Integrative Biology  
USA

GARY DOHANICH  
Tulane University  
Department of Psychology  
Program in Neuroscience  
USA

IRA DRISCOLL  
National Institute on Aging  
Laboratory of Personality and Cognition  
USA

LISA A. ECKEL  
Florida State University  
Department of Psychology  
Program in Neuroscience  
USA

LAURA EPSTEIN  
University of California,  
San Francisco  
School of Medicine  
USA

RICHARD A. FABES  
Arizona State University  
School of Social and Family Dynamics  
USA

EVELYN F. FIELD  
Department of Physiology and Biophysics  
University of Calgary  
School of Medicine  
Canada

HELMER F. FIGUEIREDO  
University of Cincinnati  
Department of Psychiatry  
USA

NORI GEARY  
Cornell University  
Weill Medical College  
Department of Psychiatry  
USA

and

ETH ZURICH  
Institute of Animal Science  
Switzerland

TIBOR HAJSZAN  
Yale University School of Medicine  
Department of Obstetrics, Gynecology,  
and Reproductive Sciences  
USA

ELIZABETH HAMPSON  
University of Western Ontario  
Department of Psychology  
Program in Neuroscience  
Canada

ROBERT J. HANDA  
Colorado State University  
College of Veterinary Medicine  
and Biomedical Sciences  
Neurosciences Division  
Department of Biomedical Sciences  
USA

LAURA D. HANISH  
Arizona State University  
School of Social and Family Dynamics  
USA

JAMES P. HERMAN  
University of Cincinnati  
Department of Psychiatry  
USA

SABRA L. KLEIN  
The Johns Hopkins Bloomberg School of Public Health  
The W. Harry Feinstone Department  
of Molecular Microbiology and Immunology  
USA

ANIA KORSZUN  
Centre for Psychiatry  
Queen Mary, University of London  
United Kingdom

JENNIFER S. LABUS  
University of California, Los Angeles  
Center for Neurovisceral Sciences & Women's  
Health  
USA

CSABA LERANTH  
Yale University School of Medicine,  
Departments of Obstetrics, Gynecology,  
and Reproductive Sciences and Neurobiology  
USA

JENNIFER LOVEJOY  
Bastyr University  
School of Nutrition and Exercise Science  
USA

VICTORIA LUINE  
City University of New York  
Hunter College  
Department of Psychology  
USA

NEIL J. MACLUSKY  
University of Guelph  
Ontario Veterinary College  
Department of Biomedical Sciences  
Canada

CAROL LYNN MARTIN  
Arizona State University  
School of Social and Family Dynamics  
USA

EMERAN A. MAYER  
University of California, Los Angeles  
Center for Neurovisceral Sciences & Women's  
Health  
USA

MARGARET M. MCCARTHY  
University of Maryland, Baltimore  
Departments of Physiology and Psychiatry  
Program in Neuroscience  
USA

ROBBIN A. MIRANDA  
Georgetown University  
Brain and Language Laboratory  
Department of Neuroscience  
USA

TONI R. PAK  
Loyola University  
Stritch School of Medicine  
Department of Cell Biology,  
Neurobiology, and Anatomy  
USA

JULIA PINSONNEAULT  
The Ohio State University  
College of Medicine and Public Health  
Department of Pharmacology Program  
in Pharmacogenomics  
USA

SUSAN RESNICK  
National Institute on Aging  
Laboratory of Personality and Cognition  
USA

TURK RIEN  
University of North Dakota  
Department of Biology  
USA

WOLFGANG SADÉE  
The Ohio State University  
College of Medicine and Public Health  
Department of Pharmacology Program  
in Pharmacogenomics  
USA

DAVID G. STANDAERT  
University of Alabama at Birmingham  
Department of Neurology  
USA

MEIR STEINER  
McMaster University  
Psychiatry & Behavioural Neurosciences  
and Obstetrics & Gynecology  
Canada

JANE R. TAYLOR  
Yale University School of Medicine  
Associate Professor of Psychiatry  
USA



MICHELLE L. TRAVERS  
Georgetown University  
Brain and Language Laboratory  
USA

MICHAEL T. ULLMAN  
Georgetown University  
Brain and Language Laboratory  
Departments of Neuroscience, Linguistics,  
Psychology and Neurology  
Center for the Study of Sex Differences  
USA

IAN Q. WHISHAW  
University of Lethbridge  
Department of Neuroscience  
Canadian Centre for Behavioural Neuroscience  
Canada

ELIZABETH A. YOUNG  
University of Michigan  
Department of Psychiatry  
Molecular and Behavioral  
Neuroscience Institute  
USA

LARRY J. YOUNG  
Emory University  
Department of Psychiatry and Behavioral Sciences  
Center for Behavioral Neuroscience  
Yerkes National Primate Research Center  
USA

STEVEN S. ZALCMAN  
UMDNJ-New Jersey Medical School  
Department of Psychiatry  
USA