Graduate Texts in Mathematics

John B. Conway

Functions of One Complex Variable

Second Edition

单复变函数

第2版

Springer-Verlag
世界图书出版公司

书　　名：Functions of One Complex Variable　Second Edition
作　　者：John B. Conway
中 译 名：单复变函数　第 2 版
出 版 者：世界图书出版公司北京公司
印 刷 者：北京世图印刷厂
发　　行：世界图书出版公司北京公司 (北京朝内大街 137 号 · 100010)
联系电话：010-64015659, 64038347
电子信箱：kjsk@vip.sina.com
开　　本：24　　印　张：14
出版年代：2004 年 11 月
书　　号：7-5062-7191-5/O · 509
版权登记：图字: 01-2004-5052
定　　价：45.00 元

世界图书出版公司北京公司已获得 Springer-Verlag 授权在中国大陆独家重印发行。

John B. Conway
Department of Mathematics
Indiana University
Bloomington, IN 47405
USA

Editorial Board

P. R. Halmos
Managing Editor
Department of Mathematics
University of Santa Clara
Santa Clara, CA 95053
U.S.A.

F. W. Gehring
Department of Mathematics
University of Michigan
Ann Arbor, MI 48109
U.S.A.

C. C. Moore
Department of Mathematics
University of California at Berkeley
Berkeley, CA 94720
U.S.A.

To
Ann

AMS Subject Classification: 30-01

Library of Congress Cataloging in Publication Data

Conway, John B
Functions of one complex variable.
(Graduate texts in mathematics ; 11)
Bibliography: p.
Includes index.
1. Functions of complex variables. I. Title.
II. Series.
QA331.C659 1978 515'.93 78-18836

© 1973, 1978 by Springer-Verlag New York Inc.
All rights reserved. No part of this book may be translated or reproduced in any form without written permission from Springer-Verlag, 175 Fifth Avenue, New York, New York, 10010, USA.

This reprint has been authorized by Springer-Verlag (Berlin/Heidelberg/New York) for sale in the People's Republic of China only and not for export therefrom.

ISBN 0-387-90328-3 Springer-Verlag New York Berlin Heidelberg Tokyo
ISBN 3-540-90328-3 Springer-Verlag Berlin Heidelberg New York Tokyo

Graduate Texts in Mathematics

1 TAKEUTI/ZARING. Introduction to Axiomatic Set Theory. 2nd ed.
2 OXTOBY. Measure and Category. 2nd ed.
3 SCHAEFFER. Topological Vector Spaces.
4 HILTON/STAMMBACH. A Course in Homological Algebra.
5 MACLANE. Categories for the Working Mathematician.
6 HUGHES/PIPER. Projective Planes.
7 SERRE. A Course in Arithmetic.
8 TAKEUTI/ZARING. Axiomatic Set Theory.
9 HUMPHREYS. Introduction to Lie Algebras and Representation Theory.
10 COHEN. A Course in Simple Homotopy Theory.
11 CONWAY. Functions of One Complex Variable. 2nd ed.
12 BEALS. Advanced Mathematical Analysis.
13 ANDERSON/FULLER. Rings and Categories of Modules.
14 GOLUBITSKY/GUILLEMIN. Stable Mappings and Their Singularities.
15 BERBERIAN. Lectures in Functional Analysis and Operator Theory.
16 WINTER. The Structure of Fields.
17 ROSENBLATT. Random Processes. 2nd ed.
18 HALMOS. Measure Theory.
19 HALMOS. A Hilbert Space Problem Book. 2nd ed., revised.
20 HUSEMOLLER. Fibre Bundles. 2nd ed.
21 HUMPHREYS. Linear Algebraic Groups.
22 BARNES/MACK. An Algebraic Introduction to Mathematical Logic.
23 GREUB. Linear Algebra. 4th ed.
24 HOLMES. Geometric Functional Analysis and its Applications.
25 HEWITT/STROMBERG. Real and Abstract Analysis.
26 MANES. Algebraic Theories.
27 KELLEY. General Topology.
28 ZARISKI/SAMUEL. Commutative Algebra. Vol. I.
29 ZARISKI/SAMUEL. Commutative Algebra. Vol. II.
30 JACOBSON. Lectures in Abstract Algebra I: Basic Concepts.
31 JACOBSON. Lectures in Abstract Algebra II: Linear Algebra.
32 JACOBSON. Lectures in Abstract Algebra III: Theory of Fields and Galois Theory.
33 HIRSCH. Differential Topology.
34 SPITZER. Principles of Random Walk. 2nd ed.
35 WERMER. Banach Algebras and Several Complex Variables. 2nd ed.
36 KELLEY/NAMIOKA et al. Linear Topological Spaces.
37 MONK. Mathematical Logic.
38 GRAUERT/FRITZSCHE. Several Complex Variables.
39 ARVESON. An Invitation to C^*-Algebras.
40 KEMENY/SNELL/KNAPP. Denumerable Markov Chains. 2nd ed.
41 APOSTOL. Modular Functions and Dirichlet Series in Number Theory.
42 SERRE. Linear Representations of Finite Groups.
43 GILLMAN/JERISON. Rings of Continuous Functions.
44 KENDIG. Elementary Algebraic Geometry.
45 LOÈVE. Probability Theory I. 4th ed.
46 LOÈVE. Probability Theory II. 4th ed.
47 MOISE. Geometric Topology in Dimensions 2 and 3.

continued after Index

Graduate Texts in Mathematics

continued from page ii

48 SACHS/WU. General Relativity for Mathematicians.
49 GRUENBERG/WEIR. Linear Geometry. 2nd ed.
50 EDWARDS. Fermat's Last Theorem.
51 KLINGENBERG. A Course in Differential Geometry.
52 HARTSHORNE. Algebraic Geometry.
53 MANIN. A Course in Mathematical Logic.
54 GRAVER/WATKINS. Combinatorics with Emphasis on the Theory of Graphs.
55 BROWN/PEARCY. Introduction to Operator Theory I: Elements of Functional Analysis.
56 MASSEY. Algebraic Topology: An Introduction.
57 CROWELL/FOX. Introduction to Knot Theory.
58 KOBLITZ. p-adic Numbers, p-adic Analysis, and Zeta-Functions. 2nd ed.
59 LANG. Cyclotomic Fields.
60 ARNOLD. Mathematical Methods in Classical Mechanics.
61 WHITEHEAD. Elements of Homotopy Theory.
62 KARGAPOLOV/MERZLJAKOV. Fundamentals of the Theory of Groups.
63 BOLLABÁS. Graph Theory.
64 EDWARDS. Fourier Series. Vol. I. 2nd ed.
65 WELLS. Differential Analysis on Complex Manifolds. 2nd ed.
66 WATERHOUSE. Introduction to Affine Group Schemes.
67 SERRE. Local Fields.
68 WEIDMANN. Linear Operators in Hilbert Spaces.
69 LANG. Cyclotomic Fields II.
70 MASSEY. Singular Homology Theory.
71 FARKAS/KRA. Riemann Surfaces.
72 STILLWELL. Classical Topology and Combinatorial Group Theory.
73 HUNGERFORD. Algebra.
74 DAVENPORT. Multiplicative Number Theory. 2nd ed.
75 HOCHSCHILD. Basic Theory of Algebraic Groups and Lie Algebras.
76 IITAKA. Algebraic Geometry.
77 HECKE. Lectures on the Theory of Algebraic Numbers.
78 BURRIS/SANKAPPANAVAR. A Course in Universal Algebra.
79 WALTERS. An Introduction to Ergodic Theory.
80 ROBINSON. A Course in the Theory of Groups.
81 FORSTER. Lectures on Riemann Surfaces.
82 BOTT/TU. Differential Forms in Algebraic Topology.
83 WASHINGTON. Introduction to Cyclotomic Fields.
84 IRELAND/ROSEN. A Classical Introduction to Modern Number Theory.
85 EDWARDS. Fourier Series: Vol. II. 2nd ed.
86 VAN LINT. Introduction to Coding Theory.
87 BROWN. Cohomology of Groups.
88 PIERCE. Associative Algebras.
89 LANG. Introduction to Algebraic and Abelian Functions. 2nd ed.
90 BRØNDSTED. An Introduction to Convex Polytopes.
91 BEARDON. On the Geometry of Discrete Groups.
92 DIESTEL. Sequences and Series in Banach Spaces.

此为试读,需要完整PDF请访问: www.ertongbook.com

93 DUBROVIN/FOMENKO/NOVIKOV. Modern Geometry — Methods and Applications Vol. I.
94 WARNER. Foundations of Differentiable Manifolds and Lie Groups.
95 SHIRYAYEV. Probability, Statistics, and Random Processes.
96 CONWAY. A Course in Functional Analysis.
97 KOBLITZ. Introduction in Elliptic Curves and Modular Forms.
98 BRÖCKER/tom DIECK. Representations of Compact Lie Groups.
99 GROVE/BENSON. Finite Reflection Groups. 2nd ed.
100 BERG/CHRISTENSEN/RESSEL. Harmonic Analysis on Semigroups: Theory of Positive Definite and Related Functions.
101 EDWARDS. Galois Theory.
102 VARADARAJAN. Lie Groups, Lie Algebras and Their Representations.
103 LANG. Complex Analysis. 2nd. ed.
104 DUBROVIN/FOMENKO/NOVIKOV. Modern Geometry — Methods and Applications Vol. II.
105 LANG. $SL_2(\mathbf{R})$.
106 SILVERMAN. The Arithmetic of Elliptic Curves.
107 OLVER. Applications of Lie Groups to Differential Equations.
108 RANGE. Holomorphic Functions and Integral Representations in Several Complex Variables.
109 LEHTO. Univalent Functions and Teichmüller Spaces.

PREFACE

This book is intended as a textbook for a first course in the theory of functions of one complex variable for students who are mathematically mature enough to understand and execute $\epsilon - \delta$ arguments. The actual prerequisites for reading this book are quite minimal; not much more than a stiff course in basic calculus and a few facts about partial derivatives. The topics from advanced calculus that are used (e.g., Leibniz's rule for differentiating under the integral sign) are proved in detail.

Complex Variables is a subject which has something for all mathematicians. In addition to having applications to other parts of analysis, it can rightly claim to be an ancestor of many areas of mathematics (e.g., homotopy theory, manifolds). This view of Complex Analysis as "An Introduction to Mathematics" has influenced the writing and selection of subject matter for this book. The other guiding principle followed is that all definitions, theorems, etc. should be clearly and precisely stated. Proofs are given with the student in mind. Most are presented in detail and when this is not the case the reader is told precisely what is missing and asked to fill in the gap as an exercise. The exercises are varied in their degree of difficulty. Some are meant to fix the ideas of the section in the reader's mind and some extend the theory or give applications to other parts of mathematics. (Occasionally, terminology is used in an exercise which is not defined—e.g., group, integral domain.)

Chapters I through V and Sections VI.1 and VI.2 are basic. It is possible to cover this material in a single semester only if a number of proofs are omitted. Except for the material at the beginning of Section VI.3 on convex functions, the rest of the book is independent of VI.3 and VI.4.

Chapter VII initiates the student in the consideration of functions as points in a metric space. The results of the first three sections of this chapter are used repeatedly in the remainder of the book. Sections four and five need no defense; moreover, the Weierstrass Factorization Theorem is necessary for Chapter XI. Section six is an application of the factorization theorem. The last two sections of Chapter VII are not needed in the rest of the book although they are a part of classical mathematics which no one should completely disregard.

The remaining chapters are independent topics and may be covered in any order desired.

Runge's Theorem is the inspiration for much of the theory of Function Algebras. The proof presented in section VIII.1 is, however, the classical one involving "pole pushing". Section two applies Runge's Theorem to obtain a more general form of Cauchy's Theorem. The main results of sections three and four should be read by everyone, even if the proofs are not.

Chapter IX studies analytic continuation and introduces the reader to analytic manifolds and covering spaces. Sections one through three can be considered as a unit and will give the reader a knowledge of analytic

continuation without necessitating his going through all of Chapter IX.

Chapter X studies harmonic functions including a solution of the Dirichlet Problem and the introduction of Green's Function. If this can be called applied mathematics it is part of applied mathematics that everyone should know.

Although they are independent, the last two chapters could have been combined into one entitled "Entire Functions". However, it is felt that Hadamard's Factorization Theorem and the Great Theorem of Picard are sufficiently different that each merits its own chapter. Also, neither result depends upon the other.

With regard to Picard's Theorem it should be mentioned that another proof is available. The proof presented here uses only elementary arguments while the proof found in most other books uses the modular function.

There are other topics that could have been covered. Some consideration was given to including chapters on some or all of the following: conformal mapping, functions on the disk, elliptic functions, applications of Hilbert space methods to complex functions. But the line had to be drawn somewhere and these topics were the victims. For those readers who would like to explore this material or to further investigate the topics covered in this book, the bibliography contains a number of appropriate entries.

Most of the notation used is standard. The word "iff" is used in place of the phrase "if and only if", and the symbol ■ is used to indicate the end of a proof. When a function (other than a path) is being discussed, Latin letters are used for the domain and Greek letters are used for the range.

This book evolved from classes taught at Indiana University. I would like to thank the Department of Mathematics for making its resources available to me during its preparation. I would especially like to thank the students in my classes; it was actually their reaction to my course in Complex Variables that made me decide to take the plunge and write a book. Particular thanks should go to Marsha Meredith for pointing out several mistakes in an early draft, to Stephen Berman for gathering the material for several exercises on algebra, and to Larry Curnutt for assisting me with the final corrections of the manuscript. I must also thank Ceil Sheehan for typing the final draft of the manuscript under unusual circumstances.

Finally, I must thank my wife to whom this book is dedicated. Her encouragement was the most valuable assistance I received.

John B. Conway

PREFACE FOR THE SECOND EDITION

I have been very pleased with the success of my book. When it was apparent that the second printing was nearly sold out, Springer-Verlag asked me to prepare a list of corrections for a third printing. When I mentioned that I had some ideas for more substantial revisions, they reacted with characteristic enthusiasm.

There are four major differences between the present edition and its predecessor. First, John Dixon's treatment of Cauchy's Theorem has been included. This has the advantage of providing a quick proof of the theorem in its full generality. Nevertheless, I have a strong attachment to the homotopic version that appeared in the first edition and have proved this form of Cauchy's Theorem as it was done there. This version is very geometric and quite easy to apply. Moreover, the notion of homotopy is needed for the later treatment of the monodromy theorem; hence, inclusion of this version yields benefits far in excess of the time needed to discuss it.

Second, the proof of Runge's Theorem is new. The present proof is due to Sandy Grabiner and does not use "pole pushing". In a sense the "pole pushing" is buried in the concept of uniform approximation and some ideas from Banach algebras. Nevertheless, it should be emphasized that the proof is entirely elementary in that it relies only on the material presented in this text.

Next, an Appendix B has been added. This appendix contains some bibliographical material and a guide for further reading.

Finally, several additional exercises have been added.

There are also minor changes that have been made. Several colleagues in the mathematical community have helped me greatly by providing constructive criticism and pointing out typographical errors. I wish to thank publicly Earl Berkson, Louis Brickman, James Deddens, Gerard Keough, G. K. Kristiansen, Andrew Lenard, John Mairhuber, Donald C. Meyers, Jeffrey Nunemacher, Robert Olin, Donald Perlis, John Plaster, Hans Sagan, Glenn Schober, David Stegenga, Richard Varga, James P. Williams, and Max Zorn.

Finally, I wish to thank the staff at Springer-Verlag New York not only for their treatment of my book, but also for the publication of so many fine books on mathematics. In the present time of shrinking graduate enrollments and the consequent reluctance of so many publishers to print advanced texts and monographs, Springer-Verlag is making a contribution to our discipline by increasing its efforts to disseminate the recent developments in mathematics.

John B. Conway

TABLE OF CONTENTS

Preface vii

I. The Complex Number System
§1. The real numbers 1
§2. The field of complex numbers 1
§3. The complex plane 3
§4. Polar representation and roots of complex numbers . . . 4
§5. Lines and half planes in the complex plane 6
§6. The extended plane and its spherical representation . . . 8

II. Metric Spaces and the Topology of $\mathbb{C}$
§1. Definition and examples of metric spaces 11
§2. Connectedness 14
§3. Sequences and completeness 17
§4. Compactness 20
§5. Continuity 24
§6. Uniform convergence 28

III. Elementary Properties and Examples of Analytic Functions
§1. Power series 30
§2. Analytic functions 33
§3. Analytic functions as mappings, Möbius transformations . . 44

IV. Complex Integration
§1. Riemann-Stieltjes integrals 58
§2. Power series representation of analytic functions . . . 68
§3. Zeros of an analytic function 76
§4. The index of a closed curve 80
§5. Cauchy's Theorem and Integral Formula 83
§6. The homotopic version of Cauchy's Theorem and simple connectivity 87
§7. Counting zeros; the Open Mapping Theorem 97
§8. Goursat's Theorem 100

V. Singularities
§1. Classification of singularities 103
§2. Residues 112
§3. The Argument Principle 123

VI. The Maximum Modulus Theorem
§1. The Maximum Principle 128
§2. Schwarz's Lemma 130
§3. Convex functions and Hadamard's Three Circles Theorem . 133
§4. Phragmén-Lindelöf Theorem 138

VII. Compactness and Convergence in the Space of Analytic Functions
§1. The space of continuous functions C(G,Ω) 142
§2. Spaces of analytic functions 151
§3. Spaces of meromorphic functions 155
§4. The Riemann Mapping Theorem 160
§5. Weierstrass Factorization Theorem 164
§6. Factorization of the sine function 174
§7. The gamma function 176
§8. The Riemann zeta function 187

VIII. Runge's Theorem
§1. Runge's Theorem 195
§2. Simple connectedness 202
§3. Mittag-Leffler's Theorem 204

IX. Analytic Continuation and Riemann Surfaces
§1. Schwarz Reflection Principle 210
§2. Analytic Continuation Along A Path 213
§3. Mondromy Theorem 217
§4. Topological Spaces and Neighborhood Systems . . . 221
§5. The Sheaf of Germs of Analytic Functions on an Open Set . 227
§6. Analytic Manifolds 233
§7. Covering spaces 245

X. Harmonic Functions
§1. Basic Properties of harmonic functions 252
§2. Harmonic functions on a disk 256
§3. Subharmonic and superharmonic functions 263
§4. The Dirichlet Problem 269
§5. Green's Functions 275

XI. Entire Functions
§1. Jensen's Formula 280
§2. The genus and order of an entire function 282
§3. Hadamard Factorization Theorem 287

此为试读,需要完整PDF请访问: www.ertongbook.com

XII. The Range of an Analytic Function
§1. Bloch's Theorem 292
§2. The Little Picard Theorem 296
§3. Schottky's Theorem 297
§4. The Great Picard Theorem 300

Appendix A: Calculus for Complex Valued Functions on an Interval . . . 303

Appendix B: Suggestions for Further Study and Bibliographical Notes 307

References 311

Index 313

List of Symbols 317

Chapter I

The Complex Number System

§1. *The real numbers*

We denote the set of all real numbers by $\mathbb{R}$. It is assumed that each reader is acquainted with the real number system and all its properties. In particular we assume a knowledge of the ordering of $\mathbb{R}$, the definitions and properties of the supermum and infimum (sup and inf), and the completeness of $\mathbb{R}$ (every non-empty set in $\mathbb{R}$ which is bounded above has a supremum). It is also assumed that every reader is familiar with sequential convergence in $\mathbb{R}$ and with infinite series. Finally, no one should undertake a study of Complex Variables unless he has a thorough grounding in functions of one real variable. Although it has been traditional to study functions of several real variables before studying analytic function theory, this is not an essential prerequisite for this book. There will not be any occasion when the deep results of this area are needed.

§2. *The field of complex numbers*

We define $\mathbb{C}$, the complex numbers, to be the set of all ordered pairs (a, b) where a and b are real numbers and where addition and multiplication are defined by:

$$(a, b)+(c, d) = (a+c, b+d)$$

$$(a, b)\,(c, d) = (ac-bd, bc+ad)$$

It is easily checked that with these definitions $\mathbb{C}$ satisfies all the axioms for a field. That is, $\mathbb{C}$ satisfies the associative, commutative and distributive laws for addition and multiplication; $(0,0)$ and $(1,0)$ are identities for addition and multiplication respectively, and there are additive and multiplicative inverses for each nonzero element in $\mathbb{C}$.

We will write a for the complex number $(a, 0)$. This mapping $a \to (a, 0)$ defines a field isomorphism of $\mathbb{R}$ into $\mathbb{C}$ so we may consider $\mathbb{R}$ as a subset of $\mathbb{C}$. If we put $i = (0, 1)$ then $(a, b) = a+bi$. From this point on we abandon the ordered pair notation for complex numbers.

Note that $i^2 = -1$, so that the equation $z^2+1 = 0$ has a root in $\mathbb{C}$. In fact, for each z in $\mathbb{C}$, $z^2+1 = (z+i)\,(z-i)$. More generally, if z and w are complex numbers we obtain

$$z^2+w^2 = (z+iw)\,(z-iw)$$

By letting z and w be real numbers a and b we can obtain (with both a and $b \neq 0$)

$$\frac{1}{a+ib} = \frac{a-ib}{a^2+b^2} = \frac{a}{a^2+b^2} - i\left(\frac{b}{a^2+b^2}\right)$$

so that we have a formula for the reciprocal of a complex number.

When we write $z = a+ib$ $(a, b \in \mathbb{R})$ we call a and b the *real* and *imaginary parts* of z and denote this by $a = \operatorname{Re} z$, $b = \operatorname{Im} z$.

We conclude this section by introducing two operations on $\mathbb{C}$ which are not field operations. If $z = x+iy (x, y \in \mathbb{R})$ then we define $|z| = (x^2+y^2)^{\frac{1}{2}}$ to be the *absolute value* of z and $\bar{z} = x-iy$ is the *conjugate* of z. Note that

2.1 $$|z|^2 = z\bar{z}$$

In particular, if $z \neq 0$ then

$$\frac{1}{z} = \frac{\bar{z}}{|z|^2}$$

The following are basic properties of absolute values and conjugates whose verifications are left to the reader.

2.2 $$\operatorname{Re} z = \tfrac{1}{2}(z+\bar{z}) \quad \text{and} \quad \operatorname{Im} z = \frac{1}{2i}(z-\bar{z}).$$

2.3 $$\overline{(z+w)} = \bar{z}+\bar{w} \quad \text{and} \quad \overline{zw} = \bar{z}\bar{w}.$$

2.4 $$|zw| = |z|\,|w|.$$

2.5 $$|z/w| = |z|/|w|.$$

2.6 $$|\bar{z}| = |z|.$$

The reader should try to avoid expanding z and w into their real and imaginary parts when he tries to prove these last three. Rather, use (2.1), (2.2), and (2.3).

Exercises

1. Find the real and imaginary parts of each of the following:

$$\frac{1}{z};\ \frac{z-a}{z+a}\,(a \in \mathbb{R});\ z^3;\ \frac{3+5i}{7i+1};\ \left(\frac{-1+i\sqrt{3}}{2}\right)^3;$$

$$\left(\frac{-1-i\sqrt{3}}{2}\right)^6;\ i^n;\ \left(\frac{1+i}{\sqrt{2}}\right)^n \quad \text{for} \quad 2 \leq n \leq 8.$$

2. Find the absolute value and conjugate of each of the following:

$$-2+i;\ -3;\ (2+i)(4+3i);\ \frac{3-i}{\sqrt{2}+3i};\ \frac{i}{i+3};$$

$$(1+i)^6;\ i^{17}.$$

3. Show that z is a real number if and only if $z = \bar{z}$.
4. If z and w are complex numbers, prove the following equations:

$$|z+w|^2 = |z|^2+2\mathrm{Re}\, z\bar{w}+|w|^2.$$

$$|z-w|^2 = |z|^2-2\mathrm{Re}\, z\bar{w}+|w|^2.$$

$$|z+w|^2 + |z-w|^2 = 2(|z|^2+|w|^2).$$

5. Use induction to prove that for $z = z_1+\ldots+z_n$; $w = w_1w_2\ldots w_n$: $|w| = |w_1|\ldots|w_n|$; $\bar{z} = \bar{z}_1+\ldots+\bar{z}_n$; $\bar{w} = \bar{w}_1\ldots\bar{w}_n$.
6. Let $R(z)$ be a rational function of z. Show that $\overline{R(z)} = R(\bar{z})$ if all the coefficients in $R(z)$ are real.

§3. *The complex plane*

From the definition of complex numbers it is clear that each z in $\mathbb{C}$ can be identified with the unique point (Re z, Im z) in the plane $\mathbb{R}^2$. The addition of complex numbers is exactly the addition law of the vector space $\mathbb{R}^2$. If z and w are in $\mathbb{C}$ then draw the straight lines from z and w to 0 $(=(0, 0))$. These form two sides of a parallelogram with 0, z and w as three vertices. The fourth vertex turns out to be $z+w$.

Note also that $|z-w|$ is exactly the distance between z and w. With this in mind the last equation of Exercise 4 in the preceding section states the *parallelogram law*: The sum of the squares of the lengths of the sides of a parallelogram equals the sum of the squares of the lengths of its diagonals.

A fundamental property of a distance function is that it satisfies the triangle inequality (see the next chapter). In this case this inequality becomes

$$|z_1-z_2| \le |z_1-z_3| + |z_3-z_2|$$

for complex numbers z_1, z_2, z_3. By using $z_1-z_2 = (z_1-z_3)+(z_3-z_2)$, it is easy to see that we need only show

3.1 $$|z+w| \le |z| + |w| \quad (z, w \in \mathbb{C}).$$

To show this first observe that for any z in $\mathbb{C}$,

3.2 $$-|z| \le \mathrm{Re}\, z \le |z|$$

$$-|z| \le \mathrm{Im}\, z \le |z|$$

Hence, $\mathrm{Re}\,(z\bar{w}) \le |z\bar{w}| = |z|\,|w|$. Thus,

$$\begin{aligned} |z+w|^2 &= |z|^2+2\mathrm{Re}\,(z\bar{w})+|w|^2 \\ &\le |z|^2+2|z|\,|w|+|w|^2 \\ &= (|z|+|w|)^2, \end{aligned}$$

from which (3.1) follows. (This is called the *triangle inequality* because, if we represent z and w in the plane, (3.1) says that the length of one side of the triangle $[0, z, z+w]$ is less than the sum of the lengths of the other two sides. Or, the shortest distance between two points is a straight line.) On encounter-

ing an inequality one should always ask for necessary and sufficient conditions that equality obtains. From looking at a triangle and considering the geometrical significance of (3.1) we are led to consider the condition $z = tw$ for some $t \in \mathbb{R}$, $t \geq 0$. (or $w = tz$ if $w = 0$). It is clear that equality will occur when the two points are colinear with the origin. In fact, if we look at the proof of (3.1) we see that a necessary and sufficient condition for $|z+w| = |z|+|w|$ is that $|z\bar{w}| = \text{Re}\,(z\bar{w})$. Equivalently, this is $z\bar{w} \geq 0$ (i.e., $z\bar{w}$ is a real number and is non negative). Multiplying this by w/w we get $|w|^2(z/w) \geq 0$ if $w \neq 0$. If

$$t = z/w = \left(\frac{1}{|w|^2}\right)|w|^2(z/w)$$

then t ≥ 0 and $z = tw$.

By induction we also get

3.3 $$|z_1+z_2+\ldots+z_n| \leq |z_1|+|z_2|+\ldots+|z_n|$$

Also useful is the inequality

3.4 $$\Big|\,|z|-|w|\,\Big| \leq |z-w|$$

Now that we have given a geometric interpretation of the absolute value let us see what taking a complex conjugate does to a point in the plane. This is also easy; in fact, $\bar{z}$ is the point obtained by reflecting z across the x-axis (i.e., the real axis).

Exercises

1. Prove (3.4) and give necessary and sufficient conditions for equality.
2. Show that equality occurs in (3.3) if and only if $z_k/z_l \geq 0$ for any integers k and l, $1 \leq k, l \leq n$, for which $z_l \neq 0$.
3. Let $a \in \mathbb{R}$ and $c > 0$ be fixed. Describe the set of points z satisfying

$$|z-a|-|z+a| = 2c$$

for every possible choice of a and c. Now let a be any complex number and, using a rotation of the plane, describe the locus of points satisfying the above equation.

§4. *Polar representation and roots of complex numbers*

Consider the point $z = x+iy$ in the complex plane $\mathbb{C}$. This point has polar coordinates (r, θ): $x = r\cos\theta$, $y = r\sin\theta$. Clearly $r = |z|$ and θ is the angle between the positive real axis and the line segment from 0 to z. Notice that θ plus any multiple of 2π can be substituted for θ in the above equations. The angle θ is called the *argument of* z and is denoted by $\theta = \arg z$. Because of the ambiguity of θ, "arg" is not a function. We introduce the notation

4.1 $$\text{cis}\,\theta = \cos\theta + i\sin\theta.$$

Let $z_1 = r_1 \operatorname{cis} \theta_1$, $z_2 = r_2 \operatorname{cis} \theta_2$. Then $z_1 z_2 = r_1 r_2 \operatorname{cis} \theta_1 \operatorname{cis} \theta_2 = r_1 r_2$ $[(\cos \theta_1 \cos \theta_2 - \sin \theta_1 \sin \theta_2) + i (\sin \theta_1 \cos \theta_2 + \sin \theta_2 \cos \theta_1)]$. By the formulas for the sine and cosine of the sum of two angles we get

4.2 $$z_1 z_2 = r_1 r_2 \operatorname{cis} (\theta_1 + \theta_2).$$

Alternately, $\arg(z_1 z_2) = \arg z_1 + \arg z_2$. (What function of a real variable takes products into sums?) By induction we get for $z_k = r_k \operatorname{cis} \theta_k$, $1 \leq k \leq n$,

4.3 $$z_1 z_2 \ldots z_n = r_1 r_2 \ldots r_n \operatorname{cis} (\theta_1 + \ldots + \theta_n).$$

In particular,

4.4 $$z^n = r^n \operatorname{cis} (n\theta),$$

for every integer $n \geq 0$. Moreover if $z \neq 0$, $z \cdot [r^{-1} \operatorname{cis} (-\theta)] = 1$; so that (4.4) also holds for all integers n, positive, negative, and zero, if $z \neq 0$. As a special case of (4.4) we get *de Moivre's formula*:

$$(\cos \theta + i \sin \theta)^n = \cos n\theta + i \sin n\theta.$$

We are now in a position to consider the following problem: For a given complex number $a \neq 0$ and an integer $n \geq 2$, can you find a number z satisfying $z^n = a$? How many such z can you find? In light of (4.4) the solution is easy. Let $a = |a| \operatorname{cis} \alpha$; by (4.4), $z = |a|^{1/n} \operatorname{cis} (\alpha/n)$ fills the bill. However this is not the only solution because $z' = |a|^{1/n} \operatorname{cis} \frac{1}{n} (\alpha + 2\pi)$ also satisfies $(z')^n = a$. In fact each of the numbers

4.5 $$|a|^{1/n} \operatorname{cis} \frac{1}{n} (\alpha + 2\pi k), \; 0 \leq k \leq n-1,$$

in an nth root of a. By means of (4.4) we arrive at the following: for each non zero number a in $\mathbb{C}$ there are n *distinct* nth roots of a; they are given by formula (4.5).

Example

Calculate the nth roots of unity. Since $1 = \operatorname{cis} 0$, (4.5) gives these roots as

$$1, \operatorname{cis} \frac{2\pi}{n}, \operatorname{cis} \frac{4\pi}{n}, \ldots, \operatorname{cis} \frac{2\pi}{n} (n-1).$$

In particular, the cube roots of unity are

$$1, \frac{1}{\sqrt{2}} (-1 + i\sqrt{3}), \frac{1}{\sqrt{2}} (-1 - i\sqrt{3}).$$

Exercises

1. Find the sixth roots of unity.

此为试读,需要完整PDF请访问: www.ertongbook.com